


5.47-5.73GHz_802.11a_(6Mbps)_2TX

5500MHz_TnomVmax

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.592M	5.491644G	5.508236G	20M	1
16.572M	5.491684G	5.508256G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11a_(6Mbps)_2TX

5600MHz_TnomVnom

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.552M	5.591664G	5.608216G	20M	1
16.592M	5.591664G	5.608256G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11a_(6Mbps)_2TX

5600MHz_TnomVmin

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.552M	5.591664G	5.608216G	20M	1
16.592M	5.591664G	5.608256G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11a_(6Mbps)_2TX

5600MHz_TnomVmax

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.552M	5.591664G	5.608216G	20M	1
16.592M	5.591664G	5.608256G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11a_(6Mbps)_2TX

5720MHz_TnomVnom

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.572M	5.711664G	5.728236G	20M	1
16.752M	5.711604G	5.728356G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX

5720MHz_TnomVmin

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.572M	5.711664G	5.728236G	20M	1
16.752M	5.711624G	5.728376G	20M	2


5.47-5.73GHz_802.11a_(6Mbps)_2TX

OBW

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.572M	5.711664G	5.728236G	20M	1
16.732M	5.711624G	5.728356G	20M	2


5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/04/2026

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.731M	5.171064G	5.188796G	20M	1
17.671M	5.171104G	5.188776G	20M	2



5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

5180MHz_TnomVmin

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.171044G	5.18816G	20M	1
17.631M	5.171124G	5.188756G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

5180MHz_TnomVmax

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.691M	5.171084G	5.188776G	20M	1
17.631M	5.171124G	5.188756G	20M	2

OBW

07/04/2026

Port 1
Port 2


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/04/2026

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.191104G	5.208756G	20M	1
17.591M	5.191144G	5.208736G	20M	2


5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/04/2026

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.191084G	5.208756G	20M	1
17.611M	5.191124G	5.208736G	20M	2




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

5200MHz_TnomVmax



5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom






5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/04/2026

CF
5.24GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.231104G	5.248756G	20M	1
17.631M	5.231124G	5.248756G	20M	2


5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/04/2026

CF
5.24GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.231104G	5.248756G	20M	1
17.631M	5.231124G	5.248756G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/04/2026

CF
5.26GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.251104G	5.268776G	20M	1
17.611M	5.251144G	5.268756G	20M	2


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.731M	5.271064G	5.288796G	20M	1
17.691M	5.271084G	5.288776G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.731M	5.311064G	5.328796G	20M	1
17.671M	5.311104G	5.328776G	20M	2


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.691M	5.311084G	5.328776G	20M	1
17.651M	5.311124G	5.328776G	20M	2


5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/04/2026

CF
5.32GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.691M	5.311084G	5.328776G	20M	1
17.651M	5.311124G	5.328776G	20M	2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

07/04/2026

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.791M	5.491044G	5.508836G	20M	1
17.791M	5.491064G	5.508856G	20M	2



5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TnomVmin

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.491064G	5.508836G	20M	1
17.771M	5.491084G	5.508856G	20M	2

OBW


07/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TnomVmax

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.491064G	5.508816G	20M	1
17.791M	5.491064G	5.508856G	20M	2

OBW

07/04/2026

Port 1
Port 2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.591084G	5.608836G	20M	1
17.811M	5.591064G	5.608876G	20M	2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.731M	5.591084G	5.608816G	20M	1
17.791M	5.591064G	5.608856G	20M	2




5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.591064G	5.608836G	20M	1
17.831M	5.591044G	5.608876G	20M	2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

07/04/2026

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.791M	5.711064G	5.728856G	20M	1
17.891M	5.711024G	5.728916G	20M	2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

07/04/2026

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.711064G	5.728836G	20M	1
17.851M	5.711044G	5.728896G	20M	2


5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

07/04/2026

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.791M	5.711064G	5.728856G	20M	1
17.891M	5.711024G	5.728916G	20M	2



5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom

CF
5.19GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.171729G	5.208111G	40M	1
36.262M	5.171809G	5.208071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVmin

CF
5.19GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.171769G	5.208111G	40M	1
36.262M	5.171809G	5.208071G	40M	2

OBW

08/04/2026


Port 1
Port 2



5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVmax

CF
5.19GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.171769G	5.208111G	40M	1
36.262M	5.171809G	5.208071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom

CF
5.23GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.211769G	5.248111G	40M	1
36.262M	5.211809G	5.248071G	40M	2

OBW

08/04/2026

Port 1
Port 2


5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

08/04/2026

CF
5.23GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.211769G	5.248111G	40M	1
36.222M	5.211849G	5.248071G	40M	2


5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

08/04/2026

CF
5.23GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.211769G	5.248111G	40M	1
36.262M	5.211809G	5.248071G	40M	2


5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

08/04/2026

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.302M	5.251769G	5.288071G	40M	1
36.262M	5.251809G	5.288071G	40M	2


5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

08/04/2026

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.251729G	5.288071G	40M	1
36.222M	5.251849G	5.288071G	40M	2



5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5270MHz_TnomVmax

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.251769G	5.288111G	40M	1
36.262M	5.251809G	5.288071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom

CF
5.31GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.422M	5.291729G	5.328151G	40M	1
36.262M	5.291809G	5.328071G	40M	2

OBW

08/04/2026


Port 1
Port 2

5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

08/04/2026




5.25-5.35GHz_802.11n_HT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

08/04/2026






5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom

CF
5.51GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.491769G	5.528111G	40M	1
36.262M	5.491809G	5.528071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TnomVmin

CF
5.51GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.491769G	5.528151G	40M	1
36.262M	5.491809G	5.528071G	40M	2

OBW

08/04/2026


Port 1
Port 2



5.47-5.73GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5510MHz_TnomVmax

CF
5.51GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.491769G	5.528111G	40M	1
36.262M	5.491809G	5.528071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11n_HT40_Nss1,(MCS0)_2TX

5590MHz_TnomVnom

CF
5.59GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.571769G	5.608151G	40M	1
36.262M	5.571809G	5.608071G	40M	2

OBW

08/04/2026


Port 1
Port 2



5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5590MHz_TnomVmin

CF
5.59GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.571769G	5.608151G	40M	1
36.262M	5.571809G	5.608071G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5590MHz_TnomVmax

CF
5.59GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.571769G	5.608151G	40M	1
36.262M	5.571809G	5.608071G	40M	2



5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom

CF
5.71GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.691769G	5.728151G	40M	1
36.262M	5.691809G	5.728071G	40M	2

OBW


08/04/2026

Port 1
Port 2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz_TnomVmin

CF
5.71GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.691769G	5.728151G	40M	1
36.262M	5.691809G	5.728071G	40M	2

OBW

08/04/2026


Port 1
Port 2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

08/04/2026




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmin

07/04/2026

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.631M	5.171124G	5.188756G	20M	1
17.611M	5.171124G	5.188736G	20M	2


5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmax

07/04/2026

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.691M	5.171084G	5.188776G	20M	1
17.611M	5.171124G	5.188736G	20M	2




5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/04/2026

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.191104G	5.208776G	20M	1
17.631M	5.191124G	5.208756G	20M	2


5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/04/2026

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.711M	5.191084G	5.208796G	20M	1
17.631M	5.191124G	5.208756G	20M	2




5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmax

07/04/2026

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.711M	5.191084G	5.208796G	20M	1
17.631M	5.191124G	5.208756G	20M	2


5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVnom

07/04/2026

CF
5.24GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.231104G	5.248756G	20M	1
17.591M	5.231144G	5.248736G	20M	2

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.231104G	5.248756G	20M	1
17.611M	5.231144G	5.248756G	20M	2

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/04/2026



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.231104G	5.248776G	20M	1
17.611M	5.231144G	5.248756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/04/2026

CF
5.26GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.251104G	5.268776G	20M	1
17.631M	5.251124G	5.268756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/04/2026

CF
5.26GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.251104G	5.268776G	20M	1
17.631M	5.251124G	5.268756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/04/2026

CF
5.26GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.251104G	5.268756G	20M	1
17.631M	5.251124G	5.268756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/04/2026

CF
5.28GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.271104G	5.288756G	20M	1
17.631M	5.271124G	5.288756G	20M	2




5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/04/2026

CF
5.28GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.271084G	5.288756G	20M	1
17.611M	5.271144G	5.288756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/04/2026

CF
5.28GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.671M	5.271084G	5.288756G	20M	1
17.631M	5.271124G	5.288756G	20M	2




5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/04/2026

CF
5.32GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.631M	5.311124G	5.328756G	20M	1
17.631M	5.311124G	5.328756G	20M	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/04/2026

CF
5.32GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.311104G	5.328756G	20M	1
17.591M	5.311144G	5.328736G	20M	2

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.651M	5.311104G	5.328756G	20M	1
17.631M	5.311124G	5.328756G	20M	2

5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

07/04/2026



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.811M	5.491044G	5.508856G	20M	1
17.791M	5.491064G	5.508856G	20M	2




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmin

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

07/04/2026




5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.711084G	5.728836G	20M	1
17.831M	5.711044G	5.728876G	20M	2

5.47-5.73GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.711084G	5.728836G	20M	1
17.811M	5.711044G	5.728856G	20M	2

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVnom

08/04/2026




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmin

08/04/2026




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmax

08/04/2026




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVnom

08/04/2026




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

08/04/2026




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

08/04/2026




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

08/04/2026

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.251729G	5.288071G	40M	1
36.222M	5.251849G	5.288071G	40M	2


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

08/04/2026

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.302M	5.251769G	5.288071G	40M	1
36.262M	5.251809G	5.288071G	40M	2


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmax

08/04/2026

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.251729G	5.288071G	40M	1
36.222M	5.251809G	5.288031G	40M	2


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVnom

08/04/2026

CF
5.31GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.291769G	5.328111G	40M	1
36.262M	5.291809G	5.328071G	40M	2

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

08/04/2026




5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVnom

08/04/2026

CF
5.51GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.491769G	5.528151G	40M	1
36.262M	5.491809G	5.528071G	40M	2


5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmin

08/04/2026

CF
5.51GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.382M	5.491729G	5.528111G	40M	1
36.262M	5.491809G	5.528071G	40M	2

5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmax

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVnom

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmin

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmax

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVnom

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmin

08/04/2026




5.47-5.73GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

08/04/2026




5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVnom

07/04/2026






5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmin

07/04/2026

CF
5.21GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.722M	5.172099G	5.247821G	80M	1
75.722M	5.172099G	5.247821G	80M	2


5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmax

07/04/2026

CF
5.21GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.722M	5.172099G	5.247821G	80M	1
75.642M	5.172179G	5.247821G	80M	2




5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmin

07/04/2026






5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmax

07/04/2026

CF
5.29GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.722M	5.252099G	5.327821G	80M	1
75.642M	5.252179G	5.327821G	80M	2


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVnom

07/04/2026

CF
5.53GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.802M	5.492099G	5.567901G	80M	1
75.722M	5.492099G	5.567821G	80M	2




5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmin

07/04/2026

CF
5.53GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.802M	5.492099G	5.567901G	80M	1
75.722M	5.492099G	5.567821G	80M	2


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmax

07/04/2026

CF
5.53GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.802M	5.492099G	5.567901G	80M	1
75.722M	5.492099G	5.567821G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVnom

07/04/2026




5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmin

07/04/2026






5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVnom

07/04/2026






5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmin

07/04/2026

CF
5.69GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.802M	5.652099G	5.727901G	80M	1
75.722M	5.652099G	5.727821G	80M	2


5.47-5.73GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmax

07/04/2026

CF
5.69GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.802M	5.652099G	5.727901G	80M	1
75.722M	5.652099G	5.727821G	80M	2

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.170425G	5.189455G	20M	1
19.03M	5.170425G	5.189455G	20M	2

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmin

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.170425G	5.189455G	20M	1
19.03M	5.170425G	5.189455G	20M	2

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmax

07/04/2026




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.01M	5.190445G	5.209455G	20M	1
19.01M	5.190425G	5.209435G	20M	2

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmax

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.190405G	5.209475G	20M	1
19.01M	5.190425G	5.209435G	20M	2

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/04/2026




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/04/2026




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.01M	5.270425G	5.289435G	20M	1
19.03M	5.270425G	5.289455G	20M	2

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/04/2026




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.270405G	5.289435G	20M	1
19.03M	5.270425G	5.289455G	20M	2

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.310425G	5.329455G	20M	1
19.05M	5.310425G	5.329475G	20M	2

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/04/2026



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.310425G	5.329455G	20M	1
19.03M	5.310425G	5.329455G	20M	2




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

07/04/2026

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.490405G	5.509455G	20M	1
19.07M	5.490425G	5.509495G	20M	2


5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmin

07/04/2026

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.490425G	5.509475G	20M	1
19.09M	5.490405G	5.509495G	20M	2


5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmax

07/04/2026

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.490405G	5.509475G	20M	1
19.07M	5.490425G	5.509495G	20M	2


5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.590425G	5.609475G	20M	1
19.11M	5.590405G	5.609515G	20M	2




5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.590425G	5.609495G	20M	1
19.11M	5.590405G	5.609515G	20M	2


5.47-5.73GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

07/04/2026

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.590425G	5.609475G	20M	1
19.11M	5.590405G	5.609515G	20M	2




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

07/04/2026




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.710425G	5.729455G	20M	1
19.07M	5.710405G	5.729475G	20M	2

5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

07/04/2026



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.710425G	5.729455G	20M	1
19.09M	5.710405G	5.729495G	20M	2




5.47-5.73GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

07/04/2026




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVnom

08/04/2026




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmin

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.581M	5.171129G	5.208711G	40M	1
37.581M	5.171169G	5.208751G	40M	2

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmax

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.621M	5.171129G	5.208751G	40M	1
37.621M	5.171129G	5.208751G	40M	2

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVnom

08/04/2026




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

08/04/2026






5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

08/04/2026




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

08/04/2026




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

08/04/2026




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmax

08/04/2026




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVnom

08/04/2026




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

08/04/2026




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.581M	5.291129G	5.328711G	40M	1
37.621M	5.291129G	5.328751G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVnom

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.621M	5.491129G	5.528751G	40M	1
37.661M	5.491129G	5.528791G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmin

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.661M	5.491129G	5.528791G	40M	1
37.581M	5.491169G	5.528751G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmax

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.581M	5.491129G	5.528711G	40M	1
37.621M	5.491129G	5.528751G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVnom

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.621M	5.571129G	5.608751G	40M	1
37.661M	5.571129G	5.608791G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmin

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.581M	5.571169G	5.608751G	40M	1
37.621M	5.571129G	5.608751G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmax

08/04/2026




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVnom

08/04/2026




5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmin

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.621M	5.691129G	5.728751G	40M	1
37.621M	5.691129G	5.728751G	40M	2

5.47-5.73GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

08/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.621M	5.691129G	5.728751G	40M	1
37.621M	5.691129G	5.728751G	40M	2

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVnom

07/04/2026




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmin

07/04/2026




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmax

07/04/2026




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVnom

07/04/2026




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmin

07/04/2026




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmax

07/04/2026






5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVnom

07/04/2026

CF
5.53GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.241M	5.491379G	5.568621G	80M	1
77.161M	5.491379G	5.568541G	80M	2


5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmin

07/04/2026

CF
5.53GHz
Span
160MHz
RBW
1MHz
VBW
1MHz
Sweep Time
500ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.161M	5.491379G	5.568541G	80M	1
77.161M	5.491379G	5.568541G	80M	2

5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmax

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.161M	5.491379G	5.568541G	80M	1
77.161M	5.491379G	5.568541G	80M	2

5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVnom

07/04/2026




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.161M	5.571379G	5.648541G	80M	1
77.161M	5.571299G	5.648461G	80M	2

5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmin

07/04/2026




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmax

07/04/2026




5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVnom

07/04/2026





5.47-5.73GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmin

07/04/2026







Transmitter Spurious Emissions

Appendix D

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.2667G	26G	1M	19.83638G	-37.19	0.19113	4.32	-32.87	0.5168	-26.02	2.5	-40.36	-40.04
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.25092G	-20.24	9.45216	4.32	-15.92	25.55825	-9.21	119.95	-22.97	-23.56
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.84934G	-36.93	0.20287	4.32	-32.61	0.54856	-26.02	2.5	-40.19	-39.70
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.2502G	5.251G	1M	5.25022G	-8.19	151.7514	4.32	-3.87	410.32946	-2.25	595.66	-10.46	-12.09
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.84374G	-37.19	0.19091	4.32	-32.87	0.5162	-26.02	2.5	-39.88	-40.55
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.86058G	-36.93	0.20278	4.32	-32.61	0.54831	-26.02	2.5	-39.39	-40.57
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.8541G	-36.61	0.21834	4.32	-32.29	0.59039	-26.02	2.5	-38.95	-40.41
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.2967G	26G	1M	19.85759G	-36.82	0.20774	4.32	-32.50	0.56172	-26.02	2.5	-39.00	-40.87
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.2967G	26G	1M	19.84853G	-37.20	0.1907	4.32	-32.88	0.51564	-26.02	2.5	-39.74	-40.73
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.35G	26G	1M	19.87018G	-37.26	0.18809	5.35	-31.91	0.64471	-26.02	2.5	-40.10	-40.44
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24916G	-18.11	15.4394	5.35	-12.76	52.9213	-8.38	145.21	-20.60	-21.72
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24927G	-17.45	18.00564	5.35	-12.10	61.71753	-7.26	187.93	-19.75	-21.30
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.2498G	5.25G	1M	5.2498G	-8.44	143.06071	5.35	-3.09	490.36602	-1.96	636.8	-11.83	-11.11
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.85138G	-36.68	0.21484	5.35	-31.33	0.73641	-26.02	2.5	-40.19	-39.24
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.87654G	-37.15	0.19277	5.35	-31.80	0.66077	-26.02	2.5	-40.12	-40.20
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.85461G	-37.20	0.19043	5.35	-31.85	0.65274	-26.02	2.5	-40.08	-40.35
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.3768G	26G	1M	19.85106G	-37.37	0.18303	5.35	-32.02	0.62737	-26.02	2.5	-40.04	-40.76
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.3768G	26G	1M	19.84333G	-36.83	0.20742	5.35	-31.48	0.71096	-26.02	2.5	-39.68	-40.01
5.47-5.73GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.745G	5.765G	1M	5.74511G	-29.98	1.00353	5.58	-24.40	3.62685	-19.03	12.5	-35.13	-31.57
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.745G	5.765G	1M	5.74505G	-27.65	1.71791	5.58	-22.07	6.20868	-19.03	12.5	-33.76	-28.87
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.745G	5.765G	1M	5.74512G	-27.89	1.62458	5.58	-22.31	5.87137	-19.03	12.5	-31.04	-30.77
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.745G	5.765G	1M	5.74551G	-26.29	2.34802	5.58	-20.71	8.48596	-19.03	12.5	-31.67	-27.78
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.84565G	-37.06	0.19665	5.58	-31.48	0.71073	-19.03	12.5	-40.53	-39.66
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	30M	5.46G	1M	5.45783G	-35.88	0.25836	5.58	-30.30	0.93376	-19.03	12.5	-44.08	-36.59
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.83111G	-37.07	0.19642	5.58	-31.49	0.7099	-19.03	12.5	-40.68	-39.55
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	5.77316G	-28.34	1.46578	5.58	-22.76	5.29746	-19.03	12.5	-30.71	-32.10
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	5.77316G	-29.46	1.13365	5.58	-23.88	4.09711	-19.03	12.5	-35.43	-30.72



Transmitter Spurious Emissions

Appendix D

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
802.11a_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.13552G	-47.41	0.01818	4.32	-43.09	0.04915	-26.02	2.5	-49.78	-51.16
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14836G	-46.17	0.02417	4.32	-41.85	0.06536	-18.24	15	-48.86	-49.52
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-46.74	0.02119	4.32	-42.42	0.0573	-9.79	104.95	-49.84	-49.66
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25986G	-46.75	0.02112	4.32	-42.43	0.0571	-17.89	16.26	-49.24	-50.36
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26663G	-47.19	0.01909	4.32	-42.87	0.05163	-25.93	2.55	-49.45	-51.11
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84675G	-37.32	0.18545	4.32	-33.00	0.50146	-26.02	2.5	-40.73	-39.96
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.1403G	-47.31	0.01858	4.32	-42.99	0.05024	-26.02	2.5	-50.30	-50.34
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14974G	-45.99	0.02516	4.32	-41.67	0.06802	-18.24	15	-48.91	-49.10
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.74	0.02121	4.32	-42.42	0.05734	-9.96	100.93	-49.27	-50.28
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25999G	-46.98	0.02003	4.32	-42.66	0.05416	-18.01	15.81	-50.45	-49.58
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26666G	-47.25	0.01882	4.32	-42.93	0.05088	-25.97	2.53	-50.29	-50.24
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84545G	-37.56	0.1752	4.32	-33.24	0.47373	-26.02	2.5	-40.88	-40.29
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.13314G	-47.38	0.0183	4.32	-43.06	0.04947	-26.02	2.5	-50.06	-50.74
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14937G	-46.06	0.02475	4.32	-41.74	0.06694	-18.24	15	-49.18	-48.97
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.79	0.02093	4.32	-42.47	0.05659	-10.00	100	-49.56	-50.06
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25998G	-47.00	0.01996	4.32	-42.68	0.05396	-18.00	15.85	-49.95	-50.07
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.2666G	-47.04	0.01976	4.32	-42.72	0.05343	-25.90	2.57	-49.90	-50.21
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83638G	-37.19	0.19113	4.32	-32.87	0.5168	-26.02	2.5	-40.36	-40.04
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.06259G	-47.36	0.01837	4.32	-43.04	0.04966	-26.02	2.5	-50.09	-50.67
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14787G	-46.96	0.02014	4.32	-42.64	0.05445	-18.24	15	-49.98	-49.96
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-46.13	0.02436	4.32	-41.81	0.06588	-9.77	105.44	-48.52	-49.87
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25992G	-46.75	0.02114	4.32	-42.43	0.05717	-17.95	16.03	-50.08	-49.46
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26669G	-47.09	0.01954	4.32	-42.77	0.05285	-26.01	2.51	-49.66	-50.59
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.83962G	-37.62	0.17308	4.32	-33.30	0.46801	-26.02	2.5	-41.09	-40.21
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.06191G	-47.53	0.01766	4.32	-43.21	0.04776	-26.02	2.5	-50.49	-50.59
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14942G	-46.87	0.02058	4.32	-42.55	0.05564	-18.24	15	-49.70	-50.06
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25098G	-46.48	0.02247	4.32	-42.16	0.06075	-9.75	105.93	-49.48	-49.51
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25978G	-46.77	0.02102	4.32	-42.45	0.05683	-17.82	16.52	-50.50	-49.17
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26668G	-47.18	0.01914	4.32	-42.86	0.05176	-26.00	2.51	-49.85	-50.56
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.83379G	-37.60	0.17376	4.32	-33.28	0.46984	-26.02	2.5	-39.88	-41.49
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.14064G	-47.52	0.01772	4.32	-43.20	0.0479	-26.02	2.5	-50.70	-50.36
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14499G	-47.01	0.01991	4.32	-42.69	0.05385	-18.24	15	-49.61	-50.47
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.76	0.02106	4.32	-42.44	0.05696	-9.96	100.93	-49.57	-49.99
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25997G	-46.83	0.02077	4.32	-42.51	0.05616	-17.98	15.92	-50.02	-49.66
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26666G	-47.26	0.0188	4.32	-42.94	0.05084	-25.97	2.53	-49.90	-50.67
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86489G	-37.43	0.18071	4.32	-33.11	0.48862	-26.02	2.5	-39.78	-41.22
5240MHz_TnomVnom	Pass	30M	5.142G	1M	4.99239G	-47.74	0.01683	4.32	-43.42	0.0455	-26.02	2.5	-51.05	-50.47
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14733G	-46.93	0.02026	4.32	-42.61	0.05479	-18.24	15	-50.08	-49.81
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25093G	-23.12	4.87868	4.32	-18.80	13.19174	-9.26	118.58	-25.53	-26.82
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25101G	-24.17	3.8307	4.32	-19.85	10.35805	-10.01	99.77	-26.93	-27.44
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26662G	-45.68	0.02707	4.32	-41.36	0.07318	-25.93	2.55	-48.30	-49.11
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.8448G	-37.76	0.16752	4.32	-33.44	0.45296	-26.02	2.5	-40.72	-40.82
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.06089G	-47.71	0.01693	4.32	-43.39	0.04577	-26.02	2.5	-50.80	-50.65
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14471G	-47.42	0.01812	4.32	-43.10	0.049	-18.24	15	-49.90	-51.03
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25083G	-21.93	6.4162	4.32	-17.61	17.34915	-8.29	148.25	-24.69	-25.20
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25101G	-24.38	3.64674	4.32	-20.06	9.86062	-10.01	99.77	-26.22	-29.00
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.2667G	-45.67	0.0271	4.32	-41.35	0.07329	-26.01	2.51	-48.72	-48.64
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.87331G	-37.64	0.172	4.32	-33.32	0.46509	-26.02	2.5	-39.92	-41.54
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.0643G	-47.75	0.01681	4.32	-43.43	0.04544	-26.02	2.5	-51.05	-50.48
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14925G	-47.38	0.0183	4.32	-43.06	0.04948	-18.24	15	-50.00	-50.81
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-23.42	4.55327	4.32	-19.10	12.31186	-9.85	103.51	-26.05	-26.84
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.251G	-23.92	4.05188	4.32	-19.60	10.95612	-10.00	100	-26.83	-27.04
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26666G	-45.74	0.02666	4.32	-41.42	0.0721	-25.97	2.53	-48.32	-49.23
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84027G	-37.42	0.18101	4.32	-33.10	0.48945	-26.02	2.5	-40.31	-40.56
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23087G	-46.39	0.02296	5.35	-41.04	0.07871	-26.02	2.5	-49.42	-49.38
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.2334G	-45.62	0.02742	5.35	-40.27	0.09399	-25.91	2.56	-49.01	-48.28
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24899G	-23.48	4.48332	5.35	-18.13	15.36739	-10.01	99.77	-26.20	-26.81
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24907G	-22.08	6.19012	5.35	-16.73	21.21774	-9.30	117.49	-24.33	-26.02
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.87018G	-37.26	0.18809	5.35	-31.91	0.64471	-26.02	2.5	-40.10	-40.44
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23295G	-46.25	0.0237	5.35	-40.90	0.08123	-26.02	2.5	-48.52	-50.16



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23339G	-45.72	0.02682	5.35	-40.37	0.09193	-25.92	2.56	-48.25	-49.26
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24896G	-23.49	4.47829	5.35	-18.14	15.35015	-10.03	99.31	-26.28	-26.73
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24906G	-22.15	6.09097	5.35	-16.80	20.87788	-9.42	114.29	-24.38	-26.12
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.83791G	-37.72	0.16909	5.35	-32.37	0.57959	-26.02	2.5	-41.77	-39.89
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23226G	-46.20	0.02397	5.35	-40.85	0.08215	-26.02	2.5	-49.29	-49.14
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23337G	-45.64	0.02728	5.35	-40.29	0.09352	-25.94	2.55	-48.11	-49.27
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.249G	-23.13	4.86581	5.35	-17.78	16.67843	-10.00	100	-25.73	-26.59
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24905G	-22.10	6.15897	5.35	-16.75	21.11097	-9.50	112.2	-24.36	-26.03
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.87534G	-37.59	0.17433	5.35	-32.24	0.59753	-26.02	2.5	-40.77	-40.43
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22671G	-47.00	0.01997	5.35	-41.65	0.06843	-26.02	2.5	-49.76	-50.27
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23342G	-46.65	0.02164	5.35	-41.30	0.07417	-25.87	2.59	-49.35	-49.99
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24003G	-46.72	0.02126	5.35	-41.37	0.07288	-17.98	15.92	-49.44	-50.05
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-46.23	0.02381	5.35	-40.88	0.08161	-9.94	101.39	-48.65	-49.93
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.9018G	-37.42	0.18093	5.35	-32.07	0.62017	-26.02	2.5	-40.87	-40.04
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23261G	-46.86	0.0206	5.35	-41.51	0.07061	-26.02	2.5	-50.15	-49.61
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-46.63	0.02174	5.35	-41.28	0.07452	-26.01	2.51	-49.14	-50.20
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24003G	-46.40	0.0229	5.35	-41.05	0.0785	-17.98	15.92	-49.58	-49.25
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.21	0.02391	5.35	-40.86	0.08197	-10.00	100	-49.13	-49.32
5280MHz_TnomVmin	Pass	5.35G	26G	1M	25.49924G	-37.73	0.16885	5.35	-32.38	0.57875	-26.02	2.5	-39.96	-41.68
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23157G	-46.96	0.02014	5.35	-41.61	0.06903	-26.02	2.5	-49.93	-50.01
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-46.69	0.02141	5.35	-41.34	0.07338	-26.00	2.51	-49.63	-49.78
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24003G	-46.65	0.02161	5.35	-41.30	0.07409	-17.99	15.89	-49.92	-49.42
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.38	0.02302	5.35	-41.03	0.07889	-9.96	100.93	-49.38	-49.40
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.86695G	-37.52	0.17708	5.35	-32.17	0.60697	-26.02	2.5	-40.77	-40.30
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23087G	-47.26	0.0188	5.35	-41.91	0.06443	-26.02	2.5	-50.19	-50.35
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23334G	-46.93	0.0203	5.35	-41.58	0.06958	-25.97	2.53	-50.14	-49.74
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24006G	-47.00	0.01996	5.35	-41.65	0.0684	-17.96	16	-49.49	-50.60
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-46.76	0.02109	5.35	-41.41	0.07229	-9.93	101.62	-49.37	-50.21
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.84436G	-37.46	0.17952	5.35	-32.11	0.61532	-26.02	2.5	-40.55	-40.39
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.20763G	-47.18	0.01912	5.35	-41.83	0.06555	-26.02	2.5	-50.23	-50.16
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23343G	-46.84	0.02071	5.35	-41.49	0.07099	-25.87	2.59	-49.54	-50.18
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24005G	-46.99	0.02	5.35	-41.64	0.06854	-17.97	15.96	-50.20	-49.81
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-47.10	0.01948	5.35	-41.75	0.06679	-9.97	100.69	-49.35	-51.04
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.86179G	-37.46	0.17963	5.35	-32.11	0.61571	-26.02	2.5	-41.04	-39.96
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.21734G	-47.15	0.01927	5.35	-41.80	0.06605	-26.02	2.5	-50.78	-49.62
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23337G	-46.60	0.02188	5.35	-41.25	0.07499	-25.94	2.55	-49.27	-49.98
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24008G	-46.78	0.021	5.35	-41.43	0.07197	-17.94	16.07	-49.88	-49.70
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-47.08	0.01958	5.35	-41.73	0.0671	-9.92	101.86	-50.35	-49.85
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.8605G	-37.55	0.17562	5.35	-32.20	0.60196	-26.02	2.5	-40.12	-41.06
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-41.15	0.07667	5.58	-35.57	0.27708	-26.02	2.5	-47.37	-42.34
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46996G	-34.05	0.39338	5.58	-28.47	1.42171	-19.03	12.5	-40.23	-35.25
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75196G	-47.51	0.01773	5.58	-41.93	0.06407	-19.03	12.5	-51.03	-50.07
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.84919G	-37.74	0.16809	5.58	-32.16	0.60751	-26.02	2.5	-40.71	-40.80
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-41.03	0.07881	5.58	-35.45	0.28482	-26.02	2.5	-46.39	-42.53
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46987G	-33.58	0.43864	5.58	-28.00	1.5853	-19.03	12.5	-39.02	-35.04
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.76244G	-47.49	0.01782	5.58	-41.91	0.06442	-19.03	12.5	-50.71	-50.30
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.83402G	-37.47	0.17893	5.58	-31.89	0.64666	-26.02	2.5	-40.99	-40.03
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.45964G	-41.13	0.0771	5.58	-35.55	0.27866	-26.02	2.5	-47.46	-42.28
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46995G	-33.95	0.40236	5.58	-28.37	1.45417	-19.03	12.5	-39.12	-35.53
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.75499G	-47.52	0.01771	5.58	-41.94	0.06402	-19.03	12.5	-50.87	-50.21
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.87006G	-37.48	0.17872	5.58	-31.90	0.64592	-26.02	2.5	-39.77	-41.35
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.17583G	-47.46	0.01795	5.58	-41.88	0.06489	-26.02	2.5	-49.85	-51.19
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46913G	-47.58	0.01746	5.58	-42.00	0.06311	-19.03	12.5	-51.18	-50.07
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75744G	-47.31	0.0186	5.58	-41.73	0.06721	-19.03	12.5	-50.68	-49.98
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.85109G	-37.63	0.17272	5.58	-32.05	0.62422	-26.02	2.5	-40.91	-40.38
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.24135G	-47.50	0.01777	5.58	-41.92	0.06424	-26.02	2.5	-50.37	-50.66
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46619G	-47.54	0.0176	5.58	-41.96	0.06362	-19.03	12.5	-50.64	-50.47
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75953G	-47.27	0.01874	5.58	-41.69	0.06773	-19.03	12.5	-51.05	-49.63
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.85488G	-37.22	0.18961	5.58	-31.64	0.68528	-26.02	2.5	-40.89	-39.66
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.22579G	-47.47	0.01791	5.58	-41.89	0.06473	-26.02	2.5	-50.39	-50.57
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46695G	-47.42	0.01811	5.58	-41.84	0.06545	-19.03	12.5	-50.72	-50.16
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74969G	-46.95	0.02016	5.58	-41.37	0.07287	-19.03	12.5	-50.75	-49.30



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.84982G	-37.28	0.1872	5.58	-31.70	0.67655	-26.02	2.5	-39.69	-40.98
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.26018G	-46.89	0.02045	5.58	-41.31	0.07392	-26.02	2.5	-49.76	-50.05
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4655G	-47.45	0.01797	5.58	-41.87	0.06494	-19.03	12.5	-50.44	-50.49
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74513G	-30.14	0.96814	5.58	-24.56	3.49896	-19.03	12.5	-35.74	-31.54
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.83844G	-37.26	0.188	5.58	-31.68	0.67946	-26.02	2.5	-40.51	-40.04
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.22904G	-46.85	0.02064	5.58	-41.27	0.0746	-26.02	2.5	-49.74	-49.99
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46304G	-47.82	0.01653	5.58	-42.24	0.05973	-19.03	12.5	-50.94	-50.72
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74505G	-30.14	0.96867	5.58	-24.56	3.50087	-19.03	12.5	-34.01	-32.43
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.87196G	-37.47	0.17909	5.58	-31.89	0.64723	-26.02	2.5	-40.70	-40.27
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.22506G	-47.21	0.01902	5.58	-41.63	0.06873	-26.02	2.5	-50.54	-49.92
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46964G	-47.82	0.01653	5.58	-42.24	0.05972	-19.03	12.5	-50.42	-51.28
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74511G	-29.98	1.00353	5.58	-24.40	3.62685	-19.03	12.5	-35.13	-31.57
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.84856G	-37.43	0.18074	5.58	-31.85	0.65322	-26.02	2.5	-41.26	-39.75
802.11n HT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.13791G	-47.03	0.01983	4.32	-42.71	0.05362	-26.02	2.5	-49.66	-50.45
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14972G	-45.88	0.02584	4.32	-41.56	0.06988	-18.24	15	-49.41	-48.42
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-46.05	0.02483	4.32	-41.73	0.06715	-9.77	105.44	-48.71	-49.44
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.2597G	-46.57	0.02201	4.32	-42.25	0.05951	-17.75	16.79	-48.87	-50.44
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.2665G	-46.86	0.0206	4.32	-42.54	0.0557	-25.79	2.64	-50.05	-49.70
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.86942G	-37.09	0.19531	4.32	-32.77	0.52812	-26.02	2.5	-40.75	-39.54
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.13927G	-47.03	0.01982	4.32	-42.71	0.05359	-26.02	2.5	-50.08	-50.00
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14904G	-45.84	0.02604	4.32	-41.52	0.07041	-18.24	15	-48.63	-49.09
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-46.37	0.02307	4.32	-42.05	0.06238	-9.86	103.28	-49.40	-49.36
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25999G	-46.55	0.02214	4.32	-42.23	0.05985	-18.00	15.85	-49.49	-49.63
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26665G	-46.99	0.01999	4.32	-42.67	0.05406	-25.96	2.54	-49.67	-50.36
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.87137G	-37.49	0.17812	4.32	-33.17	0.48163	-26.02	2.5	-40.63	-40.38
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.13859G	-46.97	0.02011	4.32	-42.65	0.05438	-26.02	2.5	-49.79	-50.17
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14999G	-45.68	0.02706	4.32	-41.36	0.07316	-18.24	15	-48.27	-49.15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-46.19	0.02402	4.32	-41.87	0.06495	-9.80	104.71	-49.16	-49.25
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25996G	-46.54	0.02217	4.32	-42.22	0.05994	-17.98	15.92	-49.44	-49.67
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-46.89	0.02044	4.32	-42.57	0.05528	-25.94	2.55	-49.85	-49.96
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86424G	-37.43	0.18067	4.32	-33.11	0.48853	-26.02	2.5	-41.25	-39.76
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.142G	-47.26	0.0188	4.32	-42.94	0.05085	-26.02	2.5	-50.13	-50.41
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14964G	-46.64	0.02167	4.32	-42.32	0.05859	-18.24	15	-48.44	-51.34
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-46.40	0.02293	4.32	-42.08	0.06199	-9.79	104.95	-49.25	-49.57
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25968G	-46.41	0.02284	4.32	-42.09	0.06176	-17.73	16.87	-49.56	-49.29
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26666G	-46.75	0.02113	4.32	-42.43	0.05715	-25.98	2.52	-48.89	-50.85
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.8312G	-37.54	0.17603	4.32	-33.22	0.47597	-26.02	2.5	-40.62	-40.49
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.13723G	-47.36	0.01837	4.32	-43.04	0.04967	-26.02	2.5	-50.08	-50.68
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14952G	-46.54	0.02216	4.32	-42.22	0.05992	-18.24	15	-49.20	-49.94
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25098G	-46.40	0.02291	4.32	-42.08	0.06196	-9.84	103.75	-49.34	-49.48
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25975G	-46.57	0.02203	4.32	-42.25	0.05957	-17.79	16.63	-49.58	-49.58
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26665G	-46.74	0.02118	4.32	-42.42	0.05726	-25.96	2.54	-49.59	-49.92
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.87266G	-37.09	0.19535	4.32	-32.77	0.52821	-26.02	2.5	-39.68	-40.57
5200MHz_TnomVmax	Pass	30M	5.142G	1M	4.95524G	-47.26	0.0188	4.32	-42.94	0.05085	-26.02	2.5	-50.13	-50.41
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14883G	-46.52	0.0223	4.32	-42.20	0.06029	-18.24	15	-49.99	-49.11
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.41	0.02284	4.32	-42.09	0.06176	-9.94	101.39	-48.83	-50.11
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25988G	-46.59	0.02194	4.32	-42.27	0.05932	-17.91	16.18	-48.98	-50.32
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26656G	-46.75	0.02114	4.32	-42.43	0.05716	-25.85	2.6	-49.71	-49.81
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85322G	-37.31	0.18592	4.32	-32.99	0.50272	-26.02	2.5	-40.73	-39.94
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.07418G	-47.45	0.018	4.32	-43.13	0.04867	-26.02	2.5	-50.00	-50.97
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14952G	-47.13	0.01938	4.32	-42.81	0.05242	-18.24	15	-49.70	-50.62
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25092G	-20.24	9.45216	4.32	-15.92	25.55825	-9.21	119.95	-22.97	-23.56
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.251G	-22.30	5.88805	4.32	-17.98	15.92105	-10.00	100	-24.30	-26.63
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.2667G	-45.33	0.02932	4.32	-41.01	0.07928	-26.02	2.5	-48.58	-48.11
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.86359G	-37.16	0.19236	4.32	-32.84	0.52012	-26.02	2.5	-40.25	-40.09
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.05067G	-47.38	0.01829	4.32	-43.06	0.04944	-26.02	2.5	-50.17	-50.62
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14576G	-47.01	0.01993	4.32	-42.69	0.05388	-18.24	15	-49.47	-50.64
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25092G	-20.38	9.15259	4.32	-16.06	24.74823	-9.16	121.34	-23.36	-23.43
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25102G	-21.71	6.7529	4.32	-17.39	18.25957	-10.02	99.54	-23.11	-27.29
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26644G	-45.20	0.03021	4.32	-40.88	0.08168	-25.71	2.69	-47.39	-49.22
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.82666G	-37.21	0.18992	4.32	-32.89	0.51355	-26.02	2.5	-40.16	-40.29



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.06396G	-47.45	0.01799	4.32	-43.13	0.04866	-26.02	2.5	-50.16	-50.78
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14913G	-47.21	0.01899	4.32	-42.89	0.05135	-18.24	15	-50.20	-50.25
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25064G	-17.75	16.78261	4.32	-13.43	45.37947	-6.38	230.14	-19.38	-22.80
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25103G	-22.57	5.53905	4.32	-18.25	14.97737	-10.03	99.31	-24.32	-27.35
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26669G	-45.36	0.02913	4.32	-41.04	0.07877	-26.01	2.51	-48.89	-47.90
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	25.49268G	-37.23	0.18904	4.32	-32.91	0.51114	-26.02	2.5	-40.21	-40.28
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23261G	-45.31	0.02944	5.35	-39.96	0.1009	-26.02	2.5	-48.80	-47.89
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23337G	-45.04	0.03133	5.35	-39.69	0.10738	-25.94	2.55	-48.79	-47.42
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.249G	-21.66	6.81559	5.35	-16.31	23.36164	-10.00	100	-24.16	-25.26
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24932G	-17.02	19.84421	5.35	-11.67	68.01957	-6.82	207.97	-20.13	-19.94
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.84243G	-37.29	0.18651	5.35	-31.94	0.63929	-26.02	2.5	-39.54	-41.23
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23295G	-45.86	0.02595	5.35	-40.51	0.08894	-26.02	2.5	-48.80	-48.94
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23347G	-44.74	0.0336	5.35	-39.39	0.11516	-25.81	2.62	-48.88	-46.85
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-21.19	7.61008	5.35	-15.84	26.08491	-10.01	99.77	-23.54	-24.97
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24903G	-20.02	9.95943	5.35	-14.67	34.1377	-9.68	107.65	-22.66	-23.43
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.84565G	-37.49	0.17833	5.35	-32.14	0.61125	-26.02	2.5	-40.75	-40.26
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23261G	-45.67	0.02711	5.35	-40.32	0.09292	-26.02	2.5	-49.18	-48.23
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23345G	-44.88	0.03251	5.35	-39.53	0.11144	-25.84	2.61	-47.91	-47.87
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24891G	-20.80	8.30825	5.35	-15.45	28.47802	-10.08	98.17	-24.25	-23.42
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24916G	-18.11	15.4394	5.35	-12.76	52.9213	-8.38	145.21	-20.60	-21.72
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.84501G	-37.35	0.18426	5.35	-32.00	0.63159	-26.02	2.5	-39.23	-41.88
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23295G	-46.51	0.02234	5.35	-41.16	0.07657	-26.02	2.5	-49.56	-49.48
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.2333G	-46.38	0.02299	5.35	-41.03	0.0788	-26.02	2.5	-49.39	-49.40
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24013G	-46.31	0.02337	5.35	-40.96	0.08011	-17.90	16.22	-49.44	-49.21
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24903G	-45.47	0.02837	5.35	-40.12	0.09723	-9.71	106.91	-48.95	-48.06
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.85792G	-36.80	0.20914	5.35	-31.45	0.71687	-26.02	2.5	-39.47	-40.17
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23191G	-46.71	0.02134	5.35	-41.36	0.07315	-26.02	2.5	-49.19	-50.32
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23332G	-46.41	0.02287	5.35	-41.06	0.07839	-25.99	2.52	-49.10	-49.76
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24028G	-46.11	0.02448	5.35	-40.76	0.0839	-17.77	16.71	-48.88	-49.38
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24903G	-45.45	0.02852	5.35	-40.10	0.09776	-9.71	106.91	-48.85	-48.10
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.85792G	-37.30	0.18632	5.35	-31.95	0.63864	-26.02	2.5	-40.45	-40.17
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22844G	-46.62	0.02178	5.35	-41.27	0.07465	-26.02	2.5	-49.58	-49.68
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23334G	-46.05	0.02485	5.35	-40.70	0.08518	-25.97	2.53	-48.89	-49.23
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24001G	-46.23	0.02385	5.35	-40.88	0.08175	-18.01	15.81	-49.53	-48.96
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24902G	-45.30	0.02949	5.35	-39.95	0.10109	-9.83	103.99	-47.90	-48.77
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.8463G	-36.93	0.20272	5.35	-31.58	0.69485	-26.02	2.5	-40.94	-39.13
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22879G	-47.18	0.01914	5.35	-41.83	0.06562	-26.02	2.5	-50.68	-49.75
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23333G	-46.57	0.02202	5.35	-41.22	0.07548	-25.99	2.52	-49.74	-49.43
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24001G	-46.43	0.02275	5.35	-41.08	0.07799	-18.01	15.81	-49.40	-49.48
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.60	0.02189	5.35	-41.25	0.07503	-9.96	100.93	-49.48	-49.74
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.83468G	-37.66	0.17121	5.35	-32.31	0.58686	-26.02	2.5	-40.69	-40.66
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.21908G	-46.96	0.02012	5.35	-41.61	0.06896	-26.02	2.5	-49.90	-50.05
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23332G	-46.78	0.021	5.35	-41.43	0.07197	-26.00	2.51	-49.70	-49.88
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24006G	-46.47	0.02254	5.35	-41.12	0.07727	-17.96	16	-48.90	-50.15
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.71	0.02131	5.35	-41.36	0.07304	-9.96	100.93	-49.24	-50.27
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.84953G	-37.23	0.18942	5.35	-31.88	0.64926	-26.02	2.5	-40.66	-39.85
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22983G	-46.46	0.0226	5.35	-41.11	0.07745	-26.02	2.5	-49.96	-49.03
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23339G	-46.62	0.0218	5.35	-41.27	0.07472	-25.91	2.56	-49.05	-50.29
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24018G	-46.72	0.02128	5.35	-41.37	0.07293	-17.85	16.41	-49.40	-50.09
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.37	0.02305	5.35	-41.02	0.079	-9.98	100.46	-49.47	-49.30
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.84372G	-37.47	0.17894	5.35	-32.12	0.61334	-26.02	2.5	-39.72	-41.41
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45891G	-39.06	0.12405	5.58	-33.48	0.44831	-26.02	2.5	-45.76	-40.11
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46981G	-30.86	0.81965	5.58	-25.28	2.96231	-19.03	12.5	-39.10	-31.57
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74536G	-47.27	0.01876	5.58	-41.69	0.06781	-19.03	12.5	-50.69	-49.90
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.85362G	-37.20	0.19056	5.58	-31.62	0.6887	-26.02	2.5	-40.21	-40.21
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.45964G	-38.80	0.13175	5.58	-33.22	0.47614	-26.02	2.5	-45.42	-39.87
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.4699G	-30.62	0.86788	5.58	-25.04	3.1366	-19.03	12.5	-37.39	-31.64
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74766G	-47.13	0.01935	5.58	-41.55	0.06992	-19.03	12.5	-49.05	-51.61
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.8454G	-37.39	0.18253	5.58	-31.81	0.6597	-26.02	2.5	-40.92	-39.93
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-39.49	0.11236	5.58	-33.91	0.4061	-26.02	2.5	-45.94	-40.61
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46998G	-30.92	0.80994	5.58	-25.34	2.92722	-19.03	12.5	-37.30	-32.05
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.7566G	-47.36	0.01836	5.58	-41.78	0.06636	-19.03	12.5	-50.10	-50.66



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.84097G	-36.82	0.20785	5.58	-31.24	0.75118	-26.02	2.5	-39.52	-40.17
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.25185G	-46.93	0.02026	5.58	-41.35	0.07322	-26.02	2.5	-50.03	-49.86
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46713G	-47.40	0.01819	5.58	-41.82	0.06573	-19.03	12.5	-50.56	-50.27
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74837G	-46.92	0.02035	5.58	-41.34	0.07353	-19.03	12.5	-49.38	-50.55
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.83655G	-37.19	0.19095	5.58	-31.61	0.6901	-26.02	2.5	-39.57	-40.94
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.23484G	-46.94	0.02022	5.58	-41.36	0.07307	-26.02	2.5	-49.83	-50.08
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46103G	-47.14	0.01933	5.58	-41.56	0.06985	-19.03	12.5	-50.70	-49.66
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74956G	-47.11	0.01947	5.58	-41.53	0.07035	-19.03	12.5	-49.22	-51.25
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.83907G	-37.48	0.17853	5.58	-31.90	0.64522	-26.02	2.5	-40.08	-40.95
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.25945G	-47.02	0.01984	5.58	-41.44	0.07171	-26.02	2.5	-49.97	-50.10
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46829G	-47.26	0.01877	5.58	-41.68	0.06785	-19.03	12.5	-50.31	-50.24
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.75693G	-47.05	0.0197	5.58	-41.47	0.07121	-19.03	12.5	-50.12	-50.01
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.87449G	-37.47	0.17898	5.58	-31.89	0.64685	-26.02	2.5	-40.95	-40.06
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.00678G	-47.22	0.01895	5.58	-41.64	0.06849	-26.02	2.5	-51.06	-49.54
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46694G	-47.80	0.01658	5.58	-42.22	0.05992	-19.03	12.5	-50.88	-50.75
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74505G	-27.65	1.71791	5.58	-22.07	6.20868	-19.03	12.5	-33.76	-28.87
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.8454G	-37.27	0.18766	5.58	-31.69	0.67824	-26.02	2.5	-41.82	-39.14
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.23558G	-46.99	0.02	5.58	-41.41	0.07229	-26.02	2.5	-50.44	-49.60
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46058G	-47.77	0.0167	5.58	-42.19	0.06035	-19.03	12.5	-51.18	-50.42
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74503G	-28.00	1.58605	5.58	-22.42	5.73213	-19.03	12.5	-33.86	-29.30
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.87449G	-37.39	0.18254	5.58	-31.81	0.65972	-26.02	2.5	-39.67	-41.27
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.23158G	-47.16	0.01923	5.58	-41.58	0.06951	-26.02	2.5	-50.39	-49.96
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46927G	-47.61	0.01733	5.58	-42.03	0.06263	-19.03	12.5	-50.37	-50.89
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74535G	-28.26	1.49146	5.58	-22.68	5.3903	-19.03	12.5	-33.34	-29.88
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.83085G	-37.08	0.19604	5.58	-31.50	0.70849	-26.02	2.5	-41.65	-38.94
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.13853G	-46.24	0.02378	4.32	-41.92	0.06429	-26.02	2.5	-49.80	-48.76
5190MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14944G	-44.86	0.03267	4.32	-40.54	0.08834	-18.24	15	-47.77	-47.97
5190MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-46.34	0.02323	4.32	-42.02	0.06281	-12.87	51.64	-49.33	-49.37
5190MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.26978G	-47.02	0.01986	4.32	-42.70	0.05371	-20.93	8.07	-50.01	-50.05
5190MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27822G	-46.88	0.02051	4.32	-42.56	0.05546	-25.92	2.56	-49.55	-50.26
5190MHz_TnomVnom	Pass	5.2784G	26G	1M	19.83727G	-37.25	0.18816	4.32	-32.93	0.50879	-26.02	2.5	-40.29	-40.24
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.13785G	-46.24	0.02378	4.32	-41.92	0.06429	-26.02	2.5	-49.35	-49.15
5190MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14984G	-44.60	0.03464	4.32	-40.28	0.09367	-18.24	15	-47.54	-47.69
5190MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.27	0.0236	4.32	-41.95	0.06381	-12.98	50.35	-48.90	-49.70
5190MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26977G	-46.93	0.02026	4.32	-42.61	0.05479	-20.93	8.07	-49.64	-50.27
5190MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27836G	-47.10	0.01952	4.32	-42.78	0.05277	-26.00	2.51	-49.93	-50.29
5190MHz_TnomVmin	Pass	5.2784G	26G	1M	19.86252G	-37.45	0.18002	4.32	-33.13	0.48676	-26.02	2.5	-39.48	-41.72
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.13683G	-46.37	0.02308	4.32	-42.05	0.0624	-26.02	2.5	-50.24	-48.66
5190MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14989G	-44.82	0.03298	4.32	-40.50	0.08917	-18.24	15	-48.23	-47.46
5190MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.20	0.024	4.32	-41.88	0.06488	-12.93	50.93	-49.71	-48.76
5190MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26998G	-46.81	0.02082	4.32	-42.49	0.05631	-21.01	7.93	-49.34	-50.37
5190MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27832G	-46.98	0.02006	4.32	-42.66	0.05425	-25.97	2.53	-49.07	-51.15
5190MHz_TnomVmax	Pass	5.2784G	26G	1M	19.85151G	-37.53	0.17657	4.32	-33.21	0.47743	-26.02	2.5	-39.71	-41.57
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	5.05607G	-47.54	0.01763	4.32	-43.22	0.04767	-26.02	2.5	-50.80	-50.31
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14588G	-46.95	0.02018	4.32	-42.63	0.05456	-18.24	15	-49.17	-50.93
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25094G	-27.02	1.98649	4.32	-22.70	5.37138	-12.40	57.54	-29.23	-31.01
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.25104G	-28.22	1.50511	4.32	-23.90	4.06975	-13.03	49.77	-31.73	-30.79
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27835G	-46.13	0.02436	4.32	-41.81	0.06587	-25.99	2.52	-48.91	-49.39
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.82367G	-37.66	0.17154	4.32	-33.34	0.46383	-26.02	2.5	-41.02	-40.34
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	5.0196G	-47.62	0.01731	4.32	-43.30	0.0468	-26.02	2.5	-50.96	-50.32
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14908G	-47.00	0.01993	4.32	-42.68	0.05389	-18.24	15	-50.32	-49.73
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-27.61	1.73193	4.32	-23.29	4.68307	-13.00	50.12	-30.63	-30.62
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.2512G	-28.25	1.49537	4.32	-23.93	4.04342	-13.09	49.09	-31.02	-31.52
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27834G	-46.08	0.02467	4.32	-41.76	0.06671	-25.98	2.52	-49.21	-48.97
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.8677G	-37.31	0.18577	4.32	-32.99	0.50232	-26.02	2.5	-40.69	-39.98
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	5.04141G	-47.55	0.01758	4.32	-43.23	0.04754	-26.02	2.5	-49.78	-51.51
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14984G	-46.93	0.02027	4.32	-42.61	0.0548	-18.24	15	-50.51	-49.44
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-27.72	1.69009	4.32	-23.40	4.56993	-12.80	52.48	-30.30	-31.21
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.25104G	-28.24	1.49829	4.32	-23.92	4.0513	-13.03	49.77	-31.33	-31.18
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27823G	-46.12	0.02443	4.32	-41.80	0.06605	-25.92	2.56	-48.96	-49.31
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.84374G	-37.19	0.19091	4.32	-32.87	0.5162	-26.02	2.5	-39.88	-40.55



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.20586G	-46.89	0.02048	5.35	-41.54	0.0702	-26.02	2.5	-49.73	-50.07
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.22157G	-45.71	0.02683	5.35	-40.36	0.09197	-26.02	2.5	-48.50	-48.96
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.2216G	-45.92	0.02556	5.35	-40.57	0.08762	-26.02	2.5	-49.16	-48.72
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.24899G	-28.81	1.31554	5.35	-23.46	4.50924	-13.01	50	-31.06	-32.74
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24907G	-27.79	1.66154	5.35	-22.44	5.69521	-12.33	58.48	-30.41	-31.24
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35041G	-46.82	0.0208	5.35	-41.47	0.07129	-18.24	15	-49.63	-50.04
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.843G	-37.50	0.17764	5.35	-32.15	0.60889	-26.02	2.5	-39.78	-41.40
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.19929G	-46.70	0.02139	5.35	-41.35	0.07332	-26.02	2.5	-49.34	-50.11
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21955G	-45.55	0.02789	5.35	-40.20	0.0956	-26.02	2.5	-48.75	-48.37
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22169G	-45.81	0.02623	5.35	-40.46	0.08992	-25.97	2.53	-48.56	-49.10
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.24898G	-29.07	1.23994	5.35	-23.72	4.25011	-13.02	49.89	-31.81	-32.36
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24904G	-28.09	1.55408	5.35	-22.74	5.32689	-12.57	55.34	-30.41	-31.91
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35141G	-46.79	0.02094	5.35	-41.44	0.07179	-18.24	15	-49.59	-50.02
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.85525G	-37.54	0.17638	5.35	-32.19	0.60456	-26.02	2.5	-40.21	-40.91
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.20793G	-46.94	0.02022	5.35	-41.59	0.06931	-26.02	2.5	-49.80	-50.11
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21933G	-45.52	0.02807	5.35	-40.17	0.09621	-26.02	2.5	-48.22	-48.86
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22176G	-45.67	0.02712	5.35	-40.32	0.09297	-25.93	2.55	-48.52	-48.84
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.24892G	-28.78	1.32501	5.35	-23.43	4.54172	-13.05	49.55	-30.73	-33.19
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-28.62	1.37536	5.35	-23.27	4.71428	-12.89	51.4	-31.24	-32.05
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.3545G	-46.63	0.02173	5.35	-41.28	0.07449	-18.24	15	-49.57	-49.71
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.85138G	-36.68	0.21484	5.35	-31.33	0.73641	-26.02	2.5	-40.19	-39.24
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.20309G	-47.16	0.01925	5.35	-41.81	0.06598	-26.02	2.5	-49.83	-50.53
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.2197G	-46.52	0.02228	5.35	-41.17	0.07638	-26.02	2.5	-49.96	-49.14
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22192G	-46.85	0.02067	5.35	-41.50	0.07087	-25.83	2.61	-49.52	-50.22
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23003G	-46.71	0.02131	5.35	-41.36	0.07305	-21.01	7.93	-49.96	-49.50
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-46.57	0.02203	5.35	-41.22	0.07551	-12.92	51.05	-49.03	-50.21
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.3501G	-45.38	0.02897	5.35	-40.03	0.09929	-18.24	15	-47.71	-49.20
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.88944G	-37.64	0.17204	5.35	-32.29	0.5897	-26.02	2.5	-40.75	-40.56
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.20862G	-47.26	0.01878	5.35	-41.91	0.06437	-26.02	2.5	-50.67	-49.91
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21216G	-46.63	0.02174	5.35	-41.28	0.07453	-26.02	2.5	-50.11	-49.21
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22168G	-46.78	0.02101	5.35	-41.43	0.07203	-25.97	2.53	-49.59	-49.99
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.2303G	-46.76	0.02109	5.35	-41.41	0.07229	-20.90	8.13	-50.21	-49.37
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.55	0.02211	5.35	-41.20	0.07578	-12.97	50.47	-49.58	-49.55
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35135G	-45.06	0.0312	5.35	-39.71	0.10694	-18.24	15	-46.79	-49.89
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.86428G	-37.61	0.17344	5.35	-32.26	0.59449	-26.02	2.5	-40.72	-40.52
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.20586G	-47.28	0.01871	5.35	-41.93	0.06414	-26.02	2.5	-50.52	-50.07
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21699G	-46.64	0.02166	5.35	-41.29	0.07424	-26.02	2.5	-49.76	-49.55
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22165G	-46.85	0.02064	5.35	-41.50	0.07076	-25.99	2.52	-49.00	-50.94
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23036G	-46.59	0.02193	5.35	-41.24	0.07517	-20.87	8.18	-48.99	-50.31
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24902G	-46.43	0.02276	5.35	-41.08	0.07801	-12.82	52.24	-49.55	-49.33
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35015G	-45.36	0.0291	5.35	-40.01	0.09973	-18.24	15	-47.17	-50.04
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.86041G	-37.45	0.17996	5.35	-32.10	0.61685	-26.02	2.5	-39.84	-41.18
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.45783G	-37.71	0.16925	5.58	-32.13	0.61169	-19.03	12.5	-44.76	-38.67
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46739G	-34.45	0.35877	5.58	-28.87	1.29662	-13.01	50	-40.63	-35.65
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.85577G	-37.31	0.18563	5.58	-31.73	0.67088	-19.03	12.5	-39.63	-41.15
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.45747G	-37.84	0.16426	5.58	-32.26	0.59364	-19.03	12.5	-45.56	-38.65
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46914G	-34.52	0.35286	5.58	-28.94	1.27526	-13.01	50	-40.08	-35.94
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.86209G	-37.21	0.18991	5.58	-31.63	0.68636	-19.03	12.5	-41.01	-39.56
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.45747G	-37.37	0.18305	5.58	-31.79	0.66155	-19.03	12.5	-44.85	-38.23
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46743G	-34.45	0.35878	5.58	-28.87	1.29667	-13.01	50	-41.25	-35.47
5510MHz_TnomVmax	Pass	5.77G	26G	1M	25.52902G	-37.68	0.17049	5.58	-32.10	0.61618	-19.03	12.5	-40.28	-41.15
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.24027G	-47.06	0.01966	5.58	-41.48	0.07105	-19.03	12.5	-50.04	-50.11
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46972G	-46.20	0.02398	5.58	-40.62	0.08666	-13.01	50	-50.40	-48.28
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.84249G	-37.20	0.19069	5.58	-31.62	0.68919	-19.03	12.5	-39.95	-40.48
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.38G	-47.15	0.01926	5.58	-41.57	0.06962	-19.03	12.5	-50.62	-49.75
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46934G	-46.26	0.02365	5.58	-40.68	0.08546	-13.01	50	-51.00	-48.04
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.84565G	-37.06	0.19665	5.58	-31.48	0.71073	-19.03	12.5	-40.53	-39.66
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.45891G	-47.20	0.01906	5.58	-41.62	0.06888	-19.03	12.5	-51.41	-49.27
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46851G	-46.16	0.02421	5.58	-40.58	0.08748	-13.01	50	-50.20	-48.34
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.82795G	-37.53	0.17644	5.58	-31.95	0.63766	-19.03	12.5	-40.33	-40.77
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.23303G	-47.33	0.0185	5.58	-41.75	0.06688	-19.03	12.5	-50.68	-50.02
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46085G	-47.85	0.01642	5.58	-42.27	0.05934	-13.01	50	-50.23	-51.59



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.89117G	-37.59	0.17408	5.58	-32.01	0.62915	-19.03	12.5	-39.98	-41.33
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.23266G	-46.99	0.02002	5.58	-41.41	0.07235	-19.03	12.5	-50.19	-49.81
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.4661G	-47.71	0.01695	5.58	-42.13	0.06125	-13.01	50	-50.78	-50.66
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.8229G	-37.13	0.19359	5.58	-31.55	0.69967	-19.03	12.5	-39.60	-40.76
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.21203G	-47.20	0.01907	5.58	-41.62	0.06892	-19.03	12.5	-50.48	-49.95
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.464G	-47.78	0.01665	5.58	-42.20	0.06019	-13.01	50	-51.10	-50.51
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-37.41	0.18161	5.58	-31.83	0.65636	-19.03	12.5	-39.30	-41.93
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.13552G	-47.11	0.01946	4.32	-42.79	0.05261	-26.02	2.5	-50.04	-50.20
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14852G	-45.77	0.02647	4.32	-41.45	0.07157	-18.24	15	-48.92	-48.65
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.62	0.02178	4.32	-42.30	0.05889	-9.97	100.69	-49.69	-49.57
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25993G	-46.84	0.02071	4.32	-42.52	0.056	-17.95	16.03	-50.18	-49.54
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26659G	-46.70	0.0214	4.32	-42.38	0.05787	-25.89	2.58	-49.27	-50.19
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.82666G	-37.57	0.17504	4.32	-33.25	0.47331	-26.02	2.5	-40.22	-40.97
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.13996G	-46.83	0.02073	4.32	-42.51	0.05605	-26.02	2.5	-49.89	-49.80
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14999G	-45.95	0.02539	4.32	-41.63	0.06864	-18.24	15	-48.90	-49.03
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-46.60	0.02186	4.32	-42.28	0.05912	-9.87	103.04	-49.74	-49.49
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25994G	-46.67	0.02151	4.32	-42.35	0.05817	-17.96	16	-50.01	-49.38
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26655G	-46.90	0.02044	4.32	-42.58	0.05527	-25.84	2.61	-49.43	-50.44
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84998G	-37.21	0.18991	4.32	-32.89	0.5135	-26.02	2.5	-40.44	-40.02
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.14132G	-47.20	0.01906	4.32	-42.88	0.05155	-26.02	2.5	-49.97	-50.46
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14789G	-45.86	0.02593	4.32	-41.54	0.0701	-18.24	15	-48.20	-49.67
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.60	0.02189	4.32	-42.28	0.05919	-9.99	100.23	-49.48	-49.74
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.2598G	-46.61	0.02181	4.32	-42.29	0.05897	-17.84	16.44	-49.53	-49.72
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-46.89	0.02045	4.32	-42.57	0.05531	-25.93	2.55	-50.31	-49.53
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83638G	-37.29	0.18665	4.32	-32.97	0.5047	-26.02	2.5	-40.30	-40.30
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.12803G	-47.29	0.01865	4.32	-42.97	0.05043	-26.02	2.5	-49.81	-50.86
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14965G	-46.73	0.02124	4.32	-42.41	0.05742	-18.24	15	-50.05	-49.45
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-46.33	0.0233	4.32	-42.01	0.063	-9.87	103.04	-49.01	-49.69
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25999G	-46.56	0.02208	4.32	-42.24	0.0597	-18.00	15.85	-49.23	-49.94
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26664G	-46.67	0.02151	4.32	-42.35	0.05815	-25.95	2.54	-49.62	-49.75
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.82212G	-37.42	0.18127	4.32	-33.10	0.49015	-26.02	2.5	-40.59	-40.27
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.01829G	-47.40	0.01821	4.32	-43.08	0.04923	-26.02	2.5	-50.74	-50.10
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14733G	-46.60	0.02188	4.32	-42.28	0.05917	-18.24	15	-49.09	-50.20
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.43	0.02275	4.32	-42.11	0.06152	-9.96	100.93	-48.96	-49.98
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25991G	-46.57	0.02201	4.32	-42.25	0.05952	-17.94	16.07	-49.48	-49.69
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26664G	-46.57	0.02201	4.32	-42.25	0.05951	-25.94	2.55	-49.37	-49.81
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.88368G	-37.42	0.18125	4.32	-33.10	0.4901	-26.02	2.5	-40.28	-40.58
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.12053G	-47.29	0.01868	4.32	-42.97	0.0505	-26.02	2.5	-50.71	-49.92
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14972G	-46.65	0.0216	4.32	-42.33	0.05842	-18.24	15	-49.71	-49.62
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.37	0.02309	4.32	-42.05	0.06244	-9.88	102.8	-48.74	-50.12
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.26G	-46.57	0.02204	4.32	-42.25	0.05959	-18.01	15.81	-49.46	-49.70
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-46.80	0.02091	4.32	-42.48	0.05653	-25.94	2.55	-49.56	-50.07
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83897G	-37.44	0.18045	4.32	-33.12	0.48793	-26.02	2.5	-40.12	-40.80
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.05646G	-47.63	0.01725	4.32	-43.31	0.04666	-26.02	2.5	-50.17	-51.17
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14232G	-47.11	0.01944	4.32	-42.79	0.05256	-18.24	15	-50.02	-50.23
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25085G	-19.70	10.71084	4.32	-15.38	28.96166	-8.55	139.64	-21.72	-24.00
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25103G	-22.35	5.81987	4.32	-18.03	15.73669	-10.03	99.31	-24.26	-26.84
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26666G	-45.47	0.02835	4.32	-41.15	0.07666	-25.97	2.53	-48.43	-48.54
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.87007G	-37.41	0.18172	4.32	-33.09	0.49136	-26.02	2.5	-40.24	-40.60
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.04998G	-47.41	0.01816	4.32	-43.09	0.04911	-26.02	2.5	-50.81	-50.06
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14973G	-47.10	0.01949	4.32	-42.78	0.05269	-18.24	15	-49.99	-50.24
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25062G	-17.38	18.29737	4.32	-13.06	49.47533	-6.16	242.1	-18.77	-22.99
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.251G	-22.71	5.35636	4.32	-18.39	14.48336	-10.00	100	-25.34	-26.14
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26665G	-45.43	0.02866	4.32	-41.11	0.0775	-25.96	2.54	-48.19	-48.70
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84934G	-36.93	0.20287	4.32	-32.61	0.54856	-26.02	2.5	-40.19	-39.70
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.02885G	-47.37	0.01831	4.32	-43.05	0.0495	-26.02	2.5	-50.93	-49.90
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14656G	-47.15	0.01926	4.32	-42.83	0.05207	-18.24	15	-49.58	-50.84
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25091G	-20.07	9.82981	4.32	-15.75	26.5794	-9.15	121.62	-21.55	-25.48
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25109G	-22.56	5.5422	4.32	-18.24	14.98589	-10.08	98.17	-24.17	-27.66
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26665G	-45.43	0.02865	4.32	-41.11	0.07746	-25.97	2.53	-48.66	-48.23
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83703G	-37.09	0.19539	4.32	-32.77	0.52833	-26.02	2.5	-40.63	-39.63



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23261G	-45.48	0.02834	5.35	-40.13	0.09715	-26.02	2.5	-49.02	-48.01
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23356G	-44.29	0.0372	5.35	-38.94	0.12752	-25.71	2.69	-47.36	-47.25
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24899G	-21.39	7.26934	5.35	-16.04	24.91695	-10.01	99.77	-25.40	-23.58
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.2491G	-19.49	11.24956	5.35	-14.14	38.55986	-9.04	124.74	-22.82	-22.20
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.88308G	-37.16	0.19232	5.35	-31.81	0.65919	-26.02	2.5	-39.97	-40.38
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23052G	-45.64	0.02729	5.35	-40.29	0.09356	-26.02	2.5	-49.40	-48.01
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23342G	-44.85	0.03276	5.35	-39.50	0.11229	-25.88	2.58	-48.59	-47.23
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24888G	-21.55	7.0047	5.35	-16.20	24.00984	-10.11	97.5	-25.33	-23.90
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24927G	-17.45	18.00564	5.35	-12.10	61.71753	-7.26	187.93	-19.75	-21.30
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.86372G	-37.29	0.18651	5.35	-31.94	0.6393	-26.02	2.5	-40.76	-39.89
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23295G	-45.40	0.02887	5.35	-40.05	0.09896	-26.02	2.5	-49.70	-47.41
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2335G	-44.75	0.0335	5.35	-39.40	0.11483	-25.78	2.64	-47.98	-47.55
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24898G	-21.50	7.07315	5.35	-16.15	24.2445	-10.02	99.54	-24.43	-24.60
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24904G	-19.76	10.57513	5.35	-14.41	36.24813	-9.56	110.66	-21.98	-23.73
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.86372G	-37.50	0.17773	5.35	-32.15	0.60922	-26.02	2.5	-40.66	-40.37
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23122G	-46.46	0.0226	5.35	-41.11	0.07746	-26.02	2.5	-48.53	-50.67
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23335G	-46.22	0.0239	5.35	-40.87	0.08193	-25.97	2.53	-48.62	-49.93
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24012G	-45.90	0.02568	5.35	-40.55	0.08802	-17.91	16.18	-48.36	-49.55
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-45.25	0.02983	5.35	-39.90	0.10224	-9.91	102.09	-47.86	-48.71
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.85469G	-36.96	0.20154	5.35	-31.61	0.69082	-26.02	2.5	-39.80	-40.14
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22948G	-46.70	0.0214	5.35	-41.35	0.07334	-26.02	2.5	-49.54	-49.88
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23336G	-45.86	0.02595	5.35	-40.51	0.08895	-25.95	2.54	-48.57	-49.19
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24031G	-45.89	0.02577	5.35	-40.54	0.08834	-17.74	16.83	-48.67	-49.14
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-45.15	0.03056	5.35	-39.80	0.10476	-9.97	100.69	-47.54	-48.88
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.83533G	-37.26	0.1878	5.35	-31.91	0.64371	-26.02	2.5	-39.91	-40.67
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2333G	-46.39	0.02297	5.35	-41.04	0.07872	-26.02	2.5	-49.18	-49.63
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23333G	-46.29	0.02352	5.35	-40.94	0.08061	-25.99	2.52	-48.91	-49.72
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24012G	-46.01	0.02504	5.35	-40.66	0.08584	-17.91	16.18	-49.15	-48.90
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-45.58	0.0277	5.35	-40.23	0.09493	-9.90	102.33	-48.77	-48.41
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.83856G	-37.60	0.1738	5.35	-32.25	0.59575	-26.02	2.5	-40.40	-40.83
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.217G	-47.17	0.01917	5.35	-41.82	0.06571	-26.02	2.5	-49.66	-50.78
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23334G	-46.83	0.02073	5.35	-41.48	0.07106	-25.98	2.52	-50.23	-49.49
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24024G	-46.62	0.02179	5.35	-41.27	0.07468	-17.80	16.6	-49.32	-49.96
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.71	0.02133	5.35	-41.36	0.07311	-9.96	100.93	-49.53	-49.92
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.84501G	-37.46	0.17931	5.35	-32.11	0.61461	-26.02	2.5	-40.79	-40.18
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22636G	-46.83	0.02074	5.35	-41.48	0.07108	-26.02	2.5	-49.70	-49.99
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23352G	-46.49	0.02242	5.35	-41.14	0.07685	-25.76	2.65	-49.74	-49.28
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24017G	-46.54	0.02216	5.35	-41.19	0.07596	-17.86	16.37	-48.94	-50.27
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.71	0.02134	5.35	-41.36	0.07316	-9.95	101.16	-49.58	-49.86
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.84565G	-37.20	0.19036	5.35	-31.85	0.65249	-26.02	2.5	-40.76	-39.73
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2111G	-47.11	0.01945	5.35	-41.76	0.06667	-26.02	2.5	-49.69	-50.60
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23334G	-46.36	0.02313	5.35	-41.01	0.07928	-25.97	2.53	-49.26	-49.48
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24012G	-46.68	0.02146	5.35	-41.33	0.07355	-17.90	16.22	-49.75	-49.64
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.74	0.02117	5.35	-41.39	0.07256	-9.99	100.23	-49.87	-49.64
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.81984G	-37.48	0.17863	5.35	-32.13	0.6123	-26.02	2.5	-40.10	-40.92
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45964G	-39.42	0.11438	5.58	-33.84	0.41336	-26.02	2.5	-46.35	-40.40
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46998G	-31.57	0.69669	5.58	-25.99	2.5179	-19.03	12.5	-38.36	-32.59
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74792G	-47.29	0.01865	5.58	-41.71	0.0674	-19.03	12.5	-50.41	-50.20
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.85488G	-37.02	0.19877	5.58	-31.44	0.71838	-26.02	2.5	-39.30	-40.90
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.45928G	-39.60	0.10967	5.58	-34.02	0.39635	-26.02	2.5	-45.93	-40.75
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46994G	-31.06	0.78432	5.58	-25.48	2.83462	-19.03	12.5	-37.61	-32.14
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.7481G	-47.34	0.01846	5.58	-41.76	0.0667	-19.03	12.5	-51.50	-49.44
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.85931G	-37.65	0.17174	5.58	-32.07	0.62069	-26.02	2.5	-41.36	-40.06
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-39.14	0.12177	5.58	-33.56	0.44009	-26.02	2.5	-45.46	-40.30
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46991G	-31.58	0.69438	5.58	-26.00	2.50955	-19.03	12.5	-36.82	-33.13
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.75666G	-47.15	0.01927	5.58	-41.57	0.06963	-19.03	12.5	-50.31	-50.02
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.82833G	-37.41	0.18167	5.58	-31.83	0.65658	-26.02	2.5	-40.57	-40.27
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.22941G	-47.06	0.01966	5.58	-41.48	0.07105	-26.02	2.5	-49.52	-50.71
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46977G	-47.26	0.0188	5.58	-41.68	0.06795	-19.03	12.5	-49.74	-50.87
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75114G	-47.14	0.01934	5.58	-41.56	0.0699	-19.03	12.5	-50.85	-49.54
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.84982G	-37.28	0.18689	5.58	-31.70	0.67542	-26.02	2.5	-39.81	-40.84
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.23954G	-46.99	0.02002	5.58	-41.41	0.07235	-26.02	2.5	-50.48	-49.56



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46822G	-47.13	0.01937	5.58	-41.55	0.06999	-19.03	12.5	-50.11	-50.17
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74998G	-47.12	0.01942	5.58	-41.54	0.07019	-19.03	12.5	-49.81	-50.47
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.8416G	-37.21	0.18989	5.58	-31.63	0.68629	-26.02	2.5	-39.83	-40.66
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.24606G	-46.98	0.02003	5.58	-41.40	0.07239	-26.02	2.5	-50.10	-49.89
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46626G	-47.04	0.01975	5.58	-41.46	0.07138	-19.03	12.5	-50.37	-49.76
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.75051G	-47.09	0.01953	5.58	-41.51	0.07057	-19.03	12.5	-50.19	-50.02
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.8454G	-37.16	0.19226	5.58	-31.58	0.69484	-26.02	2.5	-40.35	-40.00
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.21131G	-47.30	0.01862	5.58	-41.72	0.0673	-26.02	2.5	-49.73	-50.98
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46908G	-47.83	0.01649	5.58	-42.25	0.0596	-19.03	12.5	-51.35	-50.38
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74509G	-28.31	1.4755	5.58	-22.73	5.3326	-19.03	12.5	-33.91	-29.71
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.84477G	-37.39	0.18219	5.58	-31.81	0.65846	-26.02	2.5	-40.42	-40.39
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.22977G	-47.03	0.0198	5.58	-41.45	0.07156	-26.02	2.5	-50.15	-49.94
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46092G	-47.72	0.01692	5.58	-42.14	0.06115	-19.03	12.5	-50.34	-51.15
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74512G	-27.89	1.62458	5.58	-22.31	5.87137	-19.03	12.5	-31.04	-30.77
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.85741G	-37.43	0.18053	5.58	-31.85	0.65244	-26.02	2.5	-40.66	-40.24
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.23411G	-47.19	0.01908	5.58	-41.61	0.06895	-26.02	2.5	-50.79	-49.69
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46952G	-47.82	0.01652	5.58	-42.24	0.05969	-19.03	12.5	-50.36	-51.36
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74523G	-27.95	1.60282	5.58	-22.37	5.79276	-19.03	12.5	-31.93	-30.17
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.85046G	-37.41	0.18154	5.58	-31.83	0.65611	-26.02	2.5	-40.08	-40.79
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.13887G	-46.52	0.02226	4.32	-42.20	0.06019	-26.02	2.5	-49.57	-49.50
5190MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.1496G	-45.09	0.03095	4.32	-40.77	0.08368	-18.24	15	-47.41	-48.93
5190MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-46.25	0.02373	4.32	-41.93	0.06416	-12.89	51.4	-49.41	-49.11
5190MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.2699G	-46.90	0.0204	4.32	-42.58	0.05516	-20.98	7.98	-49.30	-50.63
5190MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27807G	-46.96	0.02015	4.32	-42.64	0.05448	-25.82	2.62	-49.09	-51.07
5190MHz_TnomVnom	Pass	5.2784G	26G	1M	19.8418G	-37.23	0.18926	4.32	-32.91	0.51176	-26.02	2.5	-40.55	-39.95
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.13956G	-46.86	0.02061	4.32	-42.54	0.05574	-26.02	2.5	-50.19	-49.57
5190MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14992G	-45.09	0.03096	4.32	-40.77	0.08372	-18.24	15	-47.45	-48.87
5190MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25095G	-46.00	0.02511	4.32	-41.68	0.06791	-12.52	55.98	-49.30	-48.74
5190MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26997G	-47.01	0.01989	4.32	-42.69	0.05377	-21.01	7.93	-50.07	-49.98
5190MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27836G	-47.04	0.01977	4.32	-42.72	0.05346	-26.00	2.51	-50.08	-50.02
5190MHz_TnomVmin	Pass	5.2784G	26G	1M	19.85993G	-37.26	0.18773	4.32	-32.94	0.50761	-26.02	2.5	-40.26	-40.29
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.1416G	-46.50	0.02239	4.32	-42.18	0.06054	-26.02	2.5	-49.54	-49.48
5190MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14979G	-44.95	0.03203	4.32	-40.63	0.0866	-18.24	15	-46.89	-49.37
5190MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.31	0.02339	4.32	-41.99	0.06324	-12.91	51.17	-49.13	-49.52
5190MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26989G	-46.91	0.02036	4.32	-42.59	0.05506	-20.98	7.98	-49.54	-50.34
5190MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27813G	-46.97	0.02009	4.32	-42.65	0.05433	-25.86	2.59	-50.42	-49.58
5190MHz_TnomVmax	Pass	5.2784G	26G	1M	19.86187G	-37.40	0.18209	4.32	-33.08	0.49237	-26.02	2.5	-41.34	-39.64
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	5.06084G	-47.48	0.01785	4.32	-43.16	0.04825	-26.02	2.5	-50.52	-50.47
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.1473G	-46.88	0.02049	4.32	-42.56	0.0554	-18.24	15	-49.87	-49.92
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-27.65	1.71892	4.32	-23.33	4.64789	-12.81	52.36	-30.16	-31.22
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.25108G	-27.99	1.58765	4.32	-23.67	4.29294	-13.04	49.66	-30.38	-31.73
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27812G	-45.57	0.02775	4.32	-41.25	0.07504	-25.86	2.59	-48.43	-48.73
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.87871G	-37.43	0.18079	4.32	-33.11	0.48884	-26.02	2.5	-40.33	-40.55
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	5.07719G	-47.25	0.01884	4.32	-42.93	0.05093	-26.02	2.5	-50.63	-49.92
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14457G	-46.98	0.02005	4.32	-42.66	0.05422	-18.24	15	-50.23	-49.76
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25097G	-27.39	1.82497	4.32	-23.07	4.93464	-12.74	53.21	-30.86	-29.98
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.25103G	-28.12	1.54016	4.32	-23.80	4.16452	-13.02	49.89	-31.08	-31.19
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27827G	-45.66	0.02718	4.32	-41.34	0.07349	-25.94	2.55	-48.53	-48.81
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.86058G	-36.93	0.20278	4.32	-32.61	0.54831	-26.02	2.5	-39.39	-40.57
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	4.98996G	-47.62	0.01729	4.32	-43.30	0.04676	-26.02	2.5	-50.00	-51.37
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14919G	-46.71	0.02135	4.32	-42.39	0.05774	-18.24	15	-49.44	-50.01
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-27.38	1.82872	4.32	-23.06	4.94478	-12.96	50.58	-30.78	-30.03
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.25102G	-28.06	1.56211	4.32	-23.74	4.22387	-13.02	49.89	-30.07	-32.38
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27823G	-45.43	0.02865	4.32	-41.11	0.07746	-25.92	2.56	-48.49	-48.39
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.8405G	-37.30	0.18622	4.32	-32.98	0.50354	-26.02	2.5	-41.86	-39.17
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.20655G	-46.84	0.02071	5.35	-41.49	0.071	-26.02	2.5	-49.71	-49.99
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.21797G	-45.77	0.0265	5.35	-40.42	0.09084	-26.02	2.5	-48.92	-48.64
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22172G	-46.10	0.02455	5.35	-40.75	0.08415	-25.95	2.54	-49.14	-49.08
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.24898G	-28.87	1.29732	5.35	-23.52	4.44681	-13.02	49.89	-31.84	-31.92
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-28.47	1.42148	5.35	-23.12	4.87236	-12.86	51.76	-31.62	-31.35
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35084G	-46.64	0.02169	5.35	-41.29	0.07435	-18.24	15	-49.79	-49.51



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.84364G	-37.30	0.18622	5.35	-31.95	0.63831	-26.02	2.5	-40.30	-40.32
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.20931G	-47.00	0.01996	5.35	-41.65	0.06842	-26.02	2.5	-50.12	-49.90
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21767G	-45.81	0.02624	5.35	-40.46	0.08996	-26.02	2.5	-48.79	-48.85
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22175G	-45.99	0.02519	5.35	-40.64	0.08635	-25.93	2.55	-48.50	-49.56
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.24899G	-28.70	1.34747	5.35	-23.35	4.61871	-13.01	50	-31.37	-32.09
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24904G	-28.19	1.51704	5.35	-22.84	5.19993	-12.57	55.34	-30.92	-31.50
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.3528G	-46.93	0.02026	5.35	-41.58	0.06943	-18.24	15	-49.91	-49.98
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.86235G	-37.22	0.18947	5.35	-31.87	0.64943	-26.02	2.5	-40.25	-40.22
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.20655G	-46.96	0.02015	5.35	-41.61	0.06906	-26.02	2.5	-49.85	-50.09
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.22153G	-45.78	0.02643	5.35	-40.43	0.09059	-26.02	2.5	-49.23	-48.39
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22162G	-45.92	0.02556	5.35	-40.57	0.08761	-26.01	2.51	-48.90	-48.97
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.24894G	-29.17	1.21125	5.35	-23.82	4.15176	-13.04	49.66	-31.72	-32.69
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-28.67	1.359	5.35	-23.32	4.65823	-12.87	51.64	-31.93	-31.44
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35271G	-46.81	0.02085	5.35	-41.46	0.07146	-18.24	15	-49.88	-49.76
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.86622G	-37.56	0.17544	5.35	-32.21	0.60136	-26.02	2.5	-40.89	-40.27
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.19515G	-47.28	0.01872	5.35	-41.93	0.06415	-26.02	2.5	-50.16	-50.42
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.21952G	-46.62	0.02178	5.35	-41.27	0.07465	-26.02	2.5	-49.65	-49.61
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22168G	-46.79	0.02093	5.35	-41.44	0.07175	-25.97	2.53	-50.15	-49.48
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23052G	-46.64	0.0217	5.35	-41.29	0.07439	-20.81	8.3	-49.85	-49.45
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.51	0.02234	5.35	-41.16	0.07657	-12.99	50.23	-48.83	-50.34
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35202G	-45.44	0.02858	5.35	-40.09	0.09795	-18.24	15	-48.25	-48.66
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.84493G	-37.46	0.17959	5.35	-32.11	0.61559	-26.02	2.5	-41.46	-39.66
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.20033G	-47.20	0.01904	5.35	-41.85	0.06525	-26.02	2.5	-50.15	-50.28
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21845G	-46.65	0.02163	5.35	-41.30	0.07413	-26.02	2.5	-49.00	-50.44
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22167G	-46.85	0.02068	5.35	-41.50	0.07087	-25.98	2.52	-50.60	-49.22
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23032G	-46.59	0.02194	5.35	-41.24	0.07521	-20.89	8.15	-49.74	-49.46
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-46.39	0.02294	5.35	-41.04	0.07863	-12.93	50.93	-49.33	-49.48
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.3502G	-45.32	0.02938	5.35	-39.97	0.1007	-18.24	15	-47.72	-49.04
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.87654G	-37.15	0.19277	5.35	-31.80	0.66077	-26.02	2.5	-40.12	-40.20
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.20793G	-47.33	0.01848	5.35	-41.98	0.06335	-26.02	2.5	-50.48	-50.21
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21869G	-46.56	0.02206	5.35	-41.21	0.0756	-26.02	2.5	-49.37	-49.79
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22194G	-46.73	0.02125	5.35	-41.38	0.07283	-25.82	2.62	-50.35	-49.20
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23012G	-46.62	0.02178	5.35	-41.27	0.07465	-20.97	8	-49.05	-50.30
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-46.42	0.02279	5.35	-41.07	0.07812	-12.90	51.29	-49.29	-49.58
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35181G	-45.57	0.02774	5.35	-40.22	0.09507	-18.24	15	-48.23	-48.96
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.85977G	-37.42	0.1811	5.35	-32.07	0.62074	-26.02	2.5	-40.00	-40.91
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.45964G	-35.92	0.25598	5.58	-30.34	0.92514	-19.03	12.5	-44.73	-36.53
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46936G	-33.19	0.47925	5.58	-27.61	1.73207	-13.01	50	-40.67	-34.05
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.83807G	-37.29	0.18683	5.58	-31.71	0.67522	-19.03	12.5	-40.49	-40.11
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-35.93	0.25511	5.58	-30.35	0.92199	-19.03	12.5	-42.97	-36.89
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46862G	-33.15	0.48364	5.58	-27.57	1.74792	-13.01	50	-42.08	-33.75
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.85261G	-37.60	0.17377	5.58	-32.02	0.628	-19.03	12.5	-41.04	-40.22
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.45783G	-35.88	0.25836	5.58	-30.30	0.93376	-19.03	12.5	-44.08	-36.59
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46838G	-33.10	0.48965	5.58	-27.52	1.76963	-13.01	50	-41.38	-33.80
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.85893G	-36.91	0.20386	5.58	-31.33	0.73678	-19.03	12.5	-39.66	-40.19
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.23556G	-47.29	0.01867	5.58	-41.71	0.06746	-19.03	12.5	-50.26	-50.34
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46685G	-46.39	0.02296	5.58	-40.81	0.08296	-13.01	50	-50.21	-48.72
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.86778G	-37.50	0.17773	5.58	-31.92	0.64235	-19.03	12.5	-40.37	-40.66
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.24244G	-47.12	0.01939	5.58	-41.54	0.07009	-19.03	12.5	-49.61	-50.73
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46709G	-46.22	0.02388	5.58	-40.64	0.08632	-13.01	50	-49.73	-48.78
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.83364G	-37.63	0.17273	5.58	-32.05	0.62425	-19.03	12.5	-41.51	-39.91
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.2247G	-47.07	0.01962	5.58	-41.49	0.07089	-19.03	12.5	-49.53	-50.72
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46756G	-46.40	0.02292	5.58	-40.82	0.08285	-13.01	50	-50.88	-48.31
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.84945G	-37.44	0.18011	5.58	-31.86	0.65092	-19.03	12.5	-40.45	-40.46
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.23266G	-47.14	0.01934	5.58	-41.56	0.06989	-19.03	12.5	-50.34	-49.96
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46401G	-47.74	0.01684	5.58	-42.16	0.06086	-13.01	50	-51.96	-49.80
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.83048G	-37.39	0.18228	5.58	-31.81	0.65879	-19.03	12.5	-40.09	-40.74
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.31737G	-47.14	0.01933	5.58	-41.56	0.06986	-19.03	12.5	-51.48	-49.13
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46952G	-47.74	0.01683	5.58	-42.16	0.06083	-13.01	50	-50.85	-50.65
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.84692G	-37.61	0.17327	5.58	-32.03	0.62623	-19.03	12.5	-41.27	-40.06
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.26488G	-47.32	0.01855	5.58	-41.74	0.06704	-19.03	12.5	-50.60	-50.07
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46525G	-47.66	0.01715	5.58	-42.08	0.06197	-13.01	50	-50.56	-50.78



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.87663G	-37.08	0.19583	5.58	-31.50	0.70774	-19.03	12.5	-40.79	-39.49
802.11ac_VHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	5.1232G	1M	5.12252G	-46.72	0.02127	4.32	-42.40	0.0575	-26.02	2.5	-49.62	-49.85
5210MHz_TnomVnom	Pass	5.1232G	5.15G	1M	5.14986G	-42.66	0.05422	4.32	-38.34	0.14661	-18.24	15	-43.75	-49.19
5210MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-28.43	1.43412	4.32	-24.11	3.87781	-15.88	25.82	-32.30	-30.73
5210MHz_TnomVnom	Pass	5.251G	5.29G	1M	5.2511G	-29.01	1.2553	4.32	-24.69	3.39429	-16.04	24.89	-32.28	-31.78
5210MHz_TnomVnom	Pass	5.29G	5.2967G	1M	5.29664G	-46.13	0.02439	4.32	-41.81	0.06594	-26.00	2.51	-49.53	-48.78
5210MHz_TnomVnom	Pass	5.2967G	26G	1M	19.84012G	-37.52	0.17719	4.32	-33.20	0.47911	-26.02	2.5	-40.89	-40.19
5210MHz_TnomVmin	Pass	30M	5.1232G	1M	5.10045G	-46.88	0.02051	4.32	-42.56	0.05547	-26.02	2.5	-49.92	-49.86
5210MHz_TnomVmin	Pass	5.1232G	5.15G	1M	5.14992G	-42.66	0.05421	4.32	-38.34	0.14657	-18.24	15	-43.76	-49.16
5210MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25094G	-28.20	1.51354	4.32	-23.88	4.09255	-15.41	28.77	-32.30	-30.34
5210MHz_TnomVmin	Pass	5.251G	5.29G	1M	5.25118G	-29.37	1.15615	4.32	-25.05	3.12618	-16.06	24.77	-32.18	-32.59
5210MHz_TnomVmin	Pass	5.29G	5.2967G	1M	5.29649G	-46.03	0.02497	4.32	-41.71	0.06751	-25.96	2.54	-48.57	-49.56
5210MHz_TnomVmin	Pass	5.2967G	26G	1M	19.85759G	-36.82	0.20774	4.32	-32.50	0.56172	-26.02	2.5	-39.00	-40.87
5210MHz_TnomVmax	Pass	30M	5.1232G	1M	5.11777G	-46.71	0.02131	4.32	-42.39	0.05762	-26.02	2.5	-49.94	-49.52
5210MHz_TnomVmax	Pass	5.1232G	5.15G	1M	5.14988G	-42.75	0.05307	4.32	-38.43	0.1435	-18.24	15	-43.94	-48.96
5210MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-28.65	1.36494	4.32	-24.33	3.69073	-15.92	25.59	-31.44	-31.89
5210MHz_TnomVmax	Pass	5.251G	5.29G	1M	5.25116G	-29.05	1.24337	4.32	-24.73	3.36202	-16.05	24.83	-31.77	-32.38
5210MHz_TnomVmax	Pass	5.29G	5.2967G	1M	5.29668G	-46.07	0.02471	4.32	-41.75	0.06682	-26.02	2.5	-49.27	-48.90
5210MHz_TnomVmax	Pass	5.2967G	26G	1M	19.83818G	-37.11	0.19444	4.32	-32.79	0.52576	-26.02	2.5	-40.64	-39.66
5290MHz_TnomVnom	Pass	30M	5.2033G	1M	5.19916G	-46.11	0.02449	5.35	-40.76	0.08395	-26.02	2.5	-49.12	-49.12
5290MHz_TnomVnom	Pass	5.2033G	5.21G	1M	5.20364G	-45.80	0.02628	5.35	-40.45	0.09008	-25.92	2.56	-48.17	-49.57
5290MHz_TnomVnom	Pass	5.21G	5.249G	1M	5.24898G	-29.65	1.0837	5.35	-24.30	3.71458	-16.02	25	-32.03	-33.40
5290MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24904G	-28.74	1.33535	5.35	-23.39	4.57715	-15.60	27.54	-31.83	-31.68
5290MHz_TnomVnom	Pass	5.35G	5.3768G	1M	5.35093G	-42.16	0.06074	5.35	-36.81	0.20821	-18.24	15	-44.42	-46.09
5290MHz_TnomVnom	Pass	5.3768G	26G	1M	19.85106G	-37.37	0.18303	5.35	-32.02	0.62737	-26.02	2.5	-40.04	-40.76
5290MHz_TnomVmin	Pass	30M	5.2033G	1M	5.20089G	-46.34	0.02325	5.35	-40.99	0.07968	-26.02	2.5	-49.02	-49.70
5290MHz_TnomVmin	Pass	5.2033G	5.21G	1M	5.20369G	-45.89	0.02575	5.35	-40.54	0.08826	-25.90	2.57	-48.66	-49.16
5290MHz_TnomVmin	Pass	5.21G	5.249G	1M	5.24898G	-29.24	1.19184	5.35	-23.89	4.08524	-16.02	25	-31.37	-33.35
5290MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24905G	-28.54	1.39886	5.35	-23.19	4.79483	-15.49	28.25	-30.69	-32.63
5290MHz_TnomVmin	Pass	5.35G	5.3768G	1M	5.35009G	-42.24	0.05977	5.35	-36.89	0.20488	-18.24	15	-44.13	-46.75
5290MHz_TnomVmin	Pass	5.3768G	26G	1M	19.84333G	-37.56	0.17557	5.35	-32.21	0.6018	-26.02	2.5	-39.96	-41.27
5290MHz_TnomVmax	Pass	30M	5.2033G	1M	5.20123G	-46.46	0.0226	5.35	-41.11	0.07748	-26.02	2.5	-49.58	-49.36
5290MHz_TnomVmax	Pass	5.2033G	5.21G	1M	5.20359G	-45.70	0.0269	5.35	-40.35	0.09219	-25.93	2.55	-48.30	-49.17
5290MHz_TnomVmax	Pass	5.21G	5.249G	1M	5.24899G	-29.45	1.135	5.35	-24.10	3.89043	-16.02	25	-32.18	-32.76
5290MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24903G	-28.46	1.42407	5.35	-23.11	4.88124	-15.77	26.49	-31.48	-31.47
5290MHz_TnomVmax	Pass	5.35G	5.3768G	1M	5.35005G	-42.29	0.05902	5.35	-36.94	0.2023	-18.24	15	-44.43	-46.39
5290MHz_TnomVmax	Pass	5.3768G	26G	1M	19.84526G	-37.39	0.1824	5.35	-32.04	0.62519	-26.02	2.5	-39.96	-40.89
5530MHz_TnomVnom	Pass	30M	5.46G	1M	5.45928G	-31.48	0.71087	5.58	-25.90	2.56914	-19.03	12.5	-35.01	-34.03
5530MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46779G	-29.49	1.12357	5.58	-23.91	4.06069	-13.01	50	-35.05	-30.91
5530MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46996G	-29.43	1.14156	5.58	-23.85	4.12569	-12.91	51.17	-33.85	-31.37
5530MHz_TnomVnom	Pass	5.77G	26G	1M	19.87284G	-37.37	0.18329	5.58	-31.79	0.66244	-19.03	12.5	-40.02	-40.77
5530MHz_TnomVmin	Pass	30M	5.46G	1M	5.45964G	-31.50	0.70796	5.58	-25.92	2.55865	-19.03	12.5	-36.48	-33.16
5530MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46779G	-29.59	1.09927	5.58	-24.01	3.97286	-13.01	50	-34.86	-31.12
5530MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46996G	-29.34	1.16387	5.58	-23.76	4.20634	-12.91	51.17	-33.96	-31.18
5530MHz_TnomVmin	Pass	5.77G	26G	1M	19.84692G	-37.29	0.1867	5.58	-31.71	0.67474	-19.03	12.5	-40.85	-39.81
5530MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-31.53	0.70386	5.58	-25.95	2.54381	-19.03	12.5	-35.51	-33.74
5530MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46922G	-29.86	1.03383	5.58	-24.28	3.73638	-13.01	50	-34.68	-31.59
5530MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46989G	-29.47	1.13037	5.58	-23.89	4.08526	-12.91	51.17	-33.88	-31.42
5530MHz_TnomVmax	Pass	5.77G	26G	1M	19.86588G	-37.46	0.17953	5.58	-31.88	0.64885	-19.03	12.5	-40.57	-40.37
5610MHz_TnomVnom	Pass	30M	5.46G	1M	5.45855G	-42.02	0.06278	5.58	-36.44	0.22691	-19.03	12.5	-48.46	-43.14
5610MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46943G	-39.65	0.10834	5.58	-34.07	0.39156	-13.01	50	-47.21	-40.49
5610MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46987G	-39.29	0.11788	5.58	-33.71	0.42602	-12.91	51.17	-47.26	-40.04
5610MHz_TnomVnom	Pass	5.77G	26G	1M	19.84945G	-37.37	0.18344	5.58	-31.79	0.66297	-19.03	12.5	-41.38	-39.56
5610MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-41.80	0.06601	5.58	-36.22	0.23857	-19.03	12.5	-48.02	-42.99
5610MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46899G	-39.51	0.11183	5.58	-33.93	0.40415	-13.01	50	-47.18	-40.33
5610MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46983G	-39.37	0.11563	5.58	-33.79	0.41789	-12.91	51.17	-47.31	-40.13
5610MHz_TnomVmin	Pass	5.77G	26G	1M	19.85071G	-37.41	0.18172	5.58	-31.83	0.65675	-19.03	12.5	-40.15	-40.70
5610MHz_TnomVmax	Pass	30M	5.46G	1M	5.4571G	-41.82	0.06583	5.58	-36.24	0.2379	-19.03	12.5	-48.27	-42.93
5610MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46921G	-39.52	0.11157	5.58	-33.94	0.40322	-13.01	50	-47.94	-40.20
5610MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46977G	-39.03	0.12505	5.58	-33.45	0.45194	-12.91	51.17	-47.24	-39.74
5610MHz_TnomVmax	Pass	5.77G	26G	1M	19.84439G	-37.09	0.19556	5.58	-31.51	0.70679	-19.03	12.5	-40.25	-39.95



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5690MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-46.91	0.02039	5.58	-41.33	0.0737	-19.03	12.5	-50.66	-49.28
5690MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46937G	-45.63	0.02732	5.58	-40.05	0.09875	-13.01	50	-50.28	-47.46
5690MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46973G	-45.64	0.02727	5.58	-40.06	0.09854	-12.91	51.17	-49.75	-47.78
5690MHz_TnomVnom	Pass	5.77G	26G	1M	5.77253G	-29.81	1.04524	5.58	-24.23	3.77759	-19.03	12.5	-35.10	-31.33
5690MHz_TnomVmin	Pass	30M	5.46G	1M	5.45529G	-47.01	0.0199	5.58	-41.43	0.0719	-19.03	12.5	-50.36	-49.71
5690MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46928G	-45.55	0.02788	5.58	-39.97	0.10078	-13.01	50	-49.72	-47.64
5690MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46999G	-45.32	0.02937	5.58	-39.74	0.10614	-12.91	51.17	-50.67	-46.82
5690MHz_TnomVmin	Pass	5.77G	26G	1M	5.77569G	-29.30	1.17559	5.58	-23.72	4.2487	-19.03	12.5	-34.76	-30.75
5690MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-46.94	0.02021	5.58	-41.36	0.07304	-19.03	12.5	-51.02	-49.10
5690MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46628G	-45.60	0.02754	5.58	-40.02	0.09954	-13.01	50	-49.46	-47.90
5690MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46987G	-45.63	0.02736	5.58	-40.05	0.0989	-12.91	51.17	-50.28	-47.45
5690MHz_TnomVmax	Pass	5.77G	26G	1M	5.77316G	-28.34	1.46578	5.58	-22.76	5.29746	-19.03	12.5	-30.71	-32.10
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.13552G	-46.97	0.02011	4.32	-42.65	0.05437	-26.02	2.5	-49.82	-50.14
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14981G	-45.16	0.03046	4.32	-40.84	0.08237	-18.24	15	-47.93	-48.43
5180MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.2502G	-46.62	0.02178	4.32	-42.30	0.05889	-1.95	638.26	-49.68	-49.58
5180MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.25099G	-46.40	0.02291	4.32	-42.08	0.06195	-9.92	101.86	-49.40	-49.42
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25987G	-46.38	0.02303	4.32	-42.06	0.06227	-17.90	16.22	-48.97	-49.85
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26664G	-46.94	0.02024	4.32	-42.62	0.05472	-25.95	2.54	-50.06	-49.84
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85517G	-37.13	0.19344	4.32	-32.81	0.52305	-26.02	2.5	-40.18	-40.11
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.13996G	-46.98	0.02006	4.32	-42.66	0.05425	-26.02	2.5	-50.35	-49.65
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14977G	-45.32	0.02935	4.32	-41.00	0.07936	-18.24	15	-48.72	-47.98
5180MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.2502G	-46.54	0.02218	4.32	-42.22	0.05998	-1.90	645.65	-49.54	-49.56
5180MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.25099G	-46.31	0.02338	4.32	-41.99	0.06323	-9.92	101.86	-49.51	-49.14
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25998G	-46.49	0.02244	4.32	-42.17	0.06068	-18.00	15.85	-49.71	-49.30
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26664G	-46.88	0.0205	4.32	-42.56	0.05542	-25.95	2.54	-50.35	-49.48
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.87655G	-37.24	0.18885	4.32	-32.92	0.51065	-26.02	2.5	-40.34	-40.16
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.14132G	-46.54	0.02217	4.32	-42.22	0.05995	-26.02	2.5	-48.59	-50.79
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14919G	-45.28	0.02967	4.32	-40.96	0.08023	-18.24	15	-48.64	-47.96
5180MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-46.49	0.02244	4.32	-42.17	0.06068	-2.00	630.96	-49.15	-49.88
5180MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.251G	-46.47	0.02252	4.32	-42.15	0.06089	-9.97	100.69	-49.54	-49.43
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25971G	-46.24	0.02375	4.32	-41.92	0.06421	-17.76	16.75	-48.67	-49.93
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26654G	-46.86	0.02061	4.32	-42.54	0.05574	-25.83	2.61	-50.55	-49.28
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83703G	-37.27	0.18737	4.32	-32.95	0.50664	-26.02	2.5	-39.79	-40.84
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.12769G	-47.18	0.01915	4.32	-42.86	0.05178	-26.02	2.5	-49.83	-50.58
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14845G	-46.25	0.0237	4.32	-41.93	0.06408	-18.24	15	-48.70	-49.91
5200MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.25019G	-45.98	0.02524	4.32	-41.66	0.06825	-1.86	651.63	-49.08	-48.90
5200MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.251G	-46.14	0.02431	4.32	-41.82	0.06574	-9.99	100.23	-49.42	-48.90
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25998G	-46.30	0.02342	4.32	-41.98	0.06333	-17.99	15.89	-49.55	-49.09
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26667G	-46.69	0.02143	4.32	-42.37	0.05794	-25.98	2.52	-49.36	-50.07
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.87072G	-37.39	0.18256	4.32	-33.07	0.49365	-26.02	2.5	-40.82	-40.01
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.13791G	-47.08	0.0196	4.32	-42.76	0.05301	-26.02	2.5	-49.71	-50.50
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14938G	-46.25	0.02372	4.32	-41.93	0.06413	-18.24	15	-48.74	-49.85
5200MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.25019G	-45.72	0.0268	4.32	-41.40	0.07245	-1.71	674.53	-49.17	-48.33
5200MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.25098G	-45.99	0.0252	4.32	-41.67	0.06813	-9.80	104.71	-48.74	-49.27
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25983G	-46.33	0.02326	4.32	-42.01	0.0629	-17.86	16.37	-49.44	-49.25
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26657G	-46.37	0.02308	4.32	-42.05	0.06241	-25.86	2.59	-48.96	-49.84
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.83379G	-37.04	0.19749	4.32	-32.72	0.534	-26.02	2.5	-40.08	-40.03
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.13927G	-47.08	0.01957	4.32	-42.76	0.05292	-26.02	2.5	-50.54	-49.69
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14784G	-46.25	0.0237	4.32	-41.93	0.06409	-18.24	15	-50.03	-48.61
5200MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-45.98	0.02524	4.32	-41.66	0.06826	-1.92	642.69	-48.89	-49.09
5200MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.251G	-46.10	0.02458	4.32	-41.78	0.06645	-9.98	100.46	-48.29	-50.11
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25997G	-46.52	0.02228	4.32	-42.20	0.06026	-17.98	15.92	-48.95	-50.20
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-46.48	0.02248	4.32	-42.16	0.06078	-25.94	2.55	-49.63	-49.36
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86813G	-37.08	0.19589	4.32	-32.76	0.52968	-26.02	2.5	-39.65	-40.58
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.02545G	-47.45	0.01799	4.32	-43.13	0.04865	-26.02	2.5	-50.52	-50.40
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14361G	-46.98	0.02006	4.32	-42.66	0.05424	-18.24	15	-49.24	-50.89
5240MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.2502G	-7.98	159.04781	4.32	-3.66	430.05865	-1.93	641.21	-9.81	-12.63
5240MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.25021G	-8.28	148.69915	4.32	-3.96	402.07631	-2.07	620.87	-10.24	-12.67
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25102G	-21.53	7.03296	4.32	-17.21	19.01684	-10.01	99.77	-23.33	-26.22
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26657G	-44.60	0.03464	4.32	-40.28	0.09366	-25.87	2.59	-47.33	-47.92
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84027G	-37.12	0.19398	4.32	-32.80	0.5245	-26.02	2.5	-39.89	-40.39



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5240MHz_TnomVmin	Pass	30M	5.142G	1M	4.94536G	-47.52	0.0177	4.32	-43.20	0.04787	-26.02	2.5	-50.01	-51.12
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14542G	-47.02	0.01984	4.32	-42.70	0.05365	-18.24	15	-50.35	-49.74
5240MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.2502G	-7.95	160.34241	4.32	-3.63	433.55921	-1.98	633.87	-10.92	-11.00
5240MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.2502G	-8.19	151.56754	4.32	-3.87	409.83232	-2.02	628.06	-10.80	-11.65
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25106G	-22.72	5.34717	4.32	-18.40	14.45854	-10.06	98.63	-24.89	-26.77
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26653G	-44.67	0.03412	4.32	-40.35	0.09227	-25.81	2.62	-47.64	-47.72
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85193G	-37.17	0.19204	4.32	-32.85	0.51927	-26.02	2.5	-40.95	-39.52
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.07691G	-47.36	0.01835	4.32	-43.04	0.04961	-26.02	2.5	-50.92	-49.89
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14532G	-47.07	0.01962	4.32	-42.75	0.05306	-18.24	15	-49.93	-50.24
5240MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.25019G	-7.80	165.86982	4.32	-3.48	448.50509	-1.78	663.74	-9.78	-12.17
5240MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.25022G	-8.19	151.7514	4.32	-3.87	410.32946	-2.25	595.66	-10.46	-12.09
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25108G	-22.21	6.01222	4.32	-17.89	16.25678	-10.07	98.4	-25.20	-25.24
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26662G	-44.72	0.03374	4.32	-40.40	0.09123	-25.92	2.56	-47.63	-47.83
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86165G	-36.90	0.20415	4.32	-32.58	0.552	-26.02	2.5	-38.93	-41.18
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22914G	-45.68	0.02703	5.35	-40.33	0.09264	-26.02	2.5	-48.54	-48.85
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23334G	-45.89	0.02578	5.35	-40.54	0.08838	-25.98	2.52	-48.64	-49.17
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24899G	-23.14	4.85642	5.35	-17.79	16.64624	-10.01	99.77	-29.00	-24.44
5260MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.24977G	-8.97	126.67433	5.35	-3.62	434.1988	-2.34	583.45	-13.24	-11.01
5260MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.24981G	-8.45	142.9129	5.35	-3.10	489.85939	-1.86	651.63	-11.52	-11.40
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.85598G	-37.38	0.18286	5.35	-32.03	0.62679	-26.02	2.5	-40.30	-40.48
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23261G	-46.40	0.02288	5.35	-41.05	0.07844	-26.02	2.5	-49.79	-49.07
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-45.65	0.02725	5.35	-40.30	0.0934	-26.01	2.51	-48.83	-48.49
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-23.24	4.73848	5.35	-17.89	16.24197	-10.01	99.77	-26.03	-26.49
5260MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24979G	-8.65	136.51984	5.35	-3.30	467.94602	-2.14	610.94	-11.78	-11.54
5260MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-8.44	143.06071	5.35	-3.09	490.36602	-1.96	636.8	-11.83	-11.11
5260MHz_TnomVmin	Pass	5.35G	26G	1M	25.53602G	-37.25	0.18842	5.35	-31.90	0.64586	-26.02	2.5	-41.68	-39.19
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22983G	-46.39	0.02296	5.35	-41.04	0.07872	-26.02	2.5	-49.78	-49.05
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-45.81	0.02626	5.35	-40.46	0.09	-26.02	2.5	-49.33	-48.36
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24897G	-23.30	4.67299	5.35	-17.95	16.01752	-10.03	99.31	-28.54	-24.85
5260MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.24979G	-8.78	132.33858	5.35	-3.43	453.61401	-2.13	612.35	-12.75	-11.01
5260MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.24981G	-8.40	144.46407	5.35	-3.05	495.17631	-1.80	660.69	-12.02	-10.88
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.8534G	-37.32	0.18518	5.35	-31.97	0.63475	-26.02	2.5	-39.98	-40.72
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23052G	-46.57	0.02201	5.35	-41.22	0.07546	-26.02	2.5	-49.71	-49.46
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23331G	-45.92	0.02561	5.35	-40.57	0.08777	-26.01	2.51	-49.45	-48.46
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24007G	-45.99	0.02518	5.35	-40.64	0.08631	-17.95	16.03	-48.65	-49.38
5280MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.24902G	-44.48	0.03567	5.35	-39.13	0.12226	-9.82	104.23	-47.17	-47.83
5280MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.2498G	-44.94	0.03207	5.35	-39.59	0.10993	-2.00	630.96	-48.45	-47.50
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.88825G	-37.23	0.18904	5.35	-31.88	0.64797	-26.02	2.5	-41.31	-39.39
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.2333G	-46.16	0.02423	5.35	-40.81	0.08304	-26.02	2.5	-49.02	-49.32
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23356G	-45.97	0.02527	5.35	-40.62	0.08661	-25.71	2.69	-49.03	-48.94
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.2401G	-45.83	0.0261	5.35	-40.48	0.08947	-17.93	16.11	-49.17	-48.54
5280MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24901G	-44.66	0.03416	5.35	-39.31	0.11709	-9.92	101.86	-47.70	-47.65
5280MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-44.79	0.03319	5.35	-39.44	0.11378	-1.99	632.41	-47.84	-47.76
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.84243G	-36.69	0.21431	5.35	-31.34	0.73458	-26.02	2.5	-39.67	-39.73
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23261G	-46.16	0.02421	5.35	-40.81	0.08298	-26.02	2.5	-49.37	-48.98
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-46.03	0.02492	5.35	-40.68	0.08543	-26.02	2.5	-49.36	-48.75
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24004G	-45.91	0.02562	5.35	-40.56	0.08782	-17.98	15.92	-49.31	-48.57
5280MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.24901G	-44.59	0.03477	5.35	-39.24	0.11919	-9.86	103.28	-48.43	-46.90
5280MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.2498G	-44.84	0.03281	5.35	-39.49	0.11248	-2.00	630.96	-47.56	-48.16
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.86566G	-37.13	0.19359	5.35	-31.78	0.66357	-26.02	2.5	-39.46	-40.95
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22914G	-46.94	0.02021	5.35	-41.59	0.06928	-26.02	2.5	-49.74	-50.18
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23332G	-46.69	0.02144	5.35	-41.34	0.07349	-26.00	2.51	-49.24	-50.21
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24015G	-46.56	0.02207	5.35	-41.21	0.07565	-17.88	16.29	-49.07	-50.14
5320MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.249G	-46.28	0.02353	5.35	-40.93	0.08064	-10.00	100	-49.01	-49.60
5320MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.24981G	-46.36	0.02312	5.35	-41.01	0.07926	-1.69	677.64	-49.08	-49.68
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.86501G	-37.21	0.18997	5.35	-31.86	0.65116	-26.02	2.5	-39.86	-40.62
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23295G	-47.18	0.01914	5.35	-41.83	0.0656	-26.02	2.5	-50.37	-50.02
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-46.70	0.02136	5.35	-41.35	0.07323	-26.01	2.51	-49.22	-50.27
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24004G	-46.64	0.02169	5.35	-41.29	0.07436	-17.98	15.92	-50.12	-49.22
5320MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24902G	-46.51	0.02232	5.35	-41.16	0.07652	-9.83	103.99	-49.38	-49.67
5320MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-46.67	0.02151	5.35	-41.32	0.07372	-1.95	638.26	-49.60	-49.77
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.85017G	-37.42	0.18096	5.35	-32.07	0.62028	-26.02	2.5	-40.66	-40.22



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23052G	-47.12	0.01942	5.35	-41.77	0.06656	-26.02	2.5	-50.46	-49.82
5320MHz_TnomVmax	Pass		5.2333G		5.24G		0.02182	5.35	-41.26	0.0748	-25.92	2.56	-49.44	-49.81
5320MHz_TnomVmax	Pass		5.24G		5.249G		0.02279	5.35	-41.07	0.07813	-17.67	17.1	-48.78	-50.20
5320MHz_TnomVmax	Pass		5.249G		5.2498G		0.02196	5.35	-41.23	0.07526	-9.97	100.69	-49.53	-49.66
5320MHz_TnomVmax	Pass		5.2498G		5.25G		0.02153	5.35	-41.32	0.07381	-1.98	633.87	-50.00	-49.38
5320MHz_TnomVmax	Pass		5.35G		26G		0.17799	5.35	-32.15	0.6101	-26.02	2.5	-40.33	-40.69
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45928G	-38.26	0.14912	5.58	-32.68	0.53893	-26.02	2.5	-45.31	-39.22
5500MHz_TnomVnom	Pass		5.46G		5.47G		0.85846	5.58	-25.08	3.10257	-19.03	12.5	-36.66	-31.92
5500MHz_TnomVnom	Pass		5.745G		5.765G		0.01888	5.58	-41.66	0.06825	-19.03	12.5	-50.33	-50.17
5500MHz_TnomVnom	Pass		5.765G		26G		0.18818	5.58	-31.67	0.68009	-26.02	2.5	-41.49	-39.31
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.45855G	-39.50	0.11229	5.58	-33.92	0.40581	-26.02	2.5	-45.22	-40.85
5500MHz_TnomVmin	Pass		5.46G		5.47G		0.80231	5.58	-25.38	2.89962	-19.03	12.5	-35.42	-32.88
5500MHz_TnomVmin	Pass		5.745G		5.765G		0.01887	5.58	-41.66	0.06821	-19.03	12.5	-50.42	-50.09
5500MHz_TnomVmin	Pass		5.765G		26G		0.19024	5.58	-31.63	0.68755	-26.02	2.5	-39.39	-41.24
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.45928G	-38.78	0.13236	5.58	-33.20	0.47835	-26.02	2.5	-44.44	-40.16
5500MHz_TnomVmax	Pass		5.46G		5.47G		0.78746	5.58	-25.46	2.84596	-19.03	12.5	-37.11	-32.27
5500MHz_TnomVmax	Pass		5.745G		5.765G		0.01894	5.58	-41.65	0.06846	-19.03	12.5	-49.63	-50.94
5500MHz_TnomVmax	Pass		5.765G		26G		0.20784	5.58	-31.24	0.75116	-26.02	2.5	-40.48	-39.27
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.20986G	-47.17	0.01918	5.58	-41.59	0.0693	-26.02	2.5	-50.91	-49.56
5600MHz_TnomVnom	Pass		5.46G		5.47G		0.01937	5.58	-41.55	0.07001	-19.03	12.5	-50.24	-50.04
5600MHz_TnomVnom	Pass		5.745G		5.765G		0.02097	5.58	-41.20	0.0758	-19.03	12.5	-49.90	-49.69
5600MHz_TnomVnom	Pass		5.765G		26G		0.18891	5.58	-31.66	0.68274	-26.02	2.5	-39.83	-40.71
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.26307G	-47.05	0.01972	5.58	-41.47	0.07126	-26.02	2.5	-49.49	-50.72
5600MHz_TnomVmin	Pass		5.46G		5.47G		0.01967	5.58	-41.48	0.07108	-19.03	12.5	-50.72	-49.51
5600MHz_TnomVmin	Pass		5.745G		5.765G		0.01993	5.58	-41.42	0.07204	-19.03	12.5	-49.95	-50.08
5600MHz_TnomVmin	Pass		5.765G		26G		0.18831	5.58	-31.67	0.68056	-26.02	2.5	-40.00	-40.54
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.20805G	-47.04	0.01975	5.58	-41.46	0.07137	-26.02	2.5	-49.77	-50.36
5600MHz_TnomVmax	Pass		5.46G		5.47G		0.019	5.58	-41.63	0.06866	-19.03	12.5	-51.21	-49.42
5600MHz_TnomVmax	Pass		5.745G		5.765G		0.02145	5.58	-41.11	0.07751	-19.03	12.5	-49.37	-50.05
5600MHz_TnomVmax	Pass		5.765G		26G		0.18314	5.58	-31.79	0.66187	-26.02	2.5	-40.24	-40.53
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.2247G	-47.11	0.01944	5.58	-41.53	0.07025	-26.02	2.5	-50.36	-49.90
5720MHz_TnomVnom	Pass		5.46G		5.47G		0.01705	5.58	-42.10	0.06162	-19.03	12.5	-50.28	-51.15
5720MHz_TnomVnom	Pass		5.745G		5.765G		2.34802	5.58	-20.71	8.48596	-19.03	12.5	-31.67	-27.78
5720MHz_TnomVnom	Pass		5.765G		26G		0.18615	5.58	-31.72	0.67277	-26.02	2.5	-40.05	-40.59
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.23628G	-47.09	0.01956	5.58	-41.51	0.07069	-26.02	2.5	-49.84	-50.37
5720MHz_TnomVmin	Pass		5.46G		5.47G		0.01706	5.58	-42.10	0.06164	-19.03	12.5	-51.35	-50.12
5720MHz_TnomVmin	Pass		5.745G		5.765G		2.16393	5.58	-21.07	7.82065	-19.03	12.5	-32.94	-27.81
5720MHz_TnomVmin	Pass		5.765G		26G		0.19258	5.58	-31.57	0.69601	-26.02	2.5	-40.25	-40.08
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.21782G	-47.18	0.01914	5.58	-41.60	0.06917	-26.02	2.5	-49.86	-50.55
5720MHz_TnomVmax	Pass		5.46G		5.47G		0.01699	5.58	-42.12	0.0614	-19.03	12.5	-50.83	-50.59
5720MHz_TnomVmax	Pass		5.745G		5.765G		2.28625	5.58	-20.83	8.26272	-19.03	12.5	-29.51	-29.33
5720MHz_TnomVmax	Pass		5.765G		26G		0.19171	5.58	-31.59	0.69285	-26.02	2.5	-39.96	-40.42
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.13819G	-46.55	0.02211	4.32	-42.23	0.0598	-26.02	2.5	-50.69	-48.67
5190MHz_TnomVnom	Pass		5.1416G		5.15G		0.03103	4.32	-40.76	0.0839	-18.24	15	-48.23	-47.96
5190MHz_TnomVnom	Pass		5.25G		5.251G		0.02444	4.32	-41.80	0.06609	-12.95	50.7	-48.91	-49.36
5190MHz_TnomVnom	Pass		5.251G		5.27G		0.01996	4.32	-42.68	0.05396	-21.01	7.93	-50.08	-49.94
5190MHz_TnomVnom	Pass		5.27G		5.2784G		0.01962	4.32	-42.75	0.05306	-25.92	2.56	-50.24	-49.93
5190MHz_TnomVnom	Pass		5.2784G		26G		0.21834	4.32	-32.29	0.59039	-26.02	2.5	-38.95	-40.41
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.13819G	-46.55	0.02211	4.32	-42.23	0.05978	-26.02	2.5	-49.87	-49.28
5190MHz_TnomVmin	Pass		5.1416G		5.15G		0.03118	4.32	-40.74	0.08432	-18.24	15	-47.44	-48.81
5190MHz_TnomVmin	Pass		5.25G		5.251G		0.02438	4.32	-41.81	0.06593	-12.96	50.58	-49.09	-49.19
5190MHz_TnomVmin	Pass		5.251G		5.27G		0.02066	4.32	-42.53	0.05587	-20.79	8.34	-49.55	-50.19
5190MHz_TnomVmin	Pass		5.27G		5.2784G		0.02061	4.32	-42.54	0.05572	-25.87	2.59	-49.85	-49.89
5190MHz_TnomVmin	Pass		5.2784G		26G		0.19145	4.32	-32.86	0.51769	-26.02	2.5	-39.67	-40.78
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.14058G	-46.18	0.0241	4.32	-41.86	0.06517	-26.02	2.5	-48.71	-49.73
5190MHz_TnomVmax	Pass		5.1416G		5.15G		0.02966	4.32	-40.96	0.08019	-18.24	15	-48.79	-47.84
5190MHz_TnomVmax	Pass		5.25G		5.251G		0.02307	4.32	-42.05	0.06238	-13.01	50	-49.36	-49.40
5190MHz_TnomVmax	Pass		5.251G		5.27G		0.02055	4.32	-42.55	0.05556	-20.98	7.98	-49.74	-50.03
5190MHz_TnomVmax	Pass		5.27G		5.2784G		0.0206	4.32	-42.54	0.05571	-25.93	2.55	-50.45	-49.36
5190MHz_TnomVmax	Pass		5.2784G		26G		0.19012	4.32	-32.89	0.51408	-26.02	2.5	-40.23	-40.21
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	5.05743G	-47.56	0.01752	4.32	-43.24	0.04737	-26.02	2.5	-50.79	-50.37



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14928G	-46.93	0.0203	4.32	-42.61	0.05488	-18.24	15	-50.36	-49.55
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25G	-18.08	15.56455	4.32	-13.76	42.08589	-3.03	497.74	-20.42	-21.88
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.25101G	-29.05	1.24555	4.32	-24.73	3.3679	-13.01	50	-31.73	-32.41
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27806G	-45.89	0.02577	4.32	-41.57	0.06968	-25.82	2.62	-50.05	-47.99
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.85669G	-37.67	0.17113	4.32	-33.35	0.46272	-26.02	2.5	-41.58	-39.93
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	4.97428G	-47.59	0.0174	4.32	-43.27	0.04705	-26.02	2.5	-50.53	-50.68
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14651G	-46.87	0.02054	4.32	-42.55	0.05553	-18.24	15	-49.84	-49.93
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25002G	-18.27	14.88421	4.32	-13.95	40.24628	-3.23	475.34	-22.18	-20.54
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.25101G	-28.91	1.28441	4.32	-24.59	3.473	-13.01	50	-31.51	-32.38
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27837G	-45.73	0.02671	4.32	-41.41	0.07222	-26.00	2.51	-49.07	-48.44
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.86835G	-36.97	0.2007	4.32	-32.65	0.54267	-26.02	2.5	-39.96	-40.01
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	4.97598G	-47.61	0.01736	4.32	-43.29	0.04693	-26.02	2.5	-50.82	-50.42
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14594G	-46.62	0.02175	4.32	-42.30	0.05882	-18.24	15	-49.67	-49.60
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25002G	-18.48	14.18935	4.32	-14.16	38.36741	-3.20	478.63	-21.92	-21.10
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.251G	-28.94	1.27565	4.32	-24.62	3.4493	-13.01	50	-31.11	-33.00
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27838G	-45.67	0.0271	4.32	-41.35	0.07328	-26.01	2.51	-48.89	-48.48
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.86058G	-36.94	0.20215	4.32	-32.62	0.5466	-26.02	2.5	-39.65	-40.28
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.19895G	-46.85	0.02065	5.35	-41.50	0.0708	-26.02	2.5	-49.38	-50.40
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.22086G	-45.80	0.02628	5.35	-40.45	0.09008	-26.02	2.5	-49.91	-47.94
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22176G	-45.74	0.02665	5.35	-40.39	0.09134	-25.93	2.55	-48.45	-49.08
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.24899G	-30.17	0.96246	5.35	-24.82	3.29901	-13.01	50	-32.31	-34.26
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24988G	-16.81	20.84768	5.35	-11.46	71.45913	-3.17	481.95	-19.42	-20.26
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35812G	-46.78	0.02098	5.35	-41.43	0.07191	-18.24	15	-50.36	-49.29
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.85461G	-37.20	0.19043	5.35	-31.85	0.65274	-26.02	2.5	-40.08	-40.35
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.20862G	-46.95	0.02021	5.35	-41.60	0.06926	-26.02	2.5	-49.48	-50.49
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21894G	-45.66	0.02715	5.35	-40.31	0.09307	-26.02	2.5	-47.97	-49.51
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22164G	-45.70	0.02694	5.35	-40.35	0.09234	-25.99	2.52	-48.44	-48.99
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.24896G	-30.04	0.98987	5.35	-24.69	3.39294	-13.03	49.77	-32.57	-33.60
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24988G	-16.62	21.77769	5.35	-11.27	74.6469	-3.21	477.53	-19.05	-20.30
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35044G	-46.80	0.02087	5.35	-41.45	0.07154	-18.24	15	-49.85	-49.78
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.84493G	-37.21	0.1899	5.35	-31.86	0.65092	-26.02	2.5	-40.23	-40.22
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.20896G	-46.61	0.02185	5.35	-41.26	0.07489	-26.02	2.5	-49.35	-49.90
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.22069G	-45.77	0.02649	5.35	-40.42	0.0908	-26.02	2.5	-49.09	-48.49
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22163G	-45.48	0.02829	5.35	-40.13	0.09697	-26.00	2.51	-48.27	-48.73
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.24899G	-30.02	0.99514	5.35	-24.67	3.41101	-13.01	50	-32.86	-33.21
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24999G	-16.63	21.70353	5.35	-11.28	74.39269	-3.08	492.04	-19.65	-19.64
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35164G	-46.81	0.02084	5.35	-41.46	0.07142	-18.24	15	-48.94	-50.93
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.8817G	-37.43	0.18059	5.35	-32.08	0.61899	-26.02	2.5	-40.56	-40.33
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.20551G	-47.22	0.01895	5.35	-41.87	0.06494	-26.02	2.5	-50.22	-50.25
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.21977G	-46.49	0.02246	5.35	-41.14	0.07697	-26.02	2.5	-49.24	-49.77
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22163G	-46.94	0.02024	5.35	-41.59	0.06938	-26.00	2.51	-49.64	-50.28
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23065G	-46.58	0.022	5.35	-41.23	0.07541	-20.75	8.41	-50.25	-49.01
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24903G	-46.18	0.02408	5.35	-40.83	0.08253	-12.74	53.21	-49.27	-49.12
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35314G	-45.11	0.03084	5.35	-39.76	0.10572	-18.24	15	-47.76	-48.51
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.88235G	-37.38	0.18275	5.35	-32.03	0.62642	-26.02	2.5	-40.67	-40.13
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.19791G	-47.18	0.01915	5.35	-41.83	0.06562	-26.02	2.5	-49.79	-50.63
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21923G	-46.55	0.02212	5.35	-41.20	0.0758	-26.02	2.5	-50.12	-49.07
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22175G	-46.69	0.02142	5.35	-41.34	0.07343	-25.93	2.55	-48.91	-50.67
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23009G	-46.76	0.02106	5.35	-41.41	0.0722	-20.99	7.96	-49.76	-49.79
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.36	0.0231	5.35	-41.01	0.07917	-12.96	50.58	-49.32	-49.43
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35026G	-45.17	0.03042	5.35	-39.82	0.10426	-18.24	15	-47.42	-49.10
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.84751G	-37.55	0.17564	5.35	-32.20	0.60205	-26.02	2.5	-40.66	-40.47
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.1986G	-47.33	0.0185	5.35	-41.98	0.06341	-26.02	2.5	-50.11	-50.58
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21971G	-46.60	0.02186	5.35	-41.25	0.07494	-26.02	2.5	-48.83	-50.57
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22161G	-46.89	0.02046	5.35	-41.54	0.07013	-26.01	2.51	-50.08	-49.73
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23054G	-46.47	0.02252	5.35	-41.12	0.0772	-20.80	8.32	-48.96	-50.08
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-46.18	0.02407	5.35	-40.83	0.08251	-12.90	51.29	-49.63	-48.80
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35218G	-45.13	0.03071	5.35	-39.78	0.10527	-18.24	15	-47.76	-48.55
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.83526G	-37.50	0.17767	5.35	-32.15	0.60898	-26.02	2.5	-40.11	-40.96
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.45928G	-37.40	0.18179	5.58	-31.82	0.65701	-19.03	12.5	-42.76	-38.90
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46896G	-34.63	0.34467	5.58	-29.05	1.24567	-13.01	50	-37.82	-37.46
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.85008G	-37.40	0.18199	5.58	-31.82	0.65775	-19.03	12.5	-40.46	-40.36



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.45819G	-37.08	0.19581	5.58	-31.50	0.70768	-19.03	12.5	-42.93	-38.39
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46672G	-34.52	0.35307	5.58	-28.94	1.27803	-13.01	50	-39.57	-36.15
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.83744G	-37.33	0.18473	5.58	-31.75	0.66763	-19.03	12.5	-40.37	-40.32
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.45819G	-37.30	0.18637	5.58	-31.72	0.67356	-19.03	12.5	-44.15	-38.30
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46909G	-34.74	0.33539	5.58	-29.16	1.21212	-13.01	50	-40.15	-36.22
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.86652G	-37.31	0.18596	5.58	-31.73	0.67207	-19.03	12.5	-39.93	-40.74
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.45493G	-46.94	0.02024	5.58	-41.36	0.07314	-19.03	12.5	-51.10	-49.04
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4659G	-45.65	0.02722	5.58	-40.07	0.09836	-13.01	50	-50.79	-47.24
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.87031G	-37.66	0.17155	5.58	-32.08	0.62002	-19.03	12.5	-40.85	-40.49
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.23846G	-46.83	0.02075	5.58	-41.25	0.07501	-19.03	12.5	-49.39	-50.34
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46871G	-45.71	0.02688	5.58	-40.13	0.09715	-13.01	50	-51.24	-47.13
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.86715G	-37.56	0.17539	5.58	-31.98	0.63389	-19.03	12.5	-40.37	-40.78
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.23484G	-47.27	0.01874	5.58	-41.69	0.06773	-19.03	12.5	-50.54	-50.04
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46636G	-45.89	0.02579	5.58	-40.31	0.09321	-13.01	50	-50.59	-47.68
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.86399G	-37.56	0.17531	5.58	-31.98	0.63359	-19.03	12.5	-41.04	-40.15
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.23701G	-47.25	0.01882	5.58	-41.67	0.06801	-19.03	12.5	-50.19	-50.34
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46755G	-47.75	0.01677	5.58	-42.17	0.06061	-13.01	50	-50.32	-51.26
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.89244G	-37.50	0.17801	5.58	-31.92	0.64334	-19.03	12.5	-40.87	-40.17
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.25149G	-47.31	0.01859	5.58	-41.73	0.06719	-19.03	12.5	-50.66	-50.00
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46561G	-47.72	0.01691	5.58	-42.14	0.06112	-13.01	50	-50.62	-50.84
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.85198G	-37.66	0.17124	5.58	-32.08	0.61886	-19.03	12.5	-41.31	-40.12
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.22796G	-47.30	0.01861	5.58	-41.72	0.06726	-19.03	12.5	-49.57	-51.21
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46863G	-47.63	0.01725	5.58	-42.05	0.06233	-13.01	50	-51.04	-50.28
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.83111G	-37.07	0.19642	5.58	-31.49	0.7099	-19.03	12.5	-40.68	-39.55
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	5.1232G	1M	5.11709G	-46.18	0.02408	4.32	-41.86	0.0651	-26.02	2.5	-49.13	-49.26
5210MHz_TnomVnom	Pass	5.1232G	5.15G	1M	5.14973G	-42.61	0.0548	4.32	-38.29	0.14819	-18.24	15	-43.81	-48.79
5210MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25096G	-28.58	1.38832	4.32	-24.26	3.75397	-15.57	27.73	-31.79	-31.39
5210MHz_TnomVnom	Pass	5.251G	5.29G	1M	5.25107G	-30.01	0.99753	4.32	-25.69	2.69727	-16.03	24.95	-33.21	-32.84
5210MHz_TnomVnom	Pass	5.29G	5.2967G	1M	5.29663G	-45.81	0.02627	4.32	-41.49	0.07102	-26.00	2.51	-49.00	-48.64
5210MHz_TnomVnom	Pass	5.2967G	26G	1M	19.85306G	-37.43	0.18067	4.32	-33.11	0.48852	-26.02	2.5	-39.65	-41.41
5210MHz_TnomVmin	Pass	30M	5.1232G	1M	5.12286G	-46.47	0.02256	4.32	-42.15	0.061	-26.02	2.5	-49.01	-50.00
5210MHz_TnomVmin	Pass	5.1232G	5.15G	1M	5.14993G	-42.34	0.05837	4.32	-38.02	0.15782	-18.24	15	-43.41	-48.94
5210MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25097G	-29.06	1.24148	4.32	-24.74	3.35692	-15.75	26.61	-31.56	-32.65
5210MHz_TnomVmin	Pass	5.251G	5.29G	1M	5.25104G	-30.30	0.93388	4.32	-25.98	2.52516	-16.03	24.95	-33.46	-33.16
5210MHz_TnomVmin	Pass	5.29G	5.2967G	1M	5.29665G	-45.76	0.02653	4.32	-41.44	0.07175	-26.00	2.51	-48.62	-48.93
5210MHz_TnomVmin	Pass	5.2967G	26G	1M	19.84853G	-37.20	0.1907	4.32	-32.88	0.51564	-26.02	2.5	-39.74	-40.73
5210MHz_TnomVmax	Pass	30M	5.1232G	1M	5.12116G	-46.39	0.02294	4.32	-42.07	0.06203	-26.02	2.5	-48.82	-50.08
5210MHz_TnomVmax	Pass	5.1232G	5.15G	1M	5.14992G	-42.62	0.05471	4.32	-38.30	0.14795	-18.24	15	-43.50	-49.98
5210MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-29.66	1.08239	4.32	-25.34	2.92674	-15.89	25.76	-31.80	-33.75
5210MHz_TnomVmax	Pass	5.251G	5.29G	1M	5.25102G	-30.04	0.99024	4.32	-25.72	2.67756	-16.02	25	-32.92	-33.19
5210MHz_TnomVmax	Pass	5.29G	5.2967G	1M	5.29667G	-45.91	0.02562	4.32	-41.59	0.06928	-26.01	2.51	-48.63	-49.24
5210MHz_TnomVmax	Pass	5.2967G	26G	1M	19.83624G	-37.35	0.18392	4.32	-33.03	0.49732	-26.02	2.5	-40.60	-40.14
5290MHz_TnomVnom	Pass	30M	5.2033G	1M	5.20227G	-46.16	0.02419	5.35	-40.81	0.08291	-26.02	2.5	-48.88	-49.49
5290MHz_TnomVnom	Pass	5.2033G	5.21G	1M	5.20397G	-45.81	0.02622	5.35	-40.46	0.08987	-25.82	2.62	-48.74	-48.91
5290MHz_TnomVnom	Pass	5.21G	5.249G	1M	5.24899G	-31.19	0.75961	5.35	-25.84	2.60371	-16.02	25	-33.65	-34.84
5290MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.2499G	-20.45	9.01115	5.35	-15.10	30.88733	-7.07	196.34	-22.19	-25.27
5290MHz_TnomVnom	Pass	5.35G	5.3768G	1M	5.35091G	-42.25	0.05951	5.35	-36.90	0.20398	-18.24	15	-44.21	-46.66
5290MHz_TnomVnom	Pass	5.3768G	26G	1M	19.84075G	-37.27	0.1876	5.35	-31.92	0.64303	-26.02	2.5	-40.68	-39.91
5290MHz_TnomVmin	Pass	30M	5.2033G	1M	5.19088G	-46.15	0.02425	5.35	-40.80	0.08311	-26.02	2.5	-48.71	-49.67
5290MHz_TnomVmin	Pass	5.2033G	5.21G	1M	5.20351G	-45.64	0.02729	5.35	-40.29	0.09354	-25.96	2.54	-48.31	-49.02
5290MHz_TnomVmin	Pass	5.21G	5.249G	1M	5.24883G	-31.17	0.76433	5.35	-25.82	2.61989	-16.06	24.77	-33.86	-34.52
5290MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24999G	-19.04	12.48704	5.35	-13.69	42.80154	-6.12	244.34	-21.11	-23.24
5290MHz_TnomVmin	Pass	5.35G	5.3768G	1M	5.35141G	-42.21	0.06005	5.35	-36.86	0.20585	-18.24	15	-43.84	-47.27
5290MHz_TnomVmin	Pass	5.3768G	26G	1M	19.84333G	-36.83	0.20742	5.35	-31.48	0.71096	-26.02	2.5	-39.68	-40.01
5290MHz_TnomVmax	Pass	30M	5.2033G	1M	5.19502G	-46.39	0.02296	5.35	-41.04	0.0787	-26.02	2.5	-49.01	-49.83
5290MHz_TnomVmax	Pass	5.2033G	5.21G	1M	5.20351G	-45.51	0.02813	5.35	-40.16	0.09642	-25.96	2.54	-47.96	-49.16
5290MHz_TnomVmax	Pass	5.21G	5.249G	1M	5.24888G	-31.01	0.79256	5.35	-25.66	2.71666	-16.05	24.83	-34.00	-34.04
5290MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24988G	-19.34	11.63833	5.35	-13.99	39.89245	-6.23	238.23	-21.03	-24.26
5290MHz_TnomVmax	Pass	5.35G	5.3768G	1M	5.3507G	-42.00	0.06314	5.35	-36.65	0.21644	-18.24	15	-43.66	-46.97
5290MHz_TnomVmax	Pass	5.3768G	26G	1M	19.84526G	-37.03	0.19821	5.35	-31.68	0.6794	-26.02	2.5	-39.20	-41.08
5530MHz_TnomVnom	Pass	30M	5.46G	1M	5.4571G	-33.00	0.5011	5.58	-27.42	1.81102	-19.03	12.5	-38.07	-34.62



Transmitter Spurious Emissions

Appendix D

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)	P1 (dBm/MHz)	P2 (dBm/MHz)
5530MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46944G	-30.93	0.8078	5.58	-25.35	2.91947	-13.01	50	-34.74	-33.26
5530MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46957G	-30.77	0.83672	5.58	-25.19	3.02398	-12.91	51.17	-33.72	-33.85
5530MHz_TnomVnom	Pass	5.77G	26G	1M	19.84629G	-37.08	0.19599	5.58	-31.50	0.70833	-19.03	12.5	-39.72	-40.49
5530MHz_TnomVmin	Pass	30M	5.46G	1M	5.45819G	-32.65	0.5438	5.58	-27.07	1.96533	-19.03	12.5	-37.18	-34.53
5530MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46803G	-30.68	0.85527	5.58	-25.10	3.09103	-13.01	50	-35.47	-32.43
5530MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46999G	-30.61	0.86955	5.58	-25.03	3.14265	-12.91	51.17	-34.55	-32.85
5530MHz_TnomVmin	Pass	5.77G	26G	1M	19.83301G	-37.40	0.18214	5.58	-31.82	0.65827	-19.03	12.5	-40.59	-40.23
5530MHz_TnomVmax	Pass	30M	5.46G	1M	5.45783G	-33.16	0.48349	5.58	-27.58	1.74739	-19.03	12.5	-36.94	-35.51
5530MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46943G	-30.86	0.81949	5.58	-25.28	2.96172	-13.01	50	-33.84	-33.91
5530MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46997G	-30.76	0.83893	5.58	-25.18	3.03198	-12.91	51.17	-34.67	-33.03
5530MHz_TnomVmax	Pass	5.77G	26G	1M	19.84692G	-37.40	0.1821	5.58	-31.82	0.65812	-19.03	12.5	-41.21	-39.73
5610MHz_TnomVnom	Pass	30M	5.46G	1M	5.45964G	-41.69	0.06774	5.58	-36.11	0.24483	-19.03	12.5	-47.04	-43.19
5610MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.4688G	-40.27	0.09387	5.58	-34.69	0.33924	-13.01	50	-46.19	-41.56
5610MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46979G	-39.64	0.10853	5.58	-34.06	0.39224	-12.91	51.17	-46.53	-40.64
5610MHz_TnomVnom	Pass	5.77G	26G	1M	19.85767G	-37.49	0.17813	5.58	-31.91	0.64378	-19.03	12.5	-40.64	-40.37
5610MHz_TnomVmin	Pass	30M	5.46G	1M	5.45928G	-41.68	0.06793	5.58	-36.10	0.2455	-19.03	12.5	-47.55	-42.98
5610MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46867G	-40.12	0.09728	5.58	-34.54	0.35158	-13.01	50	-47.81	-40.93
5610MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.4698G	-39.70	0.10707	5.58	-34.12	0.38696	-12.91	51.17	-46.47	-40.73
5610MHz_TnomVmin	Pass	5.77G	26G	1M	19.84376G	-37.29	0.18677	5.58	-31.71	0.67499	-19.03	12.5	-39.73	-40.95
5610MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-41.92	0.06432	5.58	-36.34	0.23245	-19.03	12.5	-47.48	-43.33
5610MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46813G	-40.27	0.09399	5.58	-34.69	0.3397	-13.01	50	-46.47	-41.46
5610MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46977G	-39.70	0.10703	5.58	-34.12	0.38683	-12.91	51.17	-46.71	-40.67
5610MHz_TnomVmax	Pass	5.77G	26G	1M	19.8602G	-37.59	0.1742	5.58	-32.01	0.62956	-19.03	12.5	-40.63	-40.57
5690MHz_TnomVnom	Pass	30M	5.46G	1M	5.45529G	-46.72	0.02126	5.58	-41.14	0.07684	-19.03	12.5	-51.01	-48.75
5690MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46664G	-45.80	0.0263	5.58	-40.22	0.09506	-13.01	50	-50.27	-47.72
5690MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46967G	-45.58	0.02765	5.58	-40.00	0.09994	-12.91	51.17	-49.24	-48.03
5690MHz_TnomVnom	Pass	5.77G	26G	1M	5.7719G	-30.12	0.97349	5.58	-24.54	3.51829	-19.03	12.5	-36.31	-31.31
5690MHz_TnomVmin	Pass	30M	5.46G	1M	5.45819G	-46.83	0.02075	5.58	-41.25	0.07498	-19.03	12.5	-51.77	-48.51
5690MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46727G	-45.62	0.02745	5.58	-40.04	0.09919	-13.01	50	-50.46	-47.34
5690MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46991G	-45.43	0.02863	5.58	-39.85	0.10348	-12.91	51.17	-50.48	-47.06
5690MHz_TnomVmin	Pass	5.77G	26G	1M	5.77569G	-29.65	1.08443	5.58	-24.07	3.91925	-19.03	12.5	-34.15	-31.55
5690MHz_TnomVmax	Pass	30M	5.46G	1M	5.45602G	-46.83	0.02074	5.58	-41.25	0.07495	-19.03	12.5	-50.57	-49.22
5690MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46851G	-45.66	0.02716	5.58	-40.08	0.09814	-13.01	50	-50.71	-47.29
5690MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46992G	-45.68	0.02706	5.58	-40.10	0.09781	-12.91	51.17	-50.87	-47.24
5690MHz_TnomVmax	Pass	5.77G	26G	1M	5.77316G	-29.46	1.13365	5.58	-23.88	4.09711	-19.03	12.5	-35.43	-30.72




5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5180MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13552G	-43.09	-26.02	-17.07	4.32	-47.41	-49.78	-51.16
5.142G	5.15G	5.14836G	-41.85	-18.24	-23.61	4.32	-46.17	-48.86	-49.52
5.25G	5.251G	5.25098G	-42.42	-9.79	-32.63	4.32	-46.74	-49.84	-49.66
5.251G	5.26G	5.25986G	-42.43	-17.89	-24.54	4.32	-46.75	-49.24	-50.36
5.26G	5.2667G	5.26663G	-42.87	-25.93	-16.94	4.32	-47.19	-49.45	-51.11
5.2667G	26G	19.84675G	-33.00	-26.02	-6.98	4.32	-37.32	-40.73	-39.96

5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5180MHz_TnomVmin

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.1403G	-42.99	-26.02	-16.97	4.32	-47.31	-50.30	-50.34
5.142G	5.15G	5.14974G	-41.67	-18.24	-23.43	4.32	-45.99	-48.91	-49.10
5.25G	5.251G	5.251G	-42.42	-9.96	-32.46	4.32	-46.74	-49.27	-50.28
5.251G	5.26G	5.25999G	-42.66	-18.01	-24.65	4.32	-46.98	-50.45	-49.58
5.26G	5.2667G	5.26666G	-42.93	-25.97	-16.96	4.32	-47.25	-50.29	-50.24
5.2667G	26G	19.84545G	-33.24	-26.02	-7.22	4.32	-37.56	-40.88	-40.29





5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5180MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13314G	-43.06	-26.02	-17.04	4.32	-47.38	-50.06	-50.74
5.142G	5.15G	5.14937G	-41.74	-18.24	-23.50	4.32	-46.06	-49.18	-48.97
5.25G	5.251G	5.251G	-42.47	-10.00	-32.47	4.32	-46.79	-49.56	-50.06
5.251G	5.26G	5.25998G	-42.68	-18.00	-24.68	4.32	-47.00	-49.95	-50.07
5.26G	5.2667G	5.2666G	-42.72	-25.90	-16.82	4.32	-47.04	-49.90	-50.21
5.2667G	26G	19.83638G	-32.87	-26.02	-6.85	4.32	-37.19	-40.36	-40.04

5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5200MHz_TnomVnom

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.06259G	-43.04	-26.02	-17.02	4.32	-47.36	-50.09	-50.67
5.142G	5.15G	5.14787G	-42.64	-18.24	-24.40	4.32	-46.96	-49.98	-49.96
5.25G	5.251G	5.25098G	-41.81	-9.77	-32.04	4.32	-46.13	-48.52	-49.87
5.251G	5.26G	5.25992G	-42.43	-17.95	-24.48	4.32	-46.75	-50.08	-49.46
5.26G	5.2667G	5.26669G	-42.77	-26.01	-16.76	4.32	-47.09	-49.66	-50.59
5.2667G	26G	19.83962G	-33.30	-26.02	-7.28	4.32	-37.62	-41.09	-40.21




5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5200MHz_TnomVmin

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.06191G	-43.21	-26.02	-17.19	4.32	-47.53	-50.49	-50.59
5.142G	5.15G	5.14942G	-42.55	-18.24	-24.31	4.32	-46.87	-49.70	-50.06
5.25G	5.251G	5.25098G	-42.16	-9.75	-32.41	4.32	-46.48	-49.48	-49.51
5.251G	5.26G	5.23978G	-42.45	-17.82	-24.63	4.32	-46.77	-50.50	-49.17
5.26G	5.2667G	5.26668G	-42.86	-26.00	-16.86	4.32	-47.18	-49.85	-50.56
5.2667G	26G	19.83379G	-33.28	-26.02	-7.26	4.32	-37.60	-39.88	-41.49

5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5200MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.14064G	-43.20	-26.02	-17.18	4.32	-47.52	-50.70	-50.36
5.142G	5.15G	5.14499G	-42.69	-18.24	-24.45	4.32	-47.01	-49.61	-50.47
5.25G	5.251G	5.251G	-42.44	-9.96	-32.48	4.32	-46.76	-49.57	-49.99
5.251G	5.26G	5.23997G	-42.51	-17.98	-24.53	4.32	-46.83	-50.02	-49.66
5.26G	5.2667G	5.26666G	-42.94	-25.97	-16.97	4.32	-47.26	-49.90	-50.67
5.2667G	26G	19.86489G	-33.11	-26.02	-7.09	4.32	-37.43	-39.78	-41.22

5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5240MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	4.99239G	-43.42	-26.02	-17.40	4.32	-47.74	-51.05	-50.47
5.142G	5.15G	5.14733G	-42.61	-18.24	-24.37	4.32	-46.93	-50.08	-49.81
5.25G	5.251G	5.25093G	-18.80	-9.26	-9.54	4.32	-23.12	-25.53	-26.82
5.251G	5.26G	5.25101G	-19.85	-10.01	-9.84	4.32	-24.17	-26.93	-27.44
5.26G	5.2667G	5.26662G	-41.36	-25.93	-15.43	4.32	-45.68	-48.30	-49.11
5.2667G	26G	19.8448G	-33.44	-26.02	-7.42	4.32	-37.76	-40.72	-40.82

5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5240MHz_TnomVmin

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.06089G	-43.39	-26.02	-17.37	4.32	-47.71	-50.80	-50.65
5.142G	5.15G	5.14471G	-43.10	-18.24	-24.86	4.32	-47.42	-49.90	-51.03
5.25G	5.251G	5.25083G	-17.61	-8.29	-9.32	4.32	-21.93	-24.69	-25.20
5.251G	5.26G	5.25101G	-20.06	-10.01	-10.05	4.32	-24.38	-26.22	-29.00
5.26G	5.2667G	5.2667G	-41.35	-26.01	-15.34	4.32	-45.67	-48.72	-48.64
5.2667G	26G	19.87331G	-33.32	-26.02	-7.30	4.32	-37.64	-39.92	-41.54





5.15-5.25GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5240MHz_TnomVmax

07/04/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.0643G	-43.43	-26.02	-17.41	4.32	-47.75	-51.05	-50.48
5.142G	5.15G	5.14925G	-43.06	-18.24	-24.82	4.32	-47.38	-50.00	-50.81
5.25G	5.251G	5.25098G	-19.10	-9.85	-9.25	4.32	-23.42	-26.05	-26.84
5.251G	5.26G	5.251G	-19.60	-10.00	-9.60	4.32	-23.92	-26.83	-27.04
5.26G	5.2667G	5.26666G	-41.42	-25.97	-15.45	4.32	-45.74	-48.32	-49.23
5.2667G	26G	19.84027G	-33.10	-26.02	-7.08	4.32	-37.42	-40.31	-40.56

5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5260MHz_TnomVnom

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23087G	-41.04	-26.02	-15.02	5.35	-46.39	-49.42	-49.38
5.2333G	5.24G	5.2334G	-40.27	-25.91	-14.36	5.35	-45.62	-49.01	-48.28
5.24G	5.249G	5.24899G	-18.13	-10.01	-8.12	5.35	-23.48	-26.20	-26.81
5.249G	5.25G	5.24907G	-16.73	-9.30	-7.43	5.35	-22.08	-24.33	-26.02
5.35G	26G	19.87018G	-31.91	-26.02	-5.89	5.35	-37.26	-40.10	-40.44




5.25-5.35GHz_802.11a_(6Mbps)_2TX


Unwanted Emission

5260MHz_TnomVmin

07/04/2026



Limit
EIRP
Sum
Port 1
Port 2




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23335G	-40.90	-26.02	-14.88	5.35	-46.25	-46.52	-50.16
5.2333G	5.24G	5.23339G	-40.37	-25.92	-14.45	5.35	-45.72	-46.25	-49.26
5.24G	5.249G	5.24896G	-18.14	-10.03	-8.11	5.35	-23.49	-26.28	-26.73
5.249G	5.25G	5.24906G	-16.80	-9.42	-7.38	5.35	-22.15	-24.38	-26.12
5.35G	26G	19.83791G	-32.37	-26.02	-6.35	5.35	-37.72	-41.77	-39.89

5.25-5.35GHz_802.11a_(6Mbps)_2TX


Unwanted Emission

5260MHz_TnomVmax

07/04/2026



Limit
EIRP
Sum
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23326G	-40.85	-26.02	-14.83	5.35	-46.20	-49.29	-49.14
5.2333G	5.24G	5.23337G	-40.29	-25.94	-14.35	5.35	-45.64	-48.11	-49.27
5.24G	5.249G	5.249G	-17.78	-10.00	-7.78	5.35	-23.13	-25.79	-26.59
5.249G	5.25G	5.24903G	-16.75	-9.50	-7.25	5.35	-22.10	-24.36	-26.03
5.35G	26G	19.87534G	-32.24	-26.02	-6.22	5.35	-37.59	-40.77	-40.43




5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5280MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.22671G	-41.65	-26.02	-15.63	5.35	-47.00	-49.76	-50.27
5.2333G	5.24G	5.23343G	-41.30	-25.97	-15.43	5.35	-46.65	-49.35	-49.99
5.24G	5.249G	5.24003G	-41.37	-17.98	-23.39	5.35	-46.72	-49.44	-50.05
5.249G	5.25G	5.24901G	-40.88	-9.94	-30.94	5.35	-46.23	-48.65	-49.93
5.35G	26G	19.9018G	-32.07	-26.02	-6.05	5.35	-37.42	-40.87	-40.04

5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5280MHz_TnomVmin

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23261G	-41.51	-26.02	-15.49	5.35	-46.86	-49.15	-49.61
5.2333G	5.24G	5.23331G	-41.28	-26.01	-15.27	5.35	-46.63	-49.14	-50.20
5.24G	5.249G	5.24003G	-41.05	-17.98	-23.07	5.35	-46.40	-49.58	-49.25
5.249G	5.25G	5.249G	-40.86	-10.00	-30.86	5.35	-46.21	-49.13	-49.32
5.35G	26G	25.49924G	-32.38	-26.02	-6.36	5.35	-37.73	-39.96	-41.68



5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5280MHz_TnomVmax




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23157G	-41.61	-26.02	-15.59	5.35	-46.96	-49.93	-50.01
5.2333G	5.24G	5.23331G	-41.34	-26.00	-15.34	5.35	-46.69	-49.63	-49.78
5.24G	5.249G	5.24003G	-41.30	-17.99	-23.31	5.35	-46.65	-49.92	-49.42
5.249G	5.25G	5.249G	-41.03	-9.96	-31.07	5.35	-46.38	-49.38	-49.40
5.35G	26G	19.86689G	-32.17	-26.02	-6.15	5.35	-37.52	-40.77	-40.30

5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5320MHz_TnomVnom




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23087G	-41.91	-26.02	-15.89	5.35	-47.26	-50.19	-50.35
5.2333G	5.24G	5.23334G	-41.58	-25.97	-15.61	5.35	-46.93	-50.14	-49.74
5.24G	5.249G	5.24006G	-41.65	-17.96	-23.69	5.35	-47.00	-49.49	-50.60
5.249G	5.25G	5.24901G	-41.41	-9.93	-31.48	5.35	-46.76	-49.37	-50.21
5.35G	26G	19.84438G	-32.11	-26.02	-6.09	5.35	-37.46	-40.55	-40.39



5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5320MHz_TnomVmin




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.20763G	-41.63	-26.02	-15.61	5.35	-47.18	-50.23	-50.16
5.2333G	5.24G	5.23343G	-41.49	-25.97	-15.62	5.35	-46.94	-49.54	-50.18
5.24G	5.249G	5.24005G	-41.64	-17.97	-23.67	5.35	-46.99	-50.20	-49.81
5.249G	5.25G	5.249G	-41.75	-9.97	-31.78	5.35	-47.10	-49.35	-51.04
5.35G	26G	19.86179G	-32.11	-26.02	-6.09	5.35	-37.46	-41.04	-39.96

5.25-5.35GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5320MHz_TnomVmax



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.21734G	-41.80	-26.02	-15.78	5.35	-47.15	-50.78	-49.62
5.2333G	5.24G	5.23337G	-41.25	-25.94	-15.31	5.35	-46.60	-49.27	-49.98
5.24G	5.249G	5.24008G	-41.43	-17.94	-23.49	5.35	-46.78	-49.88	-49.70
5.249G	5.25G	5.24901G	-41.73	-9.92	-31.81	5.35	-47.08	-50.35	-49.85
5.35G	26G	19.8605G	-32.20	-26.02	-6.18	5.35	-37.55	-40.12	-41.06




5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5500MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.46G	-35.57	-26.02	-9.55	5.58	-41.15	-47.37	-42.34
5.46G	5.47G	5.46996G	-28.47	-19.03	-9.44	5.58	-34.05	-40.23	-35.25
5.745G	5.765G	5.75196G	-41.93	-19.03	-22.90	5.58	-47.51	-51.03	-50.07
5.765G	26G	19.84919G	-32.16	-26.02	-6.14	5.58	-37.74	-40.71	-40.80

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5500MHz_TnomVmin

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.46G	-35.45	-26.02	-9.43	5.58	-41.03	-46.39	-42.53
5.46G	5.47G	5.46987G	-28.00	-19.03	-8.97	5.58	-33.58	-39.02	-35.04
5.745G	5.765G	5.76244G	-41.91	-19.03	-22.88	5.58	-47.49	-50.71	-50.30
5.765G	26G	19.83402G	-31.89	-26.02	-5.87	5.58	-37.47	-40.99	-40.03




5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5500MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.45964G	-35.55	-26.02	-9.53	5.58	-41.13	-47.46	-42.28
5.46G	5.47G	5.46995G	-28.37	-19.03	-9.34	5.58	-33.95	-39.12	-35.53
5.745G	5.765G	5.75499G	-41.94	-19.03	-22.91	5.58	-47.52	-50.87	-50.21
5.765G	26G	19.87006G	-31.90	-26.02	-5.88	5.58	-37.48	-39.77	-41.35

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5600MHz_TnomVnom

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.17583G	-41.88	-26.02	-15.86	5.58	-47.46	-49.85	-51.19
5.46G	5.47G	5.46913G	-42.00	-19.03	-22.97	5.58	-47.58	-51.18	-50.07
5.745G	5.765G	5.75744G	-41.73	-19.03	-22.70	5.58	-47.31	-50.68	-49.98
5.765G	26G	19.85109G	-32.05	-26.02	-6.03	5.58	-37.63	-40.91	-40.38




5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5600MHz_TnomVmin

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.24135G	-41.92	-26.02	-15.90	5.58	-47.50	-50.37	-50.66
5.46G	5.47G	5.46619G	-41.96	-19.03	-22.93	5.58	-47.54	-50.64	-50.47
5.745G	5.765G	5.75953G	-41.69	-19.03	-22.66	5.58	-47.27	-51.05	-49.63
5.765G	26G	19.85488G	-31.64	-26.02	-5.62	5.58	-37.22	-40.89	-39.66

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5600MHz_TnomVmax

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.22579G	-41.89	-26.02	-15.87	5.58	-47.47	-50.39	-50.57
5.46G	5.47G	5.46695G	-41.84	-19.03	-22.81	5.58	-47.42	-50.72	-50.16
5.745G	5.765G	5.74969G	-41.37	-19.03	-22.34	5.58	-46.95	-50.75	-49.30
5.765G	26G	19.84982G	-31.70	-26.02	-5.68	5.58	-37.28	-39.69	-40.98




5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5720MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.26018G	-41.31	-26.02	-15.29	5.58	-46.89	-49.76	-50.05
5.46G	5.47G	5.4655G	-41.87	-19.03	-22.84	5.58	-47.45	-50.44	-50.49
5.745G	5.765G	5.74513G	-24.56	-19.03	-5.53	5.58	-30.14	-35.74	-31.54
5.765G	26G	19.83844G	-31.68	-26.02	-5.66	5.58	-37.26	-40.51	-40.04

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5720MHz_TnomVmin

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.22904G	-41.27	-26.02	-15.25	5.58	-46.85	-49.74	-49.99
5.46G	5.47G	5.46304G	-42.24	-19.03	-23.21	5.58	-47.82	-50.94	-50.72
5.745G	5.765G	5.74505G	-24.56	-19.03	-5.53	5.58	-30.14	-34.01	-32.43
5.765G	26G	19.87196G	-31.89	-26.02	-5.87	5.58	-37.47	-40.70	-40.27




5.47-5.73GHz_802.11a_(6Mbps)_2TX

Unwanted Emission

5720MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.22506G	-41.63	-26.02	-15.61	5.58	-47.21	-50.54	-49.92
5.46G	5.47G	5.46954G	-42.24	-19.03	-23.21	5.58	-47.82	-50.42	-51.28
5.745G	5.765G	5.74511G	-24.40	-19.03	-5.37	5.58	-29.98	-35.13	-31.57
5.765G	26G	19.84856G	-31.85	-26.02	-5.83	5.58	-37.43	-41.26	-39.75

5.15-5.25GHz_802.11n_HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5180MHz_TnomVnom

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13791G	-42.71	-26.02	-16.69	4.32	-47.03	-49.66	-50.45
5.142G	5.15G	5.14972G	-41.56	-18.24	-23.32	4.32	-45.88	-49.41	-48.42
5.25G	5.251G	5.25098G	-41.73	-9.77	-31.96	4.32	-46.05	-48.71	-49.44
5.251G	5.26G	5.2597G	-42.25	-17.75	-24.50	4.32	-46.57	-48.87	-50.44
5.26G	5.2667G	5.2665G	-42.54	-25.79	-16.75	4.32	-46.86	-50.05	-49.70
5.2667G	26G	19.86942G	-32.77	-26.02	-6.75	4.32	-37.09	-40.73	-39.54




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5180MHz_TnomVmin

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13927G	-42.71	-26.02	-16.69	4.32	-47.03	-50.08	-50.00
5.142G	5.15G	5.14904G	-41.52	-18.24	-23.28	4.32	-45.84	-48.63	-49.09
5.25G	5.251G	5.25099G	-42.05	-9.86	-32.19	4.32	-46.37	-49.40	-49.36
5.251G	5.26G	5.25999G	-42.23	-18.00	-24.23	4.32	-46.55	-49.49	-49.63
5.26G	5.2667G	5.26665G	-42.67	-25.96	-16.71	4.32	-46.99	-49.67	-50.36
5.2667G	26G	19.87137G	-33.17	-26.02	-7.15	4.32	-37.49	-40.63	-40.38

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5180MHz_TnomVmax

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13859G	-42.65	-26.02	-16.63	4.32	-46.97	-49.79	-50.17
5.142G	5.15G	5.14999G	-41.36	-18.24	-23.12	4.32	-45.68	-48.27	-49.15
5.25G	5.251G	5.25098G	-41.87	-9.80	-32.07	4.32	-46.19	-49.16	-49.25
5.251G	5.26G	5.25998G	-42.22	-17.98	-24.24	4.32	-46.54	-49.44	-49.67
5.26G	5.2667G	5.26663G	-42.57	-25.94	-16.63	4.32	-46.89	-49.85	-49.96
5.2667G	26G	19.86424G	-33.11	-26.02	-7.09	4.32	-37.43	-41.25	-39.76




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5200MHz_TnomVnom

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.142G	-42.94	-26.02	-16.92	4.32	-47.26	-50.13	-50.41
5.142G	5.15G	5.14964G	-42.32	-18.24	-24.08	4.32	-46.64	-48.44	-51.34
5.25G	5.251G	5.25098G	-42.08	-9.79	-32.29	4.32	-46.40	-49.25	-49.57
5.251G	5.26G	5.25998G	-42.09	-17.73	-24.36	4.32	-46.41	-49.56	-49.29
5.26G	5.2667G	5.26666G	-42.43	-25.98	-16.45	4.32	-46.75	-48.89	-50.85
5.2667G	26G	19.8312G	-33.22	-26.02	-7.20	4.32	-37.54	-40.62	-40.49

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5200MHz_TnomVmin

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.13723G	-43.04	-26.02	-17.02	4.32	-47.36	-50.08	-50.68
5.142G	5.15G	5.14952G	-42.22	-18.24	-23.98	4.32	-46.54	-49.20	-49.94
5.25G	5.251G	5.25098G	-42.08	-9.84	-32.24	4.32	-46.40	-49.34	-49.48
5.251G	5.26G	5.25975G	-42.25	-17.79	-24.46	4.32	-46.57	-49.58	-49.58
5.26G	5.2667G	5.26663G	-42.42	-25.96	-16.46	4.32	-46.74	-49.59	-49.92
5.2667G	26G	19.87266G	-32.77	-26.02	-6.75	4.32	-37.09	-39.68	-40.57




5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5200MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	4.95524G	-42.94	-26.02	-16.92	4.32	-47.26	-50.13	-50.41
5.142G	5.15G	5.14883G	-42.20	-18.24	-23.96	4.32	-46.52	-49.99	-49.11
5.25G	5.251G	5.25099G	-42.09	-9.94	-32.15	4.32	-46.41	-48.83	-50.11
5.251G	5.26G	5.25988G	-42.27	-17.91	-24.36	4.32	-46.59	-48.98	-50.32
5.26G	5.2667G	5.26656G	-42.43	-25.85	-16.58	4.32	-46.75	-49.71	-49.81
5.2667G	26G	19.85322G	-32.99	-26.02	-6.97	4.32	-37.31	-40.73	-39.94

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5240MHz_TnomVnom

07/04/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.07418G	-43.13	-26.02	-17.11	4.32	-47.45	-50.00	-50.97
5.142G	5.15G	5.14952G	-42.81	-18.24	-24.57	4.32	-47.13	-49.70	-50.62
5.25G	5.251G	5.25092G	-15.92	-9.21	-6.71	4.32	-20.24	-22.97	-23.56
5.251G	5.26G	5.251G	-17.98	-10.00	-7.98	4.32	-22.30	-24.30	-26.63
5.26G	5.2667G	5.2667G	-41.01	-26.02	-14.99	4.32	-45.33	-48.58	-48.11
5.2667G	26G	19.86339G	-32.84	-26.02	-6.82	4.32	-37.16	-40.25	-40.09

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5240MHz_TnomVmin

07/04/2026





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.05067G	-43.06	-26.02	-17.04	4.32	-47.38	-50.17	-50.62
5.142G	5.15G	5.14576G	-42.69	-18.24	-24.45	4.32	-47.01	-49.47	-50.64
5.25G	5.251G	5.25092G	-16.06	-9.16	-6.90	4.32	-20.38	-23.36	-23.43
5.251G	5.26G	5.25102G	-17.39	-10.02	-7.37	4.32	-21.71	-23.11	-27.29
5.26G	5.2667G	5.26644G	-40.88	-25.71	-15.17	4.32	-45.20	-47.39	-49.22
5.2667G	26G	19.82666G	-32.89	-26.02	-6.87	4.32	-37.21	-40.16	-40.29

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5240MHz_TnomVmax

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.142G	5.06396G	-43.13	-26.02	-17.11	4.32	-47.45	-50.16	-50.78
5.142G	5.15G	5.14913G	-42.89	-18.24	-24.65	4.32	-47.21	-50.20	-50.25
5.25G	5.251G	5.25044G	-13.43	-6.38	-7.05	4.32	-17.75	-19.38	-22.80
5.251G	5.26G	5.25103G	-18.25	-10.03	-8.22	4.32	-22.57	-24.32	-27.35
5.26G	5.2667G	5.26669G	-41.04	-26.01	-15.03	4.32	-45.36	-48.89	-47.90
5.2667G	26G	25.49268G	-32.91	-26.02	-6.89	4.32	-37.23	-40.21	-40.28




5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


Unwanted Emission

5260MHz_TnomVnom

07/04/2026



Limit
EIRP
Sum
Port 1
Port 2




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23361G	-39.96	-26.02	-13.94	5.35	-45.31	-48.80	-47.89
5.2333G	5.24G	5.23337G	-39.69	-25.94	-13.75	5.35	-45.04	-48.79	-47.42
5.24G	5.249G	5.249G	-16.31	-10.00	-6.31	5.35	-21.66	-24.16	-25.26
5.249G	5.25G	5.24932G	-11.67	-6.82	-4.85	5.35	-17.02	-20.13	-19.94
5.35G	26G	19.84243G	-31.94	-26.02	-5.92	5.35	-37.29	-39.54	-41.23

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX


Unwanted Emission

5260MHz_TnomVmin

07/04/2026



Limit
EIRP
Sum
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23295G	-40.51	-26.02	-14.49	5.35	-45.86	-48.80	-48.94
5.2333G	5.24G	5.23347G	-39.39	-25.81	-13.58	5.35	-44.74	-48.88	-46.85
5.24G	5.249G	5.24899G	-15.84	-10.01	-5.83	5.35	-21.19	-23.54	-24.97
5.249G	5.25G	5.24903G	-14.67	-9.68	-4.99	5.35	-20.02	-22.66	-23.43
5.35G	26G	19.84565G	-32.14	-26.02	-6.12	5.35	-37.49	-40.75	-40.26





5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5260MHz_TnomVmax

07/04/2026




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.233G	5.233G	-40.32	-26.02	-14.30	5.35	-45.67	-49.18	-48.23
5.233G	5.24G	5.2345G	-39.53	-25.84	-13.69	5.35	-44.88	-47.91	-47.87
5.24G	5.249G	5.24891G	-15.45	-10.08	-5.37	5.35	-20.80	-24.25	-23.42
5.249G	5.25G	5.24916G	-12.76	-8.38	-4.38	5.35	-18.11	-20.60	-21.72
5.35G	26G	19.84501G	-32.00	-26.02	-5.98	5.35	-37.35	-39.23	-41.88

5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

Unwanted Emission

5280MHz_TnomVnom

07/04/2026



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.233G	5.23295G	-41.16	-26.02	-15.14	5.35	-46.51	-49.56	-49.48
5.233G	5.24G	5.2333G	-41.03	-26.02	-15.01	5.35	-46.38	-49.39	-49.40
5.24G	5.249G	5.24013G	-40.96	-17.90	-23.06	5.35	-46.31	-49.44	-49.21
5.249G	5.25G	5.24903G	-40.12	-9.71	-30.41	5.35	-45.47	-48.95	-48.06
5.35G	26G	19.85792G	-31.45	-26.02	-5.43	5.35	-36.80	-39.47	-40.17