
















NTHV_11AX40SISO_Ant1_2422



NTHV_11AX40SISO_Ant1_2442



NTHV_11AX40SISO_Ant1_2462



Appendix B.5: Test Results of Spurious Emissions for Transmitter
Test Result

Test Condition	Test Mode	Antenna	Frequen cy[MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11B	Ant1	2412	30~500	194.38	-48.14	≤-26	0.01535	≤2.5	PASS
				500~1000	507.63	-56.29	≤-26	0.00235	≤2.5	PASS
				1000~2387	2384.23	-49.07	≤-26	0.01239	≤2.5	PASS
				2387~2400	2397.54	-34.53	≤-16	0.35237	≤25	PASS
				2483.5~2496.5	2488.51	-43.01	≤-16	0.05000	≤25	PASS
				2496.5~13000	4824.08	-42.10	≤-26	0.06166	≤2.5	PASS
			2442	30~500	188.27	-48.46	≤-26	0.01426	≤2.5	PASS
				500~1000	966.75	-56.13	≤-26	0.00244	≤2.5	PASS
				1000~2387	2026.73	-52.85	≤-26	0.00519	≤2.5	PASS
				2387~2400	2397.35	-43.37	≤-16	0.04603	≤25	PASS
				2483.5~2496.5	2485.39	-42.99	≤-16	0.05023	≤25	PASS
				2496.5~13000	4883.95	-40.90	≤-26	0.08128	≤2.5	PASS
			2472	30~500	175.58	-48.74	≤-26	0.01337	≤2.5	PASS
				500~1000	897.88	-56.33	≤-26	0.00233	≤2.5	PASS
				1000~2387	2092.61	-52.69	≤-26	0.00538	≤2.5	PASS
				2387~2400	2387.14	-43.65	≤-16	0.04315	≤25	PASS
				2483.5~2496.5	2483.51	-38.23	≤-16	0.15031	≤25	PASS
				2496.5~13000	4944.34	-42.07	≤-26	0.06209	≤2.5	PASS
	11G	Ant1	2412	30~500	204.49	-47.70	≤-26	0.01698	≤2.5	PASS
				500~1000	985.75	-56.02	≤-26	0.00250	≤2.5	PASS
				1000~2387	2385.27	-34.57	≤-26	0.034914	≤2.5	PASS
				2387~2400	2395.98	-18.91	≤-16	12.85287	≤25	PASS
				2483.5~2496.5	2495.15	-42.63	≤-16	0.05458	≤25	PASS
				2496.5~13000	4826.18	-53.71	≤-26	0.00426	≤2.5	PASS
			2442	30~500	176.05	-47.86	≤-26	0.01637	≤2.5	PASS
				500~1000	898.75	-56.33	≤-26	0.00233	≤2.5	PASS
				1000~2387	2374.86	-50.14	≤-26	0.00968	≤2.5	PASS
				2387~2400	2394.77	-41.88	≤-16	0.06486	≤25	PASS
				2483.5~2496.5	2483.79	-39.04	≤-16	0.12474	≤25	PASS
				2496.5~13000	4887.62	-38.95	≤-26	0.12735	≤2.5	PASS
			2472	30~500	199.44	-48.46	≤-26	0.01426	≤2.5	PASS
				500~1000	501.50	-56.20	≤-26	0.00240	≤2.5	PASS
				1000~2387	2382.84	-52.31	≤-26	0.00587	≤2.5	PASS
				2387~2400	2399.94	-41.77	≤-16	0.06653	≤25	PASS
				2483.5~2496.5	2483.8	-17.01	≤-16	19.90673	≤25	PASS
				2496.5~13000	2497.03	-41.01	≤-26	0.07925	≤2.5	PASS
	11N20SISO	Ant1	2412	30~500	180.99	-48.58	≤-26	0.01387	≤2.5	PASS
				500~1000	731.75	-56.11	≤-26	0.00245	≤2.5	PASS
				1000~2387	2385.27	-31.24	≤-26	0.75162	≤2.5	PASS
				2387~2400	2391.03	-16.97	≤-16	20.09093	≤25	PASS
				2483.5~2496.5	2485.37	-42.61	≤-16	0.05483	≤25	PASS
				2496.5~13000	2518.56	-53.88	≤-26	0.00409	≤2.5	PASS
			2442	30~500	177.11	-48.59	≤-26	0.01384	≤2.5	PASS
				500~1000	589.13	-55.53	≤-26	0.00280	≤2.5	PASS
				1000~2387	2386.65	-51.06	≤-26	0.00783	≤2.5	PASS
				2387~2400	2396.84	-42.20	≤-16	0.06026	≤25	PASS
				2483.5~2496.5	2486.84	-39.63	≤-16	0.10889	≤25	PASS
				2496.5~13000	4886.05	-39.94	≤-26	0.10139	≤2.5	PASS
			2472	30~500	191.56	-48.30	≤-26	0.01479	≤2.5	PASS
				500~1000	677.38	-56.19	≤-26	0.00240	≤2.5	PASS
				1000~2387	2383.53	-52.27	≤-26	0.00593	≤2.5	PASS
				2387~2400	2399.61	-42.42	≤-16	0.05728	≤25	PASS
				2483.5~2496.5	2486.67	-17.80	≤-16	16.59587	≤25	PASS
				2496.5~13000	2496.50	-47.47	≤-26	0.01791	≤2.5	PASS
	11N40SISO	Ant1	2422	30~500	32.82	-45.41	≤-26	0.02877	≤2.5	PASS
				500~1000	740.63	-56.56	≤-26	0.00221	≤2.5	PASS
				1000~2387	2383.88	-34.76	≤-26	0.33420	≤2.5	PASS
				2387~2400	2396.28	-21.61	≤-16	6.90240	≤25	PASS
				2483.5~2496.5	2485.16	-34.10	≤-16	0.38905	≤25	PASS
				2496.5~13000	4851.91	-42.72	≤-26	0.05346	≤2.5	PASS
			2442	30~500	30.59	-45.70	≤-26	0.02692	≤2.5	PASS
				500~1000	930.00	-56.49	≤-26	0.00224	≤2.5	PASS
				1000~2387	2383.53	-38.94	≤-26	0.12764	≤2.5	PASS
				2387~2400	2398.56	-24.14	≤-16	3.85478	≤25	PASS

Appendix B

CN266W4G 002

Page 58 of 229



Prüfbericht - Produkte
Test Report - Products

	11AX20SIS O	Ant1	2462	2483.5~2496.5	2484.40	-26.28	≤-16	2.35505	≤25	PASS
				2496.5~13000	2506.48	-42.00	≤-26	0.06310	≤2.5	PASS
				30~500	194.50	-47.45	≤-26	0.01799	≤2.5	PASS
				500~1000	604.25	-56.34	≤-26	0.00232	≤2.5	PASS
				1000~2387	2387.00	-50.69	≤-26	0.00853	≤2.5	PASS
				2387~2400	2398.17	-34.02	≤-16	0.39628	≤25	PASS
				2483.5~2496.5	2491.18	-23.24	≤-16	4.74242	≤25	PASS
			2412	2496.5~13000	2503.85	-37.61	≤-26	0.17338	≤2.5	PASS
				30~500	196.62	-48.37	≤-26	0.01455	≤2.5	PASS
				500~1000	545.00	-56.64	≤-26	0.00217	≤2.5	PASS
				1000~2387	2385.27	-38.84	≤-26	0.13062	≤2.5	PASS
				2387~2400	2397.3	-17.43	≤-16	18.07174	≤25	PASS
				2483.5~2496.5	2483.91	-42.70	≤-16	0.05370	≤25	PASS
				2496.5~13000	3781.08	-53.67	≤-26	0.00430	≤2.5	PASS
			2442	30~500	165.36	-48.28	≤-26	0.01486	≤2.5	PASS
				500~1000	872.50	-55.87	≤-26	0.00259	≤2.5	PASS
				1000~2387	2387.00	-48.47	≤-26	0.01422	≤2.5	PASS
				2387~2400	2397.76	-35.75	≤-16	0.26607	≤25	PASS
				2483.5~2496.5	2486.23	-31.96	≤-16	0.63680	≤25	PASS
				2496.5~13000	4890.77	-39.48	≤-26	0.11272	≤2.5	PASS
			2472	30~500	148.32	-47.26	≤-26	0.01879	≤2.5	PASS
				500~1000	704.88	-53.68	≤-26	0.00429	≤2.5	PASS
				1000~2387	2368.28	-51.86	≤-26	0.00652	≤2.5	PASS
				2387~2400	2396.67	-42.39	≤-16	0.05768	≤25	PASS
				2483.5~2496.5	2486.3	-17.54	≤-16	17.61976	≤25	PASS
				2496.5~13000	2501.23	-47.20	≤-26	0.01905	≤2.5	PASS
	11AX40SIS O	Ant1	2422	30~500	30.94	-46.23	≤-26	0.02382	≤2.5	PASS
				500~1000	731.50	-55.96	≤-26	0.00254	≤2.5	PASS
				1000~2387	2384.92	-32.62	≤-26	0.54702	≤2.5	PASS
				2387~2400	2391.45	-22.06	≤-16	6.22300	≤25	PASS
				2483.5~2496.5	2483.52	-34.63	≤-16	0.34435	≤25	PASS
				2496.5~13000	4859.26	-46.45	≤-26	0.02265	≤2.5	PASS
			2442	30~500	30.12	-42.79	≤-26	0.05260	≤2.5	PASS
				500~1000	597.00	-55.87	≤-26	0.00259	≤2.5	PASS
				1000~2387	2378.68	-39.15	≤-26	0.12162	≤2.5	PASS
				2387~2400	2398.60	-26.87	≤-16	2.05589	≤25	PASS
				2483.5~2496.5	2486.24	-24.13	≤-16	3.86367	≤25	PASS
				2496.5~13000	2507.53	-43.73	≤-26	0.04236	≤2.5	PASS
			2462	30~500	31.06	-47.61	≤-26	0.01734	≤2.5	PASS
				500~1000	552.50	-55.21	≤-26	0.00301	≤2.5	PASS
				1000~2387	2386.31	-48.67	≤-26	0.01358	≤2.5	PASS
				2387~2400	2399.31	-35.94	≤-16	0.25468	≤25	PASS
				2483.5~2496.5	2483.50	-21.20	≤-16	7.58578	≤25	PASS
				2496.5~13000	2505.95	-42.11	≤-26	0.06152	≤2.5	PASS
NTLV	11B	Ant1	2412	30~500	188.63	-48.21	≤-26	0.01510	≤2.5	PASS
				500~1000	577.63	-56.45	≤-26	0.00226	≤2.5	PASS
				1000~2387	2385.96	-48.71	≤-26	0.01346	≤2.5	PASS
				2387~2400	2397.31	-34.32	≤-16	0.36983	≤25	PASS
				2483.5~2496.5	2484.21	-42.88	≤-16	0.05152	≤25	PASS
				2496.5~13000	4824.08	-42.31	≤-26	0.05875	≤2.5	PASS
			2442	30~500	180.75	-48.20	≤-26	0.01514	≤2.5	PASS
				500~1000	556.25	-55.12	≤-26	0.00308	≤2.5	PASS
				1000~2387	2377.98	-53.12	≤-26	0.00488	≤2.5	PASS
				2387~2400	2396.70	-43.32	≤-16	0.04656	≤25	PASS
				2483.5~2496.5	2484.22	-42.62	≤-16	0.05470	≤25	PASS
				2496.5~13000	4883.95	-41.14	≤-26	0.07691	≤2.5	PASS
			2472	30~500	190.98	-48.36	≤-26	0.01459	≤2.5	PASS
				500~1000	572.63	-56.41	≤-26	0.00229	≤2.5	PASS
				1000~2387	2072.15	-53.40	≤-26	0.00457	≤2.5	PASS
				2387~2400	2390.11	-43.56	≤-16	0.04406	≤25	PASS
				2483.5~2496.5	2483.53	-38.31	≤-16	0.14757	≤25	PASS
				2496.5~13000	4943.82	-42.05	≤-26	0.06237	≤2.5	PASS
	11G	Ant1	2412	30~500	200.38	-48.15	≤-26	0.01531	≤2.5	PASS
				500~1000	597.00	-55.69	≤-26	0.00270	≤2.5	PASS
				1000~2387	2382.49	-34.74	≤-26	0.33574	≤2.5	PASS
				2387~2400	2396.59	-17.97	≤-16	15.95879	≤25	PASS
				2483.5~2496.5	2490.84	-42.51	≤-16	0.05610	≤25	PASS
				2496.5~13000	4825.65	-52.16	≤-26	0.00608	≤2.5	PASS
			2442	30~500	189.80	-47.88	≤-26	0.01629	≤2.5	PASS
				500~1000	944.75	-56.34	≤-26	0.00232	≤2.5	PASS
				1000~2387	2387.00	-51.04	≤-26	0.00787	≤2.5	PASS

Appendix B

CN266W4G 002

Page 59 of 229



Prüfbericht - Produkte
Test Report - Products

	11N20SISO	Ant1	2472	2387~2400	2398.04	-42.72	≤-16	0.05346	≤25	PASS
				2483.5~2496.5	2483.57	-38.29	≤-16	0.14825	≤25	PASS
				2496.5~13000	4875.54	-40.27	≤-26	0.09397	≤2.5	PASS
				30~500	194.62	-48.40	≤-26	0.01445	≤2.5	PASS
				500~1000	941.25	-55.92	≤-26	0.00256	≤2.5	PASS
				1000~2387	2377.98	-52.70	≤-26	0.00537	≤2.5	PASS
			2412	2387~2400	2391.86	-42.33	≤-16	0.05848	≤25	PASS
				2483.5~2496.5	2485.39	-19.12	≤-16	12.24616	≤25	PASS
				2496.5~13000	4939.09	-40.60	≤-26	0.08710	≤2.5	PASS
				30~500	208.01	-47.80	≤-26	0.01660	≤2.5	PASS
				500~1000	790.63	-56.20	≤-26	0.00240	≤2.5	PASS
				1000~2387	2386.31	-31.41	≤-26	0.72277	≤2.5	PASS
			2442	2387~2400	2398.05	-17.65	≤-16	17.17908	≤25	PASS
				2483.5~2496.5	2490.07	-42.62	≤-16	0.05470	≤25	PASS
				2496.5~13000	4821.97	-53.65	≤-26	0.00432	≤2.5	PASS
				30~500	182.16	-48.23	≤-26	0.01503	≤2.5	PASS
				500~1000	869.63	-55.96	≤-26	0.00254	≤2.5	PASS
				1000~2387	2384.92	-50.57	≤-26	0.00877	≤2.5	PASS
	11N40SISO	Ant1	2472	2387~2400	2396.92	-42.21	≤-16	0.06012	≤25	PASS
				2483.5~2496.5	2483.91	-39.66	≤-16	0.10814	≤25	PASS
				2496.5~13000	4894.45	-39.78	≤-26	0.10520	≤2.5	PASS
				30~500	175.70	-47.50	≤-26	0.01778	≤2.5	PASS
				500~1000	514.50	-56.02	≤-26	0.00250	≤2.5	PASS
				1000~2387	2372.78	-52.30	≤-26	0.00589	≤2.5	PASS
			2422	2387~2400	2389.42	-42.42	≤-16	0.05728	≤25	PASS
				2483.5~2496.5	2486.82	-17.84	≤-16	16.44372	≤25	PASS
				2496.5~13000	2496.50	-48.53	≤-26	0.01403	≤2.5	PASS
				30~500	30.12	-45.87	≤-26	0.02588	≤2.5	PASS
				500~1000	570.38	-56.06	≤-26	0.00248	≤2.5	PASS
				1000~2387	2379.37	-33.55	≤-26	0.44157	≤2.5	PASS
			2442	2387~2400	2388.98	-22.20	≤-16	6.02560	≤25	PASS
				2483.5~2496.5	2496.33	-35.93	≤-16	0.25527	≤25	PASS
				2496.5~13000	2500.18	-44.42	≤-26	0.03614	≤2.5	PASS
				30~500	30.12	-46.17	≤-26	0.02415	≤2.5	PASS
				500~1000	593.13	-56.43	≤-26	0.00228	≤2.5	PASS
				1000~2387	2382.15	-39.41	≤-26	0.11455	≤2.5	PASS
	11AX20SIS O	Ant1	2462	2387~2400	2399.76	-25.85	≤-16	2.60016	≤25	PASS
				2483.5~2496.5	2486.35	-28.68	≤-16	1.35519	≤25	PASS
				2496.5~13000	2497.03	-41.86	≤-26	0.06516	≤2.5	PASS
				30~500	182.99	-47.87	≤-26	0.01633	≤2.5	PASS
				500~1000	569.38	-55.01	≤-26	0.00316	≤2.5	PASS
				1000~2387	2385.96	-49.43	≤-26	0.01140	≤2.5	PASS
			2412	2387~2400	2397.59	-35.56	≤-16	0.27797	≤25	PASS
				2483.5~2496.5	2483.51	-22.54	≤-16	5.57186	≤25	PASS
				2496.5~13000	2499.65	-32.26	≤-26	0.59429	≤2.5	PASS
				30~500	197.32	-48.39	≤-26	0.01449	≤2.5	PASS
				500~1000	731.75	-56.19	≤-26	0.00240	≤2.5	PASS
				1000~2387	2386.65	-40.32	≤-26	0.09290	≤2.5	PASS
	11AX40SIS O	Ant1	2442	2387~2400	2397.21	-17.31	≤-16	18.57804	≤25	PASS
				2483.5~2496.5	2493.37	-42.29	≤-16	0.05902	≤25	PASS
				2496.5~13000	3709.65	-53.78	≤-26	0.00419	≤2.5	PASS
				30~500	185.10	-47.33	≤-26	0.01849	≤2.5	PASS
				500~1000	872.75	-56.13	≤-26	0.00244	≤2.5	PASS
				1000~2387	2386.31	-50.11	≤-26	0.00975	≤2.5	PASS
			2472	2387~2400	2399.01	-34.60	≤-16	0.34674	≤25	PASS
				2483.5~2496.5	2486.69	-32.49	≤-16	0.56364	≤25	PASS
				2496.5~13000	4880.79	-41.23	≤-26	0.07534	≤2.5	PASS
				30~500	179.11	-48.14	≤-26	0.01535	≤2.5	PASS
				500~1000	705.38	-54.91	≤-26	0.00323	≤2.5	PASS
				1000~2387	2007.66	-52.68	≤-26	0.00540	≤2.5	PASS
			2422	2387~2400	2392.77	-42.47	≤-16	0.05662	≤25	PASS
				2483.5~2496.5	2486.09	-17.19	≤-16	19.09853	≤25	PASS
				2496.5~13000	2497.03	-48.96	≤-26	0.01271	≤2.5	PASS
				30~500	30.35	-46.58	≤-26	0.02198	≤2.5	PASS
				500~1000	911.13	-56.51	≤-26	0.00223	≤2.5	PASS
				1000~2387	2375.21	-33.22	≤-26	0.47643	≤2.5	PASS
			2442	2387~2400	2399.68	-23.89	≤-16	4.08319	≤25	PASS
				2483.5~2496.5	2490.38	-31.23	≤-16	0.75336	≤25	PASS
				2496.5~13000	4840.88	-46.10	≤-26	0.02455	≤2.5	PASS
				30~500	32.35	-45.61	≤-26	0.02748	≤2.5	PASS
				500~1000	545.00	-56.18	≤-26	0.00241	≤2.5	PASS

Appendix B

CN266W4G 002

Page 60 of 229



Prüfbericht - Produkte
Test Report - Products

NTHV	11B	Ant1	2462	1000~2387	2384.23	-38.23	≤-26	0.15031	≤2.5	PASS
				2387~2400	2399.75	-28.27	≤-16	1.48936	≤25	PASS
				2483.5~2496.5	2489.05	-24.74	≤-16	3.35738	≤25	PASS
				2496.5~13000	2497.03	-43.90	≤-26	0.04074	≤2.5	PASS
				30~500	178.52	-47.13	≤-26	0.01936	≤2.5	PASS
			2462	500~1000	503.25	-55.25	≤-26	0.00299	≤2.5	PASS
				1000~2387	2384.92	-49.74	≤-26	0.01062	≤2.5	PASS
				2387~2400	2392.40	-33.28	≤-16	0.46989	≤25	PASS
				2483.5~2496.5	2483.50	-20.56	≤-16	8.79023	≤25	PASS
				2496.5~13000	2497.03	-40.45	≤-26	0.09016	≤2.5	PASS
	11G	Ant1	2412	30~500	187.92	-48.08	≤-26	0.01556	≤2.5	PASS
				500~1000	501.38	-56.05	≤-26	0.00248	≤2.5	PASS
				1000~2387	2384.57	-48.85	≤-26	0.01303	≤2.5	PASS
				2387~2400	2397.54	-34.08	≤-16	0.39084	≤25	PASS
				2483.5~2496.5	2489.38	-42.33	≤-16	0.05848	≤25	PASS
			2442	2496.5~13000	4824.08	-42.12	≤-26	0.06138	≤2.5	PASS
				30~500	178.05	-48.54	≤-26	0.01400	≤2.5	PASS
				500~1000	520.13	-56.37	≤-26	0.00231	≤2.5	PASS
				1000~2387	2386.31	-53.12	≤-26	0.00488	≤2.5	PASS
				2387~2400	2389.58	-43.23	≤-16	0.04753	≤25	PASS
			2472	2483.5~2496.5	2491.48	-42.25	≤-16	0.05957	≤25	PASS
				2496.5~13000	4883.95	-40.39	≤-26	0.09141	≤2.5	PASS
				30~500	196.73	-48.12	≤-26	0.01542	≤2.5	PASS
				500~1000	539.25	-56.12	≤-26	0.00244	≤2.5	PASS
				1000~2387	2343.66	-53.28	≤-26	0.00470	≤2.5	PASS
			2412	2387~2400	2387.09	-43.79	≤-16	0.04178	≤25	PASS
				2483.5~2496.5	2483.51	-38.40	≤-16	0.14454	≤25	PASS
				2496.5~13000	4943.82	-42.43	≤-26	0.05715	≤2.5	PASS
			2442	30~500	182.28	-47.73	≤-26	0.01687	≤2.5	PASS
				500~1000	882.75	-56.28	≤-26	0.00236	≤2.5	PASS
				1000~2387	2386.65	-37.20	≤-26	0.19055	≤2.5	PASS
				2387~2400	2395.91	-18.16	≤-16	15.27566	≤25	PASS
				2483.5~2496.5	2495.99	-41.88	≤-16	0.06486	≤25	PASS
	11N20SISO	Ant1	2412	2496.5~13000	4826.70	-41.65	≤-26	0.06839	≤2.5	PASS
				30~500	181.93	-47.78	≤-26	0.01667	≤2.5	PASS
				500~1000	552.00	-56.40	≤-26	0.00229	≤2.5	PASS
				1000~2387	2375.56	-50.68	≤-26	0.00855	≤2.5	PASS
				2387~2400	2396.83	-42.75	≤-16	0.05309	≤25	PASS
			2442	2483.5~2496.5	2483.76	-38.72	≤-16	0.13428	≤25	PASS
				2496.5~13000	4878.17	-40.21	≤-26	0.09528	≤2.5	PASS
				30~500	174.76	-48.09	≤-26	0.01552	≤2.5	PASS
				500~1000	784.75	-55.95	≤-26	0.00254	≤2.5	PASS
				1000~2387	2386.65	-52.72	≤-26	0.00535	≤2.5	PASS
			2472	2387~2400	2390.42	-42.34	≤-16	0.05834	≤25	PASS
				2483.5~2496.5	2487.25	-17.04	≤-16	19.76970	≤25	PASS
				2496.5~13000	2501.23	-46.58	≤-26	0.02198	≤2.5	PASS
			2412	30~500	178.76	-48.01	≤-26	0.01581	≤2.5	PASS
				500~1000	708.63	-56.13	≤-26	0.00244	≤2.5	PASS
				1000~2387	2384.92	-33.31	≤-26	0.46666	≤2.5	PASS
				2387~2400	2398.25	-17.56	≤-16	17.53881	≤25	PASS
				2483.5~2496.5	2493.61	-42.50	≤-16	0.05623	≤25	PASS
	11N40SISO	Ant1	2412	2496.5~13000	3698.10	-53.91	≤-26	0.00406	≤2.5	PASS
				30~500	183.93	-48.51	≤-26	0.01409	≤2.5	PASS
				500~1000	895.88	-55.62	≤-26	0.00274	≤2.5	PASS
				1000~2387	2387.00	-50.49	≤-26	0.00893	≤2.5	PASS
				2387~2400	2391.58	-37.57	≤-16	0.17498	≤25	PASS
			2442	2483.5~2496.5	2483.50	-39.13	≤-16	0.12218	≤25	PASS
				2496.5~13000	4880.27	-41.08	≤-26	0.07798	≤2.5	PASS
				30~500	191.56	-48.39	≤-26	0.01449	≤2.5	PASS
				500~1000	961.50	-55.95	≤-26	0.00254	≤2.5	PASS
				1000~2387	2385.27	-52.61	≤-26	0.00548	≤2.5	PASS
			2472	2387~2400	2391.63	-42.36	≤-16	0.05808	≤25	PASS
				2483.5~2496.5	2486.48	-17.88	≤-16	16.29296	≤25	PASS
				2496.5~13000	2498.60	-49.33	≤-26	0.01167	≤2.5	PASS
			2422	30~500	31.41	-46.88	≤-26	0.02051	≤2.5	PASS
				500~1000	956.50	-56.47	≤-26	0.00225	≤2.5	PASS
				1000~2387	2385.27	-34.63	≤-26	0.34435	≤2.5	PASS
				2387~2400	2399.82	-22.57	≤-16	5.53350	≤25	PASS
				2483.5~2496.5	2486.74	-33.24	≤-16	0.47424	≤25	PASS
			2442	2496.5~13000	4840.36	-43.03	≤-26	0.04977	≤2.5	PASS
				30~500	30.00	-45.98	≤-26	0.02523	≤2.5	PASS



	11AX20SIS O	Ant1		500~1000	553.63	-56.33	≤-26	0.00233	≤2.5	PASS
				1000~2387	2383.88	-39.07	≤-26	0.12388	≤2.5	PASS
				2387~2400	2399.59	-25.99	≤-16	2.51768	≤25	PASS
				2483.5~2496.5	2483.94	-27.97	≤-16	1.59588	≤25	PASS
				2496.5~13000	4870.29	-42.74	≤-26	0.05321	≤2.5	PASS
			2462	30~500	31.18	-47.79	≤-26	0.01663	≤2.5	PASS
				500~1000	821.75	-56.57	≤-26	0.00220	≤2.5	PASS
				1000~2387	2386.65	-50.12	≤-26	0.00973	≤2.5	PASS
				2387~2400	2398.88	-34.49	≤-16	0.35563	≤25	PASS
				2483.5~2496.5	2487.12	-20.74	≤-16	8.43335	≤25	PASS
	11AX40SIS O	Ant1	2412	2496.5~13000	2498.08	-36.14	≤-26	0.24322	≤2.5	PASS
				30~500	189.57	-47.96	≤-26	0.01600	≤2.5	PASS
				500~1000	848.50	-55.95	≤-26	0.00254	≤2.5	PASS
				1000~2387	2386.65	-37.43	≤-26	0.18072	≤2.5	PASS
				2387~2400	2397.43	-17.28	≤-16	18.70682	≤25	PASS
			2442	2483.5~2496.5	2494.07	-42.37	≤-16	0.05794	≤25	PASS
				2496.5~13000	3777.40	-54.08	≤-26	0.00391	≤2.5	PASS
				30~500	186.28	-48.39	≤-26	0.01449	≤2.5	PASS
				500~1000	595.75	-56.43	≤-26	0.00228	≤2.5	PASS
				1000~2387	2374.86	-50.79	≤-26	0.00834	≤2.5	PASS
			2472	2387~2400	2397.10	-35.09	≤-16	0.30974	≤25	PASS
				2483.5~2496.5	2486.07	-33.31	≤-16	0.46666	≤25	PASS
				2496.5~13000	4885.52	-38.55	≤-26	0.13964	≤2.5	PASS
				30~500	172.65	-48.48	≤-26	0.01419	≤2.5	PASS
				500~1000	827.50	-56.00	≤-26	0.00251	≤2.5	PASS
			2422	1000~2387	2382.49	-52.20	≤-26	0.00603	≤2.5	PASS
				2387~2400	2399.84	-41.93	≤-16	0.06412	≤25	PASS
				2483.5~2496.5	2485.86	-17.57	≤-16	17.49847	≤25	PASS
				2496.5~13000	2496.50	-50.47	≤-26	0.00897	≤2.5	PASS
			2442	30~500	31.76	-45.98	≤-26	0.02523	≤2.5	PASS
				500~1000	601.50	-56.09	≤-26	0.00246	≤2.5	PASS
				1000~2387	2377.29	-35.54	≤-26	0.27925	≤2.5	PASS
				2387~2400	2388.80	-24.30	≤-16	3.71535	≤25	PASS
				2483.5~2496.5	2490.39	-32.36	≤-16	0.58076	≤25	PASS
			2462	2496.5~13000	4848.23	-45.77	≤-26	0.02649	≤2.5	PASS
				30~500	30.00	-46.29	≤-26	0.02350	≤2.5	PASS
				500~1000	550.63	-56.16	≤-26	0.00242	≤2.5	PASS
				1000~2387	2380.41	-38.40	≤-26	0.14454	≤2.5	PASS
				2387~2400	2397.82	-26.32	≤-16	2.33346	≤25	PASS
			2462	2483.5~2496.5	2484.66	-26.80	≤-16	2.08930	≤25	PASS
				2496.5~13000	2507.00	-43.69	≤-26	0.04276	≤2.5	PASS
				30~500	206.02	-47.06	≤-26	0.01968	≤2.5	PASS
				500~1000	526.13	-56.14	≤-26	0.00243	≤2.5	PASS
				1000~2387	2385.96	-47.33	≤-26	0.01849	≤2.5	PASS
				2387~2400	2397.10	-35.84	≤-16	0.26062	≤25	PASS
				2483.5~2496.5	2483.50	-20.84	≤-16	8.24138	≤25	PASS
				2496.5~13000	2499.65	-40.33	≤-26	0.09268	≤2.5	PASS



Test Graphs

