

Appendix - LTE_band_3

1. Frequency Error

1.1 Test Result

1.1.1 B3_3MHz

Band: 3 / Bandwidth: 3MHz						
Channel Number	19215	19575	19935	Unit	Limit	Result
Frequency Center (MHz)	1711.5	1747.5	1783.5			
Normal Condition	19.856	-12.746	2.489	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-40.741	-5.865	-6.881	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-17.509	-11.501	-0.329	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	-34.418	-14.935	-24.447	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-9.441	0.215	-19.426	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	186.15	189.75	193.35	Hz	-	-

1.1.2 B3_5MHz

Band: 3 / Bandwidth: 5MHz						
Channel Number	19225	19575	19925	Unit	Limit	Result
Frequency Center (MHz)	1712.5	1747.5	1782.5			
Normal Condition	20.442	19.255	36.578	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-23.174	22.874	-43.530	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-14.620	40.469	-18.911	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	11.001	12.674	-23.160	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-39.854	2.403	-28.868	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	186.25	189.75	193.25	Hz	-	-

1.1.3 B3_10MHz

Band: 3 / Bandwidth: 10MHz						
Channel Number	19250	19575	19900	Unit	Limit	Result
Frequency Center (MHz)	1715	1747.5	1780			
Normal Condition	13.018	13.561	-5.765	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-43.430	4.606	14.505	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	3.247	-13.804	-12.631	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	-28.925	25.992	-25.907	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-14.963	11.916	-28.653	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	186.50	189.75	193.00	Hz	-	-

1.1.4 B3_15MHz

Band: 3 / Bandwidth: 15MHz						
Channel Number	19275	19575	19875	Unit	Limit	Result
Frequency Center (MHz)	1717.5	1747.5	1777.5			
Normal Condition	27.480	11.201	-10.815	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-25.764	22.016	-40.169	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-14.591	8.354	-25.406	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	-9.985	12.202	-15.178	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-21.873	12.374	-37.193	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	186.75	189.75	192.75	Hz	-	-

1.1.5 B3_20MHz

Band: 3 / Bandwidth: 20MHz						
Channel Number	19300	19575	19850	Unit	Limit	Result
Frequency Center (MHz)	1720	1747.5	1775			
Normal Condition	-14.963	10.242	26.336	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	14.076	15.664	-17.195	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-33.760	4.678	-22.159	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	-34.790	-2.389	-4.435	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	8.354	1.431	-24.705	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	187.00	189.75	192.50	Hz	-	-

2. Tolerance of Occupied Bandwidth


2.1 Test Result

2.1.1 B3_OBW


Band: 3						
BW(MHz)	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	2.76	2.76	2.76	MHz	≤ 3	Pass
5	4.51	4.51	4.52	MHz	≤ 5	Pass
10	8.97	8.97	8.96	MHz	≤ 10	Pass
15	13.43	13.41	13.42	MHz	≤ 15	Pass
20	17.86	17.91	17.90	MHz	≤ 20	Pass

2.2 Test Graph


2.2.1 B3_OBW




Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN




Band3 5MHz QPSK LCH 1712.5MHz RB 25 0 NTN




Band3 5MHz QPSK MCH 1747.5MHz RB 25 0 NTNv




Band3 5MHz QPSK HCH 1782.5MHz RB 25 0 NTNv




Band3_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band3_10MHz_QPSK_MCH_1747.5MHz_RB_50_0_NTNV




Band3_10MHz_QPSK_HCH_1780MHz_RB_50_0_NTNV




Band3_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band3_15MHz_QPSK_MCH_1747.5MHz_RB_75_0_NTNV




Band3_15MHz_QPSK_HCH_1777.5MHz_RB_75_0_NTNV




Band3_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV



Band3_20MHz_QPSK_MCH_1747.5MHz_RB_100_0_NTNV





3. Tolerance of Antenna Power

3.1 Test Result

3.1.1 B3_Power

Band: 3 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	RF output Power	21.18	21.24	21.32	dBm	/	/
5	RF output Power	21.12	21.13	21.34	dBm	/	/
10	RF output Power	21.23	21.16	21.20	dBm	/	/
15	RF output Power	21.26	21.16	21.30	dBm	/	/
20	RF output Power	21.32	21.24	21.20	dBm	/	/

3.1.2 B3

Band: 3 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	Power Tolerance	-34.23	-33.32	-32.08	%	-79 to 87	Pass
5	Power Tolerance	-35.14	-34.99	-31.77	%	-79 to 87	Pass
10	Power Tolerance	-33.47	-34.54	-33.93	%	-79 to 87	Pass
15	Power Tolerance	-33.01	-34.54	-32.39	%	-79 to 87	Pass
20	Power Tolerance	-32.08	-33.32	-33.93	%	-79 to 87	Pass

4. Tolerance of Adjacent Channel Leakage Power

4.1 Test Result

4.1.1 B3_3MHz

Band: 3 / Bandwidth: 3MHz							
Modulation	Channel Number	19215	19575	19935	Unit	Limit	Result
	Frequency Center (MHz)	1711.5	1747.5	1783.5			
QPSK	Fc - 4MHz	-41.06	-42.51	-41.17	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-40.70	-43.29	-40.40	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-39.28	-40.92	-38.93	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-38.92	-41.69	-37.72	dBc/2.7MHz	<=-29.2	Pass
16QAM	Fc - 4MHz	-39.97	-41.57	-40.56	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-39.61	-42.13	-40.16	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-38.36	-40.33	-39.44	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-38.02	-40.65	-38.90	dBc/2.7MHz	<=-29.2	Pass

4.1.2 B3_5MHz

Band: 3 / Bandwidth: 5MHz							
Modulation	Channel Number	19225	19575	19925	Unit	Limit	Result
	Frequency Center (MHz)	1712.5	1747.5	1782.5			
QPSK	Fc - 10MHz	-51.86	-50.86	-51.19	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-40.45	-42.23	-41.93	dBc/3.84MHz	<=-32.2	Pass

16QAM	Fc + 5MHz	-39.85	-43.19	-40.29	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-49.71	-51.49	-53.59	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-39.39	-41.06	-40.92	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-38.74	-42.03	-37.68	dBc/4.5MHz	<=-29.2	Pass
	Fc - 10MHz	-52.28	-51.43	-51.07	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-39.52	-41.20	-40.37	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-50.29	-52.03	-53.50	dBc/3.84MHz	<=-35.2	Pass
16QAM	Fc - 5MHz	-38.60	-40.23	-39.51	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-37.89	-41.30	-38.66	dBc/4.5MHz	<=-29.2	Pass

4.1.3 B3_10MHz

Band: 3 / Bandwidth: 10MHz							
Modulation	Channel Number	19250	19575	19900	Unit	Limit	Result
	Frequency Center (MHz)	1715	1747.5	1780			
QPSK	Fc - 12.5MHz	-50.61	-49.60	-48.11	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-41.60	-42.28	-42.00	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-39.46	-43.51	-39.73	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-47.54	-51.23	-50.20	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-40.50	-40.96	-40.40	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-38.20	-42.25	-39.23	dBc/9MHz	<=-29.2	Pass
16QAM	Fc - 12.5MHz	-48.83	-47.70	-46.57	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-40.86	-41.43	-40.68	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-38.97	-42.18	-40.47	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-45.84	-48.69	-48.84	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-39.62	-39.87	-39.02	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-37.49	-40.69	-39.22	dBc/9MHz	<=-29.2	Pass

4.1.4 B3_15MHz

Band: 3 / Bandwidth: 15MHz							
Modulation	Channel Number	19275	19575	19875	Unit	Limit	Result
	Frequency Center (MHz)	1717.5	1747.5	1777.5			
QPSK	Fc - 15MHz	-48.87	-46.73	-44.37	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-43.49	-42.34	-40.80	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-40.10	-44.03	-40.27	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	-44.74	-48.73	-47.32	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	-41.98	-40.15	-38.30	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	-38.10	-42.01	-40.33	dBc/13.5MHz	<=-29.2	Pass
16QAM	Fc - 15MHz	-47.34	-45.57	-43.44	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-42.37	-41.90	-39.90	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-39.51	-42.94	-40.65	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	-43.59	-46.82	-46.96	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	-40.90	-39.43	-37.45	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	-37.30	-40.64	-39.86	dBc/13.5MHz	<=-29.2	Pass


4.1.5 B3_20MHz

Band: 3 / Bandwidth: 20MHz							
Modulation	Channel Number	19300	19575	19850	Unit	Limit	Result
	Frequency Center (MHz)	1720	1747.5	1775			
QPSK	Fc - 17.5MHz	-50.16	-46.96	-44.93	dBc/3.84MHz	<=-35.2	Pass
	Fc - 12.5MHz	-43.80	-42.82	-42.66	dBc/3.84MHz	<=-32.2	Pass


16QAM	Fc + 12.5MHz	-42.19	-44.13	-40.60	dBc/3.84MHz	<=-32.2	Pass
	Fc + 17.5MHz	-45.16	-48.20	-48.41	dBc/3.84MHz	<=-35.2	Pass
	Fc - 20MHz	-44.59	-41.06	-39.20	dBc/18MHz	<=-29.2	Pass
	Fc + 20MHz	-39.39	-42.35	-41.68	dBc/18MHz	<=-29.2	Pass
	Fc - 17.5MHz	-48.54	-46.24	-43.91	dBc/3.84MHz	<=-35.2	Pass
	Fc - 12.5MHz	-42.65	-42.68	-41.84	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-41.50	-43.21	-40.60	dBc/3.84MHz	<=-32.2	Pass
	Fc + 17.5MHz	-44.17	-46.71	-47.06	dBc/3.84MHz	<=-35.2	Pass
	Fc - 20MHz	-43.18	-40.44	-38.21	dBc/18MHz	<=-29.2	Pass
	Fc + 20MHz	-38.36	-41.08	-41.22	dBc/18MHz	<=-29.2	Pass

4.2 Test Graph

4.2.1 B3_3MHz




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.71	/	/	/	/
Fc - 4MHz	-4	3.84	-19.35	-41.06	-32.2	8.86	Pass
Fc + 4MHz	4	3.84	-18.99	-40.70	-32.2	8.50	Pass
Fc - 3MHz	-3	2.70	-17.57	-39.28	-29.2	10.08	Pass
Fc + 3MHz	3	2.70	-17.21	-38.92	-29.2	9.72	Pass

Band3_3MHz_QPSK_MCH_1747.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.74	/	/	/	/
Fc - 4MHz	-4	3.84	-23.59	-46.33	-32.2	14.13	Pass
Fc + 4MHz	4	3.84	-32.57	-55.31	-32.2	23.11	Pass
Fc - 3MHz	-3	2.70	-19.63	-42.37	-29.2	13.17	Pass
Fc + 3MHz	3	2.70	-32.09	-54.83	-29.2	25.63	Pass

Band3 3MHz QPSK MCH 1747.5MHz RB 4 11 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.77	/	/	/	/
Fc - 4MHz	-4	3.84	-32.43	-55.20	-32.2	23.00	Pass
Fc + 4MHz	4	3.84	-24.43	-47.20	-32.2	15.00	Pass
Fc - 3MHz	-3	2.70	-31.82	-54.59	-29.2	25.39	Pass
Fc + 3MHz	3	2.70	-19.76	-42.53	-29.2	13.33	Pass

Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.73	/	/	/	/
Fc - 4MHz	-4	3.84	-20.78	-42.51	-32.2	10.31	Pass
Fc + 4MHz	4	3.84	-21.56	-43.29	-32.2	11.09	Pass
Fc - 3MHz	-3	2.70	-19.19	-40.92	-29.2	11.72	Pass
Fc + 3MHz	3	2.70	-19.96	-41.69	-29.2	12.49	Pass


Band3_3MHz_QPSK_HCH_1783.5MHz_RB_4_0_NTNV



Band3_3MHz_QPSK_HCH_1783.5MHz_RB_4_11_NTNV




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.64	/	/	/	/
Fc - 4MHz	-4	3.84	-19.53	-41.17	-32.2	8.97	Pass
Fc + 4MHz	4	3.84	-18.76	-40.40	-32.2	8.20	Pass
Fc - 3MHz	-3	2.70	-18.54	-40.18	-29.2	10.98	Pass
Fc + 3MHz	3	2.70	-17.61	-39.25	-29.2	10.05	Pass

Band3_3MHz_16QAM_LCH_1711.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.13	/	/	/	/
Fc - 4MHz	-4	3.84	-24.68	-46.81	-32.2	14.61	Pass
Fc + 4MHz	4	3.84	-31.91	-54.04	-32.2	21.84	Pass
Fc - 3MHz	-3	2.70	-18.61	-40.74	-29.2	11.54	Pass
Fc + 3MHz	3	2.70	-31.41	-53.54	-29.2	24.34	Pass

Band3_3MHz_16QAM_LCH_1711.5MHz_RB_4_11_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.88	/	/	/	/
Fc - 4MHz	-4	3.84	-33.85	-55.73	-32.2	23.53	Pass
Fc + 4MHz	4	3.84	-25.07	-46.95	-32.2	14.75	Pass
Fc - 3MHz	-3	2.70	-33.27	-55.15	-29.2	25.95	Pass
Fc + 3MHz	3	2.70	-18.71	-40.59	-29.2	11.39	Pass

Band3_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	20.72	/	/	/	/
Fc - 4MHz	-4	3.84	-19.25	-39.97	-32.2	7.77	Pass
Fc + 4MHz	4	3.84	-18.89	-39.61	-32.2	7.41	Pass
Fc - 3MHz	-3	2.70	-17.64	-38.36	-29.2	9.16	Pass
Fc + 3MHz	3	2.70	-17.30	-38.02	-29.2	8.82	Pass


Band3 3MHz 16QAM MCH 1747.5MHz RB 4 0 NTNV




Band3 3MHz 16QAM MCH 1747.5MHz RB 4 11 NTNV




Band3_3MHz_16QAM_MCH_1747.5MHz_RB_15_0_NTNV



Band3_3MHz_16QAM_HCH_1783.5MHz_RB_4_0_NTNV




Band3_3MHz_16QAM_HCH_1783.5MHz_RB_4_11_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.67	/	/	/	/
Fc - 4MHz	-4	3.84	-33.35	-55.02	-32.2	22.82	Pass
Fc + 4MHz	4	3.84	-23.94	-45.61	-32.2	13.41	Pass
Fc - 3MHz	-3	2.70	-32.60	-54.27	-29.2	25.07	Pass
Fc + 3MHz	3	2.70	-17.70	-39.37	-29.2	10.17	Pass

Band3_3MHz_16QAM_HCH_1783.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	20.64	/	/	/	/
Fc - 4MHz	-4	3.84	-19.92	-40.56	-32.2	8.36	Pass
Fc + 4MHz	4	3.84	-19.52	-40.16	-32.2	7.96	Pass
Fc - 3MHz	-3	2.70	-18.80	-39.44	-29.2	10.24	Pass
Fc + 3MHz	3	2.70	-18.26	-38.90	-29.2	9.70	Pass


4.2.2 B3_5MHz




Band3_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band3_5MHz_QPSK_MCH_1747.5MHz_RB_8_0_NTNV




Band3 5MHz QPSK MCH 1747.5MHz RB 8 17 NTN




Band3 5MHz QPSK MCH 1747.5MHz RB 25 0 NTN




Band3_5MHz_QPSK_HCH_1782.5MHz_RB_8_0_NTNV




Band3_5MHz_QPSK_HCH_1782.5MHz_RB_8_17_NTNV




Band3_5MHz_QPSK_HCH_1782.5MHz_RB_25_0_NTNV




Band3_5MHz_16QAM_LCH_1712.5MHz_RB_8_0_NTNV




Band3_5MHz_16QAM_LCH_1712.5MHz_RB_8_17_NTNV




Band3_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band3_5MHz_16QAM_MCH_1747.5MHz_RB_8_0_NTNV




Band3_5MHz_16QAM_MCH_1747.5MHz_RB_8_17_NTNV




Band3_5MHz_16QAM_MCH_1747.5MHz_RB_25_0_NTNV




Band3_5MHz_16QAM_HCH_1782.5MHz_RB_8_0_NTNV




Band3_5MHz_16QAM_HCH_1782.5MHz_RB_8_17_NTNV




Band3_5MHz_16QAM_HCH_1782.5MHz_RB_25_0_NTNV




4.2.3 B3_10MHz




Band3_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band3_10MHz_QPSK_MCH_1747.5MHz_RB_12_0_NTNV




Band3_10MHz_QPSK_MCH_1747.5MHz_RB_12_38_NTNV




Band3_10MHz_QPSK_MCH_1747.5MHz_RB_50_0_NTNV




Band3_10MHz_QPSK_HCH_1780MHz_RB_12_0_NTNV




Band3_10MHz_QPSK_HCH_1780MHz_RB_12_38_NTNV




Band3_10MHz_QPSK_HCH_1780MHz_RB_50_0_NTNV




Band3_10MHz_16QAM_LCH_1715MHz_RB_12_0_NTNV




Band3_10MHz_16QAM_LCH_1715MHz_RB_12_38_NTNV




Band3_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band3_10MHz_16QAM_MCH_1747.5MHz_RB_12_0_NTNV




Band3_10MHz_16QAM_MCH_1747.5MHz_RB_12_38_NTNV




Band3_10MHz_16QAM_MCH_1747.5MHz_RB_50_0_NTNV




Band3_10MHz_16QAM_HCH_1780MHz_RB_12_0_NTNV




Band3_10MHz_16QAM_HCH_1780MHz_RB_12_38_NTNV




Band3_10MHz_16QAM_HCH_1780MHz_RB_50_0_NTNV




4.2.4 B3_15MHz




Band3_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band3_15MHz_QPSK_MCH_1747.5MHz_RB_16_0_NTNV




Band3_15MHz_QPSK_MCH_1747.5MHz_RB_16_59_NTNV




Band3_15MHz_QPSK_MCH_1747.5MHz_RB_75_0_NTNV




Band3_15MHz_QPSK_HCH_1777.5MHz_RB_16_0_NTNV




Band3_15MHz_QPSK_HCH_1777.5MHz_RB_16_59_NTNV




Band3_15MHz_QPSK_HCH_1777.5MHz_RB_75_0_NTNV




Band3_15MHz_16QAM_LCH_1717.5MHz_RB_16_0_NTNV




Band3_15MHz_16QAM_LCH_1717.5MHz_RB_16_59_NTNV




Band3_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band3_15MHz_16QAM_MCH_1747.5MHz_RB_16_0_NTNV




Band3_15MHz_16QAM_MCH_1747.5MHz_RB_16_59_NTNV




Band3_15MHz_16QAM_MCH_1747.5MHz_RB_75_0_NTNV




Band3_15MHz_16QAM_HCH_1777.5MHz_RB_16_0_NTNV




Band3_15MHz_16QAM_HCH_1777.5MHz_RB_16_59_NTNV




Band3_15MHz_16QAM_HCH_1777.5MHz_RB_75_0_NTNV




4.2.5 B3_20MHz




Band3_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band3_20MHz_QPSK_MCH_1747.5MHz_RB_18_0_NTNV




Band3_20MHz_QPSK_MCH_1747.5MHz_RB_18_82_NTNV




Band3_20MHz_QPSK_MCH_1747.5MHz_RB_100_0_NTNV




Band3_20MHz_QPSK_HCH_1775MHz_RB_18_0_NTNV




Band3_20MHz_QPSK_HCH_1775MHz_RB_18_82_NTNV




Band3_20MHz_QPSK_HCH_1775MHz_RB_100_0_NTNV




Band3_20MHz_16QAM_LCH_1720MHz_RB_18_0_NTNV




Band3_20MHz_16QAM_LCH_1720MHz_RB_18_82_NTNV




Band3_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band3_20MHz_16QAM_MCH_1747.5MHz_RB_18_0_NTNV




Band3_20MHz_16QAM_MCH_1747.5MHz_RB_18_82_NTNV




Band3_20MHz_16QAM_MCH_1747.5MHz_RB_100_0_NTNV




Band3_20MHz_16QAM_HCH_1775MHz_RB_18_0_NTNV



Band3_20MHz_16QAM_HCH_1775MHz_RB_18_82_NTNV



Band3_20MHz_16QAM_HCH_1775MHz_RB_100_0_NTNV



5. Tolerance of Out-band Leakage Power

5.1 Test Result

5.1.1 B3_3MHz

Band: 3 / Bandwidth: 3MHz										
Modulation	Channel Number	19215		19575		19935		Unit	Limit	Result
	Frequency Center (MHz)	1711.5		1747.5		1783.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-7.5M ≡ Δf < -6.5M	1704.973	-35.15	1740.984	-34.73	1776.955	-34.45	dBm/MHz	<=-23.5	Pass
	-6.5M ≡ Δf < -2.5M	1708.992	-19.71	1744.996	-21.17	1780.928	-20.50	dBm/MHz	<=-8.5	Pass
	-2.5M ≡ Δf < -1.5M	1709.999	-18.26	1746.000	-18.93	1782.000	-18.05	dBm/30kHz	<=-11.5	Pass
	+1.5M ≡ Δf < +2.5M	1713.001	-17.14	1749.006	-18.82	1785.001	-17.19	dBm/30kHz	<=-11.5	Pass
	+2.5M ≡ Δf < +6.5M	1714.024	-18.86	1750.052	-21.89	1786.016	-20.06	dBm/MHz	<=-8.5	Pass
	+6.5M ≡ Δf < +7.5M	1718.104	-33.39	1754.008	-35.13	1790.002	-35.33	dBm/MHz	<=-23.5	Pass
16QAM	-7.5M ≡ Δf < -6.5M	1705.000	-36.96	1740.998	-36.32	1776.779	-33.63	dBm/MHz	<=-23.5	Pass
	-6.5M ≡ Δf < -2.5M	1708.992	-19.63	1744.980	-21.05	1781.000	-21.08	dBm/MHz	<=-8.5	Pass
	-2.5M ≡ Δf < -1.5M	1709.999	-18.69	1745.993	-20.31	1781.999	-19.49	dBm/30kHz	<=-11.5	Pass
	+1.5M ≡ Δf < +2.5M	1713.002	-19.23	1749.003	-20.01	1785.000	-18.87	dBm/30kHz	<=-11.5	Pass
	+2.5M ≡ Δf < +6.5M	1714.000	-19.69	1750.020	-21.86	1786.012	-20.29	dBm/MHz	<=-8.5	Pass
	+6.5M ≡ Δf < +7.5M	1718.010	-35.62	1754.040	-36.75	1790.126	-35.49	dBm/MHz	<=-23.5	Pass

5.1.2 B3_5MHz

Band: 3 / Bandwidth: 5MHz										
Modulation	Channel Number	19225		19575		19925		Unit	Limit	Result
	Frequency Center (MHz)	1712.5		1747.5		1782.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-12.5M ≡ Δf < -8.5M	1703.100	-35.03	1737.900	-33.73	1773.980	-34.38	dBm/MHz	<=-23.5	Pass
	-8.5M ≡ Δf < -7.5M	1704.996	-34.74	1739.816	-33.64	1774.999	-31.46	dBm/MHz	<=-11.5	Pass
	-7.5M ≡ Δf < -3.5M	1708.976	-20.95	1743.956	-22.70	1778.908	-19.50	dBm/MHz	<=-8.5	Pass
	-3.5M ≡ Δf < -2.5M	1709.995	-26.05	1744.999	-26.92	1779.998	-26.76	dBm/30kHz	<=-13.5	Pass
	+2.5M ≡ Δf < +3.5M	1715.008	-25.90	1750.000	-26.45	1785.001	-23.23	dBm/30kHz	<=-13.5	Pass
	+3.5M ≡ Δf < +7.5M	1716.004	-20.35	1751.084	-23.10	1786.004	-16.33	dBm/MHz	<=-8.5	Pass
	+7.5M ≡ Δf < +8.5M	1720.012	-33.12	1755.037	-34.13	1790.001	-31.60	dBm/MHz	<=-11.5	Pass
	+8.5M ≡ Δf < +12.5M	1722.072	-32.81	1756.920	-34.24	1791.012	-35.54	dBm/MHz	<=-23.5	Pass
16QAM	-12.5M ≡ Δf < -8.5M	1704.000	-35.62	1739.000	-34.36	1773.976	-34.94	dBm/MHz	<=-23.5	Pass
	-8.5M ≡ Δf < -7.5M	1704.989	-34.40	1739.984	-33.13	1774.989	-32.77	dBm/MHz	<=-11.5	Pass
	-7.5M ≡ Δf < -3.5M	1708.992	-21.52	1743.980	-23.10	1778.956	-20.55	dBm/MHz	<=-8.5	Pass
	-3.5M ≡ Δf < -2.5M	1709.999	-25.97	1744.994	-28.01	1779.995	-27.29	dBm/30kHz	<=-13.5	Pass
	+2.5M ≡ Δf < +3.5M	1715.005	-25.62	1750.005	-27.43	1785.000	-25.84	dBm/30kHz	<=-13.5	Pass
	+3.5M ≡ Δf < +7.5M	1716.032	-20.72	1751.052	-23.05	1786.008	-19.41	dBm/MHz	<=-8.5	Pass
	+7.5M ≡ Δf < +8.5M	1720.027	-32.51	1755.012	-33.65	1790.007	-33.28	dBm/MHz	<=-11.5	Pass
	+8.5M ≡ Δf < +12.5M	1721.000	-33.60	1756.844	-34.55	1791.012	-35.94	dBm/MHz	<=-23.5	Pass

5.1.3 B3_10MHz

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 59 of 701

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

Band: 3 / Bandwidth: 10MHz										
Modulation	Channel Number	19250		19575		19900		Unit	Limit	Result
	Frequency Center (MHz)	1715		1747.5		1780				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-20M ≡ Δf < -15M	1699.995	-40.35	1732.495	-36.11	1764.985	-34.87	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	1704.985	-30.36	1737.500	-30.19	1769.955	-29.18	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	1708.996	-21.56	1741.464	-21.93	1774.000	-21.46	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	1709.997	-29.87	1742.498	-30.63	1774.995	-30.01	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	1720.009	-29.94	1752.510	-30.33	1785.009	-27.43	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	1721.000	-21.46	1753.500	-22.22	1786.012	-17.19	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	1725.010	-27.09	1757.510	-31.10	1790.010	-28.80	dBm/MHz	<=-11.5	Pass
	+15M ≡ Δf < +20M	1734.215	-35.31	1766.610	-37.30	1795.015	-42.34	dBm/MHz	<=-23.5	Pass
16QAM	-20M ≡ Δf < -15M	1699.985	-39.71	1732.475	-36.08	1765.000	-35.56	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	1704.995	-29.65	1737.475	-29.60	1769.970	-28.42	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	1708.980	-21.00	1741.492	-22.24	1774.000	-20.83	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	1709.996	-29.35	1742.499	-31.36	1775.000	-30.15	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	1720.005	-30.39	1752.516	-30.82	1785.002	-28.63	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	1721.004	-20.69	1753.508	-21.64	1786.024	-19.23	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	1725.010	-26.69	1757.530	-30.48	1790.010	-28.54	dBm/MHz	<=-11.5	Pass
	+15M ≡ Δf < +20M	1730.010	-34.84	1762.500	-36.89	1795.080	-42.37	dBm/MHz	<=-23.5	Pass

5.1.4 B3_15MHz

Band: 3 / Bandwidth: 15MHz										
Modulation	Channel Number	19275		19575		19875		Unit	Limit	Result
	Frequency Center (MHz)	1717.5		1747.5		1777.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-27.5M $\cong \Delta f < -22.5M$	1694.985	-51.77	1723.655	-36.24	1753.830	-36.30	dBm/MHz	≤ -23.5	Pass
	-22.5M $\cong \Delta f < -12.5M$	1704.980	-30.99	1734.930	-29.25	1763.790	-27.76	dBm/MHz	≤ -11.5	Pass
	-12.5M $\cong \Delta f < -8.5M$	1708.964	-21.95	1738.996	-23.14	1768.972	-21.94	dBm/MHz	≤ -8.5	Pass
	-8.5M $\cong \Delta f < -7.5M$	1709.996	-31.63	1739.970	-32.80	1769.997	-31.91	dBm/30kHz	≤ -18.5	Pass
	+7.5M $\cong \Delta f < +8.5M$	1725.015	-32.48	1755.020	-32.98	1785.012	-29.87	dBm/30kHz	≤ -18.5	Pass
	+8.5M $\cong \Delta f < +12.5M$	1726.140	-22.66	1756.024	-23.45	1786.040	-19.35	dBm/MHz	≤ -8.5	Pass
	+12.5M $\cong \Delta f < +22.5M$	1730.050	-26.93	1760.020	-30.53	1790.320	-29.27	dBm/MHz	≤ -11.5	Pass
	+22.5M $\cong \Delta f < +27.5M$	1740.480	-36.37	1774.400	-38.54	1800.000	-53.52	dBm/MHz	≤ -23.5	Pass
16QAM	-27.5M $\cong \Delta f < -22.5M$	1694.995	-51.51	1723.845	-37.44	1753.880	-36.76	dBm/MHz	≤ -23.5	Pass
	-22.5M $\cong \Delta f < -12.5M$	1704.910	-30.56	1735.000	-29.73	1764.940	-27.79	dBm/MHz	≤ -11.5	Pass
	-12.5M $\cong \Delta f < -8.5M$	1708.980	-21.48	1738.992	-23.18	1768.948	-22.23	dBm/MHz	≤ -8.5	Pass
	-8.5M $\cong \Delta f < -7.5M$	1709.992	-31.40	1739.998	-32.33	1769.997	-31.68	dBm/30kHz	≤ -18.5	Pass
	+7.5M $\cong \Delta f < +8.5M$	1725.016	-32.32	1755.008	-32.16	1785.025	-30.86	dBm/30kHz	≤ -18.5	Pass
	+8.5M $\cong \Delta f < +12.5M$	1726.084	-22.98	1756.000	-23.29	1786.016	-20.47	dBm/MHz	≤ -8.5	Pass
	+12.5M $\cong \Delta f < +22.5M$	1730.110	-26.53	1760.000	-30.83	1790.020	-29.55	dBm/MHz	≤ -11.5	Pass
	+22.5M $\cong \Delta f < +27.5M$	1740.265	-36.10	1770.215	-38.34	1800.025	-52.87	dBm/MHz	≤ -23.5	Pass


5.1.5 B3_20MHz

Band: 3 / Bandwidth: 20MHz										
Modulation	Channel Number	19300		19575		19850		Unit	Limit	Result
	Frequency Center (MHz)	1720		1747.5		1775				
	Measured Value	Freq. (MHz)	Level	Freq.	Level	Freq.	Level			


				(MHz)		(MHz)				
QPSK	-35M $\equiv \Delta f < -30M$	1689.715	-54.62	1717.420	-39.56	1745.000	-37.50	dBm/MHz	≤ -23.5	Pass
	-30M $\equiv \Delta f < -15M$	1703.965	-33.83	1732.185	-30.57	1759.955	-28.79	dBm/MHz	≤ -11.5	Pass
	-15M $\equiv \Delta f < -11M$	1709.000	-22.79	1736.472	-23.01	1763.936	-23.78	dBm/MHz	≤ -8.5	Pass
	-11M $\equiv \Delta f < -10M$	1709.992	-32.55	1737.496	-33.97	1764.992	-34.05	dBm/30kHz	≤ -19.5	Pass
	+10M $\equiv \Delta f < +11M$	1730.006	-35.97	1757.508	-35.45	1785.024	-31.70	dBm/30kHz	≤ -19.5	Pass
	+11M $\equiv \Delta f < +15M$	1731.224	-25.35	1758.760	-24.76	1786.028	-20.69	dBm/MHz	≤ -8.5	Pass
	+15M $\equiv \Delta f < +30M$	1735.120	-28.70	1762.605	-31.84	1790.105	-31.02	dBm/MHz	≤ -11.5	Pass
16QAM	+30M $\equiv \Delta f < +35M$	1750.015	-39.02	1778.025	-41.32	1805.840	-54.45	dBm/MHz	≤ -23.5	Pass
	-35M $\equiv \Delta f < -30M$	1686.415	-54.58	1717.330	-39.90	1744.990	-37.71	dBm/MHz	≤ -23.5	Pass
	-30M $\equiv \Delta f < -15M$	1704.940	-33.10	1732.410	-31.09	1759.790	-28.42	dBm/MHz	≤ -11.5	Pass
	-15M $\equiv \Delta f < -11M$	1708.972	-22.19	1736.480	-24.07	1763.952	-23.52	dBm/MHz	≤ -8.5	Pass
	-11M $\equiv \Delta f < -10M$	1709.906	-33.05	1737.479	-34.69	1764.981	-35.45	dBm/30kHz	≤ -19.5	Pass
	+10M $\equiv \Delta f < +11M$	1730.003	-35.82	1757.605	-35.25	1785.019	-32.07	dBm/30kHz	≤ -19.5	Pass
	+11M $\equiv \Delta f < +15M$	1731.008	-24.22	1758.524	-23.56	1786.252	-21.02	dBm/MHz	≤ -8.5	Pass
	+15M $\equiv \Delta f < +30M$	1735.195	-28.61	1762.680	-31.72	1790.060	-30.86	dBm/MHz	≤ -11.5	Pass
	+30M $\equiv \Delta f < +35M$	1750.095	-39.15	1777.580	-41.18	1806.825	-54.50	dBm/MHz	≤ -23.5	Pass

5.2 Test Graph

5.2.1 B3_3MHz




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1704.973	-35.15	-23.5	Pass
-6.5	-2.5	1 M	3 M	1708.992	-19.71	-8.5	Pass
-2.5	-1.5	30 k	100 k	1709.995	-24.13	-11.5	Pass
1.5	2.5	30 k	100 k	1713.007	-23.66	-11.5	Pass
2.5	6.5	1 M	3 M	1714.024	-18.86	-8.5	Pass
6.5	7.5	1 M	3 M	1718.104	-33.39	-23.5	Pass

Band3_3MHz_QPSK_MCH_1747.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.995	-44.52	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.932	-24.27	-8.5	Pass
-2.5	-1.5	30 k	100 k	1746.000	-18.93	-11.5	Pass
1.5	2.5	30 k	100 k	1749.000	-29.70	-11.5	Pass
2.5	6.5	1 M	3 M	1750.296	-30.03	-8.5	Pass
6.5	7.5	1 M	3 M	1754.125	-47.49	-23.5	Pass

Band3 3MHz QPSK MCH 1747.5MHz RB 4 11 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.916	-47.21	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.700	-29.74	-8.5	Pass
-2.5	-1.5	30 k	100 k	1745.999	-28.68	-11.5	Pass
1.5	2.5	30 k	100 k	1749.006	-18.82	-11.5	Pass
2.5	6.5	1 M	3 M	1750.060	-25.38	-8.5	Pass
6.5	7.5	1 M	3 M	1754.005	-45.05	-23.5	Pass

Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.984	-34.73	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.996	-21.17	-8.5	Pass
-2.5	-1.5	30 k	100 k	1746.000	-24.80	-11.5	Pass
1.5	2.5	30 k	100 k	1749.000	-24.86	-11.5	Pass
2.5	6.5	1 M	3 M	1750.052	-21.89	-8.5	Pass
6.5	7.5	1 M	3 M	1754.008	-35.13	-23.5	Pass

Band3_3MHz_QPSK_HCH_1783.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1776.982	-43.86	-23.5	Pass
-6.5	-2.5	1 M	3 M	1780.948	-24.62	-8.5	Pass
-2.5	-1.5	30 k	100 k	1782.000	-18.05	-11.5	Pass
1.5	2.5	30 k	100 k	1785.001	-29.24	-11.5	Pass
2.5	6.5	1 M	3 M	1786.292	-29.83	-8.5	Pass
6.5	7.5	1 M	3 M	1790.004	-48.88	-23.5	Pass

Band3_3MHz_QPSK_HCH_1783.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1776.961	-47.77	-23.5	Pass
-6.5	-2.5	1 M	3 M	1780.688	-30.47	-8.5	Pass
-2.5	-1.5	30 k	100 k	1781.999	-30.22	-11.5	Pass
1.5	2.5	30 k	100 k	1785.001	-17.19	-11.5	Pass
2.5	6.5	1 M	3 M	1786.000	-23.62	-8.5	Pass
6.5	7.5	1 M	3 M	1790.001	-45.11	-23.5	Pass

Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1776.955	-34.45	-23.5	Pass
-6.5	-2.5	1 M	3 M	1780.928	-20.50	-8.5	Pass
-2.5	-1.5	30 k	100 k	1781.997	-24.73	-11.5	Pass
1.5	2.5	30 k	100 k	1785.000	-24.39	-11.5	Pass
2.5	6.5	1 M	3 M	1786.016	-20.06	-8.5	Pass
6.5	7.5	1 M	3 M	1790.002	-35.33	-23.5	Pass

Band3 3MHz 16QAM LCH 1711.5MHz RB 4 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1704.097	-43.69	-23.5	Pass
-6.5	-2.5	1 M	3 M	1708.988	-25.45	-8.5	Pass
-2.5	-1.5	30 k	100 k	1709.999	-18.69	-11.5	Pass
1.5	2.5	30 k	100 k	1713.001	-29.29	-11.5	Pass
2.5	6.5	1 M	3 M	1714.288	-29.46	-8.5	Pass
6.5	7.5	1 M	3 M	1718.706	-43.58	-23.5	Pass

Band3_3MHz_16QAM_LCH_1711.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1704.952	-48.34	-23.5	Pass
-6.5	-2.5	1 M	3 M	1708.704	-31.39	-8.5	Pass
-2.5	-1.5	30 k	100 k	1709.992	-30.80	-11.5	Pass
1.5	2.5	30 k	100 k	1713.002	-19.23	-11.5	Pass
2.5	6.5	1 M	3 M	1714.008	-25.57	-8.5	Pass
6.5	7.5	1 M	3 M	1718.098	-44.91	-23.5	Pass

Band3_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1705.000	-36.96	-23.5	Pass
-6.5	-2.5	1 M	3 M	1708.992	-19.63	-8.5	Pass
-2.5	-1.5	30 k	100 k	1710.000	-23.55	-11.5	Pass
1.5	2.5	30 k	100 k	1713.001	-23.83	-11.5	Pass
2.5	6.5	1 M	3 M	1714.000	-19.69	-8.5	Pass
6.5	7.5	1 M	3 M	1718.010	-35.62	-23.5	Pass

Band3_3MHz_16QAM_MCH_1747.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.980	-45.48	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.996	-25.96	-8.5	Pass
-2.5	-1.5	30 k	100 k	1745.993	-20.31	-11.5	Pass
1.5	2.5	30 k	100 k	1749.002	-31.28	-11.5	Pass
2.5	6.5	1 M	3 M	1750.296	-31.61	-8.5	Pass
6.5	7.5	1 M	3 M	1754.003	-47.95	-23.5	Pass

Band3_3MHz_16QAM_MCH_1747.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.781	-47.39	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.708	-30.27	-8.5	Pass
-2.5	-1.5	30 k	100 k	1745.999	-29.95	-11.5	Pass
1.5	2.5	30 k	100 k	1749.003	-20.01	-11.5	Pass
2.5	6.5	1 M	3 M	1750.020	-26.51	-8.5	Pass
6.5	7.5	1 M	3 M	1754.018	-45.77	-23.5	Pass

Band3_3MHz_16QAM_MCH_1747.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1740.998	-36.32	-23.5	Pass
-6.5	-2.5	1 M	3 M	1744.980	-21.05	-8.5	Pass
-2.5	-1.5	30 k	100 k	1745.999	-24.67	-11.5	Pass
1.5	2.5	30 k	100 k	1749.007	-25.30	-11.5	Pass
2.5	6.5	1 M	3 M	1750.020	-21.86	-8.5	Pass
6.5	7.5	1 M	3 M	1754.040	-36.75	-23.5	Pass

Band3_3MHz_16QAM_HCH_1783.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1776.997	-45.14	-23.5	Pass
-6.5	-2.5	1 M	3 M	1780.980	-25.83	-8.5	Pass
-2.5	-1.5	30 k	100 k	1781.999	-19.49	-11.5	Pass
1.5	2.5	30 k	100 k	1785.002	-30.09	-11.5	Pass
2.5	6.5	1 M	3 M	1786.312	-30.72	-8.5	Pass
6.5	7.5	1 M	3 M	1790.005	-49.09	-23.5	Pass

Band3_3MHz_16QAM_HCH_1783.5MHz_RB_4_11_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1776.779	-33.63	-23.5	Pass
-6.5	-2.5	1 M	3 M	1780.716	-31.74	-8.5	Pass
-2.5	-1.5	30 k	100 k	1782.000	-29.74	-11.5	Pass
1.5	2.5	30 k	100 k	1785.000	-18.87	-11.5	Pass
2.5	6.5	1 M	3 M	1786.016	-24.99	-8.5	Pass
6.5	7.5	1 M	3 M	1790.126	-35.49	-23.5	Pass


Band3_3MHz_16QAM_HCH_1783.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	1777.000	-36.08	-23.5	Pass
-6.5	-2.5	1 M	3 M	1781.000	-21.08	-8.5	Pass
-2.5	-1.5	30 k	100 k	1781.998	-26.03	-11.5	Pass
1.5	2.5	30 k	100 k	1785.000	-25.30	-11.5	Pass
2.5	6.5	1 M	3 M	1786.012	-20.29	-8.5	Pass
6.5	7.5	1 M	3 M	1790.009	-36.24	-23.5	Pass


5.2.2 B3_5MHz

Band3_5MHz_QPSK_LCH_1712.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1703.992	-43.80	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.988	-40.55	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.904	-21.92	-8.5	Pass
-3.5	-2.5	30 k	100 k	1709.995	-26.05	-13.5	Pass
2.5	3.5	30 k	100 k	1715.000	-40.35	-13.5	Pass
3.5	7.5	1 M	3 M	1716.788	-33.80	-8.5	Pass
7.5	8.5	1 M	3 M	1720.457	-43.43	-11.5	Pass
8.5	12.5	1 M	3 M	1721.004	-48.15	-23.5	Pass

Band3_5MHz_QPSK_LCH_1712.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1704.000	-50.11	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.951	-48.58	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.924	-37.21	-8.5	Pass
-3.5	-2.5	30 k	100 k	1710.000	-41.97	-13.5	Pass
2.5	3.5	30 k	100 k	1715.008	-25.90	-13.5	Pass
3.5	7.5	1 M	3 M	1716.056	-22.33	-8.5	Pass
7.5	8.5	1 M	3 M	1720.002	-38.96	-11.5	Pass
8.5	12.5	1 M	3 M	1724.124	-36.77	-23.5	Pass

Band3_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1703.100	-35.03	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.996	-34.74	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.976	-20.95	-8.5	Pass
-3.5	-2.5	30 k	100 k	1709.994	-31.26	-13.5	Pass
2.5	3.5	30 k	100 k	1715.003	-30.55	-13.5	Pass
3.5	7.5	1 M	3 M	1716.004	-20.35	-8.5	Pass
7.5	8.5	1 M	3 M	1720.012	-33.12	-11.5	Pass
8.5	12.5	1 M	3 M	1722.072	-32.81	-23.5	Pass

Band3_5MHz_QPSK_MCH_1747.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1739.000	-43.07	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.963	-40.20	-11.5	Pass
-7.5	-3.5	1 M	3 M	1743.956	-22.70	-8.5	Pass
-3.5	-2.5	30 k	100 k	1744.999	-26.92	-13.5	Pass
2.5	3.5	30 k	100 k	1750.001	-40.31	-13.5	Pass
3.5	7.5	1 M	3 M	1751.608	-36.13	-8.5	Pass
7.5	8.5	1 M	3 M	1755.142	-47.58	-11.5	Pass
8.5	12.5	1 M	3 M	1756.044	-48.80	-23.5	Pass

Band3 5MHz QPSK MCH 1747.5MHz RB 8 17 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1738.972	-48.38	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.985	-46.77	-11.5	Pass
-7.5	-3.5	1 M	3 M	1742.412	-31.06	-8.5	Pass
-3.5	-2.5	30 k	100 k	1744.996	-40.03	-13.5	Pass
2.5	3.5	30 k	100 k	1750.000	-26.45	-13.5	Pass
3.5	7.5	1 M	3 M	1751.084	-23.10	-8.5	Pass
7.5	8.5	1 M	3 M	1755.790	-35.12	-11.5	Pass
8.5	12.5	1 M	3 M	1756.008	-43.02	-23.5	Pass

Band3 5MHz QPSK MCH 1747.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1737.900	-33.73	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.816	-33.64	-11.5	Pass
-7.5	-3.5	1 M	3 M	1743.928	-23.25	-8.5	Pass
-3.5	-2.5	30 k	100 k	1744.997	-31.66	-13.5	Pass
2.5	3.5	30 k	100 k	1750.005	-32.31	-13.5	Pass
3.5	7.5	1 M	3 M	1751.004	-23.63	-8.5	Pass
7.5	8.5	1 M	3 M	1755.037	-34.13	-11.5	Pass
8.5	12.5	1 M	3 M	1756.920	-34.24	-23.5	Pass

Band3_5MHz_QPSK_HCH_1782.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.996	-41.89	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.973	-38.94	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.908	-19.50	-8.5	Pass
-3.5	-2.5	30 k	100 k	1779.998	-26.76	-13.5	Pass
2.5	3.5	30 k	100 k	1785.000	-40.90	-13.5	Pass
3.5	7.5	1 M	3 M	1786.836	-34.94	-8.5	Pass
7.5	8.5	1 M	3 M	1790.062	-48.45	-11.5	Pass
8.5	12.5	1 M	3 M	1791.020	-50.67	-23.5	Pass

Band3_5MHz_QPSK_HCH_1782.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.892	-49.04	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.990	-46.94	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.904	-34.56	-8.5	Pass
-3.5	-2.5	30 k	100 k	1780.000	-40.53	-13.5	Pass
2.5	3.5	30 k	100 k	1785.001	-23.23	-13.5	Pass
3.5	7.5	1 M	3 M	1786.004	-16.33	-8.5	Pass
7.5	8.5	1 M	3 M	1790.008	-39.68	-11.5	Pass
8.5	12.5	1 M	3 M	1791.000	-43.39	-23.5	Pass

Band3 5MHz QPSK HCH 1782.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.980	-34.38	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.999	-31.46	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.928	-23.31	-8.5	Pass
-3.5	-2.5	30 k	100 k	1779.998	-32.33	-13.5	Pass
2.5	3.5	30 k	100 k	1785.001	-31.83	-13.5	Pass
3.5	7.5	1 M	3 M	1786.004	-21.23	-8.5	Pass
7.5	8.5	1 M	3 M	1790.001	-31.60	-11.5	Pass
8.5	12.5	1 M	3 M	1791.012	-35.54	-23.5	Pass

Band3 5MHz 16QAM LCH 1712.5MHz RB 8 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1703.964	-45.18	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.993	-42.48	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.952	-22.58	-8.5	Pass
-3.5	-2.5	30 k	100 k	1709.999	-25.97	-13.5	Pass
2.5	3.5	30 k	100 k	1715.006	-41.88	-13.5	Pass
3.5	7.5	1 M	3 M	1716.168	-36.24	-8.5	Pass
7.5	8.5	1 M	3 M	1720.010	-47.47	-11.5	Pass
8.5	12.5	1 M	3 M	1721.012	-48.55	-23.5	Pass

Band3_5MHz_16QAM_LCH_1712.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1701.676	-44.19	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.582	-47.15	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.892	-37.25	-8.5	Pass
-3.5	-2.5	30 k	100 k	1709.996	-42.71	-13.5	Pass
2.5	3.5	30 k	100 k	1715.005	-25.62	-13.5	Pass
3.5	7.5	1 M	3 M	1716.012	-22.23	-8.5	Pass
7.5	8.5	1 M	3 M	1720.038	-39.37	-11.5	Pass
8.5	12.5	1 M	3 M	1721.000	-43.58	-23.5	Pass

Band3_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1704.000	-35.62	-23.5	Pass
-8.5	-7.5	1 M	3 M	1704.989	-34.40	-11.5	Pass
-7.5	-3.5	1 M	3 M	1708.992	-21.52	-8.5	Pass
-3.5	-2.5	30 k	100 k	1710.000	-32.05	-13.5	Pass
2.5	3.5	30 k	100 k	1715.008	-31.82	-13.5	Pass
3.5	7.5	1 M	3 M	1716.032	-20.72	-8.5	Pass
7.5	8.5	1 M	3 M	1720.027	-32.51	-11.5	Pass
8.5	12.5	1 M	3 M	1721.000	-33.60	-23.5	Pass

Band3_5MHz_16QAM_MCH_1747.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1738.976	-44.12	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.992	-41.85	-11.5	Pass
-7.5	-3.5	1 M	3 M	1743.984	-23.41	-8.5	Pass
-3.5	-2.5	30 k	100 k	1744.994	-28.01	-13.5	Pass
2.5	3.5	30 k	100 k	1750.000	-42.79	-13.5	Pass
3.5	7.5	1 M	3 M	1754.712	-32.70	-8.5	Pass
7.5	8.5	1 M	3 M	1755.021	-48.18	-11.5	Pass
8.5	12.5	1 M	3 M	1756.844	-34.55	-23.5	Pass

Band3_5MHz_16QAM_MCH_1747.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1736.440	-35.68	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.986	-48.01	-11.5	Pass
-7.5	-3.5	1 M	3 M	1742.904	-30.06	-8.5	Pass
-3.5	-2.5	30 k	100 k	1745.000	-40.64	-13.5	Pass
2.5	3.5	30 k	100 k	1750.005	-27.43	-13.5	Pass
3.5	7.5	1 M	3 M	1751.052	-23.05	-8.5	Pass
7.5	8.5	1 M	3 M	1755.093	-41.73	-11.5	Pass
8.5	12.5	1 M	3 M	1756.024	-43.88	-23.5	Pass

Band3_5MHz_16QAM_MCH_1747.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1739.000	-34.36	-23.5	Pass
-8.5	-7.5	1 M	3 M	1739.984	-33.13	-11.5	Pass
-7.5	-3.5	1 M	3 M	1743.980	-23.10	-8.5	Pass
-3.5	-2.5	30 k	100 k	1744.998	-31.83	-13.5	Pass
2.5	3.5	30 k	100 k	1750.003	-33.38	-13.5	Pass
3.5	7.5	1 M	3 M	1751.000	-23.92	-8.5	Pass
7.5	8.5	1 M	3 M	1755.012	-33.65	-11.5	Pass
8.5	12.5	1 M	3 M	1756.016	-34.60	-23.5	Pass

Band3_5MHz_16QAM_HCH_1782.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.972	-42.89	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.998	-40.53	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.956	-20.55	-8.5	Pass
-3.5	-2.5	30 k	100 k	1779.995	-27.29	-13.5	Pass
2.5	3.5	30 k	100 k	1785.000	-42.00	-13.5	Pass
3.5	7.5	1 M	3 M	1786.028	-36.06	-8.5	Pass
7.5	8.5	1 M	3 M	1790.059	-49.02	-11.5	Pass
8.5	12.5	1 M	3 M	1791.064	-50.62	-23.5	Pass

Band3_5MHz_16QAM_HCH_1782.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.924	-49.69	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.133	-47.91	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.932	-36.39	-8.5	Pass
-3.5	-2.5	30 k	100 k	1779.996	-41.40	-13.5	Pass
2.5	3.5	30 k	100 k	1785.000	-25.84	-13.5	Pass
3.5	7.5	1 M	3 M	1786.008	-19.41	-8.5	Pass
7.5	8.5	1 M	3 M	1790.002	-40.99	-11.5	Pass
8.5	12.5	1 M	3 M	1791.024	-44.03	-23.5	Pass

Band3_5MHz_16QAM_HCH_1782.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	1773.976	-34.94	-23.5	Pass
-8.5	-7.5	1 M	3 M	1774.989	-32.77	-11.5	Pass
-7.5	-3.5	1 M	3 M	1778.940	-23.09	-8.5	Pass
-3.5	-2.5	30 k	100 k	1780.000	-33.10	-13.5	Pass
2.5	3.5	30 k	100 k	1785.000	-32.88	-13.5	Pass
3.5	7.5	1 M	3 M	1786.044	-22.42	-8.5	Pass
7.5	8.5	1 M	3 M	1790.007	-33.28	-11.5	Pass
8.5	12.5	1 M	3 M	1791.012	-35.94	-23.5	Pass

5.2.3 B3_10MHz




Band3_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1699.995	-40.35	-23.5	Pass
-15	-10	1 M	3 M	1704.985	-30.36	-11.5	Pass
-10	-6	1 M	3 M	1708.564	-24.55	-8.5	Pass
-6	-5	30 k	100 k	1709.995	-36.80	-16.5	Pass
5	6	30 k	100 k	1720.004	-34.23	-16.5	Pass
6	10	1 M	3 M	1721.012	-22.65	-8.5	Pass
10	15	1 M	3 M	1725.010	-27.09	-11.5	Pass
15	20	1 M	3 M	1734.215	-35.31	-23.5	Pass

Band3_10MHz_QPSK_MCH_1747.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1730.690	-45.09	-23.5	Pass
-15	-10	1 M	3 M	1737.485	-36.20	-11.5	Pass
-10	-6	1 M	3 M	1741.464	-21.93	-8.5	Pass
-6	-5	30 k	100 k	1742.498	-30.63	-16.5	Pass
5	6	30 k	100 k	1752.504	-48.57	-16.5	Pass
6	10	1 M	3 M	1757.436	-40.23	-8.5	Pass
10	15	1 M	3 M	1757.855	-40.82	-11.5	Pass
15	20	1 M	3 M	1762.555	-51.66	-23.5	Pass

Band3_10MHz_QPSK_MCH_1747.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1732.425	-51.19	-23.5	Pass
-15	-10	1 M	3 M	1735.715	-44.64	-11.5	Pass
-10	-6	1 M	3 M	1741.488	-42.71	-8.5	Pass
-6	-5	30 k	100 k	1742.499	-46.04	-16.5	Pass
5	6	30 k	100 k	1752.510	-30.33	-16.5	Pass
6	10	1 M	3 M	1753.500	-22.22	-8.5	Pass
10	15	1 M	3 M	1757.535	-35.74	-11.5	Pass
15	20	1 M	3 M	1764.515	-44.24	-23.5	Pass

Band3_10MHz_QPSK_MCH_1747.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1732.495	-36.11	-23.5	Pass
-15	-10	1 M	3 M	1737.500	-30.19	-11.5	Pass
-10	-6	1 M	3 M	1741.488	-24.59	-8.5	Pass
-6	-5	30 k	100 k	1742.463	-36.23	-16.5	Pass
5	6	30 k	100 k	1752.502	-37.36	-16.5	Pass
6	10	1 M	3 M	1753.532	-25.83	-8.5	Pass
10	15	1 M	3 M	1757.510	-31.10	-11.5	Pass
15	20	1 M	3 M	1766.610	-37.30	-23.5	Pass

Band3_10MHz_QPSK_HCH_1780MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1763.110	-43.56	-23.5	Pass
-15	-10	1 M	3 M	1769.985	-35.65	-11.5	Pass
-10	-6	1 M	3 M	1774.000	-21.46	-8.5	Pass
-6	-5	30 k	100 k	1774.995	-30.01	-16.5	Pass
5	6	30 k	100 k	1785.001	-47.47	-16.5	Pass
6	10	1 M	3 M	1790.000	-39.85	-8.5	Pass
10	15	1 M	3 M	1790.000	-41.00	-11.5	Pass
15	20	1 M	3 M	1795.180	-53.96	-23.5	Pass

Band3_10MHz_QPSK_HCH_1780MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1764.920	-51.27	-23.5	Pass
-15	-10	1 M	3 M	1768.420	-44.49	-11.5	Pass
-10	-6	1 M	3 M	1770.908	-42.14	-8.5	Pass
-6	-5	30 k	100 k	1774.996	-47.44	-16.5	Pass
5	6	30 k	100 k	1785.009	-27.43	-16.5	Pass
6	10	1 M	3 M	1786.012	-17.19	-8.5	Pass
10	15	1 M	3 M	1790.020	-36.58	-11.5	Pass
15	20	1 M	3 M	1795.010	-51.73	-23.5	Pass

Band3_10MHz_QPSK_HCH_1780MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1764.985	-34.87	-23.5	Pass
-15	-10	1 M	3 M	1769.955	-29.18	-11.5	Pass
-10	-6	1 M	3 M	1773.840	-24.80	-8.5	Pass
-6	-5	30 k	100 k	1774.994	-37.18	-16.5	Pass
5	6	30 k	100 k	1785.018	-35.78	-16.5	Pass
6	10	1 M	3 M	1786.012	-23.46	-8.5	Pass
10	15	1 M	3 M	1790.010	-28.80	-11.5	Pass
15	20	1 M	3 M	1795.015	-42.34	-23.5	Pass

Band3_10MHz_16QAM_LCH_1715MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1699.905	-49.72	-23.5	Pass
-15	-10	1 M	3 M	1704.960	-38.67	-11.5	Pass
-10	-6	1 M	3 M	1708.980	-21.00	-8.5	Pass
-6	-5	30 k	100 k	1709.996	-29.35	-16.5	Pass
5	6	30 k	100 k	1720.239	-45.85	-16.5	Pass
6	10	1 M	3 M	1724.928	-38.76	-8.5	Pass
10	15	1 M	3 M	1725.115	-39.48	-11.5	Pass
15	20	1 M	3 M	1730.495	-41.58	-23.5	Pass

Band3_10MHz_16QAM_LCH_1715MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1699.915	-53.33	-23.5	Pass
-15	-10	1 M	3 M	1704.800	-42.59	-11.5	Pass
-10	-6	1 M	3 M	1709.000	-45.95	-8.5	Pass
-6	-5	30 k	100 k	1709.996	-49.91	-16.5	Pass
5	6	30 k	100 k	1720.005	-30.39	-16.5	Pass
6	10	1 M	3 M	1721.004	-20.69	-8.5	Pass
10	15	1 M	3 M	1725.005	-37.70	-11.5	Pass
15	20	1 M	3 M	1731.915	-44.73	-23.5	Pass

Band3_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1699.985	-39.71	-23.5	Pass
-15	-10	1 M	3 M	1704.995	-29.65	-11.5	Pass
-10	-6	1 M	3 M	1708.892	-24.27	-8.5	Pass
-6	-5	30 k	100 k	1709.982	-37.23	-16.5	Pass
5	6	30 k	100 k	1720.010	-35.36	-16.5	Pass
6	10	1 M	3 M	1721.044	-22.24	-8.5	Pass
10	15	1 M	3 M	1725.010	-26.69	-11.5	Pass
15	20	1 M	3 M	1730.010	-34.84	-23.5	Pass

Band3_10MHz_16QAM_MCH_1747.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1730.500	-46.16	-23.5	Pass
-15	-10	1 M	3 M	1737.475	-38.44	-11.5	Pass
-10	-6	1 M	3 M	1741.492	-22.24	-8.5	Pass
-6	-5	30 k	100 k	1742.499	-31.36	-16.5	Pass
5	6	30 k	100 k	1752.500	-49.23	-16.5	Pass
6	10	1 M	3 M	1757.408	-41.42	-8.5	Pass
10	15	1 M	3 M	1757.530	-42.17	-11.5	Pass
15	20	1 M	3 M	1762.655	-51.76	-23.5	Pass

Band3_10MHz_16QAM_MCH_1747.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1732.470	-51.29	-23.5	Pass
-15	-10	1 M	3 M	1733.310	-44.34	-11.5	Pass
-10	-6	1 M	3 M	1741.472	-43.72	-8.5	Pass
-6	-5	30 k	100 k	1742.494	-47.83	-16.5	Pass
5	6	30 k	100 k	1752.516	-30.82	-16.5	Pass
6	10	1 M	3 M	1753.508	-21.64	-8.5	Pass
10	15	1 M	3 M	1757.505	-38.20	-11.5	Pass
15	20	1 M	3 M	1764.400	-45.07	-23.5	Pass

Band3_10MHz_16QAM_MCH_1747.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1732.475	-36.08	-23.5	Pass
-15	-10	1 M	3 M	1737.475	-29.60	-11.5	Pass
-10	-6	1 M	3 M	1741.416	-25.29	-8.5	Pass
-6	-5	30 k	100 k	1742.455	-37.71	-16.5	Pass
5	6	30 k	100 k	1752.502	-37.79	-16.5	Pass
6	10	1 M	3 M	1753.920	-25.92	-8.5	Pass
10	15	1 M	3 M	1757.530	-30.48	-11.5	Pass
15	20	1 M	3 M	1762.500	-36.89	-23.5	Pass

Band3_10MHz_16QAM_HCH_1780MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1764.490	-39.72	-23.5	Pass
-15	-10	1 M	3 M	1769.960	-37.17	-11.5	Pass
-10	-6	1 M	3 M	1774.000	-20.83	-8.5	Pass
-6	-5	30 k	100 k	1775.000	-30.15	-16.5	Pass
5	6	30 k	100 k	1785.002	-48.15	-16.5	Pass
6	10	1 M	3 M	1790.000	-41.01	-8.5	Pass
10	15	1 M	3 M	1790.125	-41.85	-11.5	Pass
15	20	1 M	3 M	1795.150	-54.07	-23.5	Pass

Band3_10MHz_16QAM_HCH_1780MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1764.775	-51.65	-23.5	Pass
-15	-10	1 M	3 M	1769.895	-44.30	-11.5	Pass
-10	-6	1 M	3 M	1773.824	-43.15	-8.5	Pass
-6	-5	30 k	100 k	1774.999	-47.53	-16.5	Pass
5	6	30 k	100 k	1785.002	-28.63	-16.5	Pass
6	10	1 M	3 M	1786.024	-19.23	-8.5	Pass
10	15	1 M	3 M	1790.020	-38.49	-11.5	Pass
15	20	1 M	3 M	1797.245	-51.09	-23.5	Pass

Band3_10MHz_16QAM_HCH_1780MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	1765.000	-35.56	-23.5	Pass
-15	-10	1 M	3 M	1769.970	-28.42	-11.5	Pass
-10	-6	1 M	3 M	1773.832	-24.47	-8.5	Pass
-6	-5	30 k	100 k	1774.974	-37.49	-16.5	Pass
5	6	30 k	100 k	1785.000	-36.01	-16.5	Pass
6	10	1 M	3 M	1786.080	-23.82	-8.5	Pass
10	15	1 M	3 M	1790.010	-28.54	-11.5	Pass
15	20	1 M	3 M	1795.080	-42.37	-23.5	Pass

5.2.4 B3_15MHz




Band3_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1694.985	-51.77	-23.5	Pass
-22.5	-12.5	1 M	3 M	1704.980	-30.99	-11.5	Pass
-12.5	-8.5	1 M	3 M	1708.776	-26.50	-8.5	Pass
-8.5	-7.5	30 k	100 k	1709.969	-38.93	-18.5	Pass
-7.5	8.5	30 k	100 k	1725.322	-35.76	-18.5	Pass
8.5	12.5	1 M	3 M	1726.140	-22.66	-8.5	Pass
12.5	22.5	1 M	3 M	1730.050	-26.93	-11.5	Pass
22.5	27.5	1 M	3 M	1740.480	-36.37	-23.5	Pass

Band3_15MHz_QPSK_MCH_1747.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1721.595	-47.21	-23.5	Pass
-22.5	-12.5	1 M	3 M	1734.950	-35.69	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.996	-23.14	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.970	-32.80	-18.5	Pass
-7.5	8.5	30 k	100 k	1755.000	-51.51	-18.5	Pass
8.5	12.5	1 M	3 M	1757.080	-45.64	-8.5	Pass
12.5	22.5	1 M	3 M	1762.870	-42.55	-11.5	Pass
22.5	27.5	1 M	3 M	1770.010	-52.47	-23.5	Pass

Band3_15MHz_QPSK_MCH_1747.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1724.765	-52.05	-23.5	Pass
-22.5	-12.5	1 M	3 M	1731.460	-46.73	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.900	-44.88	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.995	-51.14	-18.5	Pass
-7.5	8.5	30 k	100 k	1755.020	-32.98	-18.5	Pass
8.5	12.5	1 M	3 M	1756.024	-23.45	-8.5	Pass
12.5	22.5	1 M	3 M	1760.030	-35.01	-11.5	Pass
22.5	27.5	1 M	3 M	1773.330	-46.10	-23.5	Pass

Band3_15MHz_QPSK_MCH_1747.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1723.655	-36.24	-23.5	Pass
-22.5	-12.5	1 M	3 M	1734.930	-29.25	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.092	-24.93	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.994	-37.53	-18.5	Pass
-7.5	8.5	30 k	100 k	1755.047	-38.39	-18.5	Pass
8.5	12.5	1 M	3 M	1756.172	-26.33	-8.5	Pass
12.5	22.5	1 M	3 M	1760.020	-30.53	-11.5	Pass
22.5	27.5	1 M	3 M	1774.400	-38.54	-23.5	Pass

Band3_15MHz_QPSK_HCH_1777.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1750.900	-45.43	-23.5	Pass
-22.5	-12.5	1 M	3 M	1765.000	-34.89	-11.5	Pass
-12.5	-8.5	1 M	3 M	1768.972	-21.94	-8.5	Pass
-8.5	-7.5	30 k	100 k	1769.997	-31.91	-18.5	Pass
-7.5	-8.5	30 k	100 k	1785.008	-51.68	-18.5	Pass
-8.5	12.5	1 M	3 M	1786.012	-46.24	-8.5	Pass
12.5	22.5	1 M	3 M	1791.880	-44.98	-11.5	Pass
22.5	27.5	1 M	3 M	1803.675	-54.53	-23.5	Pass

Band3_15MHz_QPSK_HCH_1777.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1754.875	-52.17	-23.5	Pass
-22.5	-12.5	1 M	3 M	1763.210	-44.28	-11.5	Pass
-12.5	-8.5	1 M	3 M	1768.676	-44.24	-8.5	Pass
-8.5	-7.5	30 k	100 k	1770.000	-49.75	-18.5	Pass
-7.5	-8.5	30 k	100 k	1785.012	-29.87	-18.5	Pass
-8.5	12.5	1 M	3 M	1786.040	-19.35	-8.5	Pass
12.5	22.5	1 M	3 M	1790.010	-35.04	-11.5	Pass
22.5	27.5	1 M	3 M	1803.230	-54.53	-23.5	Pass

Band3_15MHz_QPSK_HCH_1777.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1753.830	-36.30	-23.5	Pass
-22.5	-12.5	1 M	3 M	1763.790	-27.76	-11.5	Pass
-12.5	-8.5	1 M	3 M	1768.000	-23.96	-8.5	Pass
-8.5	-7.5	30 k	100 k	1769.940	-37.43	-18.5	Pass
-7.5	-8.5	30 k	100 k	1785.000	-38.31	-18.5	Pass
-8.5	12.5	1 M	3 M	1786.052	-25.50	-8.5	Pass
12.5	22.5	1 M	3 M	1790.320	-29.27	-11.5	Pass
22.5	27.5	1 M	3 M	1800.000	-53.52	-23.5	Pass

Band3_15MHz_16QAM_LCH_1717.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1694.995	-54.43	-23.5	Pass
-22.5	-12.5	1 M	3 M	1704.990	-37.19	-11.5	Pass
-12.5	-8.5	1 M	3 M	1708.980	-21.48	-8.5	Pass
-8.5	-7.5	30 k	100 k	1709.992	-31.40	-18.5	Pass
-7.5	-8.5	30 k	100 k	1725.025	-49.87	-18.5	Pass
-8.5	12.5	1 M	3 M	1726.536	-44.65	-8.5	Pass
12.5	22.5	1 M	3 M	1733.350	-40.43	-11.5	Pass
22.5	27.5	1 M	3 M	1741.600	-52.16	-23.5	Pass

Band3_15MHz_16QAM_LCH_1717.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1694.005	-54.72	-23.5	Pass
-22.5	-12.5	1 M	3 M	1704.670	-51.11	-11.5	Pass
-12.5	-8.5	1 M	3 M	1708.808	-48.42	-8.5	Pass
-8.5	-7.5	30 k	100 k	1709.994	-53.41	-18.5	Pass
-7.5	8.5	30 k	100 k	1725.016	-32.32	-18.5	Pass
8.5	12.5	1 M	3 M	1726.084	-22.98	-8.5	Pass
12.5	22.5	1 M	3 M	1730.020	-35.71	-11.5	Pass
22.5	27.5	1 M	3 M	1743.340	-46.36	-23.5	Pass

Band3_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1694.995	-51.51	-23.5	Pass
-22.5	-12.5	1 M	3 M	1704.910	-30.56	-11.5	Pass
-12.5	-8.5	1 M	3 M	1708.980	-25.92	-8.5	Pass
-8.5	-7.5	30 k	100 k	1709.997	-39.21	-18.5	Pass
-7.5	8.5	30 k	100 k	1725.018	-36.23	-18.5	Pass
8.5	12.5	1 M	3 M	1726.060	-23.24	-8.5	Pass
12.5	22.5	1 M	3 M	1730.110	-26.53	-11.5	Pass
22.5	27.5	1 M	3 M	1740.265	-36.10	-23.5	Pass

Band3_15MHz_16QAM_MCH_1747.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1720.375	-47.86	-23.5	Pass
-22.5	-12.5	1 M	3 M	1734.980	-35.87	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.992	-23.18	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.998	-32.33	-18.5	Pass
-7.5	-8.5	30 k	100 k	1755.012	-52.78	-18.5	Pass
-8.5	12.5	1 M	3 M	1756.052	-46.44	-8.5	Pass
12.5	22.5	1 M	3 M	1763.580	-44.18	-11.5	Pass
22.5	27.5	1 M	3 M	1770.140	-49.68	-23.5	Pass

Band3_15MHz_16QAM_MCH_1747.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1724.940	-52.04	-23.5	Pass
-22.5	-12.5	1 M	3 M	1732.140	-46.67	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.612	-45.30	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.997	-50.32	-18.5	Pass
-7.5	-8.5	30 k	100 k	1755.008	-32.16	-18.5	Pass
-8.5	12.5	1 M	3 M	1756.000	-23.29	-8.5	Pass
12.5	22.5	1 M	3 M	1760.350	-34.17	-11.5	Pass
22.5	27.5	1 M	3 M	1774.275	-46.73	-23.5	Pass

Band3 15MHz 16QAM MCH 1747.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1723.845	-37.44	-23.5	Pass
-22.5	-12.5	1 M	3 M	1735.000	-29.73	-11.5	Pass
-12.5	-8.5	1 M	3 M	1738.848	-26.26	-8.5	Pass
-8.5	-7.5	30 k	100 k	1739.937	-38.85	-18.5	Pass
-7.5	-8.5	30 k	100 k	1755.009	-40.12	-18.5	Pass
-8.5	12.5	1 M	3 M	1756.040	-27.07	-8.5	Pass
12.5	22.5	1 M	3 M	1760.000	-30.83	-11.5	Pass
22.5	27.5	1 M	3 M	1770.215	-38.34	-23.5	Pass

Band3 15MHz 16QAM HCH 1777.5MHz RB 16 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1750.620	-46.37	-23.5	Pass
-22.5	-12.5	1 M	3 M	1764.990	-35.59	-11.5	Pass
-12.5	-8.5	1 M	3 M	1768.948	-22.23	-8.5	Pass
-8.5	-7.5	30 k	100 k	1769.997	-31.68	-18.5	Pass
-7.5	-8.5	30 k	100 k	1785.005	-52.33	-18.5	Pass
-8.5	12.5	1 M	3 M	1786.100	-46.83	-8.5	Pass
12.5	22.5	1 M	3 M	1792.700	-46.06	-11.5	Pass
22.5	27.5	1 M	3 M	1801.750	-54.55	-23.5	Pass

Band3_15MHz_16QAM_HCH_1777.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1753.960	-50.24	-23.5	Pass
-22.5	-12.5	1 M	3 M	1764.600	-36.87	-11.5	Pass
-12.5	-8.5	1 M	3 M	1768.452	-39.96	-8.5	Pass
-8.5	-7.5	30 k	100 k	1769.402	-47.69	-18.5	Pass
-7.5	8.5	30 k	100 k	1785.025	-30.86	-18.5	Pass
8.5	12.5	1 M	3 M	1786.016	-20.47	-8.5	Pass
12.5	22.5	1 M	3 M	1790.220	-34.99	-11.5	Pass
22.5	27.5	1 M	3 M	1800.855	-54.55	-23.5	Pass

Band3_15MHz_16QAM_HCH_1777.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	1753.880	-36.76	-23.5	Pass
-22.5	-12.5	1 M	3 M	1764.940	-27.79	-11.5	Pass
-12.5	-8.5	1 M	3 M	1767.624	-24.67	-8.5	Pass
-8.5	-7.5	30 k	100 k	1769.892	-38.23	-18.5	Pass
-7.5	8.5	30 k	100 k	1785.048	-39.15	-18.5	Pass
8.5	12.5	1 M	3 M	1786.132	-25.87	-8.5	Pass
12.5	22.5	1 M	3 M	1790.020	-29.55	-11.5	Pass
22.5	27.5	1 M	3 M	1800.025	-52.87	-23.5	Pass

5.2.5 B3_20MHz




Band3_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1685.360	-54.66	-23.5	Pass
-30	-15	1 M	3 M	1703.965	-33.83	-11.5	Pass
-15	-11	1 M	3 M	1708.816	-30.28	-8.5	Pass
-11	-10	30 k	100 k	1709.969	-42.74	-19.5	Pass
-10	11	30 k	100 k	1730.105	-38.47	-19.5	Pass
11	15	1 M	3 M	1731.224	-25.35	-8.5	Pass
15	30	1 M	3 M	1735.120	-28.70	-11.5	Pass
30	35	1 M	3 M	1750.015	-39.02	-23.5	Pass

Band3_20MHz_QPSK_MCH_1747.5MHz_RB_18_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1712.505	-50.51	-23.5	Pass
-30	-15	1 M	3 M	1732.455	-33.99	-11.5	Pass
-15	-11	1 M	3 M	1736.472	-23.01	-8.5	Pass
-11	-10	30 k	100 k	1737.496	-33.97	-19.5	Pass
-10	11	30 k	100 k	1757.504	-53.99	-19.5	Pass
11	15	1 M	3 M	1759.560	-45.70	-8.5	Pass
15	30	1 M	3 M	1765.440	-45.83	-11.5	Pass
30	35	1 M	3 M	1779.055	-53.46	-23.5	Pass

Band3 20MHz QPSK MCH 1747.5MHz RB 18 82 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1717.155	-53.29	-23.5	Pass
-30	-15	1 M	3 M	1729.500	-44.86	-11.5	Pass
-15	-11	1 M	3 M	1735.460	-45.56	-8.5	Pass
-11	-10	30 k	100 k	1737.496	-51.68	-19.5	Pass
10	11	30 k	100 k	1757.508	-35.45	-19.5	Pass
11	15	1 M	3 M	1758.760	-24.76	-8.5	Pass
15	30	1 M	3 M	1762.545	-33.96	-11.5	Pass
30	35	1 M	3 M	1782.500	-48.79	-23.5	Pass

Band3 20MHz QPSK MCH 1747.5MHz RB 100 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1717.420	-39.56	-23.5	Pass
-30	-15	1 M	3 M	1732.185	-30.57	-11.5	Pass
-15	-11	1 M	3 M	1736.448	-27.59	-8.5	Pass
-11	-10	30 k	100 k	1737.480	-41.09	-19.5	Pass
10	11	30 k	100 k	1757.518	-41.36	-19.5	Pass
11	15	1 M	3 M	1758.732	-28.71	-8.5	Pass
15	30	1 M	3 M	1762.605	-31.84	-11.5	Pass
30	35	1 M	3 M	1778.025	-41.32	-23.5	Pass

Band3_20MHz_QPSK_HCH_1775MHz_RB_18_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1740.010	-47.84	-23.5	Pass
-30	-15	1 M	3 M	1760.000	-34.17	-11.5	Pass
-15	-11	1 M	3 M	1763.936	-23.78	-8.5	Pass
-11	-10	30 k	100 k	1764.992	-34.05	-19.5	Pass
10	11	30 k	100 k	1785.009	-54.70	-19.5	Pass
11	15	1 M	3 M	1787.128	-47.40	-8.5	Pass
15	30	1 M	3 M	1790.030	-50.11	-11.5	Pass
30	35	1 M	3 M	1809.900	-54.52	-23.5	Pass

Band3_20MHz_QPSK_HCH_1775MHz_RB_18_82_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1744.900	-52.90	-23.5	Pass
-30	-15	1 M	3 M	1752.785	-45.79	-11.5	Pass
-15	-11	1 M	3 M	1763.860	-46.25	-8.5	Pass
-11	-10	30 k	100 k	1764.993	-52.47	-19.5	Pass
10	11	30 k	100 k	1785.024	-31.70	-19.5	Pass
11	15	1 M	3 M	1786.028	-20.69	-8.5	Pass
15	30	1 M	3 M	1790.000	-34.97	-11.5	Pass
30	35	1 M	3 M	1805.840	-54.45	-23.5	Pass

Band3 20MHz QPSK HCH 1775MHz RB 100 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1745.000	-37.50	-23.5	Pass
-30	-15	1 M	3 M	1759.955	-28.79	-11.5	Pass
-15	-11	1 M	3 M	1763.844	-25.79	-8.5	Pass
-11	-10	30 k	100 k	1764.855	-39.41	-19.5	Pass
-10	-11	30 k	100 k	1785.078	-41.48	-19.5	Pass
-11	15	1 M	3 M	1786.296	-27.99	-8.5	Pass
15	30	1 M	3 M	1790.105	-31.02	-11.5	Pass
30	35	1 M	3 M	1806.615	-54.57	-23.5	Pass

Band3 20MHz 16QAM LCH 1720MHz RB 18 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1688.005	-54.75	-23.5	Pass
-30	-15	1 M	3 M	1704.985	-36.70	-11.5	Pass
-15	-11	1 M	3 M	1708.972	-22.19	-8.5	Pass
-11	-10	30 k	100 k	1709.906	-33.05	-19.5	Pass
-10	-11	30 k	100 k	1730.005	-53.01	-19.5	Pass
-11	15	1 M	3 M	1731.016	-45.52	-8.5	Pass
15	30	1 M	3 M	1741.285	-45.41	-11.5	Pass
30	35	1 M	3 M	1750.000	-53.10	-23.5	Pass

Band3_20MHz_16QAM_LCH_1720MHz_RB_18_82_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1685.690	-54.69	-23.5	Pass
-30	-15	1 M	3 M	1698.040	-52.06	-11.5	Pass
-15	-11	1 M	3 M	1708.980	-50.18	-8.5	Pass
-11	-10	30 k	100 k	1709.975	-57.01	-19.5	Pass
10	11	30 k	100 k	1730.003	-35.82	-19.5	Pass
11	15	1 M	3 M	1731.008	-24.22	-8.5	Pass
15	30	1 M	3 M	1735.015	-35.60	-11.5	Pass
30	35	1 M	3 M	1754.925	-48.72	-23.5	Pass

Band3_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1686.415	-54.58	-23.5	Pass
-30	-15	1 M	3 M	1704.940	-33.10	-11.5	Pass
-15	-11	1 M	3 M	1708.948	-30.08	-8.5	Pass
-11	-10	30 k	100 k	1709.982	-43.20	-19.5	Pass
10	11	30 k	100 k	1730.002	-38.87	-19.5	Pass
11	15	1 M	3 M	1731.000	-26.02	-8.5	Pass
15	30	1 M	3 M	1735.195	-28.61	-11.5	Pass
30	35	1 M	3 M	1750.095	-39.15	-23.5	Pass

Band3 20MHz 16QAM MCH 1747.5MHz RB 18 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1712.545	-50.89	-23.5	Pass
-30	-15	1 M	3 M	1732.425	-35.44	-11.5	Pass
-15	-11	1 M	3 M	1736.480	-24.07	-8.5	Pass
-11	-10	30 k	100 k	1737.479	-34.69	-19.5	Pass
-10	-11	30 k	100 k	1757.509	-55.00	-19.5	Pass
-11	15	1 M	3 M	1759.456	-47.39	-8.5	Pass
15	30	1 M	3 M	1765.410	-46.48	-11.5	Pass
30	35	1 M	3 M	1777.790	-53.55	-23.5	Pass

Band3 20MHz 16QAM MCH 1747.5MHz RB 18 82 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1717.410	-53.58	-23.5	Pass
-30	-15	1 M	3 M	1729.500	-45.84	-11.5	Pass
-15	-11	1 M	3 M	1736.016	-47.00	-8.5	Pass
-11	-10	30 k	100 k	1737.496	-53.46	-19.5	Pass
-10	-11	30 k	100 k	1757.605	-35.25	-19.5	Pass
-11	15	1 M	3 M	1758.524	-23.56	-8.5	Pass
15	30	1 M	3 M	1762.605	-35.19	-11.5	Pass
30	35	1 M	3 M	1782.480	-48.98	-23.5	Pass

Band3_20MHz_16QAM_MCH_1747.5MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1717.330	-39.90	-23.5	Pass
-30	-15	1 M	3 M	1732.410	-31.09	-11.5	Pass
-15	-11	1 M	3 M	1735.624	-28.70	-8.5	Pass
-11	-10	30 k	100 k	1737.495	-41.70	-19.5	Pass
10	11	30 k	100 k	1757.538	-42.69	-19.5	Pass
11	15	1 M	3 M	1758.908	-28.57	-8.5	Pass
15	30	1 M	3 M	1762.680	-31.72	-11.5	Pass
30	35	1 M	3 M	1777.580	-41.18	-23.5	Pass

Band3_20MHz_16QAM_HCH_1775MHz_RB_18_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1740.070	-48.06	-23.5	Pass
-30	-15	1 M	3 M	1760.000	-35.78	-11.5	Pass
-15	-11	1 M	3 M	1763.952	-23.52	-8.5	Pass
-11	-10	30 k	100 k	1764.981	-35.45	-19.5	Pass
10	11	30 k	100 k	1785.004	-55.83	-19.5	Pass
11	15	1 M	3 M	1787.132	-48.61	-8.5	Pass
15	30	1 M	3 M	1790.255	-50.08	-11.5	Pass
30	35	1 M	3 M	1806.430	-54.52	-23.5	Pass

Band3_20MHz_16QAM_HCH_1775MHz_RB_18_82_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1744.890	-52.93	-23.5	Pass
-30	-15	1 M	3 M	1753.010	-45.82	-11.5	Pass
-15	-11	1 M	3 M	1763.972	-46.66	-8.5	Pass
-11	-10	30 k	100 k	1764.935	-52.89	-19.5	Pass
10	11	30 k	100 k	1785.019	-32.07	-19.5	Pass
11	15	1 M	3 M	1786.252	-21.02	-8.5	Pass
15	30	1 M	3 M	1790.075	-36.01	-11.5	Pass
30	35	1 M	3 M	1806.825	-54.50	-23.5	Pass

Band3_20MHz_16QAM_HCH_1775MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-35	-30	1 M	3 M	1744.990	-37.71	-23.5	Pass
-30	-15	1 M	3 M	1759.790	-28.42	-11.5	Pass
-15	-11	1 M	3 M	1763.184	-25.67	-8.5	Pass
-11	-10	30 k	100 k	1764.933	-39.40	-19.5	Pass
10	11	30 k	100 k	1785.007	-41.60	-19.5	Pass
11	15	1 M	3 M	1786.108	-27.98	-8.5	Pass
15	30	1 M	3 M	1790.060	-30.86	-11.5	Pass
30	35	1 M	3 M	1809.410	-54.58	-23.5	Pass

6. Tolerance of Unwanted Emission Intensity

6.1 Test Result

6.1.1 B3_3MHz

Band: 3 / Bandwidth: 3MHz										
Bandwidth (MHz)	Channel Number	19215		19575		19935		Unit	Limit	Result
	Frequency Center (MHz)	1711.5		1747.5		1783.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
3	0.009MHz ~ 0.15MHz	0.084	-57.59	0.072	-56.81	0.090	-58.31	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-55.77	0.155	-53.88	0.150	-56.88	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	859.250	-47.86	931.200	-53.79	112.150	-62.42	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	691.050	-64.64	520.650	-64.50	692.250	-64.54	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	771.731	-80.28	771.125	-80.27	772.895	-80.50	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	797.510	-70.66	801.140	-70.78	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	778.850	-80.33	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	861.710	-56.85	868.970	-70.44	876.680	-70.62	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	948.495	-69.55	948.630	-69.43	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	948.660	-76.44	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	1720.000	-34.75	1755.500	-37.64	1775.000	-36.62	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1491.999	-67.55	1483.222	-67.22	1492.769	-68.19	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1496.870	-67.52	1498.177	-67.54	1510.005	-67.71	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1806.040	-64.37	1810.680	-58.11	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	1807.040	-66.82	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1877.550	-67.33	1867.120	-67.28	1878.250	-62.38	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1913.962	-66.45	1909.030	-66.94	1908.111	-67.48	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2018.355	-66.55	2015.475	-65.72	2011.155	-65.99	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2118.566	-66.95	2114.713	-66.72	2129.161	-66.90	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2138.086	-66.96	2114.567	-66.87	2127.188	-66.79	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2365.200	-68.60	2367.920	-68.52	2365.240	-68.69	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3419.300	-52.21	3411.368	-70.93	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3406.292	-70.98	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3420.521	-35.28	3497.525	-35.53	3419.951	-70.96	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3552.722	-71.12	3568.632	-71.08	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3564.562	-35.79	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3590.004	-70.80	3589.333	-70.73	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3588.678	-70.81	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3596.741	-70.66	3599.360	-70.48	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3596.169	-70.67	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3824.500	-73.89	3857.500	-73.92	3854.500	-73.93	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4801.600	-73.65	4800.400	-73.74	4809.600	-73.66	dBm/MHz	<=-30	Pass

6.1.2 B3_5MHz

Band: 3 / Bandwidth: 5MHz							
Bandwidth (MHz)	Channel Number	19225	19575	19925	Unit	Limit	Result
	Frequency Center	1712.5	1747.5	1782.5			

	(MHz)									
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
5	0.009MHz ~ 0.15MHz	0.090	-56.95	0.101	-56.73	0.105	-58.08	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.165	-53.19	0.150	-55.14	0.160	-54.72	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	859.450	-49.12	938.100	-54.85	109.250	-62.51	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	707.150	-64.83	498.850	-64.72	497.450	-64.44	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.840	-80.27	772.571	-80.38	772.673	-80.40	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	797.540	-70.83	802.760	-70.87	/	/	dBm/MHz	<=-50	Pass
	860MHz ~ 890MHz	/	/	/	/	801.200	-80.03	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	863.810	-58.56	868.850	-70.66	860.450	-70.64	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	948.555	-69.44	948.525	-69.49	/	/	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	/	/	/	/	948.585	-75.84	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	1726.000	-37.62	1734.000	-39.49	1769.000	-37.64	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1484.553	-67.40	1481.079	-67.39	1496.638	-68.14	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1500.506	-67.47	1499.994	-67.71	1505.774	-67.54	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1808.880	-64.34	1812.880	-58.20	/	/	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	/	/	/	/	1809.680	-66.74	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1878.985	-67.19	1845.000	-65.69	1876.395	-62.31	dBm/MHz	<=-50	Pass
	1910MHz ~ 1915.7MHz	1913.278	-66.23	1915.295	-67.10	1912.542	-67.22	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2021.865	-66.56	2015.445	-65.92	2011.920	-65.91	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2115.882	-66.78	2119.873	-66.86	2116.261	-66.79	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2132.748	-66.90	2115.512	-67.03	2121.739	-66.78	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2368.920	-68.58	2367.960	-68.63	2367.960	-68.53	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3419.300	-59.19	3402.818	-70.93	/	/	dBm/MHz	<=-50	Pass
	3400MHz ~ 3419.3MHz	/	/	/	/	3404.323	-70.88	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3420.602	-35.09	3490.606	-35.96	3444.941	-70.92	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3567.448	-71.07	3500.700	-59.28	/	/	dBm/MHz	<=-50	Pass
	3500.7MHz ~ 3574.7MHz	/	/	/	/	3560.714	-34.94	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3589.707	-70.82	3588.974	-70.78	/	/	dBm/MHz	<=-50	Pass
	3574.7MHz ~ 3590.3MHz	/	/	/	/	3589.177	-70.74	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3596.741	-70.63	3599.835	-70.67	/	/	dBm/MHz	<=-50	Pass
	3590.3MHz ~ 3600MHz	/	/	/	/	3595.548	-70.64	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3859.000	-73.89	3841.500	-73.91	3874.000	-73.94	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4840.000	-73.66	4816.400	-73.68	4830.800	-73.63	dBm/MHz	<=-30	Pass

6.1.3 B3_10MHz

Band: 3 / Bandwidth: 10MHz										
Bandwidth (MHz)	Channel Number	19250		19575		19900		Unit	Limit	Result
	Frequency Center (MHz)	1715		1747.5		1780				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
10	0.009MHz ~ 0.15MHz	0.091	-57.10	0.090	-57.70	0.084	-57.74	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-53.06	0.150	-54.19	0.155	-55.29	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	859.900	-45.87	924.900	-53.46	102.150	-59.97	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	521.450	-64.92	554.150	-64.73	702.700	-65.07	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.654	-80.14	770.066	-80.63	771.752	-80.59	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	801.320	-70.71	801.440	-70.99	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	798.200	-80.32	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	868.730	-61.13	880.760	-70.72	875.000	-70.74	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	948.615	-69.44	948.750	-70.57	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	948.555	-79.75	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	1735.500	-35.88	1727.000	-37.62	1759.000	-36.26	dBm/MHz	<=-30	Pass
1475.9MHz ~	1485.010	-67.42	1485.551	-67.50	1496.450	-67.89	dBm/MHz	<=-50	Pass	

1496.7MHz 1496.7MHz ~ 1510.9MHz	1498.844	-67.49	1497.055	-67.77	1506.413	-67.69	dBm/MHz	<=-50	Pass
1805MHz ~ 1845MHz	1813.640	-63.32	1818.600	-59.49	/	/	dBm/MHz	<=-50	Pass
1845MHz ~ 1880MHz	1879.825	-67.14	1845.315	-62.81	1877.725	-59.53	dBm/MHz	<=-50	Pass
1906.6MHz ~ 1915.7MHz	1912.897	-66.36	1914.945	-67.20	1911.842	-67.28	dBm/MHz	<=-30	Pass
2010MHz ~ 2025MHz	2010.300	-66.58	2018.340	-63.29	2023.050	-66.12	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2135.697	-66.98	2110.619	-67.06	2122.487	-66.94	dBm/MHz	<=-50	Pass
2114.4MHz ~ 2170MHz	2141.144	-66.93	2130.913	-67.14	2118.626	-66.94	dBm/MHz	<=-50	Pass
2330MHz ~ 2370MHz	2359.680	-68.64	2366.360	-68.74	2364.680	-68.73	dBm/MHz	<=-30	Pass
3400MHz ~ 3419.3MHz	3418.586	-70.93	3416.463	-66.83	/	/	dBm/MHz	<=-50	Pass
3419.3MHz ~ 3500.7MHz	3421.172	-35.12	3486.211	-35.75	3451.209	-71.02	dBm/MHz	<=-30	Pass
3500.7MHz ~ 3574.7MHz	3562.564	-71.06	3500.700	-50.88	/	/	dBm/MHz	<=-50	Pass
3574.7MHz ~ 3590.3MHz	3589.832	-70.81	3586.166	-69.86	/	/	dBm/MHz	<=-50	Pass
3590.3MHz ~ 3600MHz	3598.118	-70.66	3595.460	-62.84	/	/	dBm/MHz	<=-50	Pass
3600MHz ~ 4100MHz	3846.000	-73.89	3834.000	-74.03	3847.500	-74.02	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4810.000	-73.61	4838.400	-73.72	4818.000	-73.74	dBm/MHz	<=-30	Pass

6.1.4 B3_15MHz

Band: 3 / Bandwidth: 15MHz										
Bandwidth (MHz)	Channel Number	19275		19575		19875		Unit	Limit	Result
	Frequency Center (MHz)	1717.5		1747.5		1777.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
15	0.009MHz ~ 0.15MHz	0.091	-57.29	0.084	-58.39	0.072	-57.21	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.160	-55.02	0.150	-55.17	0.150	-55.33	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	845.650	-75.45	920.450	-55.19	95.000	-62.07	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	500.850	-64.78	508.200	-64.64	478.850	-64.64	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	771.542	-80.47	771.131	-80.49	770.513	-80.44	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	797.690	-70.76	799.130	-70.96	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	801.320	-80.26	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	873.770	-61.14	864.530	-70.76	881.750	-70.74	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	948.120	-70.33	947.115	-57.00	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	948.570	-79.08	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	1748.000	-35.25	1778.000	-37.50	1744.000	-37.55	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1485.801	-67.65	1476.482	-67.55	1495.951	-67.54	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1498.134	-67.63	1497.808	-67.57	1500.960	-67.48	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1817.600	-63.35	1824.160	-59.57	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	1810.440	-66.93	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1878.740	-67.44	1847.975	-62.92	1865.790	-59.58	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1912.997	-66.59	1914.144	-67.22	1912.779	-67.33	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2011.365	-66.58	2023.215	-65.88	2016.420	-65.94	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2131.844	-67.17	2114.919	-66.94	2112.683	-66.83	dBm/MHz	<=-50	Pass	
2114.4MHz ~ 2170MHz	2115.846	-67.14	2129.023	-67.07	2150.929	-62.98	dBm/MHz	<=-50	Pass	
2330MHz ~ 2370MHz	2353.400	-68.78	2368.720	-68.57	2367.360	-68.66	dBm/MHz	<=-30	Pass	
3400MHz ~ 3419.3MHz	3412.738	-71.02	3419.068	-70.94	/	/	dBm/MHz	<=-50	Pass	


		/	/	/	/	3413.819	-70.87	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3421.661	-35.42	3481.734	-35.86	3443.801	-70.96	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3518.756	-66.99	3500.700	-51.65	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3541.696	-34.54	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3579.879	-61.78	3587.523	-70.90	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3584.559	-70.30	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3597.682	-54.41	3597.488	-64.52	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3597.536	-70.64	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3846.500	-73.98	3853.500	-73.97	3847.000	-74.08	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4834.400	-73.65	4820.000	-73.71	4818.000	-73.72	dBm/MHz	<=-30	Pass



6.1.5 B3_20MHz



Band: 3 / Bandwidth: 20MHz										
Bandwidth (MHz)	Channel Number	19300		19575		19850		Unit	Limit	Result
	Frequency Center (MHz)	1720		1747.5		1775				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
20	0.009MHz ~ 0.15MHz	0.105	-57.06	0.090	-57.64	0.089	-57.79	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.160	-54.74	0.160	-55.10	0.150	-56.73	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	896.600	-52.19	915.950	-51.97	114.600	-61.76	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	677.100	-64.81	493.350	-64.49	472.800	-64.72	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	772.028	-80.38	772.247	-80.40	770.411	-80.42	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	799.070	-70.78	802.430	-70.92	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	785.420	-80.33	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	878.750	-63.33	875.360	-70.77	889.490	-70.18	dBm/MHz	<=-50	Pass
	945MHz ~ 960MHz	948.390	-70.40	951.510	-58.30	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	948.600	-77.96	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	1758.000	-38.12	1784.500	-40.40	1730.500	-38.37	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1480.060	-67.71	1479.665	-67.46	1495.036	-67.54	dBm/MHz	<=-50	Pass
		1496.7MHz ~ 1510.9MHz	1497.027	-67.79	1496.757	-67.59	1499.526	-67.51	dBm/MHz	<=-50
	1805MHz ~ 1845MHz	1819.280	-63.49	1829.720	-59.94	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	1819.680	-66.46	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1857.635	-66.02	1845.420	-63.04	1854.030	-60.16	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1912.779	-66.73	1914.053	-67.08	1914.044	-67.31	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2011.770	-66.38	2024.085	-65.99	2020.470	-65.85	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2117.809	-67.19	2114.300	-67.02	2117.637	-63.11	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2145.369	-67.17	2122.962	-67.08	2117.569	-63.41	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2367.040	-68.73	2362.040	-68.72	2364.480	-68.65	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3415.015	-68.14	3405.501	-66.37	/	/	dBm/MHz	<=-50	Pass
		/	/	/	/	3416.521	-71.03	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3422.149	-35.51	3477.175	-35.53	3419.707	-70.94	dBm/MHz	<=-30	Pass
		3500.7MHz ~ 3574.7MHz	3568.558	-71.11	3502.032	-52.91	/	/	dBm/MHz	<=-50
	3574.7MHz ~ 3590.3MHz	/	/	/	/	3532.150	-35.47	dBm/MHz	<=-30	Pass
		3589.723	-70.93	3575.823	-65.79	/	/	dBm/MHz	<=-50	Pass
	3590.3MHz ~ 3600MHz	/	/	/	/	3589.536	-70.90	dBm/MHz	<=-30	Pass
3598.545		-70.76	3598.012	-57.77	/	/	dBm/MHz	<=-50	Pass	
	/	/	/	/	3599.981	-70.69	dBm/MHz	<=-30	Pass	
3600MHz ~ 4100MHz	3851.000	-74.39	3849.000	-74.07	3882.500	-74.02	dBm/MHz	<=-30	Pass	
4500MHz ~ 4900MHz	4799.600	-73.67	4829.600	-73.64	4810.400	-73.75	dBm/MHz	<=-30	Pass	

6.2 Test Graph


6.2.1 B3_3MHz









Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 11/25 860-890MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 12/25 945-960MHz Limit:-50





Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTNV 4/25 1000-12750MHz Limit:-30




Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTNV 13/25 1475.9-1496.7MHz Limit:-50







Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30





Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 6/25 2010-2025MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 7/25 2110-2144.4MHz Limit:-50







Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV_19/25_3400-3419.3MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV_20/25_3419.3-3500.7MHz Limit:-30




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV 21/25 3500.7-3574.7MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV 22/25 3574.7-3590.3MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 23/25 3590.3-3600MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 24/25 3600-4100MHz Limit:-30







Band3 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTN 1/25 0.009-0.15MHz Limit:-36









Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTV 10/25 773-803MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTV 11/25 860-890MHz Limit:-50





Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTNV 12/25 945-960MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTNV 4/25 1000-12750MHz Limit:-30







Band3 3MHz QPSK_LCH_1711.5MHz_RB_1_14_NTNV 15/25 1805-1845MHz Limit:-50




Band3 3MHz QPSK_LCH_1711.5MHz_RB_1_14_NTNV 5/25 1845-1880MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV_16/25_1906.6-1915.7MHz Limit:-30




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV_6/25_2010-2025MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV 7/25 2110-2144.4MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV 17/25 2114.4-2170MHz Limit:-50





Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTNV 18/25 2330-2370MHz Limit:-30




Band3 3MHz QPSK LCH 1711.5MHz RB 1 14 NTNV 19/25 3400-3419.3MHz Limit:-50







Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV_22/25_3574.7-3590.3MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_1_14_NTNV_23/25_3590.3-3600MHz Limit:-50





Band3 3MHz QPSK_LCH_1711.5MHz_RB_1_14_NTNV 24/25 3600-4100MHz Limit:-30




Band3 3MHz QPSK_LCH_1711.5MHz_RB_1_14_NTNV 25/25 4500-4900MHz Limit:-30







Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 3/25 30-1000MHz Limit:-36




Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 8/25 470-710MHz Limit:-36




Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 9/25 770-773MHz Limit:-36




Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 10/25 773-803MHz Limit:-50




Band3 3MHz QPSK_LCH 1711.5MHz RB_15 0 NTN 11/25 860-890MHz Limit:-50




Band3 3MHz QPSK_LCH 1711.5MHz RB_15 0 NTN 12/25 945-960MHz Limit:-50





Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 4/25 1000-12750MHz Limit:-30




Band3 3MHz QPSK_LCH_1711.5MHz_RB_15_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50







Band3 3MHz QPSK LCH 1711.5MHz RB 15_0 NTN 5/25 1845-1880MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 15_0 NTN 16/25 1906.6-1915.7MHz Limit:-30





Band3 3MHz QPSK LCH 1711.5MHz RB 15 0 NTN 6/25 2010-2025MHz Limit:-50




Band3 3MHz QPSK LCH 1711.5MHz RB 15 0 NTN 7/25 2110-2144.4MHz Limit:-50










Band3_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV 19/25 3400-3419.3MHz Limit:-50




Band3_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV 20/25 3419.3-3500.7MHz Limit:-30












Band3 3MHz QPSK LCH 1711.5MHz RB 15 0 NTNV 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 1/25 0.009-0.15MHz Limit:-36









Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_0_NTNV 10/25 773-803MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_0_NTNV 11/25 860-890MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 12/25 945-960MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 4/25 1000-12750MHz Limit:-30




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_0_NTNV_13/25_1475.9-1496.7MHz_Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_0_NTNV_14/25_1496.7-1510.9MHz_Limit:-50





Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 15/25 1805-1845MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 5/25 1845-1880MHz Limit:-50







Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTN 7/25 2110-2144.4MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTN 17/25 2114.4-2170MHz Limit:-50







Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 18/25 2330-2370MHz Limit:-30




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 19/25 3400-3419.3MHz Limit:-50









Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 24/25 3600-4100MHz Limit:-30




Band3 3MHz QPSK MCH 1747.5MHz RB 1 0 NTNV 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK_MCH_1747.5MHz_RB_1_14_NTNV 1/25 0.009-0.15MHz Limit:-36




Band3 3MHz QPSK_MCH_1747.5MHz_RB_1_14_NTNV 2/25 0.15-30MHz Limit:-36





Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV_3/25_30-1000MHz_Limit:-36




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV_8/25_470-710MHz_Limit:-36







Band3 3MHz QPSK MCH 1747.5MHz RB 1 14 NTNV 11/25 860-890MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 1 14 NTNV 12/25 945-960MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV_4/25_1000-12750MHz Limit:-30




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV_13/25_1475.9-1496.7MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV 15/25 1805-1845MHz Limit:-50




Band3 3MHz QPSK_MCH_1747.5MHz_RB_1_14_NTNV 5/25 1845-1880MHz Limit:-50




Band3 3MHz QPSK_MCH_1747.5MHz_RB_1_14_NTNV 16/25 1906.6-1915.7MHz Limit:-30







Band3 3MHz QPSK MCH 1747.5MHz RB 1 14 NTN 6/25 2010-2025MHz Limit:-50





Band3 3MHz QPSK MCH 1747.5MHz RB 1 14 NTN 7/25 2110-2144.4MHz Limit:-50












Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV 23/25 3590.3-3600MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_1_14_NTNV 24/25 3600-4100MHz Limit:-30




Band3 3MHz QPSK MCH 1747.5MHz RB 1 14 NTNV 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTNV 1/25 0.009-0.15MHz Limit:-36




Band3 3MHz QPSK_MCH_1747.5MHz_RB_15_0_NTNV 2/25 0.15-30MHz Limit:-36




Band3 3MHz QPSK_MCH_1747.5MHz_RB_15_0_NTNV 3/25 30-1000MHz Limit:-36




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 8/25 470-710MHz Limit:-36




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 9/25 770-773MHz Limit:-36




Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTNV 10/25 773-803MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTNV 11/25 860-890MHz Limit:-50





Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTN 12/25 945-960MHz Limit:-50




Band3 3MHz QPSK MCH 1747.5MHz RB 15 0 NTN 4/25 1000-12750MHz Limit:-30








Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 15/25 1805-1845MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 5/25 1845-1880MHz Limit:-50







Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 17/25 2114.4-2170MHz Limit:-50







Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 18/25 2330-2370MHz Limit:-30




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 19/25 3400-3419.3MHz Limit:-50









Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 24/25 3600-4100MHz Limit:-30




Band3_3MHz_QPSK_MCH_1747.5MHz_RB_15_0_NTNV 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK HCH 1783.5MHz RB 1 0 NTNV 1/25 0.009-0.15MHz Limit:-36




Band3 3MHz QPSK HCH 1783.5MHz RB 1 0 NTNV 2/25 0.15-30MHz Limit:-36





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 3/25 30-1000MHz Limit:-36




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 8/25 470-710MHz Limit:-36







Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 11/25 860-890MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 12/25 945-960MHz Limit:-36




Band3 3MHz QPSK HCH 1783.5MHz RB 1 0 NTNV 4/25 1000-12750MHz Limit:-30




Band3 3MHz QPSK HCH 1783.5MHz RB 1 0 NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 15/25 1805-1845MHz Limit:-30





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30







Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 18/25 2330-2370MHz Limit:-30





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 19/25 3400-3419.3MHz Limit:-30




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 20/25 3419.3-3500.7MHz Limit:-30










Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 23/25 3590.3-3600MHz Limit:-30




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_0_NTNV 24/25 3600-4100MHz Limit:-30









Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV_8/25_470-710MHz_Limit:-36




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV_9/25_770-773MHz_Limit:-36




Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTV 10/25 773-803MHz Limit:-36




Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTV 11/25 860-890MHz Limit:-50





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV_12/25_945-960MHz Limit:-36




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV_4/25_1000-12750MHz Limit:-30










Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTN 15/25 1805-1845MHz Limit:-30




Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTN 5/25 1845-1880MHz Limit:-50












Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTVN 18/25 2330-2370MHz Limit:-30




Band3 3MHz QPSK HCH 1783.5MHz RB 1 14 NTVN 19/25 3400-3419.3MHz Limit:-30









Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV 24/25 3600-4100MHz Limit:-30




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_1_14_NTNV 25/25 4500-4900MHz Limit:-30




Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 1/25 0.009-0.15MHz Limit:-36




Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 2/25 0.15-30MHz Limit:-36





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 3/25 30-1000MHz Limit:-36




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 8/25 470-710MHz Limit:-36







Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 11/25 860-890MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 12/25 945-960MHz Limit:-36




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV_4/25_1000-12750MHz_Limit:-30




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV_13/25_1475.9-1496.7MHz_Limit:-50





Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 15/25 1805-1845MHz Limit:-30







Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 6/25 2010-2025MHz Limit:-50




Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 7/25 2110-2144.4MHz Limit:-50







Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band3_3MHz_QPSK_HCH_1783.5MHz_RB_15_0_NTNV 18/25 2330-2370MHz Limit:-30









Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 23/25 3590.3-3600MHz Limit:-30






Band3 3MHz QPSK HCH 1783.5MHz RB 15 0 NTN 24/25 3600-4100MHz Limit:-30








6.2.2 B3_5MHz









Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN 11/25 860-890MHz Limit:-50




Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN 12/25 945-960MHz Limit:-50




Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTNV 4/25 1000-12750MHz Limit:-30




Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN 14/25 1496.7-1510.9MHz Limit:-50



Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN 15/25 1805-1845MHz Limit:-50



Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTNV 5/25 1845-1880MHz Limit:-50



Band3 5MHz QPSK LCH 1712.5MHz RB 1 0 NTNV 16/25 1910-1915.7MHz Limit:-30

