

Appendix A.1 Test Result of Antenna Power

802.11a (20 MHz)

(Duty Factor: 0.00 dB)

Frequency (MHz)	Antenna Power (mW/MHz)	Limit (mW/MHz)
5180	2.8510	10
5220	2.7925	10
5240	3.1477	10
5260	2.3496	10
5300	2.5645	10
5320	2.7542	10
5500	2.2284	10
5600	2.6915	10
5700	2.6792	10
5720	1.4859	10

Antenna Power with Duty Factor.

802.11ax (20 MHz)

(Duty Factor: 0.00 dB)

Frequency (MHz)	Antenna Power (mW/MHz)	Limit (mW/MHz)
5180	2.4547	10
5220	2.1330	10
5240	2.3335	10
5260	1.8880	10
5300	1.9011	10
5320	1.8793	10
5500	1.5812	10
5600	1.8535	10
5700	1.8967	10
5720	1.9143	10

Antenna Power with Duty Factor.

802.11ax (40 MHz)**(Duty Factor: 0.00 dB)**

Frequency (MHz)	Antenna Power (mW/MHz)	Limit (mW/MHz)
5190	1.1169	5
5230	1.1015	5
5270	0.8551	5
5310	1.1508	5
5510	0.7943	5
5590	0.9863	5
5670	0.9661	5
5710	0.9506	5

Antenna Power with Duty Factor.

802.11ax (80 MHz)**(Duty Factor: 0.00 dB)**

Frequency (MHz)	Antenna Power (mW/MHz)	Limit (mW/MHz)
5210	0.4842	2.5
5290	0.4688	2.5
5530	0.4571	2.5
5610	0.4227	2.5
5690	0.4560	2.5

Antenna Power with Duty Factor.

802.11ax (160 MHz)**(Duty Factor: 0.00 dB)**

Frequency (MHz)	Antenna Power (mW/MHz)	Limit (mW/MHz)
5250	0.2307	1.25
5570	0.2350	1.25

Antenna Power with Duty Factor.

Appendix A.2 Test Result of Antenna Power Tolerance

802.11a (20 MHz)				
Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
5180	3.1477	2.8510	-9.43	+20 to -80
5220	3.1477	2.7925	-11.28	+20 to -80
5240	3.1477	3.1477	0.00	+20 to -80
5260	2.7542	2.3496	-14.69	+20 to -80
5300	2.7542	2.5645	-6.89	+20 to -80
5320	2.7542	2.7542	0.00	+20 to -80
5500	2.6915	2.2284	-17.21	+50 to -50
5600	2.6915	2.6915	0.00	+50 to -50
5700	2.6915	2.6792	-0.46	+50 to -50
5720	2.6915	1.4859	-44.79	+50 to -50

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

802.11ax (20 MHz)				
Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
5180	2.4547	2.4547	0.00	+20 to -80
5220	2.4547	2.1330	-13.10	+20 to -80
5240	2.4547	2.3335	-4.94	+20 to -80
5260	1.9011	1.8880	-0.69	+20 to -80
5300	1.9011	1.9011	0.00	+20 to -80
5320	1.9011	1.8793	-1.14	+20 to -80
5500	1.9143	1.5812	-17.40	+50 to -50
5600	1.9143	1.8535	-3.17	+50 to -50
5700	1.9143	1.8967	-0.92	+50 to -50
5720	1.9143	1.9143	0.00	+50 to -50

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

802.11ax (40 MHz)				
Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
5190	1.1169	1.1169	0.00	+20 to -80
5230	1.1169	1.1015	-1.37	+20 to -80
5270	1.1508	0.8551	-25.70	+20 to -80
5310	1.1508	1.1508	0.00	+20 to -80
5510	0.9863	0.7943	-19.46	+50 to -50
5590	0.9863	0.9863	0.00	+50 to -50
5670	0.9863	0.9661	-2.05	+50 to -50
5710	0.9863	0.9506	-3.62	+50 to -50

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

802.11ax (80 MHz)				
Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
5210	0.4842	0.4842	0.00	+20 to -80
5290	0.4688	0.4688	0.00	+20 to -80
5530	0.4571	0.4571	0.00	+50 to -50
5610	0.4571	0.4227	-7.53	+50 to -50
5690	0.4571	0.4560	-0.23	+50 to -50

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

802.11ax (160 MHz)				
Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
5250	0.2307	0.2307	0.00	+20 to -80
5570	0.2350	0.2350	0.00	+50 to -50

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

Appendix A.3 Test Result of E.I.R.P

802.11a (20 MHz)			
Frequency (MHz)	Antenna Power (mW/MHz)	E.I.R.P (mW/MHz)	Limit (mW/MHz)
5180	2.8510	7.2946	10
5220	2.7925	7.1450	10
5240	3.1477	8.0538	10
5260	2.3496	6.0117	10
5300	2.5645	6.5615	10
5320	2.7542	7.0469	10
5500	2.2284	7.6033	50
5600	2.6915	9.1833	50
5700	2.6792	9.1411	50
5720	1.4859	5.0699	50

Note: E.I.R.P = Antenna Power + Antenna Max Gain (dBi).

802.11ax (20 MHz)			
Frequency (MHz)	Antenna Power (mW/MHz)	E.I.R.P (mW/MHz)	Limit (mW/MHz)
5180	2.4547	6.2806	10
5220	2.1330	5.4576	10
5240	2.3335	5.9704	10
5260	1.8880	4.8306	10
5300	1.9011	4.8641	10
5320	1.8793	4.8084	10
5500	1.5812	5.3951	50
5600	1.8535	6.3241	50
5700	1.8967	6.4714	50
5720	1.9143	6.5313	50

Note: E.I.R.P = Antenna Power + Antenna Max Gain (dBi).

802.11ax (40 MHz)			
Frequency (MHz)	Antenna Power (mW/MHz)	E.I.R.P (mW/MHz)	Limit (mW/MHz)
5190	1.1169	2.8576	5
5230	1.1015	2.8184	5
5270	0.8551	2.1878	5
5310	1.1508	2.9444	5
5510	0.7943	2.7102	25
5590	0.9863	3.3651	25
5670	0.9661	3.2961	25
5710	0.9506	3.2434	25

Note: E.I.R.P = Antenna Power + Antenna Max Gain (dBi).

802.11ax (80 MHz)			
Frequency (MHz)	Antenna Power (mW/MHz)	E.I.R.P (mW/MHz)	Limit (mW/MHz)
5210	0.4842	1.2388	2.5
5290	0.4688	1.1995	2.5
5530	0.4571	1.5596	12.5
5610	0.4227	1.4421	12.5
5690	0.4560	1.5560	12.5

Note: E.I.R.P = Antenna Power + Antenna Max Gain (dBi).

802.11ax (160 MHz)			
Frequency (MHz)	Antenna Power (mW/MHz)	E.I.R.P (mW/MHz)	Limit (mW/MHz)
5250	0.2307	0.5902	1.25
5570	0.2350	0.8017	6.25

Note: E.I.R.P = Antenna Power + Antenna Max Gain (dBi).

Appendix B. Test Result of Occupied Bandwidth


802.11a (20 MHz)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
5180	16.38	20
5220	16.38	20
5240	16.58	20
5260	16.33	20
5300	16.48	20
5320	16.73	20
5500	16.53	20
5600	16.38	20
5700	16.38	20
5720	16.38	20

802.11ax (20 MHz)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
5180	18.88	20
5220	18.88	20
5240	18.98	20
5260	18.83	20
5300	18.93	20
5320	18.98	20
5500	18.98	20
5600	18.88	20
5700	18.93	20
5720	18.88	20


802.11ax (40 MHz)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
5190	37.66	40
5230	37.46	40
5270	37.66	40
5310	37.56	40
5510	37.66	40
5590	37.56	40
5670	37.56	40
5710	37.46	40

802.11ax (80 MHz)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
5210	76.72	80
5290	76.27	80
5530	76.87	80
5610	76.72	80
5690	76.72	80


802.11ax (160 MHz)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
5250	155.59	160
5570	155.54	160




802.11a (20 MHz) / 5180 MHz




802.11a (20 MHz) / 5220 MHz




802.11a (20 MHz) / 5240 MHz









802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5300 MHz




802.11a (20 MHz) / 5320 MHz


**802.11a (20 MHz) / 5500 MHz****802.11a (20 MHz) / 5600 MHz****802.11a (20 MHz) / 5700 MHz****802.11a (20 MHz) / 5720 MHz****802.11ax (20MHz) / 5180 MHz****802.11ax (20MHz) / 5220 MHz**




Date: 26 MAR 2026 13:43:32

802.11ax (20MHz) / 5240 MHz


Date: 26 MAR 2026 14:26:34

802.11ax (20MHz) / 5260 MHz


Date: 26 MAR 2026 14:30:33

802.11ax (20MHz) / 5300 MHz

Date: 26 MAR 2026 14:34:13







802.11ax (20MHz) / 5320 MHz


Date: 26 MAR 2026 14:37:49

802.11ax (20MHz) / 5500 MHz


Date: 26 MAR 2026 14:40:42

802.11ax (20MHz) / 5600 MHz


**802.11ax (20MHz) / 5700 MHz****802.11ax (20MHz) / 5720 MHz****802.11ax (40MHz) / 5190 MHz****802.11ax (40MHz) / 5230 MHz****802.11ax (40MHz) / 5270 MHz****802.11ax (40MHz) / 5310 MHz**




802.11ax (40MHz) / 5510 MHz




802.11ax (40MHz) / 5590 MHz




802.11ax (40MHz) / 5670 MHz




802.11ax (40MHz) / 5710 MHz




802.11ax (80MHz) / 5210 MHz




802.11ax (80MHz) / 5290 MHz




802.11ax (80MHz) / 5530 MHz




802.11ax (80MHz) / 5610 MHz



802.11ax (80MHz) / 5690 MHz



802.11ax (160MHz) / 5250 MHz



802.11ax (160MHz) / 5570 MHz

Appendix C. Test Result of Frequency Tolerance

802.11a (20 MHz)			
Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
5180	5179.9880	-2.3166	± 20
5220	5219.9880	-2.2989	± 20
5240	5239.9879	-2.3092	± 20
5260	5259.9878	-2.3194	± 20
5300	5299.9877	-2.3208	± 20
5320	5319.9876	-2.3308	± 20
5500	5499.9872	-2.3273	± 20
5600	5599.9870	-2.3214	± 20
5700	5699.9868	-2.3158	± 20
5720	5719.9872	-2.2378	± 20

802.11ax (20 MHz)			
Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
5180	5179.9877	-2.3745	± 20
5220	5219.9876	-2.3755	± 20
5240	5239.9875	-2.3855	± 20
5260	5259.9875	-2.3764	± 20
5300	5299.9874	-2.3774	± 20
5320	5319.9873	-2.3872	± 20
5500	5499.9870	-2.3636	± 20
5600	5599.9867	-2.3750	± 20
5700	5699.9865	-2.3684	± 20
5720	5719.9865	-2.3601	± 20

802.11ax (40 MHz)			
Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
5190	5189.9877	-2.3699	± 20
5230	5229.9877	-2.3518	± 20
5270	5269.9876	-2.3529	± 20
5310	5309.9875	-2.3541	± 20
5510	5509.9874	-2.2868	± 20
5590	5589.9872	-2.2898	± 20
5670	5669.9930	-1.2346	± 20
5710	5709.9870	-2.2767	± 20

802.11ax (80 MHz)			
Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
5210	5209.9881	-2.2841	± 20
5290	5289.9879	-2.2873	± 20
5530	5529.9873	-2.2966	± 20
5610	5609.9871	-2.2995	± 20
5690	5689.9869	-2.3023	± 20

802.11ax (160 MHz)			
Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
5250	5249.9879	-2.3048	± 20
5570	5569.9871	-2.3160	± 20


Appendix D.1 Test Result of Adjacent Channel Emitted power

802.11a (20 MHz)			
Frequency (MHz)	Frequency Range (MHz)	Reading Value (dBc)	Limit (dBc)
5180	-40	-56.08	-40
	-20	-37.25	-25
	+20	-35.58	-25
	+40	-56.39	-40
5220	-40	-55.82	-40
	-20	-38.64	-25
	+20	-32.71	-25
	+40	-55.49	-40
5240	-40	-55.52	-40
	-20	-36.84	-25
	+20	-29.49	-25
	+40	-54.16	-40
5260	-40	-55.69	-40
	-20	-40.01	-25
	+20	-33.69	-25
	+40	-54.75	-40
5300	-40	-55.78	-40
	-20	-36.70	-25
	+20	-29.95	-25
	+40	-53.76	-40
5320	-40	-55.52	-40
	-20	-34.53	-25
	+20	-28.45	-25
	+40	-52.45	-40
5500	-40	-55.42	-40
	-20	-32.22	-25
	+20	-30.70	-25
	+40	-55.74	-40
5600	-40	-56.54	-40
	-20	-35.70	-25
	+20	-33.26	-25
	+40	-56.45	-40
5700	-40	-56.22	-40
	-20	-35.35	-25
	+20	-34.28	-25
	+40	-56.38	-40
5720	-40	-55.65	-40
	-20	-36.03	-25
	+20	-35.52	-25
	+40	-55.44	-40


802.11ax (20MHz)			
Frequency (MHz)	Frequency Range (MHz)	Reading Value (dBc)	Limit (dBc)
5180	-40	-53.89	-40
	-20	-29.09	-25
	+20	-27.04	-25
	+40	-55.14	-40
5220	-40	-54.13	-40
	-20	-29.81	-25
	+20	-26.77	-25
	+40	-54.41	-40
5240	-40	-53.49	-40
	-20	-29.36	-25
	+20	-25.52	-25
	+40	-52.93	-40
5260	-40	-54.80	-40
	-20	-30.18	-25
	+20	-26.69	-25
	+40	-54.09	-40
5300	-40	-54.64	-40
	-20	-29.87	-25
	+20	-25.96	-25
	+40	-52.86	-40
5320	-40	-54.33	-40
	-20	-28.81	-25
	+20	-25.47	-25
	+40	-51.85	-40
5500	-40	-54.98	-40
	-20	-28.00	-25
	+20	-26.34	-25
	+40	-55.16	-40
5600	-40	-55.82	-40
	-20	-29.03	-25
	+20	-27.39	-25
	+40	-55.63	-40
5700	-40	-55.11	-40
	-20	-28.69	-25
	+20	-27.61	-25
	+40	-55.20	-40
5720	-40	-55.14	-40
	-20	-28.71	-25
	+20	-27.76	-25
	+40	-54.82	-40

802.11ax (40 MHz)			
Frequency (MHz)	Frequency Range (MHz)	Reading Value (dBc)	Limit (dBc)
5190	-80	-52.51	-40
	-40	-34.74	-25
	+40	-33.37	-25
	+80	-52.55	-40
5230	-80	-52.65	-40
	-40	-37.13	-25
	+40	-32.75	-25
	+80	-52.27	-40
5270	-80	-53.00	-40
	-40	-38.93	-25
	+40	-31.65	-25
	+80	-51.93	-40
5310	-80	-52.94	-40
	-40	-38.52	-25
	+40	-29.70	-25
	+80	-51.47	-40
5510	-80	-52.44	-40
	-40	-33.22	-25
	+40	-31.14	-25
	+80	-53.10	-40
5590	-80	-52.96	-40
	-40	-36.36	-25
	+40	-33.84	-25
	+80	-52.95	-40
5670	-80	-53.01	-40
	-40	-35.50	-25
	+40	-34.25	-25
	+80	-52.59	-40
5710	-80	-52.64	-40
	-40	-34.62	-25
	+40	-34.00	-25
	+80	-52.66	-40

802.11ax (80 MHz)			
Frequency (MHz)	Frequency Range (MHz)	Reading Value (dBc)	Limit (dBc)
5210	-80	-35.49	-25
	+80	-35.14	-25
5290	-80	-39.00	-25
	+80	-34.68	-25
5530	-80	-35.79	-25
	+80	-34.58	-25
5610	-80	-37.40	-25
	+80	-36.15	-25
5690	-80	-35.10	-25
	+80	-35.93	-25




Date: 26.MAR.2026 09:56:12




Date: 26.MAR.2026 10:00:13

802.11a (20 MHz) / 5180 MHz




Date: 26.MAR.2026 10:04:09

802.11a (20 MHz) / 5220 MHz




Date: 26.MAR.2026 10:08:08

802.11a (20 MHz) / 5240 MHz



Date: 26.MAR.2026 10:11:42


802.11a (20 MHz) / 5260 MHz




Date: 26.MAR.2026 10:15:13

802.11a (20 MHz) / 5300 MHz


802.11a (20 MHz) / 5320 MHz




Date: 26.MAR.2026 10:18:45




Date: 26.MAR.2026 10:21:53

802.11a (20 MHz) / 5500 MHz


Date: 26.MAR.2026 10:24:48

802.11a (20 MHz) / 5600 MHz

Date: 23.MAR.2026 17:07:20


802.11a (20 MHz) / 5700MHz

Date: 26.MAR.2026 10:32:15


802.11a (20 MHz) / 5720 MHz

Date: 26.MAR.2026 13:38:26


802.11ax (20MHz) / 5180 MHz**802.11ax (20MHz) / 5220 MHz**




802.11ax (20MHz) / 5240 MHz




802.11ax (20MHz) / 5260 MHz




802.11ax (20MHz) / 5300 MHz




802.11ax (20MHz) / 5320 MHz




802.11ax (20MHz) / 5500 MHz




802.11ax (20MHz) / 5600 MHz




802.11ax (20MHz) / 5700 MHz




802.11ax (20MHz) / 5720 MHz




802.11ax (40MHz) / 5190 MHz




802.11ax (40MHz) / 5230 MHz




802.11ax (40MHz) / 5270 MHz




802.11ax (40MHz) / 5310 MHz




802.11ax (40MHz) / 5510 MHz




802.11ax (40MHz) / 5590 MHz




802.11ax (40MHz) / 5670 MHz




802.11ax (40MHz) / 5710 MHz




802.11ax (80MHz) / 5210 MHz




802.11ax (80MHz) / 5290 MHz



802.11ax (80MHz) / 5530 MHz



802.11ax (80MHz) / 5610 MHz



802.11ax (80MHz) / 5690 MHz

Appendix D.2 Test Result of Out-Band Leakage Power

802.11a (20 MHz)				
Frequency Range (MHz)	Frequency (MHz)	Frequency (MHz)	Measurement Level (μW/MHz)	Limit (μW/MHz)
5180	5135 - 5142	5141.35	0.053047	2.5000
	5142 - 5150	5149.83	0.678644	15.0000
	5250 - 5250.2	5250.13	0.028777	943.6842
	5250.2 - 5251	5250.51	0.033755	311.7454
	5251 - 5260	5257.82	0.029294	24.7717
	5260 - 5266.7	5262.77	0.030298	7.3759
	5266.7 - 5365	5289.82	0.020540	2.5000
5220	5135 - 5142	5140.64	0.023293	2.5000
	5142 - 5150	5147.25	0.025242	15.0000
	5250 - 5250.2	5250.02	0.492804	1870.5673
	5250.2 - 5251	5250.69	0.452446	206.2054
	5251 - 5260	5251.02	0.340636	99.5915
	5260 - 5266.7	5260.19	0.064243	15.0421
	5266.7 - 5365	5268.34	0.037057	2.5000
5240	5135 - 5142	5140.08	0.020376	2.5000
	5142 - 5150	5145.06	0.020817	15.0000
	5250 - 5250.2	5250.03	779.332062	1844.1093
	5250.2 - 5251	5250.97	22.387211	108.1932
	5251 - 5260	5251.72	17.701090	86.2449
	5260 - 5266.7	5260.21	1.321296	14.9617
	5266.7 - 5365	5266.77	2.486869	2.5000
5260	5135 - 5233.3	5233.09	0.448447	2.5000
	5233.3 - 5240	5239.99	2.804444	15.7856
	5240 - 5249	5248.80	53.028162	95.9499
	5249 - 5249.8	5249.77	152.144758	589.5220
	5249.8 - 5250	5250.00	191.599520	2144.9310
	5350 - 5365	5356.94	0.028601	2.5000

5300	5135 - 5233.3	5232.52	0.017210	2.5000
	5233.3 - 5240	5234.84	0.028472	3.8055
	5240 - 5249	5248.80	0.026268	95.9499
	5249 - 5249.8	5249.76	0.028799	580.0962
	5249.8 - 5250	5249.85	0.028335	837.7093
	5350 - 5365	5350.36	0.037581	2.5000
5320	5135 - 5233.3	5224.69	0.013232	2.5000
	5233.3 - 5240	5239.10	0.017861	12.3701
	5240 - 5249	5248.98	0.021485	99.5915
	5249 - 5249.8	5249.04	0.021139	108.7677
	5249.8 - 5250	5249.88	0.021462	1024.0473
	5350 - 5365	5350.10	1.674747	2.5000
5500	5455 - 5460	5456.91	0.048260	2.5000
	5460 - 5470	5469.85	0.218191	12.5000
	5745 - 5765	5759.78	0.028082	12.5000
	5765 - 5770	5769.75	0.018190	2.5000
5600	5455 - 5460	5457.14	0.021304	2.5000
	5460 - 5470	5465.64	0.024025	12.5000
	5745 - 5765	5759.81	0.065634	12.5000
	5765 - 5770	5767.78	0.018979	2.5000
5700	5455 - 5460	5456.71	0.022014	2.5000
	5460 - 5470	5462.61	0.023657	12.5000
	5745 - 5765	5759.86	0.082875	12.5000
	5765 - 5770	5767.62	0.031039	2.5000
5720	5455 - 5460	5455.76	0.011857	2.5000
	5460 - 5470	5469.56	0.011455	12.5000
	5745 - 5765	5745.01	0.085082	12.5000
	5765 - 5770	5765.32	0.023444	2.5000

Measurement Level (μW) = $10^{((\text{Reading Value (dBm)} + \text{Antenna Gain} + \text{Cable loss})/10)*1000}$

802.11ax (20 MHz)				
Frequency Range (MHz)	Frequency (MHz)	Frequency (MHz)	Measurement Level (μW/MHz)	Limit (μW/MHz)
5180	5135 - 5142	5140.99	0.121204	2.5000
	5142 - 5150	5149.95	1.266699	15.0000
	5250 - 5250.2	5250.12	0.049491	1061.1090
	5250.2 - 5251	5250.43	0.045247	374.7141
	5251 - 5260	5254.47	0.044563	49.1436
	5260 - 5266.7	5260.20	0.035189	15.0018
	5266.7 - 5365	5270.33	0.034597	2.5000
5220	5135 - 5142	5140.40	0.020102	2.5000
	5142 - 5150	5144.97	0.023722	15.0000
	5250 - 5250.2	5250.02	0.749785	1924.5092
	5250.2 - 5251	5250.80	0.903527	157.5433
	5251 - 5260	5251.14	0.755586	97.2349
	5260 - 5266.7	5260.30	0.107295	14.6055
	5266.7 - 5365	5273.74	0.034626	2.5000
5240	5135 - 5142	5139.54	0.016441	2.5000
	5142 - 5150	5148.42	0.016816	15.0000
	5250 - 5250.2	5250.17	225.943577	746.3342
	5250.2 - 5251	5250.54	47.973345	287.0120
	5251 - 5260	5251.02	16.982437	99.5915
	5260 - 5266.7	5260.14	1.671091	15.2450
	5266.7 - 5365	5266.77	0.112980	2.5000
5260	5135 - 5233.3	5233.23	0.609903	2.5000
	5233.3 - 5240	5238.89	4.158327	11.6621
	5240 - 5249	5248.98	3.228494	99.5915
	5249 - 5249.8	5249.68	83.176377	476.3213
	5249.8 - 5250	5249.80	145.881426	636.0140
	5350 - 5365	5358.39	0.028487	2.5000

5300	5135 - 5233.3	5230.53	0.017639	2.5000
	5233.3 - 5240	5237.63	0.021184	8.2322
	5240 - 5249	5247.35	0.024054	71.3692
	5249 - 5249.8	5249.44	0.029144	277.2043
	5249.8- 5250	5249.99	0.034649	2070.0142
	5350 - 5365	5350.60	0.060136	2.5000
5320	5135 - 5233.3	5229.81	0.013494	2.5000
	5233.3 - 5240	5237.10	0.017438	7.1043
	5240 - 5249	5247.35	0.023018	71.3692
	5249 - 5249.8	5249.38	0.021785	241.3237
	5249.8- 5250	5249.88	0.021801	1004.2457
	5350 - 5365	5352.27	0.028445	2.5000
5500	5455 - 5460	5459.88	0.054453	2.5000
	5460 - 5470	5468.33	0.185131	12.5000
	5745 - 5765	5759.92	0.029673	12.5000
	5765 - 5770	5768.25	0.016192	2.5000
5600	5455 - 5460	5455.99	0.020780	2.5000
	5460 - 5470	5467.11	0.025084	12.5000
	5745 - 5765	5760.04	0.052871	12.5000
	5765 - 5770	5767.59	0.018928	2.5000
5700	5455 - 5460	5456.93	0.019188	2.5000
	5460 - 5470	5467.43	0.020200	12.5000
	5745 - 5765	5760.12	0.087710	12.5000
	5765 - 5770	5769.27	0.034213	2.5000
5720	5455 - 5460	5458.57	0.018225	2.5000
	5460 - 5470	5461.77	0.018260	12.5000
	5745 - 5765	5745.10	2.083164	12.5000
	5765 - 5770	5767.83	0.050803	2.5000

Measurement Level (μW) = $10^{((\text{Reading Value (dBm)} + \text{Antenna Gain} + \text{Cable loss})/10)*1000}$

802.11ax (40 MHz)				
Frequency Range (MHz)	Frequency (MHz)	Frequency (MHz)	Measurement Level (μW/MHz)	Limit (μW/MHz)
5190	5100 - 5141.6	5141.21	0.163682	2.5000
	5141.6 - 5150	5144.63	11.196729	15.0000
	5250 - 5251	5250.26	0.265036	274.0123
	5251 - 5270	5251.37	0.206265	48.2335
	5270 - 5278.4	5270.08	0.050712	7.8384
	5278.4 - 5400	5309.46	0.035483	2.5000
5230	5100 - 5141.6	5140.73	0.022399	2.5000
	5141.6 - 5150	5145.82	0.029349	15.0000
	5250 - 5251	5250.04	20.892961	460.7549
	5251 - 5270	5263.39	0.970510	15.0457
	5270 - 5278.4	5270.27	0.410204	7.6301
	5278.4 - 5400	5278.49	1.671364	2.5000
5270	5100 - 5221.6	5219.93	1.039250	2.5000
	5221.6 - 5230	5226.64	3.366216	4.9809
	5230 - 5249	5248.93	39.337648	49.6666
	5249 - 5250	5249.97	18.197009	466.9496
	5350 - 5358.4	5354.52	0.101836	15.0000
	5358.4 - 5400	5361.50	0.053746	2.5000
5310	5100 - 5221.6	5201.98	0.022117	2.5000
	5221.6 - 5230	5229.87	0.028873	7.7856
	5230 - 5249	5248.88	0.314475	49.4025
	5249 - 5250	5249.25	0.452769	88.2409
	5350 - 5358.4	5350.21	0.765597	15.0000
	5358.4 - 5400	5358.49	0.170608	2.5000
5510	5420 - 5460	5459.45	1.420128	12.5000
	5460 - 5470	5464.73	12.673426	50.0000
	5770 - 5800	5775.49	0.015601	12.5000
5590	5420 - 5460	5447.70	0.032603	12.5000
	5460 - 5470	5469.37	0.039031	50.0000
	5770 - 5800	5782.48	0.022728	12.5000


5670	5420 - 5460	5442.89	0.022251	12.5000
	5460 - 5470	5466.84	0.020098	50.0000
	5770 - 5800	5774.84	0.031890	12.5000
5710	5420 - 5460	5455.28	0.025319	12.5000
	5460 - 5470	5465.78	0.023215	50.0000
	5770 - 5800	5770.28	0.050558	12.5000


Measurement Level (μW) = $10^{((\text{Reading Value (dBm)} + \text{Antenna Gain} + \text{Cable loss})/10)*1000}$


802.11ax (80 MHz)				
Frequency Range (MHz)	Frequency (MHz)	Frequency (MHz)	Measurement Level (μW/MHz)	Limit (μW/MHz)
5210	5020 - 5123.2	5122.98	0.920574	2.5000
	5123.2 - 5150	5148.66	4.736623	15.0000
	5250 - 5251	5250.07	6.266139	212.0020
	5251 - 5290	5251.03	1.276439	24.9670
	5290 - 5296.7	5290.33	1.435476	3.8717
	5296.7 - 5480	5298.69	0.495667	2.5000
5290	5020 - 5203.3	5198.66	0.309721	2.5000
	5203.3 - 5210	5206.67	0.707946	3.1479
	5210 - 5249	5248.80	22.284351	24.7673
	5249 - 5250	5249.97	177.418948	231.1745
	5350 - 5376.8	5350.64	4.977371	15.0000
	5376.8 - 5480	5378.67	0.774129	2.5000
5530	5340 - 5460	5455.22	3.437832	12.5000
	5460 - 5469.5	5468.70	5.695530	50.0000
	5469.5 - 5470	5469.83	5.825676	51.2000
	5770 - 5800	5791.04	0.020088	12.5000
5610	5340 - 5460	5450.19	0.032792	12.5000
	5460 - 5469.5	5460.34	0.053095	50.0000
	5469.5 - 5470	5469.91	0.041509	51.2000
	5770 - 5800	5777.49	0.037391	12.5000
5690	5340 - 5460	5450.71	0.031567	12.5000
	5460 - 5469.5	5468.94	0.034187	50.0000
	5469.5 - 5470	5469.57	0.035701	51.2000
	5770 - 5800	5771.06	1.641662	12.5000



Measurement Level (μW) = $10^{((\text{Reading Value (dBm)} + \text{Antenna Gain} + \text{Cable loss})/10) * 1000}$

802.11ax (160 MHz)				
Frequency Range (MHz)	Frequency (MHz)	Frequency (MHz)	Measurement Level (μW/MHz)	Limit (μW/MHz)
5250	4916 - 5099.6	5099.20	0.539432	2.5000
	5099.6 - 5150	5149.89	2.133281	15.0000
	5350 - 5400.4	5354.19	1.997869	15.0000
	5400.4 - 5584	5402.13	0.996913	2.5000
5570	5340 - 5419.6	5418.39	1.094693	12.5000
	5419.6 - 5470	5447.94	2.764123	50.0000
	5725 - 5800	5726.57	0.634595	12.5000












802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz



802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5240 MHz


802.11a (20 MHz) / 5240 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz






802.11a (20 MHz) / 5260 MHz




802.11a (20 MHz) / 5260 MHz









802.11a (20 MHz) / 5500 MHz




802.11a (20 MHz) / 5500 MHz



802.11a (20 MHz) / 5500 MHz




802.11a (20 MHz) / 5500 MHz




802.11a (20 MHz) / 5600 MHz


802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5600 MHz




802.11a (20 MHz) / 5700 MHz









802.11a (20 MHz) / 5700 MHz





802.11a (20 MHz) / 5700 MHz




802.11a (20 MHz) / 5700 MHz

**802.11a (20 MHz) / 5720 MHz****802.11a (20 MHz) / 5720 MHz****802.11a (20 MHz) / 5720 MHz****802.11a (20 MHz) / 5720 MHz****802.11ax (20 MHz) / 5180 MHz****802.11ax (20 MHz) / 5180 MHz**







802.11ax (20 MHz) / 5220 MHz




802.11ax (20 MHz) / 5220 MHz




802.11ax (20 MHz) / 5220 MHz





802.11ax (20 MHz) / 5220 MHz




802.11ax (20 MHz) / 5220 MHz




802.11ax (20 MHz) / 5220 MHz




802.11ax (20 MHz) / 5240 MHz




802.11ax (20 MHz) / 5240 MHz



802.11ax (20 MHz) / 5240 MHz





802.11ax (20 MHz) / 5240 MHz





802.11ax (20 MHz) / 5240 MHz


802.11ax (20 MHz) / 5240 MHz









802.11ax (20 MHz) / 5260 MHz




802.11ax (20 MHz) / 5260 MHz



802.11ax (20 MHz) / 5260 MHz






802.11ax (20 MHz) / 5300 MHz




802.11ax (20 MHz) / 5300 MHz

802.11ax (20 MHz) / 5300 MHz







802.11ax (20 MHz) / 5320 MHz




802.11ax (20 MHz) / 5320 MHz



802.11ax (20 MHz) / 5320 MHz





802.11ax (20 MHz) / 5320 MHz




802.11ax (20 MHz) / 5500 MHz


802.11ax (20 MHz) / 5500 MHz









802.11ax (20 MHz) / 5720 MHz




802.11ax (20 MHz) / 5720 MHz




802.11ax (40 MHz) / 5190 MHz





802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz




802.11ax (40 MHz) / 5190 MHz



802.11ax (40 MHz) / 5190 MHz



802.11ax (40 MHz) / 5230 MHz



802.11ax (40 MHz) / 5230 MHz

802.11ax (40 MHz) / 5230 MHz