

Appendix - LTE_band_26

1. Frequency Error

1.1 Test Result

1.1.1 B26_3MHz

Band: 26 / Bandwidth: 3MHz						
Channel Number	26715	26850	26985	Unit	Limit	Result
Frequency Center (MHz)	816.5	830	843.5			
Normal Condition	-6.738	-2.418	-1.359	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Vibration Condition	-3.133	-2.403	-6.366	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High Temp. Condition 55°C	-2.146	-2.832	-0.272	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Low Temp. Condition -10°C	-6.509	-2.589	-1.645	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High RH Condition 95%	0.186	-3.290	-4.206	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Limit of each frequency	96.65	98.00	99.35	Hz	-	-

1.1.2 B26_5MHz

Band: 26 / Bandwidth: 5MHz						
Channel Number	26725	26850	26975	Unit	Limit	Result
Frequency Center (MHz)	817.5	830	842.5			
Normal Condition	-3.662	-3.448	-5.493	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Vibration Condition	-2.904	-10.858	2.332	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High Temp. Condition 55°C	-2.332	-4.478	-0.858	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Low Temp. Condition -10°C	-1.502	-6.566	-1.230	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High RH Condition 95%	-6.151	-7.124	-3.490	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Limit of each frequency	96.75	98.00	99.25	Hz	-	-

1.1.3 B26_10MHz

Band: 26 / Bandwidth: 10MHz						
Channel Number	26750	26850	26950	Unit	Limit	Result
Frequency Center (MHz)	820	830	840			
Normal Condition	0.916	-4.091	-0.429	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Vibration Condition	0.215	-3.204	-2.861	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High Temp. Condition 55°C	-3.233	-2.789	-5.293	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Low Temp. Condition -10°C	-2.975	-0.973	-3.133	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High RH Condition 95%	-2.289	-1.144	-2.403	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Limit of each frequency	97.00	98.00	99.00	Hz	-	-

1.1.4 B26_15MHz

Band: 26 / Bandwidth: 15MHz						
Channel Number	26775	26850	26925	Unit	Limit	Result
Frequency Center (MHz)	822.5	830	837.5			
Normal Condition	-5.364	-6.065	0.672	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Vibration Condition	-4.635	-7.095	-1.888	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High Temp. Condition 55°C	-4.449	-0.014	-1.731	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Low Temp. Condition -10°C	-4.964	0.501	-2.661	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
High RH Condition 95%	-5.064	-4.120	-2.518	Hz	$\pm(0.1*fc*10^{-6+15})$	Pass
Limit of each frequency	97.25	98.00	98.75	Hz	-	-

2. Tolerance of Occupied Bandwidth


2.1 Test Result

2.1.1 B26_OBW


Band: 26						
BW(MHz)	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	2.74	2.74	2.75	MHz	≤ 3	Pass
5	4.52	4.51	4.52	MHz	≤ 5	Pass
10	8.94	8.96	8.94	MHz	≤ 10	Pass
15	13.38	13.42	13.41	MHz	≤ 15	Pass

2.2 Test Graph


2.2.1 B26_OBW







Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTV







Band26 5MHz QPSK LCH 817.5MHz RB 25 0 NTV











3. Tolerance of Antenna Power

3.1 Test Result

3.1.1 B26_Power

Band: 26 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	RF output Power	20.44	20.51	20.37	dBm	/	/
5	RF output Power	20.50	20.52	20.48	dBm	/	/
10	RF output Power	20.59	20.51	20.45	dBm	/	/
15	RF output Power	20.53	20.51	20.47	dBm	/	/

3.1.2 B26

Band: 26 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	Power Tolerance	-44.54	-43.64	-45.42	%	-79 to 87	Pass
5	Power Tolerance	-43.77	-43.51	-44.02	%	-79 to 87	Pass
10	Power Tolerance	-42.59	-43.64	-44.41	%	-79 to 87	Pass
15	Power Tolerance	-43.38	-43.64	-44.15	%	-79 to 87	Pass

4. Tolerance of Adjacent Channel Leakage Power

4.1 Test Result

4.1.1 B26_3MHz

Band: 26 / Bandwidth: 3MHz							
Modulation	Channel Number	26715	26850	26985	Unit	Limit	Result
	Frequency Center (MHz)	816.5	830	843.5			
QPSK	Fc - 4MHz	-46.74	-46.80	-46.18	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-46.48	-46.82	-46.99	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-45.56	-45.51	-45.47	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-45.96	-46.12	-46.02	dBc/2.7MHz	<=-29.2	Pass
16QAM	Fc - 4MHz	-43.35	-43.61	-42.62	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-43.35	-43.76	-43.39	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-42.07	-42.35	-41.42	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-42.14	-42.55	-42.04	dBc/2.7MHz	<=-29.2	Pass

4.1.2 B26_5MHz

Band: 26 / Bandwidth: 5MHz							
Modulation	Channel Number	26725	26850	26975	Unit	Limit	Result
	Frequency Center (MHz)	817.5	830	842.5			
QPSK	Fc - 10MHz	-63.58	-55.67	-55.51	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-46.93	-46.19	-46.11	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-46.50	-46.13	-46.98	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-55.43	-55.52	-60.74	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-45.43	-45.20	-45.38	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-45.78	-45.46	-46.25	dBc/4.5MHz	<=-29.2	Pass
16QAM	Fc - 10MHz	-62.89	-55.75	-55.53	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-43.58	-42.91	-42.56	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-43.22	-43.16	-43.38	dBc/3.84MHz	<=-32.2	Pass

	Fc + 10MHz	-55.23	-55.43	-60.03	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-42.65	-42.11	-41.71	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-42.40	-42.37	-42.54	dBc/4.5MHz	<=-29.2	Pass

4.1.3 B26_10MHz


Band: 26 / Bandwidth: 10MHz							
Modulation	Channel Number	26750	26850	26950	Unit	Limit	Result
	Frequency Center (MHz)	820	830	840			
QPSK	Fc - 12.5MHz	-61.10	-51.91	-52.91	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-47.97	-45.99	-48.67	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-47.32	-47.57	-47.59	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-50.75	-50.78	-57.52	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-47.52	-45.30	-46.79	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-45.75	-45.66	-47.10	dBc/9MHz	<=-29.2	Pass
16QAM	Fc - 12.5MHz	-58.49	-49.77	-50.84	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-45.46	-43.46	-44.73	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-44.78	-44.16	-45.34	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-49.19	-48.99	-55.24	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-44.77	-41.92	-43.13	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-42.77	-42.29	-44.34	dBc/9MHz	<=-29.2	Pass

4.1.4 B26_15MHz


Band: 26 / Bandwidth: 15MHz							
Modulation	Channel Number	26775	26850	26925	Unit	Limit	Result
	Frequency Center (MHz)	822.5	830	837.5			
QPSK	Fc - 15MHz	-59.19	-49.23	-49.86	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-47.85	-46.03	-47.25	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-46.67	-47.35	-47.48	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	-48.69	-49.64	-55.96	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	-47.26	-43.67	-44.54	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	-43.08	-43.84	-46.74	dBc/13.5MHz	<=-29.2	Pass
16QAM	Fc - 15MHz	-57.20	-47.24	-48.05	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-45.15	-43.58	-44.99	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-43.77	-44.39	-45.30	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	-46.81	-47.37	-53.37	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	-44.72	-41.24	-42.32	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	-41.00	-41.46	-44.28	dBc/13.5MHz	<=-29.2	Pass

4.2 Test Graph


4.2.1 B26_3MHz




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV



Band26 3MHz QPSK MCH 830MHz RB 4 0 NTNV




Band26 3MHz QPSK MCH 830MHz RB 4 11 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.10	/	/	/	/
Fc - 4MHz	-4	3.84	-37.42	-58.52	-32.2	26.32	Pass
Fc + 4MHz	4	3.84	-30.29	-51.39	-32.2	19.19	Pass
Fc - 3MHz	-3	2.70	-35.97	-57.07	-29.2	27.87	Pass
Fc + 3MHz	3	2.70	-25.55	-46.65	-29.2	17.45	Pass

Band26 3MHz QPSK MCH 830MHz RB 15 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.08	/	/	/	/
Fc - 4MHz	-4	3.84	-25.72	-46.80	-32.2	14.60	Pass
Fc + 4MHz	4	3.84	-25.74	-46.82	-32.2	14.62	Pass
Fc - 3MHz	-3	2.70	-25.01	-46.09	-29.2	16.89	Pass
Fc + 3MHz	3	2.70	-25.04	-46.12	-29.2	16.92	Pass


Band26 3MHz QPSK HCH 843.5MHz RB 4 0 NTNV



Band26 3MHz QPSK HCH 843.5MHz RB 4 11 NTNV




Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	20.67	/	/	/	/
Fc - 4MHz	-4	3.84	-25.51	-46.18	-32.2	13.98	Pass
Fc + 4MHz	4	3.84	-26.32	-46.99	-32.2	14.79	Pass
Fc - 3MHz	-3	2.70	-24.80	-45.47	-29.2	16.27	Pass
Fc + 3MHz	3	2.70	-25.48	-46.15	-29.2	16.95	Pass

Band26 3MHz 16QAM LCH 816.5MHz RB 4 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.11	/	/	/	/
Fc - 4MHz	-4	3.84	-29.38	-50.49	-32.2	18.29	Pass
Fc + 4MHz	4	3.84	-37.55	-58.66	-32.2	26.46	Pass
Fc - 3MHz	-3	2.70	-22.83	-43.94	-29.2	14.74	Pass
Fc + 3MHz	3	2.70	-36.16	-57.27	-29.2	28.07	Pass


Band26 3MHz 16QAM LCH 816.5MHz RB 4 11 NTNV




Band26 3MHz 16QAM LCH 816.5MHz RB 15 0 NTNV




Band26 3MHz 16QAM MCH 830MHz RB 4 0 NTNV



Band26 3MHz 16QAM MCH 830MHz RB 4 11 NTNV




Band26 3MHz 16QAM MCH 830MHz RB 15 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.21	/	/	/	/
Fc - 4MHz	-4	3.84	-22.40	-43.61	-32.2	11.41	Pass
Fc + 4MHz	4	3.84	-22.55	-43.76	-32.2	11.56	Pass
Fc - 3MHz	-3	2.70	-21.14	-42.35	-29.2	13.15	Pass
Fc + 3MHz	3	2.70	-21.34	-42.55	-29.2	13.35	Pass

Band26 3MHz 16QAM HCH 843.5MHz RB 4 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	20.95	/	/	/	/
Fc - 4MHz	-4	3.84	-29.31	-50.26	-32.2	18.06	Pass
Fc + 4MHz	4	3.84	-38.29	-59.24	-32.2	27.04	Pass
Fc - 3MHz	-3	2.70	-22.65	-43.60	-29.2	14.40	Pass
Fc + 3MHz	3	2.70	-36.80	-57.75	-29.2	28.55	Pass


Band26 3MHz 16QAM HCH 843.5MHz RB 4 11 NTNV




Band26 3MHz 16QAM HCH 843.5MHz RB 15 0 NTNV




4.2.2 B26_5MHz




Band26 5MHz QPSK LCH 817.5MHz RB 25 0 NTNV




Band26 5MHz QPSK MCH 830MHz RB 8 0 NTNV




Band26 5MHz QPSK MCH 830MHz RB 8 17 NTNV




Band26 5MHz QPSK MCH 830MHz RB 25 0 NTNV




Band26 5MHz QPSK HCH 842.5MHz RB 8 0 NTNV




Band26 5MHz QPSK HCH 842.5MHz RB 8 17 NTNV




Band26 5MHz QPSK HCH 842.5MHz RB 25 0 NTV




Band26 5MHz 16QAM LCH 817.5MHz RB 8 0 NTV




Band26 5MHz 16QAM LCH 817.5MHz RB 8 17 NTNV




Band26 5MHz 16QAM LCH 817.5MHz RB 25 0 NTNV




Band26 5MHz 16QAM MCH 830MHz RB 8 0 NTNV




Band26 5MHz 16QAM MCH 830MHz RB 8 17 NTNV




Band26 5MHz 16QAM MCH 830MHz RB 25 0 NTV




Band26 5MHz 16QAM HCH 842.5MHz RB 8 0 NTV




Band26 5MHz 16QAM HCH 842.5MHz RB 8 17 NTNV




Band26 5MHz 16QAM HCH 842.5MHz RB 25 0 NTNV




4.2.3 B26_10MHz




Band26 10MHz QPSK LCH 820MHz RB 50 0 NTN




Band26 10MHz QPSK MCH 830MHz RB 12 0 NTN




Band26 10MHz QPSK MCH 830MHz RB 12 38 NTNV




Band26 10MHz QPSK MCH 830MHz RB 50 0 NTNV




Band26 10MHz QPSK HCH 840MHz RB 12 0 NTNV




Band26 10MHz QPSK HCH 840MHz RB 12 38 NTNV




Band26 10MHz QPSK HCH 840MHz RB 50 0 NTV




Band26 10MHz 16QAM LCH 820MHz RB 12 0 NTV




Band26 10MHz 16QAM LCH 820MHz RB 12 38 NTNV




Band26 10MHz 16QAM LCH 820MHz RB 50 0 NTNV




Band26 10MHz 16QAM MCH 830MHz RB 12 0 NTNV




Band26 10MHz 16QAM MCH 830MHz RB 12 38 NTNV




Band26 10MHz 16QAM MCH 830MHz RB 50 0 NTV




Band26 10MHz 16QAM HCH 840MHz RB 12 0 NTV




Band26 10MHz 16QAM HCH 840MHz RB 12 38 NTNV




Band26 10MHz 16QAM HCH 840MHz RB 50 0 NTNV




4.2.4 B26_15MHz




Band26 15MHz QPSK LCH 822.5MHz RB 75 0 NTNV




Band26 15MHz QPSK MCH 830MHz RB 16 0 NTNV




Band26 15MHz QPSK MCH 830MHz RB 16 59 NTNV




Band26 15MHz QPSK MCH 830MHz RB 75 0 NTNV




Band26 15MHz QPSK HCH 837.5MHz RB 16 0 NTNV




Band26 15MHz QPSK HCH 837.5MHz RB 16 59 NTNV




Band26 15MHz QPSK HCH 837.5MHz RB 75 0 NTNV




Band26 15MHz 16QAM LCH 822.5MHz RB 16 0 NTNV




Band26 15MHz 16QAM LCH 822.5MHz RB 16 59 NTN




Band26 15MHz 16QAM LCH 822.5MHz RB 75 0 NTN




Band26 15MHz 16QAM MCH 830MHz RB 16 0 NTN




Band26 15MHz 16QAM MCH 830MHz RB 16 59 NTN




Band26 15MHz 16QAM MCH 830MHz RB 75 0 NTN




Band26 15MHz 16QAM HCH 837.5MHz RB 16 0 NTN



Band26 15MHz 16QAM HCH 837.5MHz RB 16 59 NTN



Band26 15MHz 16QAM HCH 837.5MHz RB 75 0 NTN



5. Tolerance of Out-band Leakage Power

5.1 Test Result

5.1.1 B26_3MHz

Band: 26 / Bandwidth: 3MHz										
Modulation	Channel Number	26715		26850		26985		Unit	Limit	Result
	Frequency Center (MHz)	816.5		830		843.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-7.5M $\equiv \Delta f < -6.5M$	809.998	-41.58	823.496	-39.61	836.995	-39.22	dBm/MHz	≤ -23.5	Pass
	-6.5M $\equiv \Delta f < -2.5M$	813.912	-23.41	827.480	-27.58	840.944	-26.43	dBm/MHz	≤ -8.5	Pass
	-2.5M $\equiv \Delta f < -1.5M$	814.990	-15.57	828.500	-25.47	841.996	-26.70	dBm/30kHz	≤ -11.5	Pass
	+1.5M $\equiv \Delta f < +2.5M$	818.004	-26.68	831.501	-26.16	845.001	-26.37	dBm/30kHz	≤ -11.5	Pass
	+2.5M $\equiv \Delta f < +6.5M$	819.012	-27.01	832.508	-27.10	846.016	-26.97	dBm/MHz	≤ -8.5	Pass
	+6.5M $\equiv \Delta f < +7.5M$	823.005	-39.18	836.505	-39.36	850.007	-40.45	dBm/MHz	≤ -23.5	Pass
16QAM	-7.5M $\equiv \Delta f < -6.5M$	809.999	-42.26	823.491	-40.19	836.993	-39.83	dBm/MHz	≤ -23.5	Pass
	-6.5M $\equiv \Delta f < -2.5M$	813.908	-22.53	827.440	-22.87	840.964	-22.37	dBm/MHz	≤ -8.5	Pass
	-2.5M $\equiv \Delta f < -1.5M$	814.999	-25.47	828.500	-23.69	841.997	-24.84	dBm/30kHz	≤ -11.5	Pass
	+1.5M $\equiv \Delta f < +2.5M$	818.001	-25.87	831.506	-25.46	845.003	-26.18	dBm/30kHz	≤ -11.5	Pass
	+2.5M $\equiv \Delta f < +6.5M$	819.028	-23.00	832.556	-23.13	846.188	-22.80	dBm/MHz	≤ -8.5	Pass
	+6.5M $\equiv \Delta f < +7.5M$	823.001	-39.72	836.508	-39.79	850.027	-40.79	dBm/MHz	≤ -23.5	Pass

5.1.2 B26_5MHz

Band: 26 / Bandwidth: 5MHz										
Modulation	Channel Number	26725		26850		26975		Unit	Limit	Result
	Frequency Center (MHz)	817.5		830		842.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-12.5M $\equiv \Delta f < -8.5M$	808.968	-43.07	821.436	-38.16	833.936	-38.23	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	809.990	-38.64	822.493	-36.01	834.983	-36.07	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	813.984	-25.82	826.480	-25.56	838.928	-25.97	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	814.993	-28.04	827.493	-28.47	839.995	-28.16	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	820.004	-29.19	832.530	-28.41	845.002	-30.16	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	821.064	-26.72	833.520	-25.82	846.004	-25.91	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	825.005	-35.51	837.511	-34.95	850.022	-37.12	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	826.008	-37.71	838.500	-37.53	851.012	-40.25	dBm/MHz	≤ -23.5	Pass
16QAM	-12.5M $\equiv \Delta f < -8.5M$	808.996	-41.64	821.460	-37.09	833.992	-37.14	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	809.992	-36.72	822.495	-34.57	834.987	-34.53	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	813.888	-24.52	826.416	-23.51	838.796	-23.70	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	814.995	-27.47	827.497	-26.60	839.997	-27.73	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	820.002	-28.84	832.501	-27.90	845.000	-29.44	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	821.012	-24.16	833.504	-23.78	846.176	-19.70	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	825.018	-33.70	837.504	-33.60	850.001	-32.76	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	826.012	-36.41	838.500	-36.32	851.016	-36.23	dBm/MHz	≤ -23.5	Pass

5.1.3 B26_10MHz

Band: 26 / Bandwidth: 10MHz							
Modulation	Channel Number	26750		26850		26950	
						Unit	Limit
							Result


	Frequency Center (MHz)	820		830		840				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-20M $\equiv \Delta f < -15M$	804.880	-55.48	814.990	-34.77	824.975	-41.72	dBm/MHz	≤ -23.5	Pass
	-15M $\equiv \Delta f < -10M$	809.985	-25.50	819.915	-22.04	829.910	-34.91	dBm/MHz	≤ -11.5	Pass
	-10M $\equiv \Delta f < -6M$	813.996	-12.41	824.000	-10.29	833.860	-26.92	dBm/MHz	≤ -8.5	Pass
	-6M $\equiv \Delta f < -5M$	814.988	-22.06	824.962	-19.72	834.988	-36.18	dBm/30kHz	≤ -16.5	Pass
	+5M $\equiv \Delta f < +6M$	825.005	-20.81	835.021	-21.27	845.149	-34.29	dBm/30kHz	≤ -16.5	Pass
	+6M $\equiv \Delta f < +10M$	826.016	-11.00	836.004	-11.73	846.276	-27.91	dBm/MHz	≤ -8.5	Pass
	+10M $\equiv \Delta f < +15M$	830.045	-28.06	840.110	-22.34	850.065	-35.88	dBm/MHz	≤ -11.5	Pass
16QAM	+15M $\equiv \Delta f < +20M$	835.030	-35.68	845.015	-32.61	855.025	-55.95	dBm/MHz	≤ -23.5	Pass
	-20M $\equiv \Delta f < -15M$	802.290	-55.62	814.980	-36.45	825.000	-39.84	dBm/MHz	≤ -23.5	Pass
	-15M $\equiv \Delta f < -10M$	809.990	-29.25	819.955	-24.76	829.995	-31.84	dBm/MHz	≤ -11.5	Pass
	-10M $\equiv \Delta f < -6M$	813.972	-19.62	823.996	-12.78	833.784	-25.79	dBm/MHz	≤ -8.5	Pass
	-6M $\equiv \Delta f < -5M$	814.982	-28.29	824.985	-21.93	834.996	-33.58	dBm/30kHz	≤ -16.5	Pass
	+5M $\equiv \Delta f < +6M$	825.070	-23.71	835.013	-23.74	845.002	-32.98	dBm/30kHz	≤ -16.5	Pass
	+6M $\equiv \Delta f < +10M$	826.012	-14.55	836.012	-15.34	846.020	-24.55	dBm/MHz	≤ -8.5	Pass
	+10M $\equiv \Delta f < +15M$	830.090	-25.89	840.000	-24.97	850.025	-32.60	dBm/MHz	≤ -11.5	Pass
	+15M $\equiv \Delta f < +20M$	835.095	-34.33	845.010	-34.02	855.030	-55.81	dBm/MHz	≤ -23.5	Pass

5.1.4 B26_15MHz


Band: 26 / Bandwidth: 15MHz										
Modulation	Channel Number	26775		26850		26925		Unit	Limit	Result
	Frequency Center (MHz)	822.5		830		837.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-27.5M $\equiv \Delta f < -22.5M$	796.590	-55.85	807.495	-49.67	814.585	-42.30	dBm/MHz	≤ -23.5	Pass
	-22.5M $\equiv \Delta f < -12.5M$	809.980	-35.65	817.340	-20.95	824.960	-33.18	dBm/MHz	≤ -11.5	Pass
	-12.5M $\equiv \Delta f < -8.5M$	813.964	-29.54	821.500	-17.28	828.936	-21.58	dBm/MHz	≤ -8.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	814.991	-38.98	822.480	-22.16	829.916	-33.36	dBm/30kHz	≤ -18.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	830.096	-34.48	837.638	-23.44	845.005	-35.71	dBm/30kHz	≤ -18.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	831.028	-27.25	838.504	-12.27	846.000	-27.91	dBm/MHz	≤ -8.5	Pass
	+12.5M $\equiv \Delta f < +22.5M$	835.000	-31.70	842.770	-20.78	850.200	-33.73	dBm/MHz	≤ -11.5	Pass
	+22.5M $\equiv \Delta f < +27.5M$	845.275	-38.97	852.525	-41.08	862.725	-55.76	dBm/MHz	≤ -23.5	Pass
16QAM	-27.5M $\equiv \Delta f < -22.5M$	797.930	-55.84	807.485	-51.05	814.605	-40.97	dBm/MHz	≤ -23.5	Pass
	-22.5M $\equiv \Delta f < -12.5M$	809.950	-32.75	817.420	-23.52	824.910	-30.58	dBm/MHz	≤ -11.5	Pass
	-12.5M $\equiv \Delta f < -8.5M$	813.976	-25.25	821.408	-13.09	828.936	-24.67	dBm/MHz	≤ -8.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	814.982	-34.68	822.344	-24.02	829.997	-34.89	dBm/30kHz	≤ -18.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	830.034	-33.77	837.628	-25.46	845.023	-35.37	dBm/30kHz	≤ -18.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	831.032	-23.08	838.564	-15.39	846.000	-24.79	dBm/MHz	≤ -8.5	Pass
	+12.5M $\equiv \Delta f < +22.5M$	835.090	-28.99	842.520	-23.58	850.050	-31.02	dBm/MHz	≤ -11.5	Pass
	+22.5M $\equiv \Delta f < +27.5M$	845.105	-37.24	852.510	-42.07	862.555	-55.85	dBm/MHz	≤ -23.5	Pass

5.2 Test Graph

5.2.1 B26_3MHz




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	809.998	-41.58	-23.5	Pass
-6.5	-2.5	1 M	3 M	813.944	-26.17	-8.5	Pass
-2.5	-1.5	30 k	100 k	815.000	-31.22	-11.5	Pass
1.5	2.5	30 k	100 k	818.009	-32.41	-11.5	Pass
2.5	6.5	1 M	3 M	819.012	-27.01	-8.5	Pass
6.5	7.5	1 M	3 M	823.005	-39.18	-23.5	Pass

Band26 3MHz QPSK MCH 830MHz RB 4 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.487	-54.40	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.368	-29.28	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.500	-25.47	-11.5	Pass
1.5	2.5	30 k	100 k	831.507	-47.82	-11.5	Pass
2.5	6.5	1 M	3 M	832.664	-36.44	-8.5	Pass
6.5	7.5	1 M	3 M	836.504	-55.07	-23.5	Pass

Band26 3MHz QPSK MCH 830MHz RB 4 11 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.494	-54.90	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.308	-36.48	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.498	-47.75	-11.5	Pass
1.5	2.5	30 k	100 k	831.501	-26.16	-11.5	Pass
2.5	6.5	1 M	3 M	832.576	-30.06	-8.5	Pass
6.5	7.5	1 M	3 M	836.504	-54.60	-23.5	Pass

Band26 3MHz QPSK MCH 830MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.496	-39.61	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.480	-27.58	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.500	-31.32	-11.5	Pass
1.5	2.5	30 k	100 k	831.500	-32.15	-11.5	Pass
2.5	6.5	1 M	3 M	832.508	-27.10	-8.5	Pass
6.5	7.5	1 M	3 M	836.505	-39.36	-23.5	Pass

Band26 3MHz QPSK HCH 843.5MHz RB 4 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.976	-54.38	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.912	-29.40	-8.5	Pass
-2.5	-1.5	30 k	100 k	841.996	-26.70	-11.5	Pass
1.5	2.5	30 k	100 k	845.075	-48.45	-11.5	Pass
2.5	6.5	1 M	3 M	846.176	-37.00	-8.5	Pass
6.5	7.5	1 M	3 M	850.004	-55.33	-23.5	Pass

Band26 3MHz QPSK HCH 843.5MHz RB 4 11 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.945	-54.90	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.836	-36.35	-8.5	Pass
-2.5	-1.5	30 k	100 k	841.923	-47.79	-11.5	Pass
1.5	2.5	30 k	100 k	845.001	-26.37	-11.5	Pass
2.5	6.5	1 M	3 M	846.092	-30.20	-8.5	Pass
6.5	7.5	1 M	3 M	850.027	-54.71	-23.5	Pass

Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.995	-39.22	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.944	-26.43	-8.5	Pass
-2.5	-1.5	30 k	100 k	842.000	-30.89	-11.5	Pass
1.5	2.5	30 k	100 k	845.000	-32.92	-11.5	Pass
2.5	6.5	1 M	3 M	846.016	-26.97	-8.5	Pass
6.5	7.5	1 M	3 M	850.007	-40.45	-23.5	Pass

Band26 3MHz 16QAM LCH 816.5MHz RB 4 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	809.980	-54.85	-23.5	Pass
-6.5	-2.5	1 M	3 M	814.000	-30.58	-8.5	Pass
-2.5	-1.5	30 k	100 k	814.999	-25.47	-11.5	Pass
1.5	2.5	30 k	100 k	818.092	-47.13	-11.5	Pass
2.5	6.5	1 M	3 M	819.168	-35.86	-8.5	Pass
6.5	7.5	1 M	3 M	823.000	-55.04	-23.5	Pass

Band26 3MHz 16QAM LCH 816.5MHz RB 4 11 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	809.936	-55.29	-23.5	Pass
-6.5	-2.5	1 M	3 M	813.824	-36.26	-8.5	Pass
-2.5	-1.5	30 k	100 k	814.905	-47.01	-11.5	Pass
1.5	2.5	30 k	100 k	818.001	-25.87	-11.5	Pass
2.5	6.5	1 M	3 M	819.036	-30.33	-8.5	Pass
6.5	7.5	1 M	3 M	823.033	-54.36	-23.5	Pass

Band26 3MHz 16QAM LCH 816.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	809.999	-42.26	-23.5	Pass
-6.5	-2.5	1 M	3 M	813.908	-22.53	-8.5	Pass
-2.5	-1.5	30 k	100 k	814.998	-30.48	-11.5	Pass
1.5	2.5	30 k	100 k	818.000	-30.64	-11.5	Pass
2.5	6.5	1 M	3 M	819.028	-23.00	-8.5	Pass
6.5	7.5	1 M	3 M	823.001	-39.72	-23.5	Pass

Band26 3MHz 16QAM MCH 830MHz RB 4 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.493	-54.32	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.476	-30.57	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.500	-23.69	-11.5	Pass
1.5	2.5	30 k	100 k	831.599	-47.61	-11.5	Pass
2.5	6.5	1 M	3 M	832.664	-36.66	-8.5	Pass
6.5	7.5	1 M	3 M	836.510	-55.14	-23.5	Pass

Band26 3MHz 16QAM MCH 830MHz RB 4 11 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.356	-54.96	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.316	-36.37	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.498	-46.47	-11.5	Pass
1.5	2.5	30 k	100 k	831.506	-25.46	-11.5	Pass
2.5	6.5	1 M	3 M	832.516	-30.61	-8.5	Pass
6.5	7.5	1 M	3 M	836.535	-54.46	-23.5	Pass

Band26 3MHz 16QAM MCH 830MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	823.491	-40.19	-23.5	Pass
-6.5	-2.5	1 M	3 M	827.440	-22.87	-8.5	Pass
-2.5	-1.5	30 k	100 k	828.498	-29.15	-11.5	Pass
1.5	2.5	30 k	100 k	831.502	-30.67	-11.5	Pass
2.5	6.5	1 M	3 M	832.556	-23.13	-8.5	Pass
6.5	7.5	1 M	3 M	836.508	-39.79	-23.5	Pass

Band26 3MHz 16QAM HCH 843.5MHz RB 4 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.998	-54.34	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.980	-30.43	-8.5	Pass
-2.5	-1.5	30 k	100 k	841.997	-24.84	-11.5	Pass
1.5	2.5	30 k	100 k	845.078	-47.72	-11.5	Pass
2.5	6.5	1 M	3 M	846.204	-36.82	-8.5	Pass
6.5	7.5	1 M	3 M	850.092	-55.38	-23.5	Pass

Band26 3MHz 16QAM HCH 843.5MHz RB 4 11 NTN



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.967	-54.99	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.816	-36.05	-8.5	Pass
-2.5	-1.5	30 k	100 k	841.901	-47.42	-11.5	Pass
1.5	2.5	30 k	100 k	845.003	-26.18	-11.5	Pass
2.5	6.5	1 M	3 M	846.008	-30.65	-8.5	Pass
6.5	7.5	1 M	3 M	850.043	-54.74	-23.5	Pass


Band26 3MHz 16QAM HCH 843.5MHz RB 15 0 NTN



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	836.993	-39.83	-23.5	Pass
-6.5	-2.5	1 M	3 M	840.964	-22.37	-8.5	Pass
-2.5	-1.5	30 k	100 k	842.000	-31.04	-11.5	Pass
1.5	2.5	30 k	100 k	845.002	-31.38	-11.5	Pass
2.5	6.5	1 M	3 M	846.188	-22.80	-8.5	Pass
6.5	7.5	1 M	3 M	850.027	-40.79	-23.5	Pass


5.2.2 B26_5MHz

Band26 5MHz QPSK LCH 817.5MHz RB 8 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.984	-51.06	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.997	-45.89	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.984	-25.82	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.993	-28.04	-13.5	Pass
2.5	3.5	30 k	100 k	820.002	-47.38	-13.5	Pass
3.5	7.5	1 M	3 M	822.844	-38.89	-8.5	Pass
7.5	8.5	1 M	3 M	825.069	-47.85	-11.5	Pass
8.5	12.5	1 M	3 M	826.068	-50.02	-23.5	Pass

Band26 5MHz QPSK LCH 817.5MHz RB 8 17 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	809.000	-52.33	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.979	-49.05	-11.5	Pass
-7.5	-3.5	1 M	3 M	812.140	-38.66	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.984	-47.53	-13.5	Pass
2.5	3.5	30 k	100 k	820.004	-29.19	-13.5	Pass
3.5	7.5	1 M	3 M	821.064	-26.72	-8.5	Pass
7.5	8.5	1 M	3 M	825.002	-44.14	-11.5	Pass
8.5	12.5	1 M	3 M	826.000	-47.87	-23.5	Pass

Band26 5MHz QPSK LCH 817.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.968	-43.07	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.990	-38.64	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.948	-28.53	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.995	-33.10	-13.5	Pass
2.5	3.5	30 k	100 k	820.000	-33.33	-13.5	Pass
3.5	7.5	1 M	3 M	821.000	-28.87	-8.5	Pass
7.5	8.5	1 M	3 M	825.005	-35.51	-11.5	Pass
8.5	12.5	1 M	3 M	826.008	-37.71	-23.5	Pass

Band26 5MHz QPSK MCH 830MHz RB 8 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.472	-47.43	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.464	-43.88	-11.5	Pass
-7.5	-3.5	1 M	3 M	826.480	-25.56	-8.5	Pass
-3.5	-2.5	30 k	100 k	827.493	-28.47	-13.5	Pass
2.5	3.5	30 k	100 k	832.503	-48.03	-13.5	Pass
3.5	7.5	1 M	3 M	833.912	-38.14	-8.5	Pass
7.5	8.5	1 M	3 M	837.508	-47.83	-11.5	Pass
8.5	12.5	1 M	3 M	838.504	-50.06	-23.5	Pass

Band26 5MHz QPSK MCH 830MHz RB 8 17 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.500	-48.90	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.469	-46.87	-11.5	Pass
-7.5	-3.5	1 M	3 M	824.628	-37.73	-8.5	Pass
-3.5	-2.5	30 k	100 k	827.480	-47.20	-13.5	Pass
2.5	3.5	30 k	100 k	832.530	-28.41	-13.5	Pass
3.5	7.5	1 M	3 M	833.520	-25.82	-8.5	Pass
7.5	8.5	1 M	3 M	837.509	-43.95	-11.5	Pass
8.5	12.5	1 M	3 M	838.524	-47.56	-23.5	Pass

Band26 5MHz QPSK MCH 830MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.436	-38.16	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.493	-36.01	-11.5	Pass
-7.5	-3.5	1 M	3 M	826.440	-27.65	-8.5	Pass
-3.5	-2.5	30 k	100 k	827.496	-32.84	-13.5	Pass
2.5	3.5	30 k	100 k	832.504	-33.34	-13.5	Pass
3.5	7.5	1 M	3 M	833.540	-27.65	-8.5	Pass
7.5	8.5	1 M	3 M	837.511	-34.95	-11.5	Pass
8.5	12.5	1 M	3 M	838.500	-37.53	-23.5	Pass

Band26 5MHz QPSK HCH 842.5MHz RB 8 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.964	-46.93	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.998	-43.33	-11.5	Pass
-7.5	-3.5	1 M	3 M	838.928	-25.97	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.995	-28.16	-13.5	Pass
2.5	3.5	30 k	100 k	845.027	-48.64	-13.5	Pass
3.5	7.5	1 M	3 M	847.872	-39.58	-8.5	Pass
7.5	8.5	1 M	3 M	850.002	-49.05	-11.5	Pass
8.5	12.5	1 M	3 M	851.004	-51.71	-23.5	Pass

Band26 5MHz QPSK HCH 842.5MHz RB 8 17 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.984	-49.05	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.967	-46.77	-11.5	Pass
-7.5	-3.5	1 M	3 M	837.116	-37.98	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.996	-46.59	-13.5	Pass
2.5	3.5	30 k	100 k	845.002	-30.16	-13.5	Pass
3.5	7.5	1 M	3 M	846.004	-25.91	-8.5	Pass
7.5	8.5	1 M	3 M	850.009	-44.83	-11.5	Pass
8.5	12.5	1 M	3 M	851.000	-49.32	-23.5	Pass

Band26 5MHz QPSK HCH 842.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.936	-38.23	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.983	-36.07	-11.5	Pass
-7.5	-3.5	1 M	3 M	838.884	-27.97	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.992	-32.67	-13.5	Pass
2.5	3.5	30 k	100 k	845.003	-34.18	-13.5	Pass
3.5	7.5	1 M	3 M	846.040	-28.60	-8.5	Pass
7.5	8.5	1 M	3 M	850.022	-37.12	-11.5	Pass
8.5	12.5	1 M	3 M	851.012	-40.25	-23.5	Pass

Band26 5MHz 16QAM LCH 817.5MHz RB 8 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.988	-50.93	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.999	-45.64	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.984	-24.64	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.995	-27.47	-13.5	Pass
2.5	3.5	30 k	100 k	820.020	-47.29	-13.5	Pass
3.5	7.5	1 M	3 M	821.020	-38.06	-8.5	Pass
7.5	8.5	1 M	3 M	825.007	-46.90	-11.5	Pass
8.5	12.5	1 M	3 M	826.012	-49.39	-23.5	Pass

Band26 5MHz 16QAM LCH 817.5MHz RB 8 17 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.996	-51.76	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.997	-48.72	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.968	-38.36	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.159	-45.88	-13.5	Pass
2.5	3.5	30 k	100 k	820.002	-28.84	-13.5	Pass
3.5	7.5	1 M	3 M	821.012	-25.46	-8.5	Pass
7.5	8.5	1 M	3 M	825.012	-44.45	-11.5	Pass
8.5	12.5	1 M	3 M	826.012	-47.74	-23.5	Pass

Band26 5MHz 16QAM LCH 817.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.996	-41.64	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.992	-36.72	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.888	-24.52	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.998	-31.93	-13.5	Pass
2.5	3.5	30 k	100 k	820.002	-32.85	-13.5	Pass
3.5	7.5	1 M	3 M	821.012	-24.16	-8.5	Pass
7.5	8.5	1 M	3 M	825.018	-33.70	-11.5	Pass
8.5	12.5	1 M	3 M	826.012	-36.41	-23.5	Pass

Band26 5MHz 16QAM MCH 830MHz RB 8 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.488	-47.39	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.493	-44.00	-11.5	Pass
-7.5	-3.5	1 M	3 M	826.484	-24.47	-8.5	Pass
-3.5	-2.5	30 k	100 k	827.497	-26.60	-13.5	Pass
2.5	3.5	30 k	100 k	832.502	-47.23	-13.5	Pass
3.5	7.5	1 M	3 M	835.360	-38.69	-8.5	Pass
7.5	8.5	1 M	3 M	837.513	-47.59	-11.5	Pass
8.5	12.5	1 M	3 M	838.516	-49.80	-23.5	Pass

Band26 5MHz 16QAM MCH 830MHz RB 8 17 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.492	-48.84	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.482	-46.53	-11.5	Pass
-7.5	-3.5	1 M	3 M	824.636	-38.07	-8.5	Pass
-3.5	-2.5	30 k	100 k	826.649	-41.47	-13.5	Pass
2.5	3.5	30 k	100 k	832.501	-27.90	-13.5	Pass
3.5	7.5	1 M	3 M	833.500	-23.91	-8.5	Pass
7.5	8.5	1 M	3 M	837.502	-44.37	-11.5	Pass
8.5	12.5	1 M	3 M	838.524	-47.81	-23.5	Pass

Band26 5MHz 16QAM MCH 830MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	821.460	-37.09	-23.5	Pass
-8.5	-7.5	1 M	3 M	822.495	-34.57	-11.5	Pass
-7.5	-3.5	1 M	3 M	826.416	-23.51	-8.5	Pass
-3.5	-2.5	30 k	100 k	827.500	-32.21	-13.5	Pass
2.5	3.5	30 k	100 k	832.500	-32.24	-13.5	Pass
3.5	7.5	1 M	3 M	833.504	-23.78	-8.5	Pass
7.5	8.5	1 M	3 M	837.504	-33.60	-11.5	Pass
8.5	12.5	1 M	3 M	838.500	-36.32	-23.5	Pass

Band26 5MHz 16QAM HCH 842.5MHz RB 8 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.996	-47.07	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.985	-43.85	-11.5	Pass
-7.5	-3.5	1 M	3 M	838.980	-24.70	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.997	-27.73	-13.5	Pass
2.5	3.5	30 k	100 k	845.001	-47.75	-13.5	Pass
3.5	7.5	1 M	3 M	846.032	-39.17	-8.5	Pass
7.5	8.5	1 M	3 M	850.006	-48.79	-11.5	Pass
8.5	12.5	1 M	3 M	851.028	-51.49	-23.5	Pass

Band26 5MHz 16QAM HCH 842.5MHz RB 8 17 NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.956	-49.00	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.996	-46.55	-11.5	Pass
-7.5	-3.5	1 M	3 M	838.916	-38.02	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.985	-46.62	-13.5	Pass
2.5	3.5	30 k	100 k	845.000	-29.44	-13.5	Pass
3.5	7.5	1 M	3 M	846.020	-25.05	-8.5	Pass
7.5	8.5	1 M	3 M	850.017	-45.63	-11.5	Pass
8.5	12.5	1 M	3 M	851.004	-49.68	-23.5	Pass


Band26 5MHz 16QAM HCH 842.5MHz RB 25 0 NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	833.992	-37.14	-23.5	Pass
-8.5	-7.5	1 M	3 M	834.987	-34.53	-11.5	Pass
-7.5	-3.5	1 M	3 M	838.796	-23.70	-8.5	Pass
-3.5	-2.5	30 k	100 k	839.974	-32.29	-13.5	Pass
2.5	3.5	30 k	100 k	845.003	-30.01	-13.5	Pass
3.5	7.5	1 M	3 M	846.176	-19.70	-8.5	Pass
7.5	8.5	1 M	3 M	850.001	-32.76	-11.5	Pass
8.5	12.5	1 M	3 M	851.016	-36.23	-23.5	Pass


5.2.3 B26_10MHz

Band26 10MHz QPSK LCH 820MHz RB 12 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	804.880	-55.48	-23.5	Pass
-15	-10	1 M	3 M	809.980	-39.05	-11.5	Pass
-10	-6	1 M	3 M	813.996	-12.41	-8.5	Pass
-6	-5	30 k	100 k	814.988	-22.06	-16.5	Pass
5	6	30 k	100 k	825.003	-48.19	-16.5	Pass
6	10	1 M	3 M	826.540	-39.03	-8.5	Pass
10	15	1 M	3 M	830.620	-41.11	-11.5	Pass
15	20	1 M	3 M	835.020	-52.29	-23.5	Pass

Band26 10MHz QPSK LCH 820MHz RB 12 38 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	804.580	-55.58	-23.5	Pass
-15	-10	1 M	3 M	809.385	-44.82	-11.5	Pass
-10	-6	1 M	3 M	813.860	-38.88	-8.5	Pass
-6	-5	30 k	100 k	814.997	-47.86	-16.5	Pass
5	6	30 k	100 k	825.005	-20.81	-16.5	Pass
6	10	1 M	3 M	826.016	-11.00	-8.5	Pass
10	15	1 M	3 M	830.055	-36.25	-11.5	Pass
15	20	1 M	3 M	835.045	-48.34	-23.5	Pass

Band26 10MHz QPSK LCH 820MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	803.995	-55.62	-23.5	Pass
-15	-10	1 M	3 M	809.985	-25.50	-11.5	Pass
-10	-6	1 M	3 M	813.836	-19.17	-8.5	Pass
-6	-5	30 k	100 k	814.946	-32.22	-16.5	Pass
5	6	30 k	100 k	825.022	-31.55	-16.5	Pass
6	10	1 M	3 M	826.452	-18.89	-8.5	Pass
10	15	1 M	3 M	830.045	-28.06	-11.5	Pass
15	20	1 M	3 M	835.030	-35.68	-23.5	Pass

Band26 10MHz QPSK MCH 830MHz RB 12 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	814.965	-48.04	-23.5	Pass
-15	-10	1 M	3 M	819.995	-36.06	-11.5	Pass
-10	-6	1 M	3 M	824.000	-10.29	-8.5	Pass
-6	-5	30 k	100 k	824.962	-19.72	-16.5	Pass
5	6	30 k	100 k	835.000	-48.34	-16.5	Pass
6	10	1 M	3 M	836.100	-38.36	-8.5	Pass
10	15	1 M	3 M	840.665	-41.28	-11.5	Pass
15	20	1 M	3 M	845.005	-52.61	-23.5	Pass

Band26 10MHz QPSK MCH 830MHz RB 12 38 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	814.985	-52.04	-23.5	Pass
-15	-10	1 M	3 M	819.240	-40.94	-11.5	Pass
-10	-6	1 M	3 M	823.716	-38.58	-8.5	Pass
-6	-5	30 k	100 k	824.845	-45.52	-16.5	Pass
5	6	30 k	100 k	835.021	-21.27	-16.5	Pass
6	10	1 M	3 M	836.004	-11.73	-8.5	Pass
10	15	1 M	3 M	840.025	-36.07	-11.5	Pass
15	20	1 M	3 M	845.085	-48.38	-23.5	Pass

Band26 10MHz QPSK MCH 830MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	814.990	-34.77	-23.5	Pass
-15	-10	1 M	3 M	819.915	-22.04	-11.5	Pass
-10	-6	1 M	3 M	823.512	-17.95	-8.5	Pass
-6	-5	30 k	100 k	824.968	-30.69	-16.5	Pass
5	6	30 k	100 k	835.112	-30.84	-16.5	Pass
6	10	1 M	3 M	836.008	-17.86	-8.5	Pass
10	15	1 M	3 M	840.110	-22.34	-11.5	Pass
15	20	1 M	3 M	845.015	-32.61	-23.5	Pass

Band26 10MHz QPSK HCH 840MHz RB 12 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	824.960	-48.17	-23.5	Pass
-15	-10	1 M	3 M	829.990	-36.71	-11.5	Pass
-10	-6	1 M	3 M	833.860	-26.92	-8.5	Pass
-6	-5	30 k	100 k	834.988	-36.18	-16.5	Pass
5	6	30 k	100 k	845.629	-46.50	-16.5	Pass
6	10	1 M	3 M	846.392	-42.29	-8.5	Pass
10	15	1 M	3 M	850.565	-46.05	-11.5	Pass
15	20	1 M	3 M	859.895	-56.00	-23.5	Pass

Band26 10MHz QPSK HCH 840MHz RB 12 38 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	824.990	-53.69	-23.5	Pass
-15	-10	1 M	3 M	829.250	-43.63	-11.5	Pass
-10	-6	1 M	3 M	833.992	-41.48	-8.5	Pass
-6	-5	30 k	100 k	834.922	-51.05	-16.5	Pass
5	6	30 k	100 k	845.149	-34.29	-16.5	Pass
6	10	1 M	3 M	846.276	-27.91	-8.5	Pass
10	15	1 M	3 M	850.040	-41.61	-11.5	Pass
15	20	1 M	3 M	855.615	-56.00	-23.5	Pass

Band26 10MHz QPSK HCH 840MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	824.975	-41.72	-23.5	Pass
-15	-10	1 M	3 M	829.910	-34.91	-11.5	Pass
-10	-6	1 M	3 M	833.772	-31.62	-8.5	Pass
-6	-5	30 k	100 k	835.000	-40.07	-16.5	Pass
5	6	30 k	100 k	845.013	-41.34	-16.5	Pass
6	10	1 M	3 M	846.876	-32.17	-8.5	Pass
10	15	1 M	3 M	850.065	-35.88	-11.5	Pass
15	20	1 M	3 M	855.025	-55.95	-23.5	Pass

Band26 10MHz 16QAM LCH 820MHz RB 12 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	804.445	-55.76	-23.5	Pass
-15	-10	1 M	3 M	810.000	-42.56	-11.5	Pass
-10	-6	1 M	3 M	813.972	-19.62	-8.5	Pass
-6	-5	30 k	100 k	814.982	-28.29	-16.5	Pass
5	6	30 k	100 k	825.026	-50.34	-16.5	Pass
6	10	1 M	3 M	826.032	-40.07	-8.5	Pass
10	15	1 M	3 M	830.825	-42.62	-11.5	Pass
15	20	1 M	3 M	835.010	-52.51	-23.5	Pass

Band26 10MHz 16QAM LCH 820MHz RB 12 38 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	802.290	-55.62	-23.5	Pass
-15	-10	1 M	3 M	809.650	-46.07	-11.5	Pass
-10	-6	1 M	3 M	813.856	-38.97	-8.5	Pass
-6	-5	30 k	100 k	814.988	-49.29	-16.5	Pass
5	6	30 k	100 k	825.070	-23.71	-16.5	Pass
6	10	1 M	3 M	826.012	-14.55	-8.5	Pass
10	15	1 M	3 M	830.025	-38.15	-11.5	Pass
15	20	1 M	3 M	835.005	-49.56	-23.5	Pass

Band26 10MHz 16QAM LCH 820MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	801.685	-55.76	-23.5	Pass
-15	-10	1 M	3 M	809.990	-29.25	-11.5	Pass
-10	-6	1 M	3 M	813.976	-22.56	-8.5	Pass
-6	-5	30 k	100 k	814.991	-35.14	-16.5	Pass
5	6	30 k	100 k	825.093	-35.06	-16.5	Pass
6	10	1 M	3 M	826.520	-21.97	-8.5	Pass
10	15	1 M	3 M	830.090	-25.89	-11.5	Pass
15	20	1 M	3 M	835.095	-34.33	-23.5	Pass

Band26 10MHz 16QAM MCH 830MHz RB 12 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	814.985	-49.42	-23.5	Pass
-15	-10	1 M	3 M	819.985	-37.41	-11.5	Pass
-10	-6	1 M	3 M	823.996	-12.78	-8.5	Pass
-6	-5	30 k	100 k	824.985	-21.93	-16.5	Pass
5	6	30 k	100 k	835.049	-48.38	-16.5	Pass
6	10	1 M	3 M	836.368	-38.79	-8.5	Pass
10	15	1 M	3 M	840.675	-41.82	-11.5	Pass
15	20	1 M	3 M	845.000	-52.80	-23.5	Pass

Band26 10MHz 16QAM MCH 830MHz RB 12 38 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	815.000	-52.38	-23.5	Pass
-15	-10	1 M	3 M	819.290	-41.58	-11.5	Pass
-10	-6	1 M	3 M	823.368	-33.27	-8.5	Pass
-6	-5	30 k	100 k	824.975	-48.95	-16.5	Pass
5	6	30 k	100 k	835.013	-23.74	-16.5	Pass
6	10	1 M	3 M	836.012	-15.34	-8.5	Pass
10	15	1 M	3 M	840.005	-38.17	-11.5	Pass
15	20	1 M	3 M	845.045	-49.80	-23.5	Pass

Band26 10MHz 16QAM MCH 830MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	814.980	-36.45	-23.5	Pass
-15	-10	1 M	3 M	819.955	-24.76	-11.5	Pass
-10	-6	1 M	3 M	823.992	-19.99	-8.5	Pass
-6	-5	30 k	100 k	824.975	-33.48	-16.5	Pass
5	6	30 k	100 k	835.011	-33.30	-16.5	Pass
6	10	1 M	3 M	836.196	-20.04	-8.5	Pass
10	15	1 M	3 M	840.000	-24.97	-11.5	Pass
15	20	1 M	3 M	845.010	-34.02	-23.5	Pass

Band26 10MHz 16QAM HCH 840MHz RB 12 0 NTV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	825.000	-52.21	-23.5	Pass
-15	-10	1 M	3 M	830.000	-41.24	-11.5	Pass
-10	-6	1 M	3 M	833.784	-25.79	-8.5	Pass
-6	-5	30 k	100 k	834.996	-33.58	-16.5	Pass
5	6	30 k	100 k	845.023	-51.75	-16.5	Pass
6	10	1 M	3 M	846.036	-41.19	-8.5	Pass
10	15	1 M	3 M	850.610	-45.82	-11.5	Pass
15	20	1 M	3 M	857.275	-56.02	-23.5	Pass

Band26 10MHz 16QAM HCH 840MHz RB 12 38 NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	824.995	-53.48	-23.5	Pass
-15	-10	1 M	3 M	829.300	-43.33	-11.5	Pass
-10	-6	1 M	3 M	833.988	-40.74	-8.5	Pass
-6	-5	30 k	100 k	834.993	-50.55	-16.5	Pass
5	6	30 k	100 k	845.002	-32.98	-16.5	Pass
6	10	1 M	3 M	846.020	-24.55	-8.5	Pass
10	15	1 M	3 M	850.000	-42.25	-11.5	Pass
15	20	1 M	3 M	855.570	-55.90	-23.5	Pass


Band26 10MHz 16QAM HCH 840MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	825.000	-39.84	-23.5	Pass
-15	-10	1 M	3 M	829.995	-31.84	-11.5	Pass
-10	-6	1 M	3 M	833.824	-27.83	-8.5	Pass
-6	-5	30 k	100 k	834.996	-39.36	-16.5	Pass
5	6	30 k	100 k	845.005	-39.85	-16.5	Pass
6	10	1 M	3 M	846.144	-28.21	-8.5	Pass
10	15	1 M	3 M	850.025	-32.60	-11.5	Pass
15	20	1 M	3 M	855.030	-55.81	-23.5	Pass


5.2.4 B26_15MHz

Band26 15MHz QPSK LCH 822.5MHz RB 16 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	796.590	-55.85	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.780	-39.30	-11.5	Pass
-12.5	-8.5	1 M	3 M	813.964	-29.54	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.991	-38.98	-18.5	Pass
7.5	8.5	30 k	100 k	830.054	-52.36	-18.5	Pass
8.5	12.5	1 M	3 M	832.776	-42.82	-8.5	Pass
12.5	22.5	1 M	3 M	835.050	-44.83	-11.5	Pass
22.5	27.5	1 M	3 M	845.320	-52.83	-23.5	Pass

Band26 15MHz QPSK LCH 822.5MHz RB 16 59 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	797.335	-55.87	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.990	-47.31	-11.5	Pass
-12.5	-8.5	1 M	3 M	811.592	-43.47	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.965	-52.29	-18.5	Pass
7.5	8.5	30 k	100 k	830.096	-34.48	-18.5	Pass
8.5	12.5	1 M	3 M	831.028	-27.25	-8.5	Pass
12.5	22.5	1 M	3 M	835.010	-38.51	-11.5	Pass
22.5	27.5	1 M	3 M	845.100	-53.82	-23.5	Pass

Band26 15MHz QPSK LCH 822.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	796.675	-55.87	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.980	-35.65	-11.5	Pass
-12.5	-8.5	1 M	3 M	813.764	-30.63	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.967	-42.57	-18.5	Pass
-7.5	8.5	30 k	100 k	830.012	-41.54	-18.5	Pass
8.5	12.5	1 M	3 M	832.592	-30.14	-8.5	Pass
12.5	22.5	1 M	3 M	835.000	-31.70	-11.5	Pass
22.5	27.5	1 M	3 M	845.275	-38.97	-23.5	Pass

Band26 15MHz QPSK MCH 830MHz RB 16 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	804.215	-55.83	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.470	-38.58	-11.5	Pass
-12.5	-8.5	1 M	3 M	818.664	-55.33	-8.5	Pass
-8.5	-7.5	30 k	100 k	822.480	-22.16	-18.5	Pass
-7.5	8.5	30 k	100 k	837.572	-49.36	-18.5	Pass
8.5	12.5	1 M	3 M	838.692	-36.50	-8.5	Pass
12.5	22.5	1 M	3 M	842.580	-42.09	-11.5	Pass
22.5	27.5	1 M	3 M	852.510	-54.85	-23.5	Pass

Band26 15MHz QPSK MCH 830MHz RB 16 59 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	806.930	-55.50	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.480	-42.26	-11.5	Pass
-12.5	-8.5	1 M	3 M	819.816	-39.59	-8.5	Pass
-8.5	-7.5	30 k	100 k	822.491	-48.83	-18.5	Pass
-7.5	8.5	30 k	100 k	837.638	-23.44	-18.5	Pass
8.5	12.5	1 M	3 M	838.504	-12.27	-8.5	Pass
12.5	22.5	1 M	3 M	842.560	-31.28	-11.5	Pass
22.5	27.5	1 M	3 M	852.505	-54.29	-23.5	Pass

Band26 15MHz QPSK MCH 830MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	807.495	-49.67	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.340	-20.95	-11.5	Pass
-12.5	-8.5	1 M	3 M	821.500	-17.28	-8.5	Pass
-8.5	-7.5	30 k	100 k	821.884	-30.55	-18.5	Pass
-7.5	8.5	30 k	100 k	838.034	-31.15	-18.5	Pass
8.5	12.5	1 M	3 M	838.516	-17.70	-8.5	Pass
12.5	22.5	1 M	3 M	842.770	-20.78	-11.5	Pass
22.5	27.5	1 M	3 M	852.525	-41.08	-23.5	Pass

Band26 15MHz QPSK HCH 837.5MHz RB 16 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.955	-50.08	-23.5	Pass
-22.5	-12.5	1 M	3 M	825.000	-35.76	-11.5	Pass
-12.5	-8.5	1 M	3 M	828.936	-21.58	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.916	-33.36	-18.5	Pass
-7.5	8.5	30 k	100 k	845.062	-51.20	-18.5	Pass
8.5	12.5	1 M	3 M	847.752	-42.05	-8.5	Pass
12.5	22.5	1 M	3 M	851.380	-41.73	-11.5	Pass
22.5	27.5	1 M	3 M	862.725	-55.76	-23.5	Pass

Band26 15MHz QPSK HCH 837.5MHz RB 16 59 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.785	-52.07	-23.5	Pass
-22.5	-12.5	1 M	3 M	824.990	-43.97	-11.5	Pass
-12.5	-8.5	1 M	3 M	827.344	-41.86	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.992	-50.60	-18.5	Pass
-7.5	8.5	30 k	100 k	845.005	-35.71	-18.5	Pass
8.5	12.5	1 M	3 M	846.000	-27.91	-8.5	Pass
12.5	22.5	1 M	3 M	850.000	-39.46	-11.5	Pass
22.5	27.5	1 M	3 M	860.015	-55.90	-23.5	Pass

Band26 15MHz QPSK HCH 837.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.585	-42.30	-23.5	Pass
-22.5	-12.5	1 M	3 M	824.960	-33.18	-11.5	Pass
-12.5	-8.5	1 M	3 M	827.868	-30.61	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.998	-42.68	-18.5	Pass
-7.5	-8.5	30 k	100 k	845.008	-43.07	-18.5	Pass
-8.5	12.5	1 M	3 M	846.124	-31.26	-8.5	Pass
12.5	22.5	1 M	3 M	850.200	-33.73	-11.5	Pass
22.5	27.5	1 M	3 M	860.205	-55.89	-23.5	Pass

Band26 15MHz 16QAM LCH 822.5MHz RB 16 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	797.930	-55.84	-23.5	Pass
-22.5	-12.5	1 M	3 M	810.000	-40.82	-11.5	Pass
-12.5	-8.5	1 M	3 M	813.976	-25.25	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.982	-34.68	-18.5	Pass
-7.5	-8.5	30 k	100 k	830.113	-52.32	-18.5	Pass
-8.5	12.5	1 M	3 M	833.380	-42.28	-8.5	Pass
12.5	22.5	1 M	3 M	835.100	-44.19	-11.5	Pass
22.5	27.5	1 M	3 M	845.320	-52.80	-23.5	Pass

Band26 15MHz 16QAM LCH 822.5MHz RB 16 59 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	795.500	-55.86	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.980	-46.77	-11.5	Pass
-12.5	-8.5	1 M	3 M	812.348	-40.18	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.997	-51.92	-18.5	Pass
-7.5	8.5	30 k	100 k	830.034	-33.77	-18.5	Pass
8.5	12.5	1 M	3 M	831.032	-23.08	-8.5	Pass
12.5	22.5	1 M	3 M	835.000	-37.81	-11.5	Pass
22.5	27.5	1 M	3 M	845.050	-53.63	-23.5	Pass

Band26 15MHz 16QAM LCH 822.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	797.905	-55.86	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.950	-32.75	-11.5	Pass
-12.5	-8.5	1 M	3 M	813.992	-27.86	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.629	-40.68	-18.5	Pass
-7.5	8.5	30 k	100 k	830.006	-39.75	-18.5	Pass
8.5	12.5	1 M	3 M	831.204	-26.53	-8.5	Pass
12.5	22.5	1 M	3 M	835.090	-28.99	-11.5	Pass
22.5	27.5	1 M	3 M	845.105	-37.24	-23.5	Pass

Band26 15MHz 16QAM MCH 830MHz RB 16 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	807.465	-55.42	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.500	-34.49	-11.5	Pass
-12.5	-8.5	1 M	3 M	821.408	-13.09	-8.5	Pass
-8.5	-7.5	30 k	100 k	822.344	-24.02	-18.5	Pass
-7.5	8.5	30 k	100 k	837.539	-49.90	-18.5	Pass
8.5	12.5	1 M	3 M	840.144	-40.25	-8.5	Pass
12.5	22.5	1 M	3 M	842.500	-42.19	-11.5	Pass
22.5	27.5	1 M	3 M	852.505	-55.11	-23.5	Pass

Band26 15MHz 16QAM MCH 830MHz RB 16 59 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	807.475	-55.55	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.440	-42.43	-11.5	Pass
-12.5	-8.5	1 M	3 M	819.028	-35.69	-8.5	Pass
-8.5	-7.5	30 k	100 k	822.435	-49.45	-18.5	Pass
-7.5	8.5	30 k	100 k	837.628	-25.46	-18.5	Pass
8.5	12.5	1 M	3 M	838.564	-15.39	-8.5	Pass
12.5	22.5	1 M	3 M	842.520	-35.10	-11.5	Pass
22.5	27.5	1 M	3 M	852.525	-54.72	-23.5	Pass

Band26 15MHz 16QAM MCH 830MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	807.485	-51.05	-23.5	Pass
-22.5	-12.5	1 M	3 M	817.420	-23.52	-11.5	Pass
-12.5	-8.5	1 M	3 M	821.408	-20.58	-8.5	Pass
-8.5	-7.5	30 k	100 k	822.319	-34.04	-18.5	Pass
-7.5	-8.5	30 k	100 k	838.105	-34.38	-18.5	Pass
-8.5	12.5	1 M	3 M	838.540	-20.33	-8.5	Pass
12.5	22.5	1 M	3 M	842.520	-23.58	-11.5	Pass
22.5	27.5	1 M	3 M	852.510	-42.07	-23.5	Pass

Band26 15MHz 16QAM HCH 837.5MHz RB 16 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.865	-53.39	-23.5	Pass
-22.5	-12.5	1 M	3 M	824.950	-38.48	-11.5	Pass
-12.5	-8.5	1 M	3 M	828.936	-24.67	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.997	-34.89	-18.5	Pass
-7.5	-8.5	30 k	100 k	845.051	-51.90	-18.5	Pass
-8.5	12.5	1 M	3 M	847.732	-42.86	-8.5	Pass
12.5	22.5	1 M	3 M	850.120	-45.54	-11.5	Pass
22.5	27.5	1 M	3 M	863.825	-55.88	-23.5	Pass

Band26 15MHz 16QAM HCH 837.5MHz RB 16 59 NTN



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.655	-52.44	-23.5	Pass
-22.5	-12.5	1 M	3 M	825.000	-44.18	-11.5	Pass
-12.5	-8.5	1 M	3 M	825.276	-40.33	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.977	-51.50	-18.5	Pass
-7.5	-8.5	30 k	100 k	845.023	-35.37	-18.5	Pass
-8.5	12.5	1 M	3 M	846.000	-24.79	-8.5	Pass
12.5	22.5	1 M	3 M	850.020	-39.44	-11.5	Pass
22.5	27.5	1 M	3 M	860.405	-55.95	-23.5	Pass

Band26 15MHz 16QAM HCH 837.5MHz RB 75 0 NTN



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	814.605	-40.97	-23.5	Pass
-22.5	-12.5	1 M	3 M	824.910	-30.58	-11.5	Pass
-12.5	-8.5	1 M	3 M	828.052	-27.87	-8.5	Pass
-8.5	-7.5	30 k	100 k	829.952	-39.41	-18.5	Pass
-7.5	-8.5	30 k	100 k	845.027	-40.79	-18.5	Pass
-8.5	12.5	1 M	3 M	846.168	-27.50	-8.5	Pass
12.5	22.5	1 M	3 M	850.050	-31.02	-11.5	Pass
22.5	27.5	1 M	3 M	862.555	-55.85	-23.5	Pass

6. Tolerance of Unwanted Emission Intensity

6.1 Test Result

6.1.1 B26_3MHz

Band: 26 / Bandwidth: 3MHz										
Bandwidth (MHz)	Channel Number	26715		26850		26985		Unit	Limit	Result
	Frequency Center (MHz)	816.5		830		843.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
3	0.009MHz ~ 0.15MHz	0.072	-49.15	0.091	-53.99	0.063	-56.56	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.155	-47.82	0.150	-50.79	1.345	-50.71	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	825.000	-46.46	821.900	-46.61	835.500	-45.62	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	600.800	-64.84	683.250	-65.01	504.600	-65.00	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.330	-74.48	772.208	-75.58	770.948	-75.75	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	797.930	-66.27	779.840	-66.39	795.320	-66.12	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	861.440	-62.80	874.460	-63.18	888.140	-63.15	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	959.595	-76.38	957.645	-76.53	951.165	-76.22	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	2445.500	-53.45	2486.000	-55.02	2534.000	-58.76	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1490.897	-69.80	1477.273	-69.72	1481.287	-69.36	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1510.815	-69.78	1509.054	-69.76	1501.826	-69.26	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1838.920	-68.26	1820.800	-68.30	1836.360	-67.90	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1875.905	-67.90	1868.275	-68.08	1879.615	-67.54	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1914.435	-67.78	1910.204	-67.73	1915.236	-67.25	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2022.585	-66.63	2022.765	-66.61	2022.465	-66.20	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2140.513	-65.99	2144.022	-66.01	2141.958	-65.48	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2131.302	-66.03	2126.076	-66.06	2148.928	-65.55	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2331.200	-67.53	2346.040	-67.57	2337.040	-67.11	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3413.761	-71.19	3418.316	-71.14	3403.165	-70.97	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3487.269	-70.88	3459.919	-70.55	3433.382	-70.48	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3573.146	-71.04	3568.336	-71.08	3572.702	-70.81	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3587.258	-70.79	3587.164	-70.79	3590.253	-70.54	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3599.098	-70.68	3599.922	-70.68	3599.573	-70.39	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3872.000	-74.60	3838.500	-74.55	3871.000	-74.58	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4806.400	-74.39	4805.600	-74.27	4827.600	-74.25	dBm/MHz	<=-30	Pass

6.1.2 B26_5MHz

Band: 26 / Bandwidth: 5MHz										
Bandwidth (MHz)	Channel Number	26725		26850		26975		Unit	Limit	Result
	Frequency Center (MHz)	817.5		830		842.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
5	0.009MHz ~ 0.15MHz	0.090	-47.32	0.105	-47.85	0.090	-48.29	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.160	-44.22	0.160	-47.17	0.160	-46.01	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	830.650	-46.74	842.600	-48.47	829.150	-48.25	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	521.300	-64.75	529.050	-64.65	531.200	-65.07	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	771.044	-74.13	771.383	-73.67	772.967	-74.35	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	800.690	-65.81	786.680	-66.28	780.740	-66.11	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	861.740	-62.39	873.620	-62.49	886.820	-62.63	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	957.600	-74.31	957.075	-75.06	959.190	-75.07	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	2446.000	-52.90	2483.500	-56.36	2534.000	-58.75	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1488.422	-68.24	1494.849	-68.19	1476.004	-69.09	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1501.656	-68.19	1496.856	-68.24	1508.259	-68.94	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1844.840	-66.51	1835.600	-66.50	1831.000	-67.52	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1879.965	-66.21	1877.865	-66.30	1879.685	-67.23	dBm/MHz	<=-50	Pass
	1910MHz ~ 1915.7MHz	1913.739	-66.10	1914.121	-65.93	1911.938	-67.03	dBm/MHz	<=-30	Pass

2010MHz ~ 2025MHz	2023.740	-64.89	2021.085	-64.93	2010.690	-65.93	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2127.131	-64.27	2134.390	-64.30	2127.062	-65.30	dBm/MHz	<=-50	Pass
2114.4MHz ~ 2170MHz	2159.102	-64.30	2151.374	-64.21	2146.982	-65.30	dBm/MHz	<=-50	Pass
2330MHz ~ 2370MHz	2356.400	-65.79	2332.280	-65.88	2336.280	-66.87	dBm/MHz	<=-30	Pass
3400MHz ~ 3419.3MHz	3410.248	-70.09	3415.401	-70.24	3413.529	-70.73	dBm/MHz	<=-30	Pass
3419.3MHz ~ 3500.7MHz	3434.196	-68.74	3458.046	-69.38	3433.219	-69.88	dBm/MHz	<=-30	Pass
3500.7MHz ~ 3574.7MHz	3505.066	-63.77	3574.404	-70.01	3571.814	-70.72	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	3580.222	-68.39	3588.865	-69.75	3589.582	-70.41	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	3597.439	-61.53	3594.151	-69.61	3597.953	-70.19	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	4098.500	-74.38	3863.500	-74.54	3851.000	-74.56	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4822.000	-74.28	4833.600	-74.28	4827.600	-74.37	dBm/MHz	<=-30	Pass

6.1.3 B26_10MHz

Band: 26 / Bandwidth: 10MHz										
Bandwidth (MHz)	Channel Number	26750		26850		26950		Unit	Limit	Result
	Frequency Center (MHz)	820		830		840				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
10	0.009MHz ~ 0.15MHz	0.091	-50.19	0.091	-47.33	0.014	-63.60	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-48.44	0.150	-45.51	1.110	-60.62	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	840.500	-44.16	850.300	-47.23	819.550	-52.40	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	538.750	-64.84	582.300	-64.80	471.950	-65.24	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.096	-74.44	770.843	-73.94	770.528	-76.78	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	791.660	-66.34	792.890	-66.21	784.610	-66.54	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	862.070	-62.52	872.150	-62.05	889.400	-55.98	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	958.740	-75.45	956.850	-74.74	948.600	-61.91	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	2446.500	-52.57	2490.000	-30.01	2533.500	-37.18	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1478.708	-68.99	1487.714	-68.12	1484.990	-70.45	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1504.354	-68.96	1499.994	-68.13	1504.098	-71.19	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1824.800	-67.36	1835.000	-66.35	1830.680	-65.45	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1871.460	-67.12	1879.055	-66.22	1857.775	-65.26	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1911.641	-66.86	1913.452	-65.92	1907.683	-68.57	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2024.595	-65.68	2023.980	-64.85	2024.400	-70.02	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2143.815	-65.07	2134.011	-64.23	2113.922	-69.19	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2142.256	-65.10	2127.299	-64.20	2146.982	-69.59	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2343.920	-66.67	2332.920	-65.67	2361.280	-70.77	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3416.289	-70.75	3401.448	-66.58	3418.779	-72.42	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3473.594	-69.88	3471.477	-69.39	3500.700	-72.19	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3518.756	-61.63	3505.436	-60.61	3518.090	-51.88	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3577.508	-70.22	3586.150	-61.55	3574.840	-69.65	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3595.732	-65.45	3598.099	-49.48	3596.033	-66.37	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3852.500	-74.61	3835.500	-74.60	3842.500	-74.58	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4796.400	-74.21	4794.000	-74.31	4819.600	-74.36	dBm/MHz	<=-30	Pass


6.1.4 B26_15MHz

Band: 26 / Bandwidth: 15MHz										
Bandwidth (MHz)	Channel Number	26775		26850		26925		Unit	Limit	Result
	Frequency Center (MHz)	822.5		830		837.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
15	0.009MHz ~ 0.15MHz	0.009	-64.70	0.079	-37.06	0.079	-37.16	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	2.530	-61.09	0.155	-69.62	0.195	-70.47	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	850.800	-56.47	721.000	-43.76	809.550	-55.79	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	514.700	-65.25	708.400	-49.60	684.500	-65.07	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.003	-78.40	771.422	-77.47	772.571	-78.17	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	776.240	-66.45	785.600	-66.49	790.580	-66.56	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	863.540	-51.67	868.880	-61.97	878.060	-63.68	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	948.615	-60.37	948.570	-59.55	948.615	-61.24	dBm/100kHz	<=-36	Pass


1000MHz ~ 12750MHz	2447.500	-36.01	2510.000	-35.60	2492.500	-37.55	dBm/MHz	<=-30	Pass
1475.9MHz ~ 1496.7MHz	1495.598	-72.88	1491.937	-73.03	1478.292	-73.00	dBm/MHz	<=-50	Pass
1496.7MHz ~ 1510.9MHz	1509.622	-73.00	1509.082	-73.04	1505.362	-73.08	dBm/MHz	<=-50	Pass
1805MHz ~ 1845MHz	1830.520	-64.49	1830.200	-63.90	1830.320	-62.91	dBm/MHz	<=-30	Pass
1845MHz ~ 1880MHz	1855.290	-66.10	1854.590	-66.54	1854.275	-66.82	dBm/MHz	<=-50	Pass
1906.6MHz ~ 1915.7MHz	1913.953	-71.64	1909.903	-71.66	1913.607	-71.69	dBm/MHz	<=-30	Pass
2010MHz ~ 2025MHz	2017.965	-70.60	2020.905	-70.70	2022.570	-70.76	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2118.634	-69.90	2118.669	-69.80	2113.268	-69.82	dBm/MHz	<=-50	Pass
2114.4MHz ~ 2170MHz	2120.182	-69.93	2117.569	-69.84	2117.903	-70.09	dBm/MHz	<=-50	Pass
2330MHz ~ 2370MHz	2334.240	-71.15	2364.120	-71.29	2336.200	-71.34	dBm/MHz	<=-30	Pass
3400MHz ~ 3419.3MHz	3401.641	-58.51	3407.238	-72.46	3409.824	-72.55	dBm/MHz	<=-30	Pass
3419.3MHz ~ 3500.7MHz	3464.233	-72.54	3493.374	-72.31	3460.977	-72.34	dBm/MHz	<=-30	Pass
3500.7MHz ~ 3574.7MHz	3509.876	-63.36	3545.396	-71.98	3510.912	-72.49	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	3586.525	-62.31	3583.842	-72.07	3574.809	-72.06	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	3593.569	-66.06	3598.855	-72.19	3598.050	-72.25	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	3836.000	-74.55	3856.000	-74.42	3826.000	-74.42	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4809.200	-74.25	4811.200	-74.29	4813.600	-74.22	dBm/MHz	<=-30	Pass

6.2 Test Graph


6.2.1 B26_3MHz




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTNV 3/25 30-1000MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTNV 8/25 470-710MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTN 9/25 770-773MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTN 10/25 773-803MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTN 11/25 860-890MHz Limit:-40




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTN 12/25 945-960MHz Limit:-36





Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTVN 4/25 1000-12750MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTVN 13/25 1475.9-1496.7MHz Limit:-50







Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTV 5/25 1845-1880MHz Limit:-50




Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTV 16/25 1906.6-1915.7MHz Limit:-30







Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTV 6/25 2010-2025MHz Limit:-50







Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTV 7/25 2110-2144.4MHz Limit:-50














Band26 3MHz QPSK LCH 816.5MHz RB 1 0 NTNV 25/25 4500-4900MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 1/25 0.009-0.15MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 2/25 0.15-30MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 3/25 30-1000MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTV 8/25 470-710MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTV 9/25 770-773MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTN 10/25 773-803MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTN 11/25 860-890MHz Limit:-40




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTN 12/25 945-960MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTN 4/25 1000-12750MHz Limit:-30





Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 14/25 1496.7-1510.9MHz Limit:-50








Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTNV 6/25 2010-2025MHz Limit:-50










Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTVN 18/25 2330-2370MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTVN 19/25 3400-3419.3MHz Limit:-30









Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTVN 24/25 3600-4100MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 1 14 NTVN 25/25 4500-4900MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 1/25 0.009-0.15MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 2/25 0.15-30MHz Limit:-36





Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 3/25 30-1000MHz Limit:-36




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 8/25 470-710MHz Limit:-36







Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 11/25 860-890MHz Limit:-40




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 12/25 945-960MHz Limit:-36





Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 4/25 1000-12750MHz Limit:-30




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 13/25 1475.9-1496.7MHz Limit:-50







Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTN 5/25 1845-1880MHz Limit:-50




Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTN 16/25 1906.6-1915.7MHz Limit:-30




Band26_3MHz_QPSK_LCH_816.5MHz_RB_15_0_NTNV_6/25_2010-2025MHz_Limit:-50




Band26_3MHz_QPSK_LCH_816.5MHz_RB_15_0_NTNV_7/25_2110-2144.4MHz_Limit:-50







Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTV 17/25 2114.4-2170MHz Limit:-50





Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTV 18/25 2330-2370MHz Limit:-30













Band26 3MHz QPSK LCH 816.5MHz RB 15 0 NTNV 25/25 4500-4900MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 1/25 0.009-0.15MHz Limit:-36







Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 8/25 470-710MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 9/25 770-773MHz Limit:-36







Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 10/25 773-803MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 11/25 860-890MHz Limit:-40












Band26 3MHz QPSK MCH 830MHz RB 1 0 NTV 15/25 1805-1845MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 0 NTV 5/25 1845-1880MHz Limit:-50












Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 18/25 2330-2370MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 19/25 3400-3419.3MHz Limit:-30












Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 24/25 3600-4100MHz Limit:-30





Band26 3MHz QPSK MCH 830MHz RB 1 0 NTNV 25/25 4500-4900MHz Limit:-30












Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 11/25 860-890MHz Limit:-40




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 12/25 945-960MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 4/25 1000-12750MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 15/25 1805-1845MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTV 5/25 1845-1880MHz Limit:-50




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTV 16/25 1906.6-1915.7MHz Limit:-30




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTV 6/25 2010-2025MHz Limit:-50




Band26 3MHz QPSK MCH 830MHz RB 1 14 NTV 7/25 2110-2144.4MHz Limit:-50







Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 17/25 2114.4-2170MHz Limit:-50







Band26 3MHz QPSK MCH 830MHz RB 1 14 NTNV 18/25 2330-2370MHz Limit:-30














Band26 3MHz QPSK MCH 830MHz RB 15 0 NTN 2/25 0.15-30MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 15 0 NTN 3/25 30-1000MHz Limit:-36





Band26 3MHz QPSK MCH 830MHz RB 15 0 NTNV 8/25 470-710MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 15 0 NTNV 9/25 770-773MHz Limit:-36







Band26 3MHz QPSK MCH 830MHz RB 15 0 NTV 12/25 945-960MHz Limit:-36




Band26 3MHz QPSK MCH 830MHz RB 15 0 NTV 4/25 1000-12750MHz Limit:-30





Band26 3MHz QPSK MCH 830MHz RB 15 0 NTVN 13/25 1475.9-1496.7MHz Limit:-50




Band26 3MHz QPSK MCH 830MHz RB 15 0 NTVN 14/25 1496.7-1510.9MHz Limit:-50










Band26 3MHz QPSK MCH 830MHz RB 15 0 NTN 16/25 1906.6-1915.7MHz Limit:-30







Band26 3MHz QPSK MCH 830MHz RB 15 0 NTN 6/25 2010-2025MHz Limit:-50

















Band26 3MHz QPSK MCH 830MHz RB 15 0 NTVN 24/25 3600-4100MHz Limit:-30





Band26 3MHz QPSK MCH 830MHz RB 15 0 NTVN 25/25 4500-4900MHz Limit:-30












Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTV 11/25 860-890MHz Limit:-40




Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTV 12/25 945-960MHz Limit:-36







Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTNV 4/25 1000-12750MHz Limit:-30




Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTNV 13/25 1475.9-1496.7MHz Limit:-50










Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTVN 6/25 2010-2025MHz Limit:-50




Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTVN 7/25 2110-2144.4MHz Limit:-50










Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTNV 19/25 3400-3419.3MHz Limit:-30







Band26 3MHz QPSK HCH 843.5MHz RB 1 0 NTNV 20/25 3419.3-3500.7MHz Limit:-30














Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 8/25 470-710MHz Limit:-36




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 9/25 770-773MHz Limit:-36





Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 10/25 773-803MHz Limit:-36




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 11/25 860-890MHz Limit:-40







Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 14/25 1496.7-1510.9MHz Limit:-50





Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 15/25 1805-1845MHz Limit:-30




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 5/25 1845-1880MHz Limit:-50







Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 7/25 2110-2144.4MHz Limit:-50




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 17/25 2114.4-2170MHz Limit:-50







Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 18/25 2330-2370MHz Limit:-30




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTNV 19/25 3400-3419.3MHz Limit:-30










Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 24/25 3600-4100MHz Limit:-30




Band26 3MHz QPSK HCH 843.5MHz RB 1 14 NTN 25/25 4500-4900MHz Limit:-30







Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTV 3/25 30-1000MHz Limit:-36



Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTV 8/25 470-710MHz Limit:-36



Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTNV 9/25 770-773MHz Limit:-36



Band26 3MHz QPSK HCH 843.5MHz RB 15 0 NTNV 10/25 773-803MHz Limit:-36

