


Appendix: Lora

Contents


Frequency Error	3
Antenna and EIRP Power	15
Occupied Channel Bandwidth	43
Spreading Bandwidth	58
Unwanted Emission Strength	73
Secondary Radiated Emission Strength	145

Frequency Error


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	CW	2402	Ant1	2401.994	-6000	-2.5	50	Pass
NVNT	CW	2404	Ant1	2403.994	-6000	-2.5	50	Pass
NVNT	CW	2406	Ant1	2405.994	-6000	-2.49	50	Pass
NVNT	CW	2440	Ant1	2439.994	-6000	-2.46	50	Pass
NVNT	CW	2476	Ant1	2475.994	-6000	-2.42	50	Pass
NVNT	CW	2478	Ant1	2477.994	-6000	-2.42	50	Pass
NVNT	CW	2480	Ant1	2479.994	-6000	-2.42	50	Pass
LVNT	CW	2402	Ant1	2401.994	-6000	-2.5	50	Pass
LVNT	CW	2404	Ant1	2403.994	-6000	-2.5	50	Pass
LVNT	CW	2406	Ant1	2405.994	-6000	-2.49	50	Pass
LVNT	CW	2440	Ant1	2439.994	-6000	-2.46	50	Pass
LVNT	CW	2476	Ant1	2475.994	-6000	-2.42	50	Pass
LVNT	CW	2478	Ant1	2477.994	-6000	-2.42	50	Pass
LVNT	CW	2480	Ant1	2479.994	-6000	-2.42	50	Pass
HVNT	CW	2402	Ant1	2401.994	-6000	-2.5	50	Pass
HVNT	CW	2404	Ant1	2403.994	-6000	-2.5	50	Pass
HVNT	CW	2406	Ant1	2405.994	-6000	-2.49	50	Pass
HVNT	CW	2440	Ant1	2439.994	-6000	-2.46	50	Pass
HVNT	CW	2476	Ant1	2475.994	-6000	-2.42	50	Pass
HVNT	CW	2478	Ant1	2477.994	-6000	-2.42	50	Pass
HVNT	CW	2480	Ant1	2479.994	-6000	-2.42	50	Pass




Date: 11.NOV.2025 18:54:15




Date: 11.NOV.2025 18:55:32




Date: 11.NOV.2025 18:56:17




Date: 11.NOV.2025 18:54:31




Date: 11.NOV.2025 18:57:12




Date: 11.NOV.2025 18:56:30




Date: 11.NOV.2025 18:55:18




Date: 11.NOV.2025 18:54:08




Date: 11.NOV.2025 18:55:40





Date: 11.NOV.2025 18:56:10




Date: 11.NOV.2025 18:54:38




Date: 11.NOV.2025 18:57:05










Date: 11.NOV.2025 18:54:00



Date: 11.NOV.2025 18:55:49









Antenna and EIRP Power

Condition	Mode	Frequency (MHz)	Antenna	Power (dBm)	Antenna Power (mW)	Limit (mW)	Declared Power (mW)	Tolerance (%)	Limit (%)	Verdict
NVNT	Lora 1M	2402	Ant1	-0.82	0.83	10	1	-17	+20	Pass
NVNT	Lora 1M	2440	Ant1	-1.19	0.76	10	1	-24	+20	Pass
NVNT	Lora 1M	2480	Ant1	-1.32	0.74	10	1	-26	+20	Pass
LVNT	Lora 1M	2402	Ant1	-0.83	0.83	10	1	-17	+20	Pass
LVNT	Lora 1M	2440	Ant1	-1.12	0.77	10	1	-23	+20	Pass
LVNT	Lora 1M	2480	Ant1	-1.29	0.74	10	1	-26	+20	Pass
HVNT	Lora 1M	2402	Ant1	-0.84	0.82	10	1	-18	+20	Pass
HVNT	Lora 1M	2440	Ant1	-1.1	0.78	10	1	-22	+20	Pass
HVNT	Lora 1M	2480	Ant1	-1.27	0.75	10	1	-25	+20	Pass
NVNT	Lora 2M	2404	Ant1	-1.11	0.77	10	1	-23	+20	Pass
NVNT	Lora 2M	2440	Ant1	-0.87	0.82	10	1	-18	+20	Pass
NVNT	Lora 2M	2478	Ant1	-1.63	0.69	10	1	-31	+20	Pass
LVNT	Lora 2M	2404	Ant1	-1.2	0.76	10	1	-24	+20	Pass
LVNT	Lora 2M	2440	Ant1	-0.87	0.82	10	1	-18	+20	Pass
LVNT	Lora 2M	2478	Ant1	-1.58	0.69	10	1	-31	+20	Pass
HVNT	Lora 2M	2404	Ant1	-1.23	0.75	10	1	-25	+20	Pass
HVNT	Lora 2M	2440	Ant1	-0.87	0.82	10	1	-18	+20	Pass
HVNT	Lora 2M	2478	Ant1	-1.85	0.65	10	1	-35	+20	Pass
NVNT	Lora 4M	2406	Ant1	-1.26	0.75	10	1	-25	+20	Pass
NVNT	Lora 4M	2440	Ant1	-1.55	0.7	10	1	-30	+20	Pass
NVNT	Lora 4M	2476	Ant1	-1.89	0.65	10	1	-35	+20	Pass
LVNT	Lora 4M	2406	Ant1	-1.42	0.72	10	1	-28	+20	Pass
LVNT	Lora 4M	2440	Ant1	-1.61	0.69	10	1	-31	+20	Pass
LVNT	Lora 4M	2476	Ant1	-1.89	0.65	10	1	-35	+20	Pass
HVNT	Lora 4M	2406	Ant1	-1.41	0.72	10	1	-28	+20	Pass
HVNT	Lora 4M	2440	Ant1	-1.59	0.69	10	1	-31	+20	Pass
HVNT	Lora 4M	2476	Ant1	-1.68	0.68	10	1	-32	+20	Pass


Condition	Mode	Frequency (MHz)	Antenna	Antenna Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Limit (dBm)	Verdict
NVNT	Lora 1M	2402	Ant1	-0.81	1.16	0.35	12.14	Pass
NVNT	Lora 1M	2440	Ant1	-1.19	1.16	-0.03	12.14	Pass
NVNT	Lora 1M	2480	Ant1	-1.31	1.16	-0.15	12.14	Pass
LVNT	Lora 1M	2402	Ant1	-0.81	1.16	0.35	12.14	Pass
LVNT	Lora 1M	2440	Ant1	-1.14	1.16	0.02	12.14	Pass
LVNT	Lora 1M	2480	Ant1	-1.31	1.16	-0.15	12.14	Pass
HVNT	Lora 1M	2402	Ant1	-0.86	1.16	0.3	12.14	Pass
HVNT	Lora 1M	2440	Ant1	-1.08	1.16	0.08	12.14	Pass
HVNT	Lora 1M	2480	Ant1	-1.25	1.16	-0.09	12.14	Pass
NVNT	Lora 2M	2404	Ant1	-1.14	1.16	0.02	12.14	Pass
NVNT	Lora 2M	2440	Ant1	-0.86	1.16	0.3	12.14	Pass
NVNT	Lora 2M	2478	Ant1	-1.61	1.16	-0.45	12.14	Pass
LVNT	Lora 2M	2404	Ant1	-1.19	1.16	-0.03	12.14	Pass
LVNT	Lora 2M	2440	Ant1	-0.86	1.16	0.3	12.14	Pass
LVNT	Lora 2M	2478	Ant1	-1.61	1.16	-0.45	12.14	Pass
HVNT	Lora 2M	2404	Ant1	-1.25	1.16	-0.09	12.14	Pass
HVNT	Lora 2M	2440	Ant1	-0.86	1.16	0.3	12.14	Pass
HVNT	Lora 2M	2478	Ant1	-1.87	1.16	-0.71	12.14	Pass
NVNT	Lora 4M	2406	Ant1	-1.25	1.16	-0.09	12.14	Pass
NVNT	Lora 4M	2440	Ant1	-1.55	1.16	-0.39	12.14	Pass
NVNT	Lora 4M	2476	Ant1	-1.87	1.16	-0.71	12.14	Pass
LVNT	Lora 4M	2406	Ant1	-1.43	1.16	-0.27	12.14	Pass
LVNT	Lora 4M	2440	Ant1	-1.61	1.16	-0.45	12.14	Pass
LVNT	Lora 4M	2476	Ant1	-1.87	1.16	-0.71	12.14	Pass
HVNT	Lora 4M	2406	Ant1	-1.43	1.16	-0.27	12.14	Pass
HVNT	Lora 4M	2440	Ant1	-1.61	1.16	-0.45	12.14	Pass
HVNT	Lora 4M	2476	Ant1	-1.67	1.16	-0.51	12.14	Pass




Date: 11.NOV.2025 18:59:39




Date: 11.NOV.2025 18:59:40




Date: 11.NOV.2025 19:08:35





Date: 11.NOV.2025 19:08:36







Date: 11.NOV.2025 19:10:29






Date: 11.NOV.2025 19:10:30

















Date: 11.NOV.2025 19:05:07




Date: 11.NOV.2025 19:05:08













Date: 11.NOV.2025 19:21:18






Date: 11.NOV.2025 19:30:20


















Date: 11.NOV.2025 19:25:10




Date: 11.NOV.2025 19:27:00















Date: 11.NOV.2025 19:46:38




Date: 11.NOV.2025 19:37:46












Date: 11.NOV.2025 19:48:21



Date: 11.NOV.2025 19:39:27









Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	Lora 1M	2402	Ant1	1.469	26	Pass
NVNT	Lora 1M	2440	Ant1	1.399	26	Pass
NVNT	Lora 1M	2480	Ant1	1.399	26	Pass
LVNT	Lora 1M	2402	Ant1	1.399	26	Pass
LVNT	Lora 1M	2440	Ant1	1.399	26	Pass
LVNT	Lora 1M	2480	Ant1	1.399	26	Pass
HVNT	Lora 1M	2402	Ant1	1.329	26	Pass
HVNT	Lora 1M	2440	Ant1	1.399	26	Pass
HVNT	Lora 1M	2480	Ant1	1.469	26	Pass
NVNT	Lora 2M	2404	Ant1	2.238	26	Pass
NVNT	Lora 2M	2440	Ant1	2.308	26	Pass
NVNT	Lora 2M	2478	Ant1	2.308	26	Pass
LVNT	Lora 2M	2404	Ant1	2.308	26	Pass
LVNT	Lora 2M	2440	Ant1	2.308	26	Pass
LVNT	Lora 2M	2478	Ant1	2.308	26	Pass
HVNT	Lora 2M	2404	Ant1	2.308	26	Pass
HVNT	Lora 2M	2440	Ant1	2.308	26	Pass
HVNT	Lora 2M	2478	Ant1	2.308	26	Pass
NVNT	Lora 4M	2406	Ant1	4.336	26	Pass
NVNT	Lora 4M	2440	Ant1	4.336	26	Pass
NVNT	Lora 4M	2476	Ant1	4.336	26	Pass
LVNT	Lora 4M	2406	Ant1	4.336	26	Pass
LVNT	Lora 4M	2440	Ant1	4.336	26	Pass
LVNT	Lora 4M	2476	Ant1	4.336	26	Pass
HVNT	Lora 4M	2406	Ant1	4.336	26	Pass
HVNT	Lora 4M	2440	Ant1	4.266	26	Pass
HVNT	Lora 4M	2476	Ant1	4.336	26	Pass




Date: 11.NOV.2025 18:59:26




Date: 11.NOV.2025 19:08:22







Date: 11.NOV.2025 19:06:41




Date: 11.NOV.2025 19:11:58




Date: 11.NOV.2025 19:02:52





Date: 11.NOV.2025 19:04:54




Date: 11.NOV.2025 19:13:39




Date: 11.NOV.2025 19:19:12







Date: 11.NOV.2025 19:17:23





Date: 11.NOV.2025 19:22:46




Date: 11.NOV.2025 19:28:28




Date: 11.NOV.2025 19:15:41







Date: 11.NOV.2025 19:35:44




Date: 11.NOV.2025 19:44:34




Date: 11.NOV.2025 19:46:23





Date: 11.NOV.2025 19:37:33




Date: 11.NOV.2025 19:42:50




Date: 11.NOV.2025 19:48:06






Spreading Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)
NVNT	Lora 1M	2402	Ant1	0.909
NVNT	Lora 1M	2440	Ant1	0.909
NVNT	Lora 1M	2480	Ant1	0.909
LVNT	Lora 1M	2402	Ant1	0.909
LVNT	Lora 1M	2440	Ant1	0.909
LVNT	Lora 1M	2480	Ant1	0.909
HVNT	Lora 1M	2402	Ant1	0.909
HVNT	Lora 1M	2440	Ant1	0.909
HVNT	Lora 1M	2480	Ant1	0.909
NVNT	Lora 2M	2404	Ant1	1.469
NVNT	Lora 2M	2440	Ant1	1.469
NVNT	Lora 2M	2478	Ant1	1.469
LVNT	Lora 2M	2404	Ant1	1.469
LVNT	Lora 2M	2440	Ant1	1.469
LVNT	Lora 2M	2478	Ant1	1.469
HVNT	Lora 2M	2404	Ant1	1.469
HVNT	Lora 2M	2440	Ant1	1.469
HVNT	Lora 2M	2478	Ant1	1.469
NVNT	Lora 4M	2406	Ant1	2.867
NVNT	Lora 4M	2440	Ant1	2.867
NVNT	Lora 4M	2476	Ant1	2.867
LVNT	Lora 4M	2406	Ant1	2.867
LVNT	Lora 4M	2440	Ant1	2.727
LVNT	Lora 4M	2476	Ant1	2.797
HVNT	Lora 4M	2406	Ant1	2.797
HVNT	Lora 4M	2440	Ant1	2.867
HVNT	Lora 4M	2476	Ant1	2.797







Date: 11.NOV.2025 18:59:35






Date: 11.NOV.2025 19:08:32














Date: 11.NOV.2025 19:21:15




Date: 11.NOV.2025 19:30:17




Date: 11.NOV.2025 19:17:33





Date: 11.NOV.2025 19:22:56







Date: 11.NOV.2025 19:28:38




Date: 11.NOV.2025 19:15:51












Date: 11.NOV.2025 19:43:00




Date: 11.NOV.2025 19:48:16



Date: 11.NOV.2025 19:39:23



Date: 11.NOV.2025 19:41:17




Unwanted Emission Strength

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (uW/MHz)	Limit (uW/MHz)	Verdict
NVNT	Lora 1M	2402	Ant1	30-1000	133.2	-51.46	0.0071	2.5	Pass
NVNT	Lora 1M	2402	Ant1	1000-2387	2383.5	-47.73	0.0169	2.5	Pass
NVNT	Lora 1M	2402	Ant1	2387-2400	2399.99	-27.78	1.6672	25	Pass
NVNT	Lora 1M	2402	Ant1	2483.5-2496.5	2494.39	-52.19	0.006	25	Pass
NVNT	Lora 1M	2402	Ant1	2496.5-13000	6940.5	-46.55	0.0221	2.5	Pass
NVNT	Lora 1M	2440	Ant1	30-1000	104.13	-50.87	0.0082	2.5	Pass
NVNT	Lora 1M	2440	Ant1	1000-2387	2364.1	-51.82	0.0066	2.5	Pass
NVNT	Lora 1M	2440	Ant1	2387-2400	2396.44	-49.39	0.0115	25	Pass
NVNT	Lora 1M	2440	Ant1	2483.5-2496.5	2488.26	-51.68	0.0068	25	Pass
NVNT	Lora 1M	2440	Ant1	2496.5-13000	6950.5	-46.65	0.0216	2.5	Pass
NVNT	Lora 1M	2480	Ant1	30-1000	103.16	-51.04	0.0079	2.5	Pass
NVNT	Lora 1M	2480	Ant1	1000-2387	2215.9	-52.4	0.0058	2.5	Pass
NVNT	Lora 1M	2480	Ant1	2387-2400	2397.42	-51.51	0.0071	25	Pass
NVNT	Lora 1M	2480	Ant1	2483.5-2496.5	2483.55	-45.09	0.031	25	Pass
NVNT	Lora 1M	2480	Ant1	2496.5-13000	6992.5	-45.75	0.0266	2.5	Pass
LVNT	Lora 1M	2402	Ant1	30-1000	103.16	-50.88	0.0082	2.5	Pass
LVNT	Lora 1M	2402	Ant1	1000-2387	2365.5	-49.14	0.0122	2.5	Pass
LVNT	Lora 1M	2402	Ant1	2387-2400	2399.99	-27.65	1.7179	25	Pass
LVNT	Lora 1M	2402	Ant1	2483.5-2496.5	2485.16	-51.21	0.0076	25	Pass
LVNT	Lora 1M	2402	Ant1	2496.5-13000	6866.5	-46.16	0.0242	2.5	Pass
LVNT	Lora 1M	2440	Ant1	30-1000	206.85	-51.52	0.007	2.5	Pass
LVNT	Lora 1M	2440	Ant1	1000-2387	2364.1	-51.81	0.0066	2.5	Pass
LVNT	Lora 1M	2440	Ant1	2387-2400	2396.49	-49.22	0.012	25	Pass
LVNT	Lora 1M	2440	Ant1	2483.5-2496.5	2492.88	-51.92	0.0064	25	Pass
LVNT	Lora 1M	2440	Ant1	2496.5-13000	6887.5	-45.96	0.0254	2.5	Pass
LVNT	Lora 1M	2480	Ant1	30-1000	103.16	-51.26	0.0075	2.5	Pass
LVNT	Lora 1M	2480	Ant1	1000-2387	2286.5	-51.93	0.0064	2.5	Pass
LVNT	Lora 1M	2480	Ant1	2387-2400	2399.41	-51.56	0.007	25	Pass
LVNT	Lora 1M	2480	Ant1	2483.5-2496.5	2484.13	-44.74	0.0336	25	Pass
LVNT	Lora 1M	2480	Ant1	2496.5-13000	6625.5	-46.36	0.0231	2.5	Pass
HVNT	Lora 1M	2402	Ant1	30-1000	104.13	-51.35	0.0073	2.5	Pass
HVNT	Lora 1M	2402	Ant1	1000-2387	2384.9	-48.4	0.0145	2.5	Pass
HVNT	Lora 1M	2402	Ant1	2387-2400	2399.99	-27.23	1.8923	25	Pass
HVNT	Lora 1M	2402	Ant1	2483.5-2496.5	2486.22	-51.83	0.0066	25	Pass
HVNT	Lora 1M	2402	Ant1	2496.5-13000	6814.5	-45.95	0.0254	2.5	Pass
HVNT	Lora 1M	2440	Ant1	30-1000	232.04	-51.58	0.007	2.5	Pass


HVNT	Lora 1M	2440	Ant1	1000-2387	2362.8	-51.6	0.0069	2.5	Pass
HVNT	Lora 1M	2440	Ant1	2387-2400	2396.77	-49.66	0.0108	25	Pass
HVNT	Lora 1M	2440	Ant1	2483.5-2496.5	2494.62	-51.83	0.0066	25	Pass
HVNT	Lora 1M	2440	Ant1	2496.5-13000	6541.5	-46.67	0.0215	2.5	Pass
HVNT	Lora 1M	2480	Ant1	30-1000	103.16	-51.38	0.0073	2.5	Pass
HVNT	Lora 1M	2480	Ant1	1000-2387	2362.8	-52.04	0.0063	2.5	Pass
HVNT	Lora 1M	2480	Ant1	2387-2400	2390.89	-51	0.0079	25	Pass
HVNT	Lora 1M	2480	Ant1	2483.5-2496.5	2483.91	-44.95	0.032	25	Pass
HVNT	Lora 1M	2480	Ant1	2496.5-13000	6982.5	-45.67	0.0271	2.5	Pass
NVNT	Lora 2M	2404	Ant1	30-1000	104.13	-50.24	0.0095	2.5	Pass
NVNT	Lora 2M	2404	Ant1	1000-2387	2386.3	-48.51	0.0141	2.5	Pass
NVNT	Lora 2M	2404	Ant1	2387-2400	2399.88	-45.34	0.0292	25	Pass
NVNT	Lora 2M	2404	Ant1	2483.5-2496.5	2495.84	-52.23	0.006	25	Pass
NVNT	Lora 2M	2404	Ant1	2496.5-13000	6835.5	-45.88	0.0258	2.5	Pass
NVNT	Lora 2M	2440	Ant1	30-1000	103.16	-51.89	0.0065	2.5	Pass
NVNT	Lora 2M	2440	Ant1	1000-2387	1772.5	-49.52	0.0112	2.5	Pass
NVNT	Lora 2M	2440	Ant1	2387-2400	2395.69	-49.9	0.0102	25	Pass
NVNT	Lora 2M	2440	Ant1	2483.5-2496.5	2493.25	-51.88	0.0065	25	Pass
NVNT	Lora 2M	2440	Ant1	2496.5-13000	6992.5	-46.52	0.0223	2.5	Pass
NVNT	Lora 2M	2478	Ant1	30-1000	103.16	-50.54	0.0088	2.5	Pass
NVNT	Lora 2M	2478	Ant1	1000-2387	1747.5	-48.72	0.0134	2.5	Pass
NVNT	Lora 2M	2478	Ant1	2387-2400	2395.55	-50.12	0.0097	25	Pass
NVNT	Lora 2M	2478	Ant1	2483.5-2496.5	2488.79	-46.82	0.0208	25	Pass
NVNT	Lora 2M	2478	Ant1	2496.5-13000	3404.5	-42.17	0.0607	2.5	Pass
LVNT	Lora 2M	2404	Ant1	30-1000	107.04	-51.42	0.0072	2.5	Pass
LVNT	Lora 2M	2404	Ant1	1000-2387	2386.3	-47.35	0.0184	2.5	Pass
LVNT	Lora 2M	2404	Ant1	2387-2400	2399.85	-45.55	0.0279	25	Pass
LVNT	Lora 2M	2404	Ant1	2483.5-2496.5	2490.35	-52.2	0.006	25	Pass
LVNT	Lora 2M	2404	Ant1	2496.5-13000	5250.5	-42.72	0.0535	2.5	Pass
LVNT	Lora 2M	2440	Ant1	30-1000	104.13	-51.3	0.0074	2.5	Pass
LVNT	Lora 2M	2440	Ant1	1000-2387	1765.6	-51.7	0.0068	2.5	Pass
LVNT	Lora 2M	2440	Ant1	2387-2400	2395.86	-50.35	0.0092	25	Pass
LVNT	Lora 2M	2440	Ant1	2483.5-2496.5	2488.36	-51.7	0.0068	25	Pass
LVNT	Lora 2M	2440	Ant1	2496.5-13000	6982.5	-46.8	0.0209	2.5	Pass
LVNT	Lora 2M	2478	Ant1	30-1000	102.19	-51.21	0.0076	2.5	Pass
LVNT	Lora 2M	2478	Ant1	1000-2387	2322.6	-52.09	0.0062	2.5	Pass
LVNT	Lora 2M	2478	Ant1	2387-2400	2399.81	-50.32	0.0093	25	Pass
LVNT	Lora 2M	2478	Ant1	2483.5-2496.5	2488.87	-46.56	0.0221	25	Pass
LVNT	Lora 2M	2478	Ant1	2496.5-13000	6887.5	-46.3	0.0234	2.5	Pass
HVNT	Lora 2M	2404	Ant1	30-1000	103.16	-50.3	0.0093	2.5	Pass
HVNT	Lora 2M	2404	Ant1	1000-2387	2366.9	-49.44	0.0114	2.5	Pass
HVNT	Lora 2M	2404	Ant1	2387-2400	2399.98	-45.2	0.0302	25	Pass

HVNT	Lora 2M	2404	Ant1	2483.5-2496.5	2489.27	-51.7	0.0068	25	Pass
HVNT	Lora 2M	2404	Ant1	2496.5-13000	6992.5	-46.32	0.0233	2.5	Pass
HVNT	Lora 2M	2440	Ant1	30-1000	207.82	-51.57	0.007	2.5	Pass
HVNT	Lora 2M	2440	Ant1	1000-2387	2325.3	-52.05	0.0062	2.5	Pass
HVNT	Lora 2M	2440	Ant1	2387-2400	2393.25	-49.83	0.0104	25	Pass
HVNT	Lora 2M	2440	Ant1	2483.5-2496.5	2483.84	-51.41	0.0072	25	Pass
HVNT	Lora 2M	2440	Ant1	2496.5-13000	6992.5	-46.72	0.0213	2.5	Pass
HVNT	Lora 2M	2478	Ant1	30-1000	104.13	-51.11	0.0077	2.5	Pass
HVNT	Lora 2M	2478	Ant1	1000-2387	2361.4	-51.54	0.007	2.5	Pass
HVNT	Lora 2M	2478	Ant1	2387-2400	2399.99	-50.27	0.0094	25	Pass
HVNT	Lora 2M	2478	Ant1	2483.5-2496.5	2489.49	-46.63	0.0217	25	Pass
HVNT	Lora 2M	2478	Ant1	2496.5-13000	6625.5	-46.25	0.0237	2.5	Pass
NVNT	Lora 4M	2406	Ant1	30-1000	104.13	-50.19	0.0096	2.5	Pass
NVNT	Lora 4M	2406	Ant1	1000-2387	2378	-49.12	0.0122	2.5	Pass
NVNT	Lora 4M	2406	Ant1	2387-2400	2387.77	-46.56	0.0221	25	Pass
NVNT	Lora 4M	2406	Ant1	2483.5-2496.5	2493.31	-52.13	0.0061	25	Pass
NVNT	Lora 4M	2406	Ant1	2496.5-13000	6887.5	-46.79	0.0209	2.5	Pass
NVNT	Lora 4M	2440	Ant1	30-1000	103.16	-51.04	0.0079	2.5	Pass
NVNT	Lora 4M	2440	Ant1	1000-2387	2325.3	-51.41	0.0072	2.5	Pass
NVNT	Lora 4M	2440	Ant1	2387-2400	2396.58	-49.8	0.0105	25	Pass
NVNT	Lora 4M	2440	Ant1	2483.5-2496.5	2487.87	-52.25	0.006	25	Pass
NVNT	Lora 4M	2440	Ant1	2496.5-13000	6772.5	-46.01	0.0251	2.5	Pass
NVNT	Lora 4M	2476	Ant1	30-1000	103.16	-51.44	0.0072	2.5	Pass
NVNT	Lora 4M	2476	Ant1	1000-2387	2166	-51.44	0.0072	2.5	Pass
NVNT	Lora 4M	2476	Ant1	2387-2400	2398.2	-49.88	0.0103	25	Pass
NVNT	Lora 4M	2476	Ant1	2483.5-2496.5	2487.07	-46.74	0.0212	25	Pass
NVNT	Lora 4M	2476	Ant1	2496.5-13000	6982.5	-46.28	0.0236	2.5	Pass
LVNT	Lora 4M	2406	Ant1	30-1000	103.16	-51.25	0.0075	2.5	Pass
LVNT	Lora 4M	2406	Ant1	1000-2387	2369.7	-49.2	0.012	2.5	Pass
LVNT	Lora 4M	2406	Ant1	2387-2400	2388.07	-46.96	0.0201	25	Pass
LVNT	Lora 4M	2406	Ant1	2483.5-2496.5	2486.96	-52.17	0.0061	25	Pass
LVNT	Lora 4M	2406	Ant1	2496.5-13000	6887.5	-46.15	0.0243	2.5	Pass
LVNT	Lora 4M	2440	Ant1	30-1000	98.32	-51.71	0.0067	2.5	Pass
LVNT	Lora 4M	2440	Ant1	1000-2387	2365.5	-51.35	0.0073	2.5	Pass
LVNT	Lora 4M	2440	Ant1	2387-2400	2396.44	-49.74	0.0106	25	Pass
LVNT	Lora 4M	2440	Ant1	2483.5-2496.5	2488.62	-51.76	0.0067	25	Pass
LVNT	Lora 4M	2440	Ant1	2496.5-13000	6908.5	-46.46	0.0226	2.5	Pass
LVNT	Lora 4M	2476	Ant1	30-1000	103.16	-49.88	0.0103	2.5	Pass
LVNT	Lora 4M	2476	Ant1	1000-2387	2322.6	-51.61	0.0069	2.5	Pass
LVNT	Lora 4M	2476	Ant1	2387-2400	2399.97	-49.66	0.0108	25	Pass
LVNT	Lora 4M	2476	Ant1	2483.5-2496.5	2495.22	-47.02	0.0199	25	Pass
LVNT	Lora 4M	2476	Ant1	2496.5-13000	6719.5	-46.04	0.0249	2.5	Pass



HVNT	Lora 4M	2406	Ant1	30-1000	978.2	-51.06	0.0078	2.5	Pass
HVNT	Lora 4M	2406	Ant1	1000-2387	2369.7	-49.91	0.0102	2.5	Pass
HVNT	Lora 4M	2406	Ant1	2387-2400	2387.86	-47.09	0.0195	25	Pass
HVNT	Lora 4M	2406	Ant1	2483.5-2496.5	2495.65	-51.86	0.0065	25	Pass
HVNT	Lora 4M	2406	Ant1	2496.5-13000	6195.5	-46.51	0.0223	2.5	Pass
HVNT	Lora 4M	2440	Ant1	30-1000	104.13	-51.36	0.0073	2.5	Pass
HVNT	Lora 4M	2440	Ant1	1000-2387	2364.1	-51.16	0.0077	2.5	Pass
HVNT	Lora 4M	2440	Ant1	2387-2400	2392.69	-50.06	0.0099	25	Pass
HVNT	Lora 4M	2440	Ant1	2483.5-2496.5	2485.4	-51.48	0.0071	25	Pass
HVNT	Lora 4M	2440	Ant1	2496.5-13000	6835.5	-46.61	0.0218	2.5	Pass
HVNT	Lora 4M	2476	Ant1	30-1000	103.16	-51.02	0.0079	2.5	Pass
HVNT	Lora 4M	2476	Ant1	1000-2387	2166	-51.48	0.0071	2.5	Pass
HVNT	Lora 4M	2476	Ant1	2387-2400	2399.21	-50.07	0.0098	25	Pass
HVNT	Lora 4M	2476	Ant1	2483.5-2496.5	2487.43	-46.53	0.0222	25	Pass
HVNT	Lora 4M	2476	Ant1	2496.5-13000	6919.5	-46.1	0.0245	2.5	Pass







Date: 11.NOV.2025 18:59:55






Date: 11.NOV.2025 19:00:07












Date: 11.NOV.2025 19:10:46



Date: 11.NOV.2025 19:10:58

