





NTNV-11AX40SISO-Ant1-2422-PASS



NTNV-11AX40SISO-Ant2-2422-PASS




NTNV-11AX40SISO-Ant1-2442-PASS



NTNV-11AX40SISO-Ant2-2442-PASS



NTNV-11AX40SISO-Ant1-2462-PASS



NTNV-11AX40SISO-Ant2-2462-PASS

Appendix E: Unwanted Emission Strength

Test Result

Test Condition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	Result [μ W/MHz]	Limit [μ W/MHz]	Verdict
NTNV	11B	Ant1	2412	30~1000	426.00	-52.71	0.00536	≤ 2.5	PASS
NTNV	11B	Ant2	2412	30~1000	426.00	-52.41	0.00574	≤ 2.5	PASS
NTNV	11B	Ant1	2412	1000~2387	2384.57	-45.08	0.03105	≤ 2.5	PASS
NTNV	11B	Ant2	2412	1000~2387	2382.84	-43.74	0.04227	≤ 2.5	PASS
NTNV	11B	Ant1	2412	2387~2400	2399.39	-34.80	0.33113	≤ 25	PASS
NTNV	11B	Ant2	2412	2387~2400	2399.91	-34.41	0.36224	≤ 25	PASS
NTNV	11B	Ant1	2412	2483.5~2496.5	2484.25	-39.72	0.10666	≤ 25	PASS
NTNV	11B	Ant2	2412	2483.5~2496.5	2483.74	-39.76	0.10568	≤ 25	PASS
NTNV	11B	Ant1	2412	2496.5~13000	4823.55	-42.37	0.05794	≤ 2.5	PASS
NTNV	11B	Ant2	2412	2496.5~13000	4823.55	-40.28	0.09376	≤ 2.5	PASS
NTNV	11B	Ant1	2442	30~1000	485.90	-51.07	0.00782	≤ 2.5	PASS
NTNV	11B	Ant2	2442	30~1000	485.90	-51.34	0.00735	≤ 2.5	PASS
NTNV	11B	Ant1	2442	1000~2387	2385.96	-46.77	0.02104	≤ 2.5	PASS
NTNV	11B	Ant2	2442	1000~2387	2385.61	-46.39	0.02296	≤ 2.5	PASS
NTNV	11B	Ant1	2442	2387~2400	2390.54	-38.83	0.13092	≤ 25	PASS
NTNV	11B	Ant2	2442	2387~2400	2395.66	-38.74	0.13366	≤ 25	PASS
NTNV	11B	Ant1	2442	2483.5~2496.5	2485.41	-38.69	0.13521	≤ 25	PASS
NTNV	11B	Ant2	2442	2483.5~2496.5	2489.11	-38.50	0.14125	≤ 25	PASS
NTNV	11B	Ant1	2442	2496.5~13000	4883.95	-43.71	0.04256	≤ 2.5	PASS
NTNV	11B	Ant2	2442	2496.5~13000	4883.95	-42.80	0.05248	≤ 2.5	PASS
NTNV	11B	Ant1	2472	30~1000	546.04	-50.94	0.00805	≤ 2.5	PASS
NTNV	11B	Ant2	2472	30~1000	546.04	-51.16	0.00766	≤ 2.5	PASS
NTNV	11B	Ant1	2472	1000~2387	2386.31	-46.78	0.02099	≤ 2.5	PASS
NTNV	11B	Ant2	2472	1000~2387	2377.29	-46.97	0.02009	≤ 2.5	PASS
NTNV	11B	Ant1	2472	2387~2400	2390.16	-39.85	0.10351	≤ 25	PASS
NTNV	11B	Ant2	2472	2387~2400	2387.33	-39.88	0.10280	≤ 25	PASS
NTNV	11B	Ant1	2472	2483.5~2496.5	2483.86	-34.40	0.36308	≤ 25	PASS
NTNV	11B	Ant2	2472	2483.5~2496.5	2483.75	-34.72	0.33729	≤ 25	PASS
NTNV	11B	Ant1	2472	2496.5~13000	8667.31	-44.20	0.03802	≤ 2.5	PASS
NTNV	11B	Ant2	2472	2496.5~13000	8794.92	-44.57	0.03491	≤ 2.5	PASS
NTNV	11G	Ant1	2412	30~1000	426.49	-48.94	0.01276	≤ 2.5	PASS
NTNV	11G	Ant2	2412	30~1000	427.22	-51.84	0.00655	≤ 2.5	PASS
NTNV	11G	Ant1	2412	1000~2387	2385.96	-27.57	1.74985	≤ 2.5	See table below

NTNV	11G	Ant2	2412	1000~2387	2386.65	-37.92	0.16144	≤2.5	PASS
NTNV	11G	Ant1	2412	2387~2400	2396.42	-25.48	2.83139	≤25	PASS
NTNV	11G	Ant2	2412	2387~2400	2399.86	-18.40	14.4544 0	≤25	See table below
NTNV	11G	Ant1	2412	2483.5~2496.5	2484.20	-39.90	0.10233	≤25	PASS
NTNV	11G	Ant2	2412	2483.5~2496.5	2488.28	-39.89	0.10257	≤25	PASS
NTNV	11G	Ant1	2412	2496.5~13000	8806.48	-44.48	0.03565	≤2.5	PASS
NTNV	11G	Ant2	2412	2496.5~13000	8774.44	-44.60	0.03467	≤2.5	PASS
NTNV	11G	Ant1	2442	30~1000	487.84	-47.16	0.01923	≤2.5	PASS
NTNV	11G	Ant2	2442	30~1000	483.23	-52.43	0.00571	≤2.5	PASS
NTNV	11G	Ant1	2442	1000~2387	2385.96	-41.22	0.07551	≤2.5	PASS
NTNV	11G	Ant2	2442	1000~2387	2385.61	-40.86	0.08204	≤2.5	PASS
NTNV	11G	Ant1	2442	2387~2400	2399.92	-30.48	0.89536	≤25	PASS
NTNV	11G	Ant2	2442	2387~2400	2397.21	-36.33	0.23281	≤25	PASS
NTNV	11G	Ant1	2442	2483.5~2496.5	2489.22	-29.15	1.21619	≤25	PASS
NTNV	11G	Ant2	2442	2483.5~2496.5	2487.87	-35.25	0.29854	≤25	PASS
NTNV	11G	Ant1	2442	2496.5~13000	2498.08	-40.55	0.08810	≤2.5	PASS
NTNV	11G	Ant2	2442	2496.5~13000	4878.69	-41.58	0.06950	≤2.5	PASS
NTNV	11G	Ant1	2472	30~1000	547.01	-48.03	0.01574	≤2.5	PASS
NTNV	11G	Ant2	2472	30~1000	546.04	-50.95	0.00804	≤2.5	PASS
NTNV	11G	Ant1	2472	1000~2387	2371.05	-45.09	0.03097	≤2.5	PASS
NTNV	11G	Ant2	2472	1000~2387	2386.65	-45.40	0.02884	≤2.5	PASS
NTNV	11G	Ant1	2472	2387~2400	2392.97	-39.34	0.11641	≤25	PASS
NTNV	11G	Ant2	2472	2387~2400	2399.23	-39.50	0.11220	≤25	PASS
NTNV	11G	Ant1	2472	2483.5~2496.5	2488.95	-16.35	23.1739 5	≤25	See table below
NTNV	11G	Ant2	2472	2483.5~2496.5	2484.03	-18.32	14.7231 3	≤25	See table below
NTNV	11G	Ant1	2472	2496.5~13000	2499.65	-33.83	0.41400	≤2.5	PASS
NTNV	11G	Ant2	2472	2496.5~13000	2497.03	-41.72	0.06730	≤2.5	PASS
NTNV	11N20SISO	Ant1	2412	30~1000	424.79	-50.56	0.00879	≤2.5	PASS
NTNV	11N20SISO	Ant2	2412	30~1000	423.58	-48.53	0.01403	≤2.5	PASS
NTNV	11N20SISO	Ant1	2412	1000~2387	2385.61	-28.22	1.50661	≤2.5	See table below
NTNV	11N20SISO	Ant2	2412	1000~2387	2383.53	-26.28	2.35505	≤2.5	See table below
NTNV	11N20SISO	Ant1	2412	2387~2400	2399.8	-18.70	13.4896	≤25	See

							3		table below
NTNV	11N20SISO	Ant2	2412	2387~2400	2397.31	-24.00	3.98107	≤25	PASS
NTNV	11N20SISO	Ant1	2412	2483.5~2496.5	2492.30	-39.62	0.10914	≤25	PASS
NTNV	11N20SISO	Ant2	2412	2483.5~2496.5	2483.83	-39.66	0.10814	≤25	PASS
NTNV	11N20SISO	Ant1	2412	2496.5~13000	8678.86	-44.79	0.03319	≤2.5	PASS
NTNV	11N20SISO	Ant2	2412	2496.5~13000	8855.84	-44.55	0.03508	≤2.5	PASS
NTNV	11N20SISO	Ant1	2442	30~1000	483.23	-47.94	0.01607	≤2.5	PASS
NTNV	11N20SISO	Ant2	2442	30~1000	486.63	-46.72	0.02128	≤2.5	PASS
NTNV	11N20SISO	Ant1	2442	1000~2387	2384.23	-41.04	0.07870	≤2.5	PASS
NTNV	11N20SISO	Ant2	2442	1000~2387	2377.64	-37.46	0.17947	≤2.5	PASS
NTNV	11N20SISO	Ant1	2442	2387~2400	2399.13	-35.01	0.31550	≤25	PASS
NTNV	11N20SISO	Ant2	2442	2387~2400	2398.23	-30.26	0.94189	≤25	PASS
NTNV	11N20SISO	Ant1	2442	2483.5~2496.5	2483.70	-31.56	0.69823	≤25	PASS
NTNV	11N20SISO	Ant2	2442	2483.5~2496.5	2484.32	-27.07	1.96336	≤25	PASS
NTNV	11N20SISO	Ant1	2442	2496.5~13000	4889.20	-40.86	0.08204	≤2.5	PASS
NTNV	11N20SISO	Ant2	2442	2496.5~13000	4882.90	-39.00	0.12589	≤2.5	PASS
NTNV	11N20SISO	Ant1	2472	30~1000	545.80	-50.53	0.00885	≤2.5	PASS
NTNV	11N20SISO	Ant2	2472	30~1000	548.22	-47.07	0.01963	≤2.5	PASS
NTNV	11N20SISO	Ant1	2472	1000~2387	2367.24	-44.73	0.03365	≤2.5	PASS
NTNV	11N20SISO	Ant2	2472	1000~2387	2381.11	-45.06	0.03119	≤2.5	PASS
NTNV	11N20SISO	Ant1	2472	2387~2400	2392.19	-39.20	0.12023	≤25	PASS
NTNV	11N20SISO	Ant2	2472	2387~2400	2399.37	-37.15	0.19275	≤25	PASS
NTNV	11N20SISO	Ant1	2472	2483.5~2496.5	2486.84	-16.27	23.60478	≤25	See table below
NTNV	11N20SISO	Ant2	2472	2483.5~2496.5	2483.65	-16.53	22.23310	≤25	See table below
NTNV	11N20SISO	Ant1	2472	2496.5~13000	2501.75	-30.24	0.94624	≤2.5	PASS
NTNV	11N20SISO	Ant2	2472	2496.5~13000	2505.95	-35.20	0.30200	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2412	30~1000	106.87	-62.03	0.00063	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2412	30~1000	33.40	-61.81	0.00066	≤2.5	PASS
NTNV	11N20MIMO	total	2412	30~1000	---	---	0.00129	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2412	1000~2387	2387.00	-44.24	0.03767	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2412	1000~2387	2386.65	-38.22	0.15066	≤2.5	PASS
NTNV	11N20MIMO	total	2412	1000~2387	---	---	0.18833	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2412	2387~2400	2399.98	-29.42	1.14288	≤25	See table below
NTNV	11N20MIMO	Ant2	2412	2387~2400	2399.64	-18.42	14.38799	≤25	See table

									below
NTNV	11N20MIMO	total	2412	2387~2400	---	---	15.5308 7	≤25	See table below
NTNV	11N20MIMO	Ant1	2412	2483.5~2496.5	2490.63	-40.17	0.09616	≤25	PASS
NTNV	11N20MIMO	Ant2	2412	2483.5~2496.5	2493.89	-40.08	0.09817	≤25	PASS
NTNV	11N20MIMO	total	2412	2483.5~2496.5	---	---	0.19433	≤25	PASS
NTNV	11N20MIMO	Ant1	2412	2496.5~13000	8598.51	-43.67	0.04295	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2412	2496.5~13000	8773.39	-44.80	0.03311	≤2.5	PASS
NTNV	11N20MIMO	total	2412	2496.5~13000	---	---	0.07606	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2442	30~1000	30.49	-62.17	0.00061	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2442	30~1000	33.64	-61.95	0.00064	≤2.5	PASS
NTNV	11N20MIMO	total	2442	30~1000	---	---	0.00125	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2442	1000~2387	2379.02	-46.47	0.02254	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2442	1000~2387	2362.73	-45.49	0.02825	≤2.5	PASS
NTNV	11N20MIMO	total	2442	1000~2387	---	---	0.05079	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2442	2387~2400	2390.27	-39.43	0.11402	≤25	PASS
NTNV	11N20MIMO	Ant2	2442	2387~2400	2392.59	-39.24	0.11912	≤25	PASS
NTNV	11N20MIMO	total	2442	2387~2400	---	---	0.23314	≤25	PASS
NTNV	11N20MIMO	Ant1	2442	2483.5~2496.5	2486.41	-38.59	0.13836	≤25	PASS
NTNV	11N20MIMO	Ant2	2442	2483.5~2496.5	2491.61	-38.78	0.13243	≤25	PASS
NTNV	11N20MIMO	total	2442	2483.5~2496.5	---	---	0.27079	≤25	PASS
NTNV	11N20MIMO	Ant1	2442	2496.5~13000	8750.28	-44.51	0.03540	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2442	2496.5~13000	8840.61	-43.89	0.04083	≤2.5	PASS
NTNV	11N20MIMO	total	2442	2496.5~13000	---	---	0.07623	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2472	30~1000	37.03	-61.89	0.00065	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2472	30~1000	32.67	-61.85	0.00065	≤2.5	PASS
NTNV	11N20MIMO	total	2472	30~1000	---	---	0.00130	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2472	1000~2387	2374.17	-45.26	0.02979	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2472	1000~2387	2351.63	-46.29	0.02350	≤2.5	PASS
NTNV	11N20MIMO	total	2472	1000~2387	---	---	0.05329	≤2.5	PASS
NTNV	11N20MIMO	Ant1	2472	2387~2400	2389.96	-39.61	0.10940	≤25	PASS
NTNV	11N20MIMO	Ant2	2472	2387~2400	2388.75	-39.84	0.10375	≤25	PASS
NTNV	11N20MIMO	total	2472	2387~2400	---	---	0.21315	≤25	PASS
NTNV	11N20MIMO	Ant1	2472	2483.5~2496.5	2483.59	-24.71	3.38065	≤25	PASS
NTNV	11N20MIMO	Ant2	2472	2483.5~2496.5	2483.53	-26.56	2.20800	≤25	PASS
NTNV	11N20MIMO	total	2472	2483.5~2496.5	---	---	5.58865	≤25	PASS
NTNV	11N20MIMO	Ant1	2472	2496.5~13000	2496.50	-42.83	0.05212	≤2.5	PASS
NTNV	11N20MIMO	Ant2	2472	2496.5~13000	2496.50	-43.57	0.04395	≤2.5	PASS
NTNV	11N20MIMO	total	2472	2496.5~13000	---	---	0.09607	≤2.5	PASS
NTNV	11N40SISO	Ant1	2422	30~1000	30.00	-50.02	0.00995	≤2.5	PASS
NTNV	11N40SISO	Ant2	2422	30~1000	30.00	-47.98	0.01592	≤2.5	PASS

NTNV	11N40SISO	Ant1	2422	1000~2387	2385.27	-26.98	2.00447	≤2.5	See table below
NTNV	11N40SISO	Ant2	2422	1000~2387	2384.23	-27.06	1.96789	≤2.5	See table below
NTNV	11N40SISO	Ant1	2422	2387~2400	2399.92	-23.52	4.44631	≤25	PASS
NTNV	11N40SISO	Ant2	2422	2387~2400	2399.92	-23.50	4.46684	≤25	PASS
NTNV	11N40SISO	Ant1	2422	2483.5~2496.5	2485.84	-34.20	0.38019	≤25	PASS
NTNV	11N40SISO	Ant2	2422	2483.5~2496.5	2483.96	-32.69	0.53827	≤25	PASS
NTNV	11N40SISO	Ant1	2422	2496.5~13000	8813.30	-44.28	0.03733	≤2.5	PASS
NTNV	11N40SISO	Ant2	2422	2496.5~13000	8728.23	-43.46	0.04508	≤2.5	PASS
NTNV	11N40SISO	Ant1	2442	30~1000	30.24	-48.91	0.01285	≤2.5	PASS
NTNV	11N40SISO	Ant2	2442	30~1000	30.00	-47.69	0.01702	≤2.5	PASS
NTNV	11N40SISO	Ant1	2442	1000~2387	2384.92	-30.87	0.81846	≤2.5	PASS
NTNV	11N40SISO	Ant2	2442	1000~2387	2384.23	-29.41	1.14551	≤2.5	PASS
NTNV	11N40SISO	Ant1	2442	2387~2400	2399.75	-26.50	2.23872	≤25	PASS
NTNV	11N40SISO	Ant2	2442	2387~2400	2399.78	-24.43	3.60579	≤25	PASS
NTNV	11N40SISO	Ant1	2442	2483.5~2496.5	2484.98	-23.79	4.17830	≤25	PASS
NTNV	11N40SISO	Ant2	2442	2483.5~2496.5	2485.36	-22.36	5.80764	≤25	PASS
NTNV	11N40SISO	Ant1	2442	2496.5~13000	2503.33	-31.27	0.74645	≤2.5	PASS
NTNV	11N40SISO	Ant2	2442	2496.5~13000	2497.55	-30.39	0.91411	≤2.5	PASS
NTNV	11N40SISO	Ant1	2462	30~1000	30.00	-48.23	0.01503	≤2.5	PASS
NTNV	11N40SISO	Ant2	2462	30~1000	31.21	-46.49	0.02244	≤2.5	PASS
NTNV	11N40SISO	Ant1	2462	1000~2387	2381.11	-38.02	0.15776	≤2.5	PASS
NTNV	11N40SISO	Ant2	2462	1000~2387	2384.57	-32.77	0.52845	≤2.5	PASS
NTNV	11N40SISO	Ant1	2462	2387~2400	2399.95	-29.99	1.00231	≤25	PASS
NTNV	11N40SISO	Ant2	2462	2387~2400	2392.33	-24.66	3.41979	≤25	PASS
NTNV	11N40SISO	Ant1	2462	2483.5~2496.5	2483.53	-16.52	22.28435	≤25	See table below
NTNV	11N40SISO	Ant2	2462	2483.5~2496.5	2483.55	-16.23	23.82319	≤25	See table below
NTNV	11N40SISO	Ant1	2462	2496.5~13000	2496.50	-37.77	0.16711	≤2.5	PASS
NTNV	11N40SISO	Ant2	2462	2496.5~13000	2498.08	-38.25	0.14962	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2422	30~1000	30.00	-55.06	0.00312	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2422	30~1000	30.00	-53.84	0.00413	≤2.5	PASS
NTNV	11N40MIMO	total	2422	30~1000	---	---	0.00725	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2422	1000~2387	2382.84	-37.85	0.16406	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2422	1000~2387	2381.45	-31.41	0.72277	≤2.5	PASS
NTNV	11N40MIMO	total	2422	1000~2387	---	---	0.88683	≤2.5	PASS

NTNV	11N40MIMO	Ant1	2422	2387~2400	2399.73	-19.32	11.6949 9	≤25	PASS
NTNV	11N40MIMO	Ant2	2422	2387~2400	2399.97	-20.29	9.35406	≤25	PASS
NTNV	11N40MIMO	total	2422	2387~2400	---	---	21.0490 5	≤25	PASS
NTNV	11N40MIMO	Ant1	2422	2483.5~2496.5	2488.65	-34.80	0.33113	≤25	PASS
NTNV	11N40MIMO	Ant2	2422	2483.5~2496.5	2484.89	-36.79	0.20941	≤25	PASS
NTNV	11N40MIMO	total	2422	2483.5~2496.5	---	---	0.54054	≤25	PASS
NTNV	11N40MIMO	Ant1	2422	2496.5~13000	8779.69	-44.26	0.03750	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2422	2496.5~13000	8823.28	-44.31	0.03707	≤2.5	PASS
NTNV	11N40MIMO	total	2422	2496.5~13000	---	---	0.07457	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2442	30~1000	30.00	-54.39	0.00364	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2442	30~1000	30.00	-53.84	0.00413	≤2.5	PASS
NTNV	11N40MIMO	total	2442	30~1000	---	---	0.00777	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2442	1000~2387	2386.31	-39.34	0.11641	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2442	1000~2387	2385.61	-39.53	0.11143	≤2.5	PASS
NTNV	11N40MIMO	total	2442	1000~2387	---	---	0.22784	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2442	2387~2400	2393.40	-33.92	0.40551	≤25	PASS
NTNV	11N40MIMO	Ant2	2442	2387~2400	2393.90	-34.35	0.36728	≤25	PASS
NTNV	11N40MIMO	total	2442	2387~2400	---	---	0.77279	≤25	PASS
NTNV	11N40MIMO	Ant1	2442	2483.5~2496.5	2493.52	-31.96	0.63680	≤25	PASS
NTNV	11N40MIMO	Ant2	2442	2483.5~2496.5	2485.67	-32.03	0.62661	≤25	PASS
NTNV	11N40MIMO	total	2442	2483.5~2496.5	---	---	1.26341	≤25	PASS
NTNV	11N40MIMO	Ant1	2442	2496.5~13000	2499.13	-39.27	0.11830	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2442	2496.5~13000	2498.08	-39.31	0.11722	≤2.5	PASS
NTNV	11N40MIMO	total	2442	2496.5~13000	---	---	0.23552	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2462	30~1000	30.00	-53.94	0.00404	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2462	30~1000	30.00	-53.49	0.00448	≤2.5	PASS
NTNV	11N40MIMO	total	2462	30~1000	---	---	0.00852	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2462	1000~2387	2386.65	-45.43	0.02864	≤2.5	PASS
NTNV	11N40MIMO	Ant2	2462	1000~2387	2377.29	-46.25	0.02371	≤2.5	PASS
NTNV	11N40MIMO	total	2462	1000~2387	---	---	0.05235	≤2.5	PASS
NTNV	11N40MIMO	Ant1	2462	2387~2400	2395.72	-37.01	0.19907	≤25	PASS
NTNV	11N40MIMO	Ant2	2462	2387~2400	2392.93	-36.97	0.20091	≤25	PASS
NTNV	11N40MIMO	total	2462	2387~2400	---	---	0.39998	≤25	PASS
NTNV	11N40MIMO	Ant1	2462	2483.5~2496.5	2483.53	-19.20	12.0226 4	≤25	PASS
NTNV	11N40MIMO	Ant2	2462	2483.5~2496.5	2483.52	-19.86	10.3276 1	≤25	PASS
NTNV	11N40MIMO	total	2462	2483.5~2496.5	---	---	22.3502 5	≤25	PASS
NTNV	11N40MIMO	Ant1	2462	2496.5~13000	2496.50	-36.28	0.23550	≤2.5	PASS

NTNV	11N40MIMO	Ant2	2462	2496.5~13000	2507.53	-38.31	0.14757	≤2.5	PASS
NTNV	11N40MIMO	total	2462	2496.5~13000	---	---	0.38307	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2412	30~1000	425.28	-52.74	0.00532	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2412	30~1000	427.22	-49.13	0.01222	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2412	1000~2387	2380.41	-29.86	1.03276	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2412	1000~2387	2383.19	-28.67	1.35831	≤2.5	See table below
NTNV	11AX20SISO	Ant1	2412	2387~2400	2399.95	-19.15	12.1618 6	≤25	PASS
NTNV	11AX20SISO	Ant2	2412	2387~2400	2399.69	-17.78	16.6724 7	≤25	See table below
NTNV	11AX20SISO	Ant1	2412	2483.5~2496.5	2492.33	-37.45	0.17989	≤25	PASS
NTNV	11AX20SISO	Ant2	2412	2483.5~2496.5	2483.62	-39.90	0.10233	≤25	PASS
NTNV	11AX20SISO	Ant1	2412	2496.5~13000	4818.82	-41.10	0.07762	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2412	2496.5~13000	8782.32	-44.60	0.03467	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2442	30~1000	483.48	-51.65	0.00684	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2442	30~1000	487.11	-50.24	0.00946	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2442	1000~2387	2385.61	-42.13	0.06124	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2442	1000~2387	2386.31	-42.48	0.05649	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2442	2387~2400	2395.37	-35.46	0.28445	≤25	PASS
NTNV	11AX20SISO	Ant2	2442	2387~2400	2399.95	-35.49	0.28249	≤25	PASS
NTNV	11AX20SISO	Ant1	2442	2483.5~2496.5	2483.74	-31.68	0.67920	≤25	PASS
NTNV	11AX20SISO	Ant2	2442	2483.5~2496.5	2485.45	-33.53	0.44361	≤25	PASS
NTNV	11AX20SISO	Ant1	2442	2496.5~13000	2498.08	-40.68	0.08551	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2442	2496.5~13000	4888.15	-41.79	0.06622	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2472	30~1000	546.28	-50.92	0.00809	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2472	30~1000	548.71	-49.68	0.01076	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2472	1000~2387	2366.20	-44.49	0.03556	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2472	1000~2387	2351.98	-44.41	0.03622	≤2.5	PASS
NTNV	11AX20SISO	Ant1	2472	2387~2400	2395.43	-38.34	0.14655	≤25	PASS
NTNV	11AX20SISO	Ant2	2472	2387~2400	2392.21	-38.94	0.12764	≤25	PASS
NTNV	11AX20SISO	Ant1	2472	2483.5~2496.5	2483.53	-18.47	14.2232 9	≤25	See table below
NTNV	11AX20SISO	Ant2	2472	2483.5~2496.5	2488.61	-18.89	12.9121 9	≤25	See table below
NTNV	11AX20SISO	Ant1	2472	2496.5~13000	2503.85	-38.59	0.13836	≤2.5	PASS
NTNV	11AX20SISO	Ant2	2472	2496.5~13000	2497.55	-29.12	1.22462	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2412	30~1000	35.09	-62.34	0.00058	≤2.5	PASS

NTNV	11AX20MIMO	Ant2	2412	30~1000	32.18	-61.68	0.00068	≤2.5	PASS
NTNV	11AX20MIMO	total	2412	30~1000	---	---	0.00126	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2412	1000~2387	2387.00	-34.11	0.38815	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2412	1000~2387	2385.61	-43.26	0.04721	≤2.5	PASS
NTNV	11AX20MIMO	total	2412	1000~2387	---	---	0.43536	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2412	2387~2400	2398.77	-16.73	21.2324 4	≤25	See table below
NTNV	11AX20MIMO	Ant2	2412	2387~2400	2399.85	-26.58	2.19786	≤25	See table below
NTNV	11AX20MIMO	total	2412	2387~2400	---	---	23.4303 0	≤25	See table below
NTNV	11AX20MIMO	Ant1	2412	2483.5~2496.5	2487.13	-40.17	0.09616	≤25	PASS
NTNV	11AX20MIMO	Ant2	2412	2483.5~2496.5	2488.09	-39.63	0.10889	≤25	PASS
NTNV	11AX20MIMO	total	2412	2483.5~2496.5	---	---	0.20505	≤25	PASS
NTNV	11AX20MIMO	Ant1	2412	2496.5~13000	8600.61	-44.46	0.03581	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2412	2496.5~13000	8631.07	-44.82	0.03296	≤2.5	PASS
NTNV	11AX20MIMO	total	2412	2496.5~13000	---	---	0.06877	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2442	30~1000	34.85	-61.90	0.00065	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2442	30~1000	33.15	-62.32	0.00059	≤2.5	PASS
NTNV	11AX20MIMO	total	2442	30~1000	---	---	0.00124	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2442	1000~2387	2377.64	-45.80	0.02630	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2442	1000~2387	2369.32	-45.66	0.02716	≤2.5	PASS
NTNV	11AX20MIMO	total	2442	1000~2387	---	---	0.05346	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2442	2387~2400	2394.10	-38.82	0.13122	≤25	PASS
NTNV	11AX20MIMO	Ant2	2442	2387~2400	2395.65	-39.21	0.11995	≤25	PASS
NTNV	11AX20MIMO	total	2442	2387~2400	---	---	0.25117	≤25	PASS
NTNV	11AX20MIMO	Ant1	2442	2483.5~2496.5	2484.91	-38.57	0.13900	≤25	PASS
NTNV	11AX20MIMO	Ant2	2442	2483.5~2496.5	2483.59	-38.36	0.14588	≤25	PASS
NTNV	11AX20MIMO	total	2442	2483.5~2496.5	---	---	0.28488	≤25	PASS
NTNV	11AX20MIMO	Ant1	2442	2496.5~13000	7461.50	-44.60	0.03467	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2442	2496.5~13000	8583.28	-43.56	0.04406	≤2.5	PASS
NTNV	11AX20MIMO	total	2442	2496.5~13000	---	---	0.07873	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2472	30~1000	34.37	-62.21	0.00060	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2472	30~1000	30.97	-62.50	0.00056	≤2.5	PASS
NTNV	11AX20MIMO	total	2472	30~1000	---	---	0.00116	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2472	1000~2387	2352.67	-46.02	0.02500	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2472	1000~2387	2374.86	-46.62	0.02178	≤2.5	PASS
NTNV	11AX20MIMO	total	2472	1000~2387	---	---	0.04678	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	2472	2387~2400	2387.49	-39.56	0.11066	≤25	PASS

NTNV	11AX20MIMO	Ant2	2472	2387~2400	2393.64	-39.64	0.10864	≤25	PASS
NTNV	11AX20MIMO	total	2472	2387~2400	---	---	0.21930	≤25	PASS
NTNV	11AX20MIMO	Ant1	2472	2483.5~2496.5	2483.55	-21.80	6.60693	≤25	PASS
NTNV	11AX20MIMO	Ant2	2472	2483.5~2496.5	2483.62	-23.04	4.96592	≤25	PASS
NTNV	11AX20MIMO	total	2472	2483.5~2496.5	---	---	11.5728 5	≤25	PASS
NTNV	11AX20MIMO	Ant1	2472	2496.5~13000	2498.08	-41.39	0.07261	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	2472	2496.5~13000	2496.50	-44.25	0.03758	≤2.5	PASS
NTNV	11AX20MIMO	total	2472	2496.5~13000	---	---	0.11019	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2422	30~1000	30.00	-49.31	0.01172	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2422	30~1000	30.00	-48.48	0.01419	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2422	1000~2387	2383.53	-28.43	1.43549	≤2.5	See table below
NTNV	11AX40SISO	Ant2	2422	1000~2387	2366.89	-27.89	1.62555	≤2.5	See table below
NTNV	11AX40SISO	Ant1	2422	2387~2400	2399.95	-23.44	4.52898	≤25	PASS
NTNV	11AX40SISO	Ant2	2422	2387~2400	2399.64	-23.26	4.72063	≤25	PASS
NTNV	11AX40SISO	Ant1	2422	2483.5~2496.5	2485.56	-36.46	0.22594	≤25	PASS
NTNV	11AX40SISO	Ant2	2422	2483.5~2496.5	2487.33	-33.04	0.49659	≤25	PASS
NTNV	11AX40SISO	Ant1	2422	2496.5~13000	8779.69	-44.24	0.03767	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2422	2496.5~13000	2497.55	-43.15	0.04842	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2442	30~1000	30.00	-47.12	0.01941	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2442	30~1000	30.00	-47.49	0.01782	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2442	1000~2387	2381.80	-29.85	1.03514	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2442	1000~2387	2384.23	-29.02	1.25314	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2442	2387~2400	2399.61	-24.44	3.59749	≤25	PASS
NTNV	11AX40SISO	Ant2	2442	2387~2400	2392.11	-25.46	2.84446	≤25	PASS
NTNV	11AX40SISO	Ant1	2442	2483.5~2496.5	2484.83	-21.93	6.41210	≤25	PASS
NTNV	11AX40SISO	Ant2	2442	2483.5~2496.5	2486.76	-24.52	3.53183	≤25	PASS
NTNV	11AX40SISO	Ant1	2442	2496.5~13000	2498.08	-29.76	1.05682	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2442	2496.5~13000	2498.60	-30.53	0.88512	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2462	30~1000	30.00	-46.65	0.02163	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2462	30~1000	32.18	-46.52	0.02228	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2462	1000~2387	2382.84	-32.87	0.51642	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2462	1000~2387	2375.9	-27.63	1.72584	≤2.5	See table below
NTNV	11AX40SISO	Ant1	2462	2387~2400	2399.45	-25.02	3.14775	≤25	PASS
NTNV	11AX40SISO	Ant2	2462	2387~2400	2399.32	-28.14	1.53462	≤25	PASS
NTNV	11AX40SISO	Ant1	2462	2483.5~2496.5	2491.7	-18.47	14.2232	≤25	See

							9		table below
NTNV	11AX40SISO	Ant2	2462	2483.5~2496.5	2490.09	-19.80	10.47129	≤25	PASS
NTNV	11AX40SISO	Ant1	2462	2496.5~13000	2518.56	-32.39	0.57677	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2462	2496.5~13000	2507	-26.00	2.51189	≤2.5	See table below
NTNV	11AX40MIMO	Ant1	2422	30~1000	30.00	-54.59	0.00348	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2422	30~1000	30.00	-54.43	0.00361	≤2.5	PASS
NTNV	11AX40MIMO	total	2422	30~1000	---	---	0.00709	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2422	1000~2387	2375.90	-37.47	0.17906	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2422	1000~2387	2379.02	-31.21	0.75683	≤2.5	PASS
NTNV	11AX40MIMO	total	2422	1000~2387	---	---	0.93589	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2422	2387~2400	2399.27	-19.39	11.50800	≤25	See table below
NTNV	11AX40MIMO	Ant2	2422	2387~2400	2399.69	-18.99	12.61828	≤25	See table below
NTNV	11AX40MIMO	total	2422	2387~2400	---	---	24.12628	≤25	See table below
NTNV	11AX40MIMO	Ant1	2422	2483.5~2496.5	2489.58	-36.24	0.23768	≤25	PASS
NTNV	11AX40MIMO	Ant2	2422	2483.5~2496.5	2483.65	-39.56	0.11066	≤25	PASS
NTNV	11AX40MIMO	total	2422	2483.5~2496.5	---	---	0.34834	≤25	PASS
NTNV	11AX40MIMO	Ant1	2422	2496.5~13000	8595.36	-44.28	0.03733	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2422	2496.5~13000	8627.92	-44.07	0.03917	≤2.5	PASS
NTNV	11AX40MIMO	total	2422	2496.5~13000	---	---	0.07650	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2442	30~1000	30.00	-53.69	0.00428	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2442	30~1000	30.00	-53.00	0.00501	≤2.5	PASS
NTNV	11AX40MIMO	total	2442	30~1000	---	---	0.00929	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2442	1000~2387	2387.00	-39.06	0.12417	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2442	1000~2387	2386.65	-40.39	0.09141	≤2.5	PASS
NTNV	11AX40MIMO	total	2442	1000~2387	---	---	0.21558	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2442	2387~2400	2397.73	-32.41	0.57412	≤25	PASS
NTNV	11AX40MIMO	Ant2	2442	2387~2400	2398.77	-34.58	0.34834	≤25	PASS
NTNV	11AX40MIMO	total	2442	2387~2400	---	---	0.92246	≤25	PASS
NTNV	11AX40MIMO	Ant1	2442	2483.5~2496.5	2485.36	-29.74	1.06170	≤25	PASS
NTNV	11AX40MIMO	Ant2	2442	2483.5~2496.5	2484.31	-30.06	0.98628	≤25	PASS
NTNV	11AX40MIMO	total	2442	2483.5~2496.5	---	---	2.04798	≤25	PASS
NTNV	11AX40MIMO	Ant1	2442	2496.5~13000	2500.18	-37.20	0.19055	≤2.5	PASS

NTNV	11AX40MIMO	Ant2	2442	2496.5~13000	2496.50	-41.29	0.07430	≤2.5	PASS
NTNV	11AX40MIMO	total	2442	2496.5~13000	---	---	0.26485	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2462	30~1000	30.00	-53.09	0.00491	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2462	30~1000	30.00	-54.00	0.00398	≤2.5	PASS
NTNV	11AX40MIMO	total	2462	30~1000	---	---	0.00889	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2462	1000~2387	2387.00	-44.43	0.03606	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2462	1000~2387	2386.65	-44.73	0.03365	≤2.5	PASS
NTNV	11AX40MIMO	total	2462	1000~2387	---	---	0.06971	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2462	2387~2400	2393.79	-37.38	0.18281	≤25	PASS
NTNV	11AX40MIMO	Ant2	2462	2387~2400	2393.33	-37.23	0.18923	≤25	PASS
NTNV	11AX40MIMO	total	2462	2387~2400	---	---	0.37204	≤25	PASS
NTNV	11AX40MIMO	Ant1	2462	2483.5~2496.5	2483.53	-26.79	2.09411	≤25	PASS
NTNV	11AX40MIMO	Ant2	2462	2483.5~2496.5	2483.59	-27.56	1.75388	≤25	PASS
NTNV	11AX40MIMO	total	2462	2483.5~2496.5	---	---	3.84799	≤25	PASS
NTNV	11AX40MIMO	Ant1	2462	2496.5~13000	2497.55	-35.71	0.26853	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	2462	2496.5~13000	2509.63	-37.48	0.17865	≤2.5	PASS
NTNV	11AX40MIMO	total	2462	2496.5~13000	---	---	0.44718	≤2.5	PASS

Test Result_Step2

Test Condition	TestMode	Antenna	Frequency [MHz]	Freq. [MHz]	Result [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11G	Ant1	2412	1000~2387	-44.42	0.03614	≤2.5	PASS
NTNV	11G	Ant2	2412	2387~2400	-39.90	0.10233	≤25	PASS
NTNV	11G	Ant1	2472	2483.5~2496.5	-42.80	0.05248	≤25	PASS
NTNV	11G	Ant2	2472	2483.5~2496.5	-38.91	0.12853	≤25	PASS
NTNV	11N20SISO	Ant2	2412	1000~2387	-44.16	0.03837	≤2.5	PASS
NTNV	11N20SISO	Ant1	2412	2387~2400	-38.76	0.13305	≤25	PASS
NTNV	11N20SISO	Ant1	2472	2483.5~2496.5	-41.04	0.07870	≤25	PASS
NTNV	11N20SISO	Ant2	2472	2483.5~2496.5	-37.00	0.19953	≤25	PASS
NTNV	11N20MIMO	Ant1	2412	2387~2400	-43.48	0.04487	≤25	PASS
NTNV	11N20MIMO	Ant2	2412	2387~2400	-43.72	0.04246	≤25	PASS
NTNV	11N20MIMO	Ant1	2412	2387~2400	-39.75	0.10593	≤25	PASS
NTNV	11N20MIMO	Ant2	2412	2387~2400	-39.96	0.10093	≤25	PASS
NTNV	11N20MIMO	Ant1	2412	2387~2400	---	0.15080	≤25	PASS
NTNV	11N20MIMO	Ant2	2412	2387~2400	---	0.14339	≤25	PASS
NTNV	11N40SISO	Ant1	2422	1000~2387	-43.76	0.04207	≤2.5	PASS
NTNV	11N40SISO	Ant2	2422	1000~2387	-44.35	0.03673	≤2.5	PASS
NTNV	11N40SISO	Ant2	2422	1000~2387	-43.10	0.04898	≤2.5	PASS
NTNV	11N40SISO	Ant1	2462	2483.5~2496.5	-38.51	0.14093	≤25	PASS
NTNV	11N40SISO	Ant2	2462	2483.5~2496.5	-38.65	0.13646	≤25	PASS

NTNV	11AX20SISO	Ant2	2412	2387~2400	-42.44	0.05702	≤25	PASS
NTNV	11AX20SISO	Ant1	2472	2483.5~2496.5	-39.41	0.11455	≤25	PASS
NTNV	11AX20MIMO	Ant1	2412	2387~2400	-41.12	0.07727	≤25	PASS
NTNV	11AX20MIMO	Ant2	2412	2387~2400	-40.45	0.09016	≤25	PASS
NTNV	11AX20MIMO	Ant1	2412	2387~2400	-44.40	0.03631	≤25	PASS
NTNV	11AX20MIMO	Ant2	2412	2387~2400	-44.04	0.03945	≤25	PASS
NTNV	11AX20MIMO	Ant1	2412	2387~2400	---	0.11358	≤25	PASS
NTNV	11AX20MIMO	Ant2	2412	2387~2400	---	0.12961	≤25	PASS
NTNV	11AX40SISO	Ant1	2422	1000~2387	-44.02	0.03963	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2422	1000~2387	-44.13	0.03864	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2422	1000~2387	-43.46	0.04508	≤2.5	PASS
NTNV	11AX40SISO	Ant2	2462	1000~2387	-44.44	0.03597	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2462	2483.5~2496.5	-42.16	0.06081	≤25	PASS
NTNV	11AX40SISO	Ant2	2462	2496.5~13000	-40.12	0.09727	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	2422	2387~2400	-41.23	0.07534	≤25	PASS
NTNV	11AX40MIMO	Ant2	2422	2387~2400	-40.97	0.07998	≤25	PASS
NTNV	11AX40MIMO	Ant1	2422	2387~2400	-42.72	0.05346	≤25	PASS
NTNV	11AX40MIMO	Ant2	2422	2387~2400	-42.48	0.05649	≤25	PASS
NTNV	11AX40MIMO	Ant1	2422	2387~2400	---	0.12880	≤25	PASS
NTNV	11AX40MIMO	Ant2	2422	2387~2400	---	0.13647	≤25	PASS


Note:

$\text{dBm}/1\text{MHz} = \text{dBm}/100\text{kHz} + 10 \times \log_{10} (1\text{MHz}/100\text{KHz})$


$\text{dBm}/1\text{MHz} = \text{dBm}/100\text{kHz} + 10$

During the 30M-1000M testing process, a 10 dB factor was added for the test.


Test Graphs




NTNV-11B-Ant1-2412-30~1000-PASS





NTNV-11B-Ant2-2412-30~1000-PASS




NTNV-11B-Ant1-2412-1000~2387-PASS



NTNV-11B-Ant2-2412-1000~2387-PASS












NTVN-11B-Ant1-2442-2496.5~13000-PASS




NTVN-11B-Ant2-2442-2496.5~13000-PASS




NTVN-11B-Ant1-2472-30~1000-PASS




NTVN-11B-Ant2-2472-30~1000-PASS




NTVN-11B-Ant1-2472-1000~2387-PASS



NTVN-11B-Ant2-2472-1000~2387-PASS








NTNV-11G-Ant1-2412-2483.5~2496.5-PASS




NTNV-11G-Ant2-2412-2483.5~2496.5-PASS




NTNV-11G-Ant1-2412-2496.5~13000-PASS




NTNV-11G-Ant2-2412-2496.5~13000-PASS



NTNV-11G-Ant1-2442-30~1000-PASS




NTNV-11G-Ant2-2442-30~1000-PASS







NTVN-11G-Ant1-2442-2496.5~13000-PASS




NTVN-11G-Ant2-2442-2496.5~13000-PASS




NTVN-11G-Ant1-2472-30~1000-PASS




NTVN-11G-Ant2-2472-30~1000-PASS




NTVN-11G-Ant1-2472-1000~2387-PASS




NTVN-11G-Ant2-2472-1000~2387-PASS




NTNV-11G-Ant1-2472-2387~2400-PASS




NTNV-11G-Ant2-2472-2387~2400-PASS




NTNV-11G-Ant1-2472-2483.5~2496.5-See table below



NTNV-11G-Ant2-2472-2483.5~2496.5-See table below



NTNV-11G-Ant1-2472-2496.5~13000-PASS



NTNV-11G-Ant2-2472-2496.5~13000-PASS








table below	
	
NTNV-11N20SISO-Ant1-2412-2483.5~2496.5-PAS S	NTNV-11N20SISO-Ant2-2412-2483.5~2496.5-PAS S
	
NTNV-11N20SISO-Ant1-2412-2496.5~13000-PAS S	NTNV-11N20SISO-Ant2-2412-2496.5~13000-PAS S























table below	table below
 11:25:42 AM 01/31/2026	 01:05:15 AM 01/31/2026
NTNV-11N20SISO-Ant1-2472-2496.5~13000-PAS S	NTNV-11N20SISO-Ant2-2472-2496.5~13000-PAS S
 09:12:43 AM 01/31/2026	 09:14:40 AM 01/31/2026
NTNV-11N20MIMO-Ant1-2412-30~1000-PASS	NTNV-11N20MIMO-Ant2-2412-30~1000-PASS
 03:12:59 AM 01/31/2026	 03:14:56 AM 01/31/2026


NTNV-11N20MIMO-Ant1-2412-1000~2387-PASS  03:13:14 AM 01/31/2026	NTNV-11N20MIMO-Ant2-2412-1000~2387-PASS  03:15:11 AM 01/31/2026
NTNV-11N20MIMO-Ant1-2412-2387~2400-See table below	NTNV-11N20MIMO-Ant2-2412-2387~2400-See table below
 03:14:11 AM 01/31/2026	 03:16:18 AM 01/31/2026
NTNV-11N20MIMO-Ant1-2412-2483.5~2496.5-PA SS	NTNV-11N20MIMO-Ant2-2412-2483.5~2496.5-PA SS









S	S
 NTNV-11N20MIMO-Ant1-2472-30~1000-PASS	 NTNV-11N20MIMO-Ant2-2472-30~1000-PASS
 NTNV-11N20MIMO-Ant1-2472-1000~2387-PASS	 NTNV-11N20MIMO-Ant2-2472-1000~2387-PASS
 NTNV-11N20MIMO-Ant1-2472-2387~2400-PASS	 NTNV-11N20MIMO-Ant2-2472-2387~2400-PASS





NTNV-11N40SISO-Ant1-2422-2483.5~2496.5-PAS S	NTNV-11N40SISO-Ant2-2422-2483.5~2496.5-PAS S
 11:33:40 PM 01/30/2026	 01:11:26 AM 01/31/2026
NTNV-11N40SISO-Ant1-2422-2496.5~13000-PAS S	NTNV-11N40SISO-Ant2-2422-2496.5~13000-PAS S
 11:36:39 PM 01/30/2026	 01:17:32 AM 01/31/2026
NTNV-11N40SISO-Ant1-2442-30~1000-PASS	NTNV-11N40SISO-Ant2-2442-30~1000-PASS