1. Appendix F: Spurious Emission of TX & Leak Power Out of Band

1.1 Worst Case Test Result

Please refer to following data plots.

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A-CDD	Ant1	5180	30~5142	-39.01	≤-26.02	0.64417	≤2.5	PASS
NTNV	11A-CDD	Ant2	5180	30~5142	-40.91	≤-26.02	0.35400	≤2.5	PASS
NTNV	11A-CDD	Ant1	5180	5142~5150	-39.27	≤-18.24	0.60674	≤15	PASS
NTNV	11A-CDD	Ant2	5180	5142~5150	-40.00	≤-18.24	0.43652	≤15	PASS
NTNV	11A-CDD	Ant1	5180	5250~5251	-45.60	≤-9.7	0.14125	≤107.2	PASS
NTNV	11A-CDD	Ant2	5180	5250~5251	-45.39	≤-9.6	0.12618	≤109.6	PASS
NTNV	11A-CDD	Ant1	5180	5251~5260	-45.80	≤-17.56	0.13490	≤17.6	PASS
NTNV	11A-CDD	Ant2	5180	5251~5260	-45.99	≤-17.55	0.10990	≤17.6	PASS
NTNV	11A-CDD	Ant1	5180	5260~5266.7	-45.71	≤-18.01	0.13772	≤15.8	PASS
NTNV	11A-CDD	Ant2	5180	5260~5266.7	-44.72	≤-18.01	0.14723	≤15.8	PASS
NTNV	11A-CDD	Ant1	5180	5266.7~26000	-34.99	≤-26.02	1.62555	≤2.5	PASS
NTNV	11A-CDD	Ant2	5180	5266.7~26000	-34.94	≤-26.02	1.39959	≤2.5	PASS
NTNV	11A-CDD	Ant1	5200	30~5142	-43.22	≤-26.02	0.24434	≤2.5	PASS
NTNV	11A-CDD	Ant2	5200	30~5142	-39.03	≤-26.02	0.54576	≤2.5	PASS
NTNV	11A-CDD	Ant1	5200	5142~5150	-39.79	≤-18.24	0.53827	≤15	PASS
NTNV	11A-CDD	Ant2	5200	5142~5150	-40.45	≤-18.24	0.39355	≤15	PASS
NTNV	11A-CDD	Ant1	5200	5250~5251	-46.33	≤-10	0.11940	≤100.0	PASS
NTNV	11A-CDD	Ant2	5200	5250~5251	-45.38	≤-9.9	0.12647	≤102.3	PASS
NTNV	11A-CDD	Ant1	5200	5251~5260	-45.89	≤-17.48	0.13213	≤17.9	PASS
NTNV	11A-CDD	Ant2	5200	5251~5260	-46.93	≤-17.94	0.08851	≤16.1	PASS
NTNV	11A-CDD	Ant1	5200	5260~5266.7	-45.16	≤-18.01	0.15631	≤15.8	PASS
NTNV	11A-CDD	Ant2	5200	5260~5266.7	-45.02	≤-18	0.13740	≤15.8	PASS
NTNV	11A-CDD	Ant1	5200	5266.7~26000	-34.66	≤-26.02	1.75388	≤2.5	PASS
NTNV	11A-CDD	Ant2	5200	5266.7~26000	-34.99	≤-26.02	1.38357	≤2.5	PASS
NTNV	11A-CDD	Ant1	5240	30~5142	-39.22	≤-26.02	0.61376	≤2.5	PASS
NTNV	11A-CDD	Ant2	5240	30~5142	-39.75	≤-26.02	0.46238	≤2.5	PASS
NTNV	11A-CDD	Ant1	5240	5142~5150	-40.44	≤-18.24	0.46345	≤15	PASS
NTNV	11A-CDD	Ant2	5240	5142~5150	-40.42	≤-18.24	0.39628	≤15	PASS
NTNV	11A-CDD	Ant1	5240	5250~5251	-21.38	≤-8.7	37.32502	≤134.9	PASS
NTNV	11A-CDD	Ant2	5240	5250~5251	-27.39	≤-9.9	7.96159	≤102.3	PASS
NTNV	11A-CDD	Ant1	5240	5251~5260	-22.79	≤-10.03	26.97739	≤99.4	PASS
NTNV	11A-CDD	Ant2	5240	5251~5260	-28.13	≤-10.12	6.71429	≤97.4	PASS
NTNV	11A-CDD	Ant1	5240	5260~5266.7	-44.27	≤-18.04	0.19187	≤15.7	PASS
NTNV	11A-CDD	Ant2	5240	5260~5266.7	-44.87	≤-18	0.14223	≤15.8	PASS
NTNV	11A-CDD	Ant1	5240	5266.7~26000	-34.51	≤-26.02	1.81552	≤2.5	PASS
NTNV	11A-CDD	Ant2	5240	5266.7~26000	-34.67	≤-26.02	1.48936	≤2.5	PASS

NTNV	11A-CDD	Ant1	5260	30~5233.3	-40.65	≤-26.02	0.44157	≤2.5	PASS
NTNV	11A-CDD	Ant2	5260	30~5233.3	-36.79	≤-26.02	0.91411	≤2.5	PASS
NTNV	11A-CDD	Ant1	5260	5233.3~5240	-41.86	≤-22.15	0.33420	≤6.1	PASS
NTNV	11A-CDD	Ant2	5260	5233.3~5240	-44.45	≤-24.71	0.15668	≤3.4	PASS
NTNV	11A-CDD	Ant1	5260	5240~5249	-21.66	≤-10.03	34.99452	≤99.4	PASS
NTNV	11A-CDD	Ant2	5260	5240~5249	-27.32	≤-10.25	8.09096	≤94.4	PASS
NTNV	11A-CDD	Ant1	5260	5249~5250	-20.07	≤-9.1	50.46613	≤123.0	PASS
NTNV	11A-CDD	Ant2	5260	5249~5250	-25.31	≤-10	12.85287	≤100.0	PASS
NTNV	11A-CDD	Ant1	5260	5350~26000	-35.14	≤-26.02	1.57036	≤2.5	PASS
NTNV	11A-CDD	Ant2	5260	5350~26000	-35.11	≤-26.02	1.34586	≤2.5	PASS
NTNV	11A-CDD	Ant1	5280	30~5233.3	-40.12	≤-26.02	0.49888	≤2.5	PASS
NTNV	11A-CDD	Ant2	5280	30~5233.3	-39.50	≤-26.02	0.48978	≤2.5	PASS
NTNV	11A-CDD	Ant1	5280	5233.3~5240	-44.60	≤-25.42	0.17783	≤2.9	PASS
NTNV	11A-CDD	Ant2	5280	5233.3~5240	-46.88	≤-26.02	0.08954	≤2.5	PASS
NTNV	11A-CDD	Ant1	5280	5240~5249	-44.56	≤-17.86	0.17947	≤16.4	PASS
NTNV	11A-CDD	Ant2	5280	5240~5249	-46.33	≤-17.72	0.10162	≤16.9	PASS
NTNV	11A-CDD	Ant1	5280	5249~5250	-46.53	≤-9.8	0.11402	≤104.7	PASS
NTNV	11A-CDD	Ant2	5280	5249~5250	-45.71	≤-9.2	0.11722	≤120.2	PASS
NTNV	11A-CDD	Ant1	5280	5350~26000	-34.62	≤-26.02	1.77011	≤2.5	PASS
NTNV	11A-CDD	Ant2	5280	5350~26000	-34.70	≤-26.02	1.47911	≤2.5	PASS
NTNV	11A-CDD	Ant1	5320	30~5233.3	-40.48	≤-26.02	0.45920	≤2.5	PASS
NTNV	11A-CDD	Ant2	5320	30~5233.3	-40.73	≤-26.02	0.36898	≤2.5	PASS
NTNV	11A-CDD	Ant1	5320	5233.3~5240	-45.79	≤-26.03	0.13521	≤2.5	PASS
NTNV	11A-CDD	Ant2	5320	5233.3~5240	-46.21	≤-26.03	0.10447	≤2.5	PASS
NTNV	11A-CDD	Ant1	5320	5240~5249	-45.05	≤-17.43	0.16032	≤18.1	PASS
NTNV	11A-CDD	Ant2	5320	5240~5249	-46.24	≤-17.46	0.10375	≤18.0	PASS
NTNV	11A-CDD	Ant1	5320	5249~5250	-45.79	≤-9.4	0.13521	≤114.8	PASS
NTNV	11A-CDD	Ant2	5320	5249~5250	-45.76	≤-10	0.11588	≤100.0	PASS
NTNV	11A-CDD	Ant1	5320	5350~26000	-34.81	≤-26.02	1.69434	≤2.5	PASS
NTNV	11A-CDD	Ant2	5320	5350~26000	-35.05	≤-26.02	1.36458	≤2.5	PASS
NTNV	11A-CDD	Ant1	5500	30~5460	-38.39	≤-26.02	0.74302	≤2.5	PASS
NTNV	11A-CDD	Ant2	5500	30~5460	-40.81	≤-26.02	0.36224	≤2.5	PASS
NTNV	11A-CDD	Ant1	5500	5460~5470	-33.30	≤-19.03	2.39883	≤12.5	PASS
NTNV	11A-CDD	Ant2	5500	5460~5470	-39.86	≤-19.03	0.45082	≤12.5	PASS
NTNV	11A-CDD	Ant1	5500	5745~5765	-44.68	≤-19.03	0.17458	≤12.5	PASS
NTNV	11A-CDD	Ant2	5500	5745~5765	-42.89	≤-19.03	0.22439	≤12.5	PASS
NTNV	11A-CDD	Ant1	5500	5765~26000	-35.11	≤-26.02	1.58125	≤2.5	PASS
NTNV	11A-CDD	Ant2	5500	5765~26000	-35.07	≤-26.02	1.35831	≤2.5	PASS
NTNV	11A-CDD	Ant1	5600	30~5460	-40.36	≤-26.02	0.47206	≤2.5	PASS
NTNV	11A-CDD	Ant2	5600	30~5460	-38.27	≤-26.02	0.65013	≤2.5	PASS
NTNV	11A-CDD	Ant1	5600	5460~5470	-45.83	≤-19.03	0.13397	≤12.5	PASS
NTNV	11A-CDD	Ant2	5600	5460~5470	-45.45	≤-19.03	0.12445	≤12.5	PASS
NTNV	11A-CDD	Ant1	5600	5745~5765	-44.37	≤-19.03	0.18750	≤12.5	PASS

NTNV	11A-CDD	Ant2	5600	5745~5765	-43.10	≤-19.03	0.21380	≤12.5	PASS
NTNV	11A-CDD	Ant1	5600	5765~26000	-34.93	≤-26.02	1.64816	≤2.5	PASS
NTNV	11A-CDD	Ant2	5600	5765~26000	-35.20	≤-26.02	1.31826	≤2.5	PASS
NTNV	11A-CDD	Ant1	5720	30~5460	-41.49	≤-26.02	0.36392	≤2.5	PASS
NTNV	11A-CDD	Ant2	5720	30~5460	-42.83	≤-26.02	0.22751	≤2.5	PASS
NTNV	11A-CDD	Ant1	5720	5460~5470	-45.18	≤-19.03	0.15560	≤12.5	PASS
NTNV	11A-CDD	Ant2	5720	5460~5470	-45.35	≤-19.03	0.12735	≤12.5	PASS
NTNV	11A-CDD	Ant1	5720	5745~5765	-25.53	≤-19.03	14.35489	≤12.5	PASS* See Step 2
NTNV	11A-CDD	Ant2	5720	5745~5765	-28.64	≤-19.03	5.97035	≤12.5	PASS
NTNV	11A-CDD	Ant1	5720	5765~26000	-34.40	≤-26.02	1.86209	≤2.5	PASS
NTNV	11A-CDD	Ant2	5720	5765~26000	-35.56	≤-26.02	1.21339	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5180	30~5142	-40.72	≤-26.02	0.43451	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5180	30~5142	-38.88	≤-26.02	0.56494	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5180	5142~5150	-39.94	≤-18.24	0.52000	≤15	PASS
NTNV	11N20MIMO	Ant2	5180	5142~5150	-43.80	≤-18.24	0.18197	≤15	PASS
NTNV	11N20MIMO	Ant1	5180	5250~5251	-46.04	≤-10	0.12764	≤100.0	PASS
NTNV	11N20MIMO	Ant2	5180	5250~5251	-46.70	≤-9.9	0.09333	≤102.3	PASS
NTNV	11N20MIMO	Ant1	5180	5251~5260	-45.97	≤-17.38	0.12972	≤18.3	PASS
NTNV	11N20MIMO	Ant2	5180	5251~5260	-46.26	≤-17.96	0.10328	≤16.0	PASS
NTNV	11N20MIMO	Ant1	5180	5260~5266.7	-44.64	≤-18.02	0.17620	≤15.8	PASS
NTNV	11N20MIMO	Ant2	5180	5260~5266.7	-45.64	≤-18	0.11912	≤15.8	PASS
NTNV	11N20MIMO	Ant1	5180	5266.7~26000	-34.56	≤-26.02	1.79473	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5180	5266.7~26000	-34.58	≤-26.02	1.52055	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5200	30~5142	-35.79	≤-26.02	1.35207	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5200	30~5142	-38.18	≤-26.02	0.66374	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5200	5142~5150	-39.39	≤-18.24	0.59020	≤15	PASS
NTNV	11N20MIMO	Ant2	5200	5142~5150	-39.56	≤-18.24	0.48306	≤15	PASS
NTNV	11N20MIMO	Ant1	5200	5250~5251	-45.81	≤-9.8	0.13459	≤104.7	PASS
NTNV	11N20MIMO	Ant2	5200	5250~5251	-45.23	≤-9.8	0.13092	≤104.7	PASS
NTNV	11N20MIMO	Ant1	5200	5251~5260	-45.68	≤-17.82	0.13868	≤16.5	PASS
NTNV	11N20MIMO	Ant2	5200	5251~5260	-45.73	≤-17.73	0.11668	≤16.9	PASS
NTNV	11N20MIMO	Ant1	5200	5260~5266.7	-45.43	≤-18.03	0.14689	≤15.7	PASS
NTNV	11N20MIMO	Ant2	5200	5260~5266.7	-45.20	≤-18.02	0.13183	≤15.8	PASS
NTNV	11N20MIMO	Ant1	5200	5266.7~26000	-34.49	≤-26.02	1.82390	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5200	5266.7~26000	-34.97	≤-26.02	1.38995	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5240	30~5142	-38.27	≤-26.02	0.76384	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5240	30~5142	-38.81	≤-26.02	0.57412	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5240	5142~5150	-40.23	≤-18.24	0.48641	≤15	PASS
NTNV	11N20MIMO	Ant2	5240	5142~5150	-39.03	≤-18.24	0.54576	≤15	PASS
NTNV	11N20MIMO	Ant1	5240	5250~5251	-17.18	≤-7.9	98.17479	≤162.2	PASS
NTNV	11N20MIMO	Ant2	5240	5250~5251	-23.52	≤-9	19.40886	≤125.9	PASS

NTNV	11N20MIMO	Ant1	5240	5251~5260	-20.03	≤-10.01	50.93309	≤99.8	PASS
NTNV	11N20MIMO	Ant2	5240	5251~5260	-26.86	≤-10.04	8.99498	≤99.2	PASS
NTNV	11N20MIMO	Ant1	5240	5260~5266.7	-44.29	≤-18.01	0.19099	≤15.8	PASS
NTNV	11N20MIMO	Ant2	5240	5260~5266.7	-44.59	≤-18	0.15171	≤15.8	PASS
NTNV	11N20MIMO	Ant1	5240	5266.7~26000	-34.40	≤-26.02	1.86209	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5240	5266.7~26000	-35.36	≤-26.02	1.27057	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5260	30~5233.3	-42.46	≤-26.02	0.29107	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5260	30~5233.3	-38.72	≤-26.02	0.58614	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5260	5233.3~5240	-45.19	≤-25.67	0.15524	≤2.7	PASS
NTNV	11N20MIMO	Ant2	5260	5233.3~5240	-45.49	≤-25.7	0.12331	≤2.7	PASS
NTNV	11N20MIMO	Ant1	5260	5240~5249	-20.65	≤-10.12	44.15704	≤97.4	PASS
NTNV	11N20MIMO	Ant2	5260	5240~5249	-25.16	≤-10.18	13.30454	≤96.0	PASS
NTNV	11N20MIMO	Ant1	5260	5249~5250	-17.98	≤-8.9	81.65824	≤128.8	PASS
NTNV	11N20MIMO	Ant2	5260	5249~5250	-20.29	≤-6.1	40.83194	≤245.5	PASS
NTNV	11N20MIMO	Ant1	5260	5350~26000	-34.84	≤-26.02	1.68267	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5260	5350~26000	-35.77	≤-26.02	1.15611	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5280	30~5233.3	-43.70	≤-26.02	0.21878	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5280	30~5233.3	-41.33	≤-26.02	0.32137	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5280	5233.3~5240	-45.84	≤-25.33	0.13366	≤2.9	PASS
NTNV	11N20MIMO	Ant2	5280	5233.3~5240	-46.12	≤-25.78	0.10666	≤2.6	PASS
NTNV	11N20MIMO	Ant1	5280	5240~5249	-45.80	≤-17.53	0.13490	≤17.7	PASS
NTNV	11N20MIMO	Ant2	5280	5240~5249	-44.47	≤-17.17	0.15596	≤19.2	PASS
NTNV	11N20MIMO	Ant1	5280	5249~5250	-45.77	≤-9.5	0.13583	≤112.2	PASS
NTNV	11N20MIMO	Ant2	5280	5249~5250	-46.86	≤-10	0.08995	≤100.0	PASS
NTNV	11N20MIMO	Ant1	5280	5350~26000	-35.08	≤-26.02	1.59221	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5280	5350~26000	-34.70	≤-26.02	1.47911	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5320	30~5233.3	-40.50	≤-26.02	0.45709	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5320	30~5233.3	-37.92	≤-26.02	0.70469	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5320	5233.3~5240	-45.52	≤-25.6	0.14388	≤2.8	PASS
NTNV	11N20MIMO	Ant2	5320	5233.3~5240	-44.96	≤-25.75	0.13932	≤2.7	PASS
NTNV	11N20MIMO	Ant1	5320	5240~5249	-44.80	≤-16.72	0.16982	≤21.3	PASS
NTNV	11N20MIMO	Ant2	5320	5240~5249	-45.20	≤-17.83	0.13183	≤16.5	PASS
NTNV	11N20MIMO	Ant1	5320	5249~5250	-45.75	≤-9.4	0.13646	≤114.8	PASS
NTNV	11N20MIMO	Ant2	5320	5249~5250	-44.65	≤-9	0.14962	≤125.9	PASS
NTNV	11N20MIMO	Ant1	5320	5350~26000	-34.69	≤-26.02	1.74181	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5320	5350~26000	-35.59	≤-26.02	1.20504	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5500	30~5460	-37.66	≤-26.02	0.87902	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5500	30~5460	-37.47	≤-26.02	0.78163	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5500	5460~5470	-30.16	≤-19.03	4.94311	≤12.5	PASS
NTNV	11N20MIMO	Ant2	5500	5460~5470	-34.43	≤-19.03	1.57398	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5500	5745~5765	-44.53	≤-19.03	0.18072	≤12.5	PASS
NTNV	11N20MIMO	Ant2	5500	5745~5765	-42.39	≤-19.03	0.25177	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5500	5765~26000	-35.12	≤-26.02	1.57761	≤2.5	PASS

NTNV	11N20MIMO	Ant2	5500	5765~26000	-35.37	≤-26.02	1.26765	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5600	30~5460	-37.28	≤-26.02	0.95940	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5600	30~5460	-37.54	≤-26.02	0.76913	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5600	5460~5470	-45.17	≤-19.03	0.15596	≤12.5	PASS
NTNV	11N20MIMO	Ant2	5600	5460~5470	-44.61	≤-19.03	0.15101	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5600	5745~5765	-44.09	≤-19.03	0.19999	≤12.5	PASS
NTNV	11N20MIMO	Ant2	5600	5745~5765	-43.88	≤-19.03	0.17865	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5600	5765~26000	-34.97	≤-26.02	1.63305	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5600	5765~26000	-35.07	≤-26.02	1.35831	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5720	30~5460	-37.89	≤-26.02	0.83368	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5720	30~5460	-37.10	≤-26.02	0.85114	≤2.5	PASS
NTNV	11N20MIMO	Ant1	5720	5460~5470	-45.81	≤-19.03	0.13459	≤12.5	PASS
NTNV	11N20MIMO	Ant2	5720	5460~5470	-45.38	≤-19.03	0.12647	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5720	5745~5765	-23.40	≤-19.03	23.44229	≤12.5	PASS* See Step 2
NTNV	11N20MIMO	Ant2	5720	5745~5765	-28.21	≤-19.03	6.59174	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5720	5765~26000	-34.21	≤-26.02	1.94536	≤2.5	PASS
NTNV	11N20MIMO	Ant2	5720	5765~26000	-35.65	≤-26.02	1.18850	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5190	30~5141.6	-37.54	≤-26.02	0.90365	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5190	30~5141.6	-38.21	≤-26.02	0.65917	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5190	5141.6~5150	-39.66	≤-18.24	0.55463	≤15	PASS
NTNV	11N40MIMO	Ant2	5190	5141.6~5150	-37.78	≤-18.24	0.72778	≤15	PASS
NTNV	11N40MIMO	Ant1	5190	5250~5251	-46.30	≤-12.91	0.12023	≤51.2	PASS
NTNV	11N40MIMO	Ant2	5190	5250~5251	-46.70	≤-12.71	0.09333	≤53.6	PASS
NTNV	11N40MIMO	Ant1	5190	5251~5270	-46.66	≤-20.86	0.11066	≤8.2	PASS
NTNV	11N40MIMO	Ant2	5190	5251~5270	-45.44	≤-19.44	0.12474	≤11.4	PASS
NTNV	11N40MIMO	Ant1	5190	5270~5278.4	-45.84	≤-25.55	0.13366	≤2.8	PASS
NTNV	11N40MIMO	Ant2	5190	5270~5278.4	-45.27	≤-25.69	0.12972	≤2.7	PASS
NTNV	11N40MIMO	Ant1	5190	5278.4~26000	-33.42	≤-26.02	2.33346	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5190	5278.4~26000	-35.43	≤-26.02	1.25026	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5230	30~5141.6	-39.91	≤-26.02	0.52360	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5230	30~5141.6	-37.41	≤-26.02	0.79250	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5230	5141.6~5150	-43.97	≤-18.24	0.20559	≤15	PASS
NTNV	11N40MIMO	Ant2	5230	5141.6~5150	-41.24	≤-18.24	0.32810	≤15	PASS
NTNV	11N40MIMO	Ant1	5230	5250~5251	-23.53	≤-12.81	22.75097	≤52.4	PASS
NTNV	11N40MIMO	Ant2	5230	5250~5251	-28.76	≤-12.41	5.80764	≤57.4	PASS
NTNV	11N40MIMO	Ant1	5230	5251~5270	-24.01	≤-13.04	20.37042	≤49.7	PASS
NTNV	11N40MIMO	Ant2	5230	5251~5270	-30.47	≤-13.05	3.91742	≤49.5	PASS
NTNV	11N40MIMO	Ant1	5230	5270~5278.4	-44.99	≤-25.21	0.16255	≤3.0	PASS
NTNV	11N40MIMO	Ant2	5230	5270~5278.4	-44.12	≤-23.88	0.16904	≤4.1	PASS
NTNV	11N40MIMO	Ant1	5230	5278.4~26000	-34.97	≤-26.02	1.63305	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5230	5278.4~26000	-34.90	≤-26.02	1.41254	≤2.5	PASS

NTNV	11N40MIMO	Ant1	5270	30~5221.6	-38.67	≤-26.02	0.69663	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5270	30~5221.6	-40.25	≤-26.02	0.41210	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5270	5221.6~5230	-44.89	≤-25.41	0.16634	≤2.9	PASS
NTNV	11N40MIMO	Ant2	5270	5221.6~5230	-45.47	≤-25.64	0.12388	≤2.7	PASS
NTNV	11N40MIMO	Ant1	5270	5230~5249	-28.19	≤-13.06	7.78037	≤49.5	PASS
NTNV	11N40MIMO	Ant2	5270	5230~5249	-31.69	≤-13.1	2.95801	≤49.0	PASS
NTNV	11N40MIMO	Ant1	5270	5249~5250	-25.03	≤-12.21	16.10646	≤60.1	PASS
NTNV	11N40MIMO	Ant2	5270	5249~5250	-28.71	≤-12.51	5.87489	≤56.1	PASS
NTNV	11N40MIMO	Ant1	5270	5350~5358.4	-45.21	≤-18.24	0.15453	≤15	PASS
NTNV	11N40MIMO	Ant2	5270	5350~5358.4	-45.29	≤-18.24	0.12912	≤15	PASS
NTNV	11N40MIMO	Ant1	5270	5358.4~26000	-34.92	≤-26.02	1.65196	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5270	5358.4~26000	-35.02	≤-26.02	1.37404	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5310	30~5221.6	-41.48	≤-26.02	0.36475	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5310	30~5221.6	-40.90	≤-26.02	0.35481	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5310	5221.6~5230	-45.60	≤-25.86	0.14125	≤2.6	PASS
NTNV	11N40MIMO	Ant2	5310	5221.6~5230	-45.54	≤-25.79	0.12190	≤2.6	PASS
NTNV	11N40MIMO	Ant1	5310	5230~5249	-44.56	≤-20.95	0.17947	≤8.0	PASS
NTNV	11N40MIMO	Ant2	5310	5230~5249	-45.60	≤-20.66	0.12023	≤8.6	PASS
NTNV	11N40MIMO	Ant1	5310	5249~5250	-45.97	≤-11.91	0.12972	≤64.4	PASS
NTNV	11N40MIMO	Ant2	5310	5249~5250	-46.14	≤-13.01	0.10617	≤50	PASS
NTNV	11N40MIMO	Ant1	5310	5350~5358.4	-45.17	≤-18.24	0.15596	≤15	PASS
NTNV	11N40MIMO	Ant2	5310	5350~5358.4	-45.23	≤-18.24	0.13092	≤15	PASS
NTNV	11N40MIMO	Ant1	5310	5358.4~26000	-35.30	≤-26.02	1.51356	≤2.5	PASS
NTNV	11N40MIMO	Ant2	5310	5358.4~26000	-34.67	≤-26.02	1.48936	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5510	30~5460	-34.66	≤-19.03	1.75388	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5510	30~5460	-37.97	≤-19.03	0.69663	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5510	5460~5470	-23.86	≤-13.01	21.08628	≤50	PASS
NTNV	11N40MIMO	Ant2	5510	5460~5470	-27.03	≤-13.01	8.64968	≤50	PASS
NTNV	11N40MIMO	Ant1	5510	5770~26000	-35.16	≤-19.03	1.56315	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5510	5770~26000	-34.40	≤-19.03	1.58489	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5590	30~5460	-43.23	≤-19.03	0.24378	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5590	30~5460	-41.47	≤-19.03	0.31117	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5590	5460~5470	-45.79	≤-13.01	0.13521	≤50	PASS
NTNV	11N40MIMO	Ant2	5590	5460~5470	-45.04	≤-13.01	0.13677	≤50	PASS
NTNV	11N40MIMO	Ant1	5590	5770~26000	-35.01	≤-19.03	1.61808	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5590	5770~26000	-35.09	≤-19.03	1.35207	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5710	30~5460	-37.62	≤-19.03	0.88716	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5710	30~5460	-41.64	≤-19.03	0.29923	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5710	5460~5470	-45.80	≤-13.01	0.13490	≤50	PASS
NTNV	11N40MIMO	Ant2	5710	5460~5470	-45.19	≤-13.01	0.13213	≤50	PASS
NTNV	11N40MIMO	Ant1	5710	5770~26000	-32.43	≤-19.03	2.93089	≤12.5	PASS
NTNV	11N40MIMO	Ant2	5710	5770~26000	-35.05	≤-19.03	1.36458	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5180	30~5142	-41.58	≤-26.02	0.35645	≤2.5	PASS

NTNV	11AC20MIMO	Ant2	5180	30~5142	-38.06	≤-26.02	0.68234	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5180	5142~5150	-41.58	≤-18.24	0.35645	≤15	PASS
NTNV	11AC20MIMO	Ant2	5180	5142~5150	-38.39	≤-18.24	0.63241	≤15	PASS
NTNV	11AC20MIMO	Ant1	5180	5250~5251	-45.77	≤-9.7	0.13583	≤107.2	PASS
NTNV	11AC20MIMO	Ant2	5180	5250~5251	-46.49	≤-9.8	0.09795	≤104.7	PASS
NTNV	11AC20MIMO	Ant1	5180	5251~5260	-45.10	≤-16.38	0.15849	≤23.0	PASS
NTNV	11AC20MIMO	Ant2	5180	5251~5260	-46.28	≤-17.88	0.10280	≤16.3	PASS
NTNV	11AC20MIMO	Ant1	5180	5260~5266.7	-45.62	≤-18.02	0.14060	≤15.8	PASS
NTNV	11AC20MIMO	Ant2	5180	5260~5266.7	-45.80	≤-18.02	0.11482	≤15.8	PASS
NTNV	11AC20MIMO	Ant1	5180	5266.7~26000	-34.27	≤-26.02	1.91867	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5180	5266.7~26000	-35.35	≤-26.02	1.27350	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5200	30~5142	-38.53	≤-26.02	0.71945	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5200	30~5142	-38.73	≤-26.02	0.58479	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5200	5142~5150	-38.43	≤-18.24	0.73621	≤15	PASS
NTNV	11AC20MIMO	Ant2	5200	5142~5150	-38.85	≤-18.24	0.56885	≤15	PASS
NTNV	11AC20MIMO	Ant1	5200	5250~5251	-45.29	≤-9.6	0.15171	≤109.6	PASS
NTNV	11AC20MIMO	Ant2	5200	5250~5251	-46.28	≤-9.8	0.10280	≤104.7	PASS
NTNV	11AC20MIMO	Ant1	5200	5251~5260	-46.24	≤-17.96	0.12190	≤16.0	PASS
NTNV	11AC20MIMO	Ant2	5200	5251~5260	-45.52	≤-16.91	0.12246	≤20.4	PASS
NTNV	11AC20MIMO	Ant1	5200	5260~5266.7	-45.73	≤-18.01	0.13709	≤15.8	PASS
NTNV	11AC20MIMO	Ant2	5200	5260~5266.7	-45.64	≤-18.04	0.11912	≤15.7	PASS
NTNV	11AC20MIMO	Ant1	5200	5266.7~26000	-35.11	≤-26.02	1.58125	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5200	5266.7~26000	-35.32	≤-26.02	1.28233	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5240	30~5142	-40.28	≤-26.02	0.48084	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5240	30~5142	-40.07	≤-26.02	0.42954	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5240	5142~5150	-43.93	≤-18.24	0.20749	≤15	PASS
NTNV	11AC20MIMO	Ant2	5240	5142~5150	-40.53	≤-18.24	0.38637	≤15	PASS
NTNV	11AC20MIMO	Ant1	5240	5250~5251	-17.64	≤-9.6	88.30799	≤109.6	PASS
NTNV	11AC20MIMO	Ant2	5240	5250~5251	-19.69	≤-7.1	46.88134	≤195.0	PASS
NTNV	11AC20MIMO	Ant1	5240	5251~5260	-25.23	≤-10.04	15.38155	≤99.0	PASS
NTNV	11AC20MIMO	Ant2	5240	5251~5260	-21.89	≤-10.01	28.24880	≤99.8	PASS
NTNV	11AC20MIMO	Ant1	5240	5260~5266.7	-45.70	≤-18.01	0.13804	≤15.8	PASS
NTNV	11AC20MIMO	Ant2	5240	5260~5266.7	-44.86	≤-18.01	0.14256	≤15.8	PASS
NTNV	11AC20MIMO	Ant1	5240	5266.7~26000	-35.06	≤-26.02	1.59956	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5240	5266.7~26000	-34.67	≤-26.02	1.48936	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5260	30~5233.3	-40.59	≤-26.02	0.44771	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5260	30~5233.3	-39.75	≤-26.02	0.46238	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5260	5233.3~5240	-45.63	≤-25.96	0.14028	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5260	5233.3~5240	-45.67	≤-25.62	0.11830	≤2.7	PASS
NTNV	11AC20MIMO	Ant1	5260	5240~5249	-18.85	≤-10.28	66.83439	≤93.9	PASS
NTNV	11AC20MIMO	Ant2	5260	5240~5249	-22.63	≤-10	23.82319	≤100.0	PASS
NTNV	11AC20MIMO	Ant1	5260	5249~5250	-17.05	≤-9.5	101.15795	≤112.2	PASS
NTNV	11AC20MIMO	Ant2	5260	5249~5250	-19.57	≤-9.5	48.19478	≤112.2	PASS

NTNV	11AC20MIMO	Ant1	5260	5350~26000	-35.14	≤-26.02	1.57036	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5260	5350~26000	-34.77	≤-26.02	1.45546	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5280	30~5233.3	-40.02	≤-26.02	0.51050	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5280	30~5233.3	-39.98	≤-26.02	0.43853	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5280	5233.3~5240	-46.01	≤-25.93	0.12853	≤2.6	PASS
NTNV	11AC20MIMO	Ant2	5280	5233.3~5240	-45.09	≤-25.2	0.13521	≤3.0	PASS
NTNV	11AC20MIMO	Ant1	5280	5240~5249	-44.97	≤-17.95	0.16331	≤16.0	PASS
NTNV	11AC20MIMO	Ant2	5280	5240~5249	-45.71	≤-17.65	0.11722	≤17.2	PASS
NTNV	11AC20MIMO	Ant1	5280	5249~5250	-44.62	≤-9.6	0.17701	≤109.6	PASS
NTNV	11AC20MIMO	Ant2	5280	5249~5250	-46.49	≤-10	0.09795	≤100.0	PASS
NTNV	11AC20MIMO	Ant1	5280	5350~26000	-34.72	≤-26.02	1.72982	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5280	5350~26000	-35.47	≤-26.02	1.23880	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5320	30~5233.3	-37.75	≤-26.02	0.86099	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5320	30~5233.3	-38.94	≤-26.02	0.55719	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5320	5233.3~5240	-45.71	≤-25.61	0.13772	≤2.7	PASS
NTNV	11AC20MIMO	Ant2	5320	5233.3~5240	-44.67	≤-24.23	0.14894	≤3.8	PASS
NTNV	11AC20MIMO	Ant1	5320	5240~5249	-45.13	≤-17.56	0.15740	≤17.6	PASS
NTNV	11AC20MIMO	Ant2	5320	5240~5249	-44.89	≤-17.6	0.14158	≤17.4	PASS
NTNV	11AC20MIMO	Ant1	5320	5249~5250	-45.15	≤-9.3	0.15668	≤117.5	PASS
NTNV	11AC20MIMO	Ant2	5320	5249~5250	-45.91	≤-9.7	0.11194	≤107.2	PASS
NTNV	11AC20MIMO	Ant1	5320	5350~26000	-34.57	≤-26.02	1.79061	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5320	5350~26000	-34.34	≤-26.02	1.60694	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5500	30~5460	-37.13	≤-26.02	0.99312	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5500	30~5460	-38.88	≤-26.02	0.56494	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5500	5460~5470	-28.13	≤-19.03	7.88860	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5500	5460~5470	-34.11	≤-19.03	1.69434	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5500	5745~5765	-45.11	≤-19.03	0.15812	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5500	5745~5765	-44.05	≤-19.03	0.17179	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5500	5765~26000	-35.07	≤-26.02	1.59588	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5500	5765~26000	-34.90	≤-26.02	1.41254	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5600	30~5460	-40.66	≤-26.02	0.44055	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5600	30~5460	-38.09	≤-26.02	0.67764	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5600	5460~5470	-45.27	≤-19.03	0.15241	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5600	5460~5470	-45.00	≤-19.03	0.13804	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5600	5745~5765	-43.53	≤-19.03	0.22751	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5600	5745~5765	-44.61	≤-19.03	0.15101	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5600	5765~26000	-35.07	≤-26.02	1.59588	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5600	5765~26000	-33.61	≤-26.02	1.90108	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5720	30~5460	-37.98	≤-26.02	0.81658	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5720	30~5460	-38.15	≤-26.02	0.66834	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5720	5460~5470	-45.80	≤-19.03	0.13490	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5720	5460~5470	-45.27	≤-19.03	0.12972	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5720	5745~5765	-24.14	≤-19.03	19.76970	≤12.5	PASS*

									See Step 2
NTNV	11AC20MIMO	Ant2	5720	5745~5765	-25.51	≤-19.03	12.27439	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5720	5765~26000	-35.32	≤-26.02	1.50661	≤2.5	PASS
NTNV	11AC20MIMO	Ant2	5720	5765~26000	-34.58	≤-26.02	1.52055	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5190	30~5141.6	-43.62	≤-26.02	0.22284	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5190	30~5141.6	-41.28	≤-26.02	0.32509	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5190	5141.6~5150	-40.13	≤-18.24	0.49774	≤15	PASS
NTNV	11AC40MIMO	Ant2	5190	5141.6~5150	-39.74	≤-18.24	0.46345	≤15	PASS
NTNV	11AC40MIMO	Ant1	5190	5250~5251	-45.77	≤-12.51	0.13583	≤56.1	PASS
NTNV	11AC40MIMO	Ant2	5190	5250~5251	-45.80	≤-12.71	0.11482	≤53.6	PASS
NTNV	11AC40MIMO	Ant1	5190	5251~5270	-45.80	≤-20.98	0.13490	≤8.0	PASS
NTNV	11AC40MIMO	Ant2	5190	5251~5270	-45.77	≤-19.8	0.11561	≤10.5	PASS
NTNV	11AC40MIMO	Ant1	5190	5270~5278.4	-45.86	≤-25.7	0.13305	≤2.7	PASS
NTNV	11AC40MIMO	Ant2	5190	5270~5278.4	-46.02	≤-25.35	0.10914	≤2.9	PASS
NTNV	11AC40MIMO	Ant1	5190	5278.4~26000	-35.10	≤-26.02	1.58489	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5190	5278.4~26000	-35.14	≤-26.02	1.33660	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5230	30~5141.6	-40.50	≤-26.02	0.45709	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5230	30~5141.6	-40.37	≤-26.02	0.40087	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5230	5141.6~5150	-36.34	≤-18.24	1.19124	≤15	PASS
NTNV	11AC40MIMO	Ant2	5230	5141.6~5150	-36.96	≤-18.24	0.87902	≤15	PASS
NTNV	11AC40MIMO	Ant1	5230	5250~5251	-23.95	≤-12.91	20.65380	≤51.2	PASS
NTNV	11AC40MIMO	Ant2	5230	5250~5251	-27.59	≤-12.11	7.60326	≤61.5	PASS
NTNV	11AC40MIMO	Ant1	5230	5251~5270	-25.09	≤-13.12	15.88547	≤48.7	PASS
NTNV	11AC40MIMO	Ant2	5230	5251~5270	-28.80	≤-13.08	5.75440	≤49.2	PASS
NTNV	11AC40MIMO	Ant1	5230	5270~5278.4	-46.41	≤-25.8	0.11722	≤2.6	PASS
NTNV	11AC40MIMO	Ant2	5230	5270~5278.4	-46.60	≤-26	0.09550	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5230	5278.4~26000	-34.17	≤-26.02	1.96336	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5230	5278.4~26000	-35.08	≤-26.02	1.35519	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5270	30~5221.6	-39.75	≤-26.02	0.54325	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5270	30~5221.6	-43.04	≤-26.02	0.21677	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5270	5221.6~5230	-45.88	≤-25.97	0.13243	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5270	5221.6~5230	-45.24	≤-25.1	0.13062	≤3.1	PASS
NTNV	11AC40MIMO	Ant1	5270	5230~5249	-27.29	≤-13.08	9.57194	≤49.2	PASS
NTNV	11AC40MIMO	Ant2	5270	5230~5249	-28.62	≤-13.01	5.99791	≤50	PASS
NTNV	11AC40MIMO	Ant1	5270	5249~5250	-25.20	≤-12.81	15.48817	≤52.4	PASS
NTNV	11AC40MIMO	Ant2	5270	5249~5250	-26.02	≤-11.81	10.91440	≤65.9	PASS
NTNV	11AC40MIMO	Ant1	5270	5350~5358.4	-45.18	≤-18.24	0.15560	≤15	PASS
NTNV	11AC40MIMO	Ant2	5270	5350~5358.4	-44.88	≤-18.24	0.14191	≤15	PASS
NTNV	11AC40MIMO	Ant1	5270	5358.4~26000	-34.17	≤-26.02	1.96336	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5270	5358.4~26000	-34.69	≤-26.02	1.48252	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5310	30~5221.6	-40.90	≤-26.02	0.41687	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5310	30~5221.6	-36.58	≤-26.02	0.95940	≤2.5	PASS

NTNV	11AC40MIMO	Ant1	5310	5221.6~5230	-44.57	≤-25.73	0.17906	≤2.7	PASS
NTNV	11AC40MIMO	Ant2	5310	5221.6~5230	-45.76	≤-25.61	0.11588	≤2.7	PASS
NTNV	11AC40MIMO	Ant1	5310	5230~5249	-45.29	≤-20.99	0.15171	≤8.0	PASS
NTNV	11AC40MIMO	Ant2	5310	5230~5249	-44.34	≤-20.39	0.16069	≤9.1	PASS
NTNV	11AC40MIMO	Ant1	5310	5249~5250	-45.07	≤-12.81	0.15959	≤52.4	PASS
NTNV	11AC40MIMO	Ant2	5310	5249~5250	-46.07	≤-13.01	0.10789	≤50	PASS
NTNV	11AC40MIMO	Ant1	5310	5350~5358.4	-45.27	≤-18.24	0.15241	≤15	PASS
NTNV	11AC40MIMO	Ant2	5310	5350~5358.4	-45.24	≤-18.24	0.13062	≤15	PASS
NTNV	11AC40MIMO	Ant1	5310	5358.4~26000	-34.66	≤-26.02	1.75388	≤2.5	PASS
NTNV	11AC40MIMO	Ant2	5310	5358.4~26000	-35.15	≤-26.02	1.33352	≤2.5	PASS
NTNV	11AC40MIMO	Ant1	5510	30~5460	-30.23	≤-19.03	4.86407	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5510	30~5460	-38.09	≤-19.03	0.67764	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5510	5460~5470	-20.49	≤-13.01	45.81419	≤50	PASS
NTNV	11AC40MIMO	Ant2	5510	5460~5470	-24.18	≤-13.01	16.67247	≤50	PASS
NTNV	11AC40MIMO	Ant1	5510	5770~26000	-34.45	≤-19.03	1.84077	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5510	5770~26000	-35.33	≤-19.03	1.27938	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5590	30~5460	-38.97	≤-19.03	0.65013	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5590	30~5460	-41.92	≤-19.03	0.28054	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5590	5460~5470	-44.43	≤-13.01	0.18493	≤50	PASS
NTNV	11AC40MIMO	Ant2	5590	5460~5470	-45.37	≤-13.01	0.12677	≤50	PASS
NTNV	11AC40MIMO	Ant1	5590	5770~26000	-35.01	≤-19.03	1.61808	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5590	5770~26000	-35.19	≤-19.03	1.32130	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5710	30~5460	-42.91	≤-19.03	0.26242	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5710	30~5460	-43.83	≤-19.03	0.18072	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5710	5460~5470	-45.71	≤-13.01	0.13772	≤50	PASS
NTNV	11AC40MIMO	Ant2	5710	5460~5470	-45.47	≤-13.01	0.12388	≤50	PASS
NTNV	11AC40MIMO	Ant1	5710	5770~26000	-32.46	≤-19.03	2.91072	≤12.5	PASS
NTNV	11AC40MIMO	Ant2	5710	5770~26000	-32.06	≤-19.03	2.71644	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5210	30~5123.2	-43.92	≤-26.02	0.20797	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	30~5123.2	-43.61	≤-26.02	0.19011	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5210	5123.2~5150	-38.69	≤-18.24	0.69343	≤15	PASS
NTNV	11AC80MIMO	Ant2	5210	5123.2~5150	-38.58	≤-18.24	0.60534	≤15	PASS
NTNV	11AC80MIMO	Ant1	5210	5250~5251	-24.36	≤-16.02	18.79317	≤25.0	PASS
NTNV	11AC80MIMO	Ant2	5210	5250~5251	-27.14	≤-15.42	8.43335	≤28.7	PASS
NTNV	11AC80MIMO	Ant1	5210	5251~5290	-27.00	≤-16.02	10.23293	≤25.0	PASS
NTNV	11AC80MIMO	Ant2	5210	5251~5290	-30.31	≤-16.13	4.06443	≤24.4	PASS
NTNV	11AC80MIMO	Ant1	5210	5290~5296.7	-45.30	≤-25.83	0.15136	≤2.6	PASS
NTNV	11AC80MIMO	Ant2	5210	5290~5296.7	-45.76	≤-25.54	0.11588	≤2.8	PASS
NTNV	11AC80MIMO	Ant1	5210	5296.7~26000	-35.06	≤-26.02	1.59956	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	5296.7~26000	-34.97	≤-26.02	1.38995	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	30~5203.3	-40.48	≤-26.02	0.45920	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	30~5203.3	-40.39	≤-26.02	0.39902	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	5203.3~5210	-43.24	≤-24.99	0.24322	≤3.2	PASS

NTNV	11AC80MIMO	Ant2	5290	5203.3~5210	-44.82	≤-25.82	0.14388	≤2.6	PASS
NTNV	11AC80MIMO	Ant1	5290	5210~5249	-29.21	≤-16.08	6.15177	≤24.7	PASS
NTNV	11AC80MIMO	Ant2	5290	5210~5249	-30.81	≤-16.03	3.62243	≤25.0	PASS
NTNV	11AC80MIMO	Ant1	5290	5249~5250	-25.60	≤-15.42	14.12538	≤28.7	PASS
NTNV	11AC80MIMO	Ant2	5290	5249~5250	-29.86	≤-15.62	4.50817	≤27.4	PASS
NTNV	11AC80MIMO	Ant1	5290	5350~5376.8	-45.55	≤-18.24	0.14289	≤15	PASS
NTNV	11AC80MIMO	Ant2	5290	5350~5376.8	-45.11	≤-18.24	0.13459	≤15	PASS
NTNV	11AC80MIMO	Ant1	5290	5376.8~26000	-34.54	≤-26.02	1.80302	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	5376.8~26000	-34.74	≤-26.02	1.46555	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	30~5460	-27.92	≤-19.03	8.27942	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	30~5460	-33.40	≤-19.03	1.99526	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5530	5460~5469.5	-22.93	≤-13.01	26.12161	≤50	PASS
NTNV	11AC80MIMO	Ant2	5530	5460~5469.5	-29.99	≤-13.01	4.37522	≤50	PASS
NTNV	11AC80MIMO	Ant1	5530	5469.5~5470	-22.04	≤-12.91	32.06269	≤51.2	PASS
NTNV	11AC80MIMO	Ant2	5530	5469.5~5470	-28.64	≤-12.91	5.97035	≤51.2	PASS
NTNV	11AC80MIMO	Ant1	5530	5770~26000	-35.13	≤-19.03	1.57398	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	5770~26000	-35.29	≤-19.03	1.29122	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5610	30~5460	-40.98	≤-19.03	0.40926	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5610	30~5460	-42.70	≤-19.03	0.23442	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5610	5460~5469.5	-37.77	≤-13.01	0.85704	≤50	PASS
NTNV	11AC80MIMO	Ant2	5610	5460~5469.5	-42.98	≤-13.01	0.21979	≤50	PASS
NTNV	11AC80MIMO	Ant1	5610	5469.5~5470	-38.02	≤-12.91	0.80910	≤51.2	PASS
NTNV	11AC80MIMO	Ant2	5610	5469.5~5470	-43.23	≤-12.91	0.20749	≤51.2	PASS
NTNV	11AC80MIMO	Ant1	5610	5770~26000	-34.01	≤-19.03	2.03704	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5610	5770~26000	-34.88	≤-19.03	1.41906	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	30~5460	-42.25	≤-19.03	0.30549	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5690	30~5460	-41.85	≤-19.03	0.28510	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5460~5469.5	-44.43	≤-13.01	0.18493	≤50	PASS
NTNV	11AC80MIMO	Ant2	5690	5460~5469.5	-45.68	≤-13.01	0.11803	≤50	PASS
NTNV	11AC80MIMO	Ant1	5690	5469.5~5470	-44.96	≤-12.91	0.16368	≤51.2	PASS
NTNV	11AC80MIMO	Ant2	5690	5469.5~5470	-45.12	≤-12.91	0.13428	≤51.2	PASS
NTNV	11AC80MIMO	Ant1	5690	5770~26000	-25.71	≤-19.03	13.77209	≤12.5	PASS* See Step 2
NTNV	11AC80MIMO	Ant2	5690	5770~26000	-28.02	≤-19.03	6.88652	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5250	30~5099.6	-43.31	≤-26.02	0.23933	≤2.5	PASS
NTNV	11AC160MIMO	Ant2	5250	30~5099.6	-43.41	≤-26.02	0.19907	≤2.5	PASS
NTNV	11AC160MIMO	Ant1	5250	5099.6~5150	-39.91	≤-18.24	0.52360	≤15	PASS
NTNV	11AC160MIMO	Ant2	5250	5099.6~5150	-39.99	≤-18.24	0.43752	≤15	PASS
NTNV	11AC160MIMO	Ant1	5250	5350~5400.4	-44.85	≤-18.24	0.16788	≤15	PASS
NTNV	11AC160MIMO	Ant2	5250	5350~5400.4	-44.42	≤-18.24	0.15776	≤15	PASS
NTNV	11AC160MIMO	Ant1	5250	5400.4~26000	-35.17	≤-26.02	1.55955	≤2.5	PASS
NTNV	11AC160MIMO	Ant2	5250	5400.4~26000	-34.98	≤-26.02	1.38676	≤2.5	PASS

NTNV	11AC160MIMO	Ant1	5570	30~5419.6	-21.89	≤-19.03	33.18945	≤12.5	PASS* See Step 2
NTNV	11AC160MIMO	Ant2	5570	30~5419.6	-31.85	≤-19.03	2.85102	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5419.6~5470	-24.03	≤-13.01	20.27683	≤50	PASS
NTNV	11AC160MIMO	Ant2	5570	5419.6~5470	-24.07	≤-13.01	17.10015	≤50	PASS
NTNV	11AC160MIMO	Ant1	5570	5725~26000	-21.52	≤-19.03	36.14099	≤12.5	PASS* See Step 2
NTNV	11AC160MIMO	Ant2	5570	5725~26000	-29.06	≤-19.03	5.42001	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5180	30~5142	-43.75	≤-26.02	0.21627	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5180	30~5142	-40.21	≤-26.02	0.41591	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5180	5142~5150	-41.93	≤-18.24	0.32885	≤15	PASS
NTNV	11AX20MIMO	Ant2	5180	5142~5150	-37.38	≤-18.24	0.79799	≤15	PASS
NTNV	11AX20MIMO	Ant1	5180	5250~5250.2	-45.87	≤-2	0.13274	≤631.0	PASS
NTNV	11AX20MIMO	Ant2	5180	5250~5250.2	-45.54	≤-1.73	0.12190	≤670.9	PASS
NTNV	11AX20MIMO	Ant1	5180	5250.2~5251	-45.60	≤-9	0.14125	≤125.9	PASS
NTNV	11AX20MIMO	Ant2	5180	5250.2~5251	-45.71	≤-9.4	0.11722	≤114.8	PASS
NTNV	11AX20MIMO	Ant1	5180	5251~5260	-46.43	≤-17.9	0.11668	≤16.2	PASS
NTNV	11AX20MIMO	Ant2	5180	5251~5260	-45.92	≤-17.43	0.11169	≤18.1	PASS
NTNV	11AX20MIMO	Ant1	5180	5260~5266.7	-46.07	≤-18.03	0.12677	≤15.7	PASS
NTNV	11AX20MIMO	Ant2	5180	5260~5266.7	-45.93	≤-18.03	0.11143	≤15.8	PASS
NTNV	11AX20MIMO	Ant1	5180	5266.7~26000	-34.86	≤-26.02	1.67494	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5180	5266.7~26000	-34.59	≤-26.02	1.51705	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5200	30~5142	-43.32	≤-26.02	0.23878	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5200	30~5142	-42.72	≤-26.02	0.23335	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5200	5142~5150	-39.01	≤-18.24	0.64417	≤15	PASS
NTNV	11AX20MIMO	Ant2	5200	5142~5150	-39.03	≤-18.24	0.54576	≤15	PASS
NTNV	11AX20MIMO	Ant1	5200	5250~5250.2	-44.82	≤-1.73	0.16904	≤670.9	PASS
NTNV	11AX20MIMO	Ant2	5200	5250~5250.2	-45.14	≤-2	0.13366	≤631.0	PASS
NTNV	11AX20MIMO	Ant1	5200	5250.2~5251	-45.73	≤-9.7	0.13709	≤107.2	PASS
NTNV	11AX20MIMO	Ant2	5200	5250.2~5251	-46.05	≤-9.1	0.10839	≤123.0	PASS
NTNV	11AX20MIMO	Ant1	5200	5251~5260	-45.67	≤-17.34	0.13900	≤18.4	PASS
NTNV	11AX20MIMO	Ant2	5200	5251~5260	-45.49	≤-17.87	0.12331	≤16.3	PASS
NTNV	11AX20MIMO	Ant1	5200	5260~5266.7	-45.50	≤-18	0.14454	≤15.8	PASS
NTNV	11AX20MIMO	Ant2	5200	5260~5266.7	-45.02	≤-18.02	0.13740	≤15.8	PASS
NTNV	11AX20MIMO	Ant1	5200	5266.7~26000	-34.65	≤-26.02	1.75792	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5200	5266.7~26000	-35.00	≤-26.02	1.38038	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5240	30~5142	-43.76	≤-26.02	0.21577	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5240	30~5142	-42.70	≤-26.02	0.23442	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5240	5142~5150	-39.00	≤-18.24	0.64565	≤15	PASS
NTNV	11AX20MIMO	Ant2	5240	5142~5150	-39.58	≤-18.24	0.48084	≤15	PASS
NTNV	11AX20MIMO	Ant1	5240	5250~5250.2	-2.75	≤-1.73	2722.70131	≤670.9	PASS*

								See Step 2
NTNV	11AX20MIMO	Ant2	5240	5250~5250.2	-6.52	≤-0.13	972.74722	≤969.8	PASS* See Step 2
NTNV	11AX20MIMO	Ant1	5240	5250.2~5251	-16.13	≤-9.6	125.02590	≤109.6	PASS* See Step 2
NTNV	11AX20MIMO	Ant2	5240	5250.2~5251	-11.60	≤-5	301.99517	≤316.2	PASS
NTNV	11AX20MIMO	Ant1	5240	5251~5260	-19.44	≤-10.04	58.34451	≤99.0	PASS
NTNV	11AX20MIMO	Ant2	5240	5251~5260	-19.28	≤-10.06	51.52286	≤98.6	PASS
NTNV	11AX20MIMO	Ant1	5240	5260~5266.7	-44.92	≤-18.01	0.16520	≤15.8	PASS
NTNV	11AX20MIMO	Ant2	5240	5260~5266.7	-45.00	≤-18.02	0.13804	≤15.8	PASS
NTNV	11AX20MIMO	Ant1	5240	5266.7~26000	-35.16	≤-26.02	1.56315	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5240	5266.7~26000	-34.95	≤-26.02	1.39637	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5260	30~5233.3	-41.44	≤-26.02	0.36813	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5260	30~5233.3	-40.98	≤-26.02	0.34834	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5260	5233.3~5240	-45.40	≤-25.18	0.14791	≤3.0	PASS
NTNV	11AX20MIMO	Ant2	5260	5233.3~5240	-45.67	≤-25.98	0.11830	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5260	5240~5249	-18.88	≤-10.19	66.37431	≤95.8	PASS
NTNV	11AX20MIMO	Ant2	5260	5240~5249	-23.38	≤-10.28	20.04472	≤93.9	PASS
NTNV	11AX20MIMO	Ant1	5260	5249~5249.8	-11.59	≤-6.9	355.63132	≤204.2	PASS* See Step 2
NTNV	11AX20MIMO	Ant2	5260	5249~5249.8	-12.39	≤-2.7	251.76769	≤537.0	PASS
NTNV	11AX20MIMO	Ant1	5260	5249.8~5250	-12.08	≤-1.2	317.68741	≤758.6	PASS
NTNV	11AX20MIMO	Ant2	5260	5249.8~5250	-12.79	≤-1.47	229.61486	≤713.4	PASS
NTNV	11AX20MIMO	Ant1	5260	5350~26000	-35.33	≤-26.02	1.50314	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5260	5350~26000	-34.13	≤-26.02	1.68655	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5280	30~5233.3	-42.63	≤-26.02	0.27990	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5280	30~5233.3	-40.35	≤-26.02	0.40272	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5280	5233.3~5240	-46.52	≤-25.94	0.11429	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5280	5233.3~5240	-46.49	≤-25.87	0.09795	≤2.6	PASS
NTNV	11AX20MIMO	Ant1	5280	5240~5249	-46.45	≤-17.75	0.11614	≤16.8	PASS
NTNV	11AX20MIMO	Ant2	5280	5240~5249	-45.73	≤-17.92	0.11668	≤16.1	PASS
NTNV	11AX20MIMO	Ant1	5280	5249~5249.8	-45.03	≤-9.8	0.16106	≤104.7	PASS
NTNV	11AX20MIMO	Ant2	5280	5249~5249.8	-46.03	≤-9.5	0.10889	≤112.2	PASS
NTNV	11AX20MIMO	Ant1	5280	5249.8~5250	-45.52	≤-1.73	0.14388	≤670.9	PASS
NTNV	11AX20MIMO	Ant2	5280	5249.8~5250	-46.38	≤-2	0.10046	≤631.0	PASS
NTNV	11AX20MIMO	Ant1	5280	5350~26000	-35.17	≤-26.02	1.55955	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5280	5350~26000	-35.25	≤-26.02	1.30317	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5320	30~5233.3	-42.03	≤-26.02	0.32137	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5320	30~5233.3	-40.51	≤-26.02	0.38815	≤2.5	PASS

NTNV	11AX20MIMO	Ant1	5320	5233.3~5240	-44.90	≤-25.25	0.16596	≤3.0	PASS
NTNV	11AX20MIMO	Ant2	5320	5233.3~5240	-46.32	≤-25.6	0.10186	≤2.8	PASS
NTNV	11AX20MIMO	Ant1	5320	5240~5249	-46.53	≤-17.96	0.11402	≤16.0	PASS
NTNV	11AX20MIMO	Ant2	5320	5240~5249	-45.26	≤-17.72	0.13002	≤16.9	PASS
NTNV	11AX20MIMO	Ant1	5320	5249~5249.8	-46.73	≤-9.8	0.10889	≤104.7	PASS
NTNV	11AX20MIMO	Ant2	5320	5249~5249.8	-46.49	≤-9.6	0.09795	≤109.6	PASS
NTNV	11AX20MIMO	Ant1	5320	5249.8~5250	-45.94	≤-1.73	0.13062	≤670.9	PASS
NTNV	11AX20MIMO	Ant2	5320	5249.8~5250	-46.36	≤-2	0.10093	≤631.0	PASS
NTNV	11AX20MIMO	Ant1	5320	5350~26000	-35.12	≤-26.02	1.57761	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5320	5350~26000	-35.00	≤-26.02	1.38038	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5500	30~5460	-38.30	≤-26.02	0.75858	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5500	30~5460	-40.08	≤-26.02	0.42855	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5500	5460~5470	-27.76	≤-19.03	8.59014	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5500	5460~5470	-34.11	≤-19.03	1.69434	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5500	5745~5765	-44.10	≤-19.03	0.19953	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5500	5745~5765	-44.88	≤-19.03	0.14191	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5500	5765~26000	-34.89	≤-26.02	1.66341	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5500	5765~26000	-35.10	≤-26.02	1.34896	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5600	30~5460	-40.21	≤-26.02	0.48865	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5600	30~5460	-40.25	≤-26.02	0.41210	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5600	5460~5470	-45.04	≤-19.03	0.16069	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5600	5460~5470	-45.02	≤-19.03	0.13740	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5600	5745~5765	-44.70	≤-19.03	0.17378	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5600	5745~5765	-44.89	≤-19.03	0.14158	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5600	5765~26000	-34.81	≤-26.02	1.69434	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5600	5765~26000	-35.36	≤-26.02	1.27057	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5720	30~5460	-37.81	≤-26.02	0.84918	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5720	30~5460	-36.60	≤-26.02	0.95499	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5720	5460~5470	-44.73	≤-19.03	0.17258	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5720	5460~5470	-45.44	≤-19.03	0.12474	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5720	5745~5765	-21.63	≤-19.03	35.23709	≤12.5	PASS* See Step 2
NTNV	11AX20MIMO	Ant2	5720	5745~5765	-22.04	≤-19.03	27.28978	≤12.5	PASS* See Step 2
NTNV	11AX20MIMO	Ant1	5720	5765~26000	-35.27	≤-26.02	1.52405	≤2.5	PASS
NTNV	11AX20MIMO	Ant2	5720	5765~26000	-35.17	≤-26.02	1.32739	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5190	30~5141.6	-42.04	≤-26.02	0.32063	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5190	30~5141.6	-41.93	≤-26.02	0.27990	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5190	5141.6~5150	-37.67	≤-18.24	0.87700	≤15	PASS
NTNV	11AX40MIMO	Ant2	5190	5141.6~5150	-40.84	≤-18.24	0.35975	≤15	PASS
NTNV	11AX40MIMO	Ant1	5190	5250~5251	-45.60	≤-13.01	0.14125	≤50	PASS

NTNV	11AX40MIMO	Ant2	5190	5250~5251	-46.37	≤-12.81	0.10069	≤52.4	PASS
NTNV	11AX40MIMO	Ant1	5190	5251~5270	-47.11	≤-20.92	0.09977	≤8.1	PASS
NTNV	11AX40MIMO	Ant2	5190	5251~5270	-46.91	≤-20.99	0.08892	≤8.0	PASS
NTNV	11AX40MIMO	Ant1	5190	5270~5278.4	-45.77	≤-25.61	0.13583	≤2.8	PASS
NTNV	11AX40MIMO	Ant2	5190	5270~5278.4	-46.42	≤-25.44	0.09954	≤2.9	PASS
NTNV	11AX40MIMO	Ant1	5190	5278.4~26000	-35.23	≤-26.02	1.53815	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5190	5278.4~26000	-35.35	≤-26.02	1.27350	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5230	30~5141.6	-42.79	≤-26.02	0.26977	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5230	30~5141.6	-42.08	≤-26.02	0.27040	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5230	5141.6~5150	-39.14	≤-18.24	0.62517	≤15	PASS
NTNV	11AX40MIMO	Ant2	5230	5141.6~5150	-40.56	≤-18.24	0.38371	≤15	PASS
NTNV	11AX40MIMO	Ant1	5230	5250~5251	-19.62	≤-13.01	55.97576	≤50	PASS* See Step 2
NTNV	11AX40MIMO	Ant2	5230	5250~5251	-22.48	≤-11.01	24.66039	≤79.2	PASS
NTNV	11AX40MIMO	Ant1	5230	5251~5270	-26.36	≤-13.02	11.85769	≤49.9	PASS
NTNV	11AX40MIMO	Ant2	5230	5251~5270	-26.80	≤-13.06	9.12011	≤49.5	PASS
NTNV	11AX40MIMO	Ant1	5230	5270~5278.4	-45.55	≤-25.5	0.14289	≤2.8	PASS
NTNV	11AX40MIMO	Ant2	5230	5270~5278.4	-45.32	≤-24.4	0.12823	≤3.6	PASS
NTNV	11AX40MIMO	Ant1	5230	5278.4~26000	-34.16	≤-26.02	1.96789	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5230	5278.4~26000	-35.24	≤-26.02	1.30617	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5270	30~5221.6	-41.43	≤-26.02	0.36898	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5270	30~5221.6	-39.11	≤-26.02	0.53580	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5270	5221.6~5230	-45.54	≤-26	0.14322	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5270	5221.6~5230	-45.81	≤-25.91	0.11455	≤2.6	PASS
NTNV	11AX40MIMO	Ant1	5270	5230~5249	-23.25	≤-13.01	24.26610	≤50	PASS
NTNV	11AX40MIMO	Ant2	5270	5230~5249	-28.02	≤-13.45	6.88652	≤45.2	PASS
NTNV	11AX40MIMO	Ant1	5270	5249~5250	-20.33	≤-13.01	47.53352	≤50	PASS
NTNV	11AX40MIMO	Ant2	5270	5249~5250	-23.45	≤-11.61	19.72423	≤69.0	PASS
NTNV	11AX40MIMO	Ant1	5270	5350~5358.4	-45.40	≤-18.24	0.14791	≤15	PASS
NTNV	11AX40MIMO	Ant2	5270	5350~5358.4	-45.40	≤-18.24	0.12589	≤15	PASS
NTNV	11AX40MIMO	Ant1	5270	5358.4~26000	-34.51	≤-26.02	1.81552	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5270	5358.4~26000	-35.34	≤-26.02	1.27644	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5310	30~5221.6	-40.82	≤-26.02	0.42462	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5310	30~5221.6	-43.01	≤-26.02	0.21827	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5310	5221.6~5230	-44.77	≤-25.66	0.17100	≤2.7	PASS
NTNV	11AX40MIMO	Ant2	5310	5221.6~5230	-43.97	≤-25.28	0.17498	≤3.0	PASS
NTNV	11AX40MIMO	Ant1	5310	5230~5249	-44.83	≤-20.04	0.16866	≤9.9	PASS
NTNV	11AX40MIMO	Ant2	5310	5230~5249	-45.83	≤-20.64	0.11402	≤8.6	PASS
NTNV	11AX40MIMO	Ant1	5310	5249~5250	-45.77	≤-12.71	0.13583	≤53.6	PASS
NTNV	11AX40MIMO	Ant2	5310	5249~5250	-45.36	≤-11.81	0.12706	≤65.9	PASS
NTNV	11AX40MIMO	Ant1	5310	5350~5358.4	-44.94	≤-18.24	0.16444	≤15	PASS
NTNV	11AX40MIMO	Ant2	5310	5350~5358.4	-45.36	≤-18.24	0.12706	≤15	PASS

NTNV	11AX40MIMO	Ant1	5310	5358.4~26000	-34.04	≤-26.02	2.02302	≤2.5	PASS
NTNV	11AX40MIMO	Ant2	5310	5358.4~26000	-35.38	≤-26.02	1.26474	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5510	30~5460	-34.93	≤-19.03	1.64816	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5510	30~5460	-37.58	≤-19.03	0.76208	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5510	5460~5470	-24.60	≤-13.01	17.78279	≤50	PASS
NTNV	11AX40MIMO	Ant2	5510	5460~5470	-28.00	≤-13.01	6.91831	≤50	PASS
NTNV	11AX40MIMO	Ant1	5510	5770~26000	-33.90	≤-19.03	2.08930	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5510	5770~26000	-35.15	≤-19.03	1.33352	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5590	30~5460	-41.50	≤-19.03	0.36308	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5590	30~5460	-42.74	≤-19.03	0.23227	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5590	5460~5470	-44.88	≤-13.01	0.16672	≤50	PASS
NTNV	11AX40MIMO	Ant2	5590	5460~5470	-45.72	≤-13.01	0.11695	≤50	PASS
NTNV	11AX40MIMO	Ant1	5590	5770~26000	-34.48	≤-19.03	1.82810	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5590	5770~26000	-35.77	≤-19.03	1.15611	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5710	30~5460	-40.56	≤-19.03	0.45082	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5710	30~5460	-43.71	≤-19.03	0.18578	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5710	5460~5470	-45.72	≤-13.01	0.13740	≤50	PASS
NTNV	11AX40MIMO	Ant2	5710	5460~5470	-45.54	≤-13.01	0.12190	≤50	PASS
NTNV	11AX40MIMO	Ant1	5710	5770~26000	-32.51	≤-19.03	2.87740	≤12.5	PASS
NTNV	11AX40MIMO	Ant2	5710	5770~26000	-35.64	≤-19.03	1.19124	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5210	30~5123.2	-42.92	≤-26.02	0.26182	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	30~5123.2	-42.70	≤-26.02	0.23442	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5123.2~5150	-37.73	≤-18.24	0.86497	≤15	PASS
NTNV	11AX80MIMO	Ant2	5210	5123.2~5150	-36.62	≤-18.24	0.95060	≤15	PASS
NTNV	11AX80MIMO	Ant1	5210	5250~5251	-16.84	≤-11.42	106.16956	≤72.1	PASS* See Step 2
NTNV	11AX80MIMO	Ant2	5210	5250~5251	-24.34	≤-13.82	16.06941	≤41.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5251~5290	-29.01	≤-16.08	6.44169	≤24.7	PASS
NTNV	11AX80MIMO	Ant2	5210	5251~5290	-28.06	≤-16.02	6.82339	≤25.0	PASS
NTNV	11AX80MIMO	Ant1	5210	5290~5296.7	-44.98	≤-25.19	0.16293	≤3.0	PASS
NTNV	11AX80MIMO	Ant2	5210	5290~5296.7	-45.94	≤-25.84	0.11117	≤2.6	PASS
NTNV	11AX80MIMO	Ant1	5210	5296.7~26000	-34.61	≤-26.02	1.77419	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	5296.7~26000	-35.66	≤-26.02	1.18577	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	30~5203.3	-41.44	≤-26.02	0.36813	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	30~5203.3	-41.44	≤-26.02	0.31333	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	5203.3~5210	-44.04	≤-25.44	0.20230	≤2.9	PASS
NTNV	11AX80MIMO	Ant2	5290	5203.3~5210	-45.04	≤-26	0.13677	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	5210~5249	-26.90	≤-16.07	10.47129	≤24.7	PASS
NTNV	11AX80MIMO	Ant2	5290	5210~5249	-30.12	≤-16.05	4.24620	≤24.9	PASS
NTNV	11AX80MIMO	Ant1	5290	5249~5250	-21.17	≤-14.12	39.17419	≤38.7	PASS* See Step 2

NTNV	11AX80MIMO	Ant2	5290	5249~5250	-27.73	≤-15.72	7.36207	≤26.8	PASS
NTNV	11AX80MIMO	Ant1	5290	5350~5376.8	-44.91	≤-18.24	0.16558	≤15	PASS
NTNV	11AX80MIMO	Ant2	5290	5350~5376.8	-44.96	≤-18.24	0.13932	≤15	PASS
NTNV	11AX80MIMO	Ant1	5290	5376.8~26000	-34.74	≤-26.02	1.72187	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	5376.8~26000	-34.87	≤-26.02	1.42233	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	30~5460	-27.66	≤-19.03	8.79023	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	30~5460	-34.00	≤-19.03	1.73780	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5530	5460~5469.5	-22.59	≤-13.01	28.24880	≤50	PASS
NTNV	11AX80MIMO	Ant2	5530	5460~5469.5	-25.32	≤-13.01	12.82331	≤50	PASS
NTNV	11AX80MIMO	Ant1	5530	5469.5~5470	-20.79	≤-12.91	42.75629	≤51.2	PASS
NTNV	11AX80MIMO	Ant2	5530	5469.5~5470	-28.72	≤-12.91	5.86138	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5530	5770~26000	-34.87	≤-19.03	1.67109	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	5770~26000	-35.29	≤-19.03	1.29122	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5610	30~5460	-40.53	≤-19.03	0.45394	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5610	30~5460	-41.81	≤-19.03	0.28774	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5610	5460~5469.5	-38.37	≤-13.01	0.74645	≤50	PASS
NTNV	11AX80MIMO	Ant2	5610	5460~5469.5	-42.09	≤-13.01	0.26977	≤50	PASS
NTNV	11AX80MIMO	Ant1	5610	5469.5~5470	-40.98	≤-12.91	0.40926	≤51.2	PASS
NTNV	11AX80MIMO	Ant2	5610	5469.5~5470	-43.40	≤-12.91	0.19953	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5610	5770~26000	-33.87	≤-19.03	2.10378	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5610	5770~26000	-35.13	≤-19.03	1.33968	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	30~5460	-43.51	≤-19.03	0.22856	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	30~5460	-43.18	≤-19.03	0.20989	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	5460~5469.5	-44.61	≤-13.01	0.17742	≤50	PASS
NTNV	11AX80MIMO	Ant2	5690	5460~5469.5	-45.58	≤-13.01	0.12078	≤50	PASS
NTNV	11AX80MIMO	Ant1	5690	5469.5~5470	-45.19	≤-12.91	0.15524	≤51.2	PASS
NTNV	11AX80MIMO	Ant2	5690	5469.5~5470	-44.63	≤-12.91	0.15031	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5690	5770~26000	-23.22	≤-19.03	24.43431	≤12.5	PASS* See Step 2
NTNV	11AX80MIMO	Ant2	5690	5770~26000	-25.71	≤-19.03	11.72195	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5250	30~5099.6	-43.61	≤-26.02	0.22336	≤2.5	PASS
NTNV	11AX160MIMO	Ant2	5250	30~5099.6	-42.89	≤-26.02	0.22439	≤2.5	PASS
NTNV	11AX160MIMO	Ant1	5250	5099.6~5150	-40.36	≤-18.24	0.47206	≤15	PASS
NTNV	11AX160MIMO	Ant2	5250	5099.6~5150	-41.02	≤-18.24	0.34514	≤15	PASS
NTNV	11AX160MIMO	Ant1	5250	5350~5400.4	-44.53	≤-18.24	0.18072	≤15	PASS
NTNV	11AX160MIMO	Ant2	5250	5350~5400.4	-44.85	≤-18.24	0.14289	≤15	PASS
NTNV	11AX160MIMO	Ant1	5250	5400.4~26000	-35.11	≤-26.02	1.58125	≤2.5	PASS
NTNV	11AX160MIMO	Ant2	5250	5400.4~26000	-35.12	≤-26.02	1.34276	≤2.5	PASS
NTNV	11AX160MIMO	Ant1	5570	30~5419.6	-28.09	≤-19.03	7.96159	≤12.5	PASS
NTNV	11AX160MIMO	Ant2	5570	30~5419.6	-35.84	≤-19.03	1.13763	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5570	5419.6~5470	-19.94	≤-13.01	51.99960	≤50	PASS* See

									Step 2
NTNV	11AX160MIMO	Ant2	5570	5419.6~5470	-29.71	≤-13.01	4.66659	≤50	PASS
NTNV	11AX160MIMO	Ant1	5570	5725~26000	-26.07	≤-19.03	12.67652	≤12.5	PASS* See Step 2
NTNV	11AX160MIMO	Ant2	5570	5725~26000	-29.26	≤-19.03	5.17607	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5180	30~5142	-43.33	≤-26.02	0.23823	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5180	30~5142	-38.44	≤-26.02	0.62517	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5180	5142~5150	-42.28	≤-18.24	0.30339	≤15	PASS
NTNV	11BE20MIMO	Ant2	5180	5142~5150	-42.48	≤-18.24	0.24660	≤15	PASS
NTNV	11BE20MIMO	Ant1	5180	5250~5251	-46.64	≤-10	0.11117	≤100.0	PASS
NTNV	11BE20MIMO	Ant2	5180	5250~5251	-46.95	≤-9.9	0.08810	≤102.3	PASS
NTNV	11BE20MIMO	Ant1	5180	5251~5260	-46.32	≤-17.76	0.11967	≤16.7	PASS
NTNV	11BE20MIMO	Ant2	5180	5251~5260	-47.24	≤-17.95	0.08241	≤16.0	PASS
NTNV	11BE20MIMO	Ant1	5180	5260~5266.7	-44.69	≤-18	0.17418	≤15.8	PASS
NTNV	11BE20MIMO	Ant2	5180	5260~5266.7	-45.90	≤-18.02	0.11220	≤15.8	PASS
NTNV	11BE20MIMO	Ant1	5180	5266.7~26000	-35.30	≤-26.02	1.51356	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5180	5266.7~26000	-35.89	≤-26.02	1.12460	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5200	30~5142	-39.57	≤-26.02	0.56624	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5200	30~5142	-43.80	≤-26.02	0.18197	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5200	5142~5150	-37.94	≤-18.24	0.82414	≤15	PASS
NTNV	11BE20MIMO	Ant2	5200	5142~5150	-37.21	≤-18.24	0.82985	≤15	PASS
NTNV	11BE20MIMO	Ant1	5200	5250~5251	-44.81	≤-9.2	0.16943	≤120.2	PASS
NTNV	11BE20MIMO	Ant2	5200	5250~5251	-45.91	≤-9.5	0.11194	≤112.2	PASS
NTNV	11BE20MIMO	Ant1	5200	5251~5260	-46.08	≤-17.98	0.12647	≤15.9	PASS
NTNV	11BE20MIMO	Ant2	5200	5251~5260	-45.99	≤-17.99	0.10990	≤15.9	PASS
NTNV	11BE20MIMO	Ant1	5200	5260~5266.7	-44.71	≤-18.01	0.17338	≤15.8	PASS
NTNV	11BE20MIMO	Ant2	5200	5260~5266.7	-45.35	≤-18	0.12735	≤15.8	PASS
NTNV	11BE20MIMO	Ant1	5200	5266.7~26000	-34.71	≤-26.02	1.73380	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5200	5266.7~26000	-34.65	≤-26.02	1.49624	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5240	30~5142	-39.13	≤-26.02	0.62661	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5240	30~5142	-43.82	≤-26.02	0.18113	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5240	5142~5150	-39.50	≤-18.24	0.57544	≤15	PASS
NTNV	11BE20MIMO	Ant2	5240	5142~5150	-43.79	≤-18.24	0.18239	≤15	PASS
NTNV	11BE20MIMO	Ant1	5240	5250~5251	-9.56	≤-6.5	567.54461	≤223.9	PASS* See Step 2
NTNV	11BE20MIMO	Ant2	5240	5250~5251	-14.52	≤-7.5	154.17005	≤177.8	PASS
NTNV	11BE20MIMO	Ant1	5240	5251~5260	-20.55	≤-10.2	45.18559	≤95.4	PASS
NTNV	11BE20MIMO	Ant2	5240	5251~5260	-18.76	≤-10.01	58.07644	≤99.8	PASS
NTNV	11BE20MIMO	Ant1	5240	5260~5266.7	-37.35	≤-18.01	0.94406	≤15.8	PASS
NTNV	11BE20MIMO	Ant2	5240	5260~5266.7	-37.12	≤-18.01	0.84723	≤15.8	PASS
NTNV	11BE20MIMO	Ant1	5240	5266.7~26000	-34.78	≤-26.02	1.70608	≤2.5	PASS

NTNV	11BE20MIMO	Ant2	5240	5266.7~26000	-34.97	≤-26.02	1.38995	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5260	30~5233.3	-43.11	≤-26.02	0.25061	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5260	30~5233.3	-43.42	≤-26.02	0.19861	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5260	5233.3~5240	-40.47	≤-21.84	0.46026	≤6.5	PASS
NTNV	11BE20MIMO	Ant2	5260	5233.3~5240	-42.00	≤-24.68	0.27542	≤3.4	PASS
NTNV	11BE20MIMO	Ant1	5260	5240~5249	-19.29	≤-10.16	60.39486	≤96.4	PASS
NTNV	11BE20MIMO	Ant2	5260	5240~5249	-22.80	≤-10.04	22.90868	≤99.0	PASS
NTNV	11BE20MIMO	Ant1	5260	5249~5250	-7.98	≤-3	816.58237	≤501.2	PASS* See Step 2
NTNV	11BE20MIMO	Ant2	5260	5249~5250	-13.80	≤-4.3	181.97009	≤371.5	PASS
NTNV	11BE20MIMO	Ant1	5260	5350~26000	-35.01	≤-26.02	1.61808	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5260	5350~26000	-35.06	≤-26.02	1.36144	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5280	30~5233.3	-40.77	≤-26.02	0.42954	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5280	30~5233.3	-42.87	≤-26.02	0.22542	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5280	5233.3~5240	-45.86	≤-25.75	0.13305	≤2.7	PASS
NTNV	11BE20MIMO	Ant2	5280	5233.3~5240	-45.85	≤-25.34	0.11350	≤2.9	PASS
NTNV	11BE20MIMO	Ant1	5280	5240~5249	-45.92	≤-17.98	0.13122	≤15.9	PASS
NTNV	11BE20MIMO	Ant2	5280	5240~5249	-44.45	≤-17.68	0.15668	≤17.1	PASS
NTNV	11BE20MIMO	Ant1	5280	5249~5250	-45.14	≤-9.9	0.15704	≤102.3	PASS
NTNV	11BE20MIMO	Ant2	5280	5249~5250	-45.95	≤-10	0.11092	≤100.0	PASS
NTNV	11BE20MIMO	Ant1	5280	5350~26000	-35.35	≤-26.02	1.49624	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5280	5350~26000	-35.23	≤-26.02	1.30918	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5320	30~5233.3	-42.77	≤-26.02	0.27102	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5320	30~5233.3	-43.45	≤-26.02	0.19724	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5320	5233.3~5240	-46.28	≤-26.03	0.12078	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5320	5233.3~5240	-46.18	≤-25.84	0.10520	≤2.6	PASS
NTNV	11BE20MIMO	Ant1	5320	5240~5249	-45.44	≤-17.98	0.14655	≤15.9	PASS
NTNV	11BE20MIMO	Ant2	5320	5240~5249	-46.07	≤-17.77	0.10789	≤16.7	PASS
NTNV	11BE20MIMO	Ant1	5320	5249~5250	-46.31	≤-9.7	0.11995	≤107.2	PASS
NTNV	11BE20MIMO	Ant2	5320	5249~5250	-45.06	≤-9.4	0.13614	≤114.8	PASS
NTNV	11BE20MIMO	Ant1	5320	5350~26000	-34.85	≤-26.02	1.67880	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5320	5350~26000	-34.17	≤-26.02	1.67109	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5500	30~5460	-36.17	≤-26.02	1.23880	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5500	30~5460	-40.35	≤-26.02	0.40272	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5500	5460~5470	-26.84	≤-19.03	10.61696	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5500	5460~5470	-32.36	≤-19.03	2.53513	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5500	5745~5765	-44.62	≤-19.03	0.17701	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5500	5745~5765	-44.56	≤-19.03	0.15276	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5500	5765~26000	-33.75	≤-26.02	2.16272	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5500	5765~26000	-35.21	≤-26.02	1.31522	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5600	30~5460	-42.96	≤-26.02	0.25942	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5600	30~5460	-41.51	≤-26.02	0.30832	≤2.5	PASS

NTNV	11BE20MIMO	Ant1	5600	5460~5470	-45.42	≤-19.03	0.14723	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5600	5460~5470	-44.58	≤-19.03	0.15205	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5600	5745~5765	-44.16	≤-19.03	0.19679	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5600	5745~5765	-44.66	≤-19.03	0.14928	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5600	5765~26000	-34.79	≤-26.02	1.70216	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5600	5765~26000	-35.08	≤-26.02	1.35519	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5720	30~5460	-39.99	≤-26.02	0.51404	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5720	30~5460	-42.05	≤-26.02	0.27227	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5720	5460~5470	-45.61	≤-19.03	0.14093	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5720	5460~5470	-44.72	≤-19.03	0.14723	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5720	5745~5765	-18.81	≤-19.03	67.45280	≤12.5	PASS* See Step 2
NTNV	11BE20MIMO	Ant2	5720	5745~5765	-23.48	≤-19.03	19.58845	≤12.5	PASS* See Step 2
NTNV	11BE20MIMO	Ant1	5720	5765~26000	-34.90	≤-26.02	1.65959	≤2.5	PASS
NTNV	11BE20MIMO	Ant2	5720	5765~26000	-35.40	≤-26.02	1.25893	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5190	30~5141.6	-39.36	≤-26.02	0.59429	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5190	30~5141.6	-43.61	≤-26.02	0.19011	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5190	5141.6~5150	-37.99	≤-18.24	0.81470	≤15	PASS
NTNV	11BE40MIMO	Ant2	5190	5141.6~5150	-36.69	≤-18.24	0.93541	≤15	PASS
NTNV	11BE40MIMO	Ant1	5190	5250~5251	-45.37	≤-12.91	0.14894	≤51.2	PASS
NTNV	11BE40MIMO	Ant2	5190	5250~5251	-45.82	≤-12.61	0.11429	≤54.8	PASS
NTNV	11BE40MIMO	Ant1	5190	5251~5270	-46.07	≤-20.17	0.12677	≤9.6	PASS
NTNV	11BE40MIMO	Ant2	5190	5251~5270	-45.52	≤-20.64	0.12246	≤8.6	PASS
NTNV	11BE40MIMO	Ant1	5190	5270~5278.4	-45.84	≤-26.01	0.13366	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5190	5270~5278.4	-47.17	≤-25.97	0.08375	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5190	5278.4~26000	-34.65	≤-26.02	1.75792	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5190	5278.4~26000	-35.13	≤-26.02	1.33968	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5230	30~5141.6	-42.65	≤-26.02	0.27861	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5230	30~5141.6	-42.57	≤-26.02	0.24155	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5230	5141.6~5150	-36.95	≤-18.24	1.03514	≤15	PASS
NTNV	11BE40MIMO	Ant2	5230	5141.6~5150	-37.69	≤-18.24	0.74302	≤15	PASS
NTNV	11BE40MIMO	Ant1	5230	5250~5251	-19.83	≤-11.91	53.33349	≤64.4	PASS
NTNV	11BE40MIMO	Ant2	5230	5250~5251	-19.88	≤-7.61	44.87454	≤173.4	PASS
NTNV	11BE40MIMO	Ant1	5230	5251~5270	-27.65	≤-13.11	8.81049	≤48.9	PASS
NTNV	11BE40MIMO	Ant2	5230	5251~5270	-27.87	≤-13.12	7.12853	≤48.8	PASS
NTNV	11BE40MIMO	Ant1	5230	5270~5278.4	-46.14	≤-25.5	0.12474	≤2.8	PASS
NTNV	11BE40MIMO	Ant2	5230	5270~5278.4	-45.77	≤-25.88	0.11561	≤2.6	PASS
NTNV	11BE40MIMO	Ant1	5230	5278.4~26000	-35.07	≤-26.02	1.59588	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5230	5278.4~26000	-35.06	≤-26.02	1.36144	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5270	30~5221.6	-39.81	≤-26.02	0.53580	≤2.5	PASS

NTNV	11BE40MIMO	Ant2	5270	30~5221.6	-42.63	≤-26.02	0.23823	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5270	5221.6~5230	-44.91	≤-26.04	0.16558	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5270	5221.6~5230	-44.19	≤-25.53	0.16634	≤2.8	PASS
NTNV	11BE40MIMO	Ant1	5270	5230~5249	-21.97	≤-13.19	32.58367	≤48.0	PASS
NTNV	11BE40MIMO	Ant2	5270	5230~5249	-26.24	≤-13.04	10.37528	≤49.6	PASS
NTNV	11BE40MIMO	Ant1	5270	5249~5250	-13.90	≤-7.01	208.92961	≤199.1	PASS* See Step 2
NTNV	11BE40MIMO	Ant2	5270	5249~5250	-22.98	≤-12.41	21.97860	≤57.4	PASS
NTNV	11BE40MIMO	Ant1	5270	5350~5358.4	-44.53	≤-18.24	0.18072	≤15	PASS
NTNV	11BE40MIMO	Ant2	5270	5350~5358.4	-44.54	≤-18.24	0.15346	≤15	PASS
NTNV	11BE40MIMO	Ant1	5270	5358.4~26000	-35.09	≤-26.02	1.58855	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5270	5358.4~26000	-35.22	≤-26.02	1.31220	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5310	30~5221.6	-42.12	≤-26.02	0.31477	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5310	30~5221.6	-40.93	≤-26.02	0.35237	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5310	5221.6~5230	-44.91	≤-26.03	0.16558	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5310	5221.6~5230	-44.78	≤-25.71	0.14521	≤2.7	PASS
NTNV	11BE40MIMO	Ant1	5310	5230~5249	-46.32	≤-20.92	0.11967	≤8.1	PASS
NTNV	11BE40MIMO	Ant2	5310	5230~5249	-46.00	≤-20.78	0.10965	≤8.4	PASS
NTNV	11BE40MIMO	Ant1	5310	5249~5250	-45.68	≤-12.91	0.13868	≤51.2	PASS
NTNV	11BE40MIMO	Ant2	5310	5249~5250	-46.27	≤-12.61	0.10304	≤54.8	PASS
NTNV	11BE40MIMO	Ant1	5310	5350~5358.4	-44.80	≤-18.24	0.16982	≤15	PASS
NTNV	11BE40MIMO	Ant2	5310	5350~5358.4	-44.72	≤-18.24	0.14723	≤15	PASS
NTNV	11BE40MIMO	Ant1	5310	5358.4~26000	-35.04	≤-26.02	1.60694	≤2.5	PASS
NTNV	11BE40MIMO	Ant2	5310	5358.4~26000	-34.82	≤-26.02	1.43880	≤2.5	PASS
NTNV	11BE40MIMO	Ant1	5510	30~5460	-29.52	≤-19.03	5.72796	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5510	30~5460	-36.80	≤-19.03	0.91201	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5510	5460~5470	-19.84	≤-13.01	53.21083	≤50	PASS* See Step 2
NTNV	11BE40MIMO	Ant2	5510	5460~5470	-27.58	≤-13.01	7.62079	≤50	PASS
NTNV	11BE40MIMO	Ant1	5510	5770~26000	-34.67	≤-19.03	1.74985	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5510	5770~26000	-34.80	≤-19.03	1.44544	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5590	30~5460	-41.63	≤-19.03	0.35237	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5590	30~5460	-39.73	≤-19.03	0.46452	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5590	5460~5470	-43.68	≤-13.01	0.21979	≤50	PASS
NTNV	11BE40MIMO	Ant2	5590	5460~5470	-45.42	≤-13.01	0.12531	≤50	PASS
NTNV	11BE40MIMO	Ant1	5590	5770~26000	-34.82	≤-19.03	1.69044	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5590	5770~26000	-34.72	≤-19.03	1.47231	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5710	30~5460	-39.98	≤-19.03	0.51523	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5710	30~5460	-38.75	≤-19.03	0.58210	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5710	5460~5470	-45.13	≤-13.01	0.15740	≤50	PASS
NTNV	11BE40MIMO	Ant2	5710	5460~5470	-45.62	≤-13.01	0.11967	≤50	PASS

NTNV	11BE40MIMO	Ant1	5710	5770~26000	-34.45	≤-19.03	1.84077	≤12.5	PASS
NTNV	11BE40MIMO	Ant2	5710	5770~26000	-35.27	≤-19.03	1.29718	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5210	30~5123.2	-43.85	≤-26.02	0.21135	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	30~5123.2	-43.65	≤-26.02	0.18836	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5210	5123.2~5150	-36.06	≤-18.24	1.27057	≤15	PASS
NTNV	11BE80MIMO	Ant2	5210	5123.2~5150	-35.59	≤-18.24	1.20504	≤15	PASS
NTNV	11BE80MIMO	Ant1	5210	5250~5251	-21.34	≤-15.62	37.67038	≤27.4	PASS* See Step 2
NTNV	11BE80MIMO	Ant2	5210	5250~5251	-22.99	≤-12.92	21.92805	≤51.0	PASS
NTNV	11BE80MIMO	Ant1	5210	5251~5290	-24.70	≤-16.02	17.37801	≤25.0	PASS
NTNV	11BE80MIMO	Ant2	5210	5251~5290	-27.28	≤-16.06	8.16582	≤24.8	PASS
NTNV	11BE80MIMO	Ant1	5210	5290~5296.7	-45.02	≤-25.47	0.16144	≤2.8	PASS
NTNV	11BE80MIMO	Ant2	5210	5290~5296.7	-45.52	≤-25.97	0.12246	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5210	5296.7~26000	-34.80	≤-26.02	1.69824	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	5296.7~26000	-35.09	≤-26.02	1.35207	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	30~5203.3	-40.85	≤-26.02	0.42170	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	30~5203.3	-38.27	≤-26.02	0.65013	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	5203.3~5210	-44.79	≤-25.95	0.17022	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	5203.3~5210	-45.12	≤-25.28	0.13428	≤3.0	PASS
NTNV	11BE80MIMO	Ant1	5290	5210~5249	-24.98	≤-16.02	16.29296	≤25.0	PASS
NTNV	11BE80MIMO	Ant2	5290	5210~5249	-30.30	≤-16.03	4.07380	≤25.0	PASS
NTNV	11BE80MIMO	Ant1	5290	5249~5250	-22.75	≤-15.22	27.22701	≤30.1	PASS
NTNV	11BE80MIMO	Ant2	5290	5249~5250	-24.04	≤-12.52	17.21869	≤56.0	PASS
NTNV	11BE80MIMO	Ant1	5290	5350~5376.8	-45.01	≤-18.24	0.16181	≤15	PASS
NTNV	11BE80MIMO	Ant2	5290	5350~5376.8	-45.42	≤-18.24	0.12531	≤15	PASS
NTNV	11BE80MIMO	Ant1	5290	5376.8~26000	-34.31	≤-26.02	1.90108	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	5376.8~26000	-34.56	≤-26.02	1.52757	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	30~5460	-26.67	≤-19.03	11.04079	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5530	30~5460	-34.56	≤-19.03	1.52757	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5530	5460~5469.5	-30.70	≤-13.01	4.36516	≤50	PASS
NTNV	11BE80MIMO	Ant2	5530	5460~5469.5	-30.53	≤-13.01	3.86367	≤50	PASS
NTNV	11BE80MIMO	Ant1	5530	5469.5~5470	-31.36	≤-12.91	3.74973	≤51.2	PASS
NTNV	11BE80MIMO	Ant2	5530	5469.5~5470	-29.63	≤-12.91	4.75335	≤51.2	PASS
NTNV	11BE80MIMO	Ant1	5530	5770~26000	-34.36	≤-19.03	1.87932	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5530	5770~26000	-34.56	≤-19.03	1.52757	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5610	30~5460	-40.18	≤-19.03	0.49204	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5610	30~5460	-40.53	≤-19.03	0.38637	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5610	5460~5469.5	-38.20	≤-13.01	0.77625	≤50	PASS
NTNV	11BE80MIMO	Ant2	5610	5460~5469.5	-44.10	≤-13.01	0.16982	≤50	PASS
NTNV	11BE80MIMO	Ant1	5610	5469.5~5470	-38.85	≤-12.91	0.66834	≤51.2	PASS
NTNV	11BE80MIMO	Ant2	5610	5469.5~5470	-43.65	≤-12.91	0.18836	≤51.2	PASS
NTNV	11BE80MIMO	Ant1	5610	5770~26000	-34.34	≤-19.03	1.88799	≤12.5	PASS

NTNV	11BE80MIMO	Ant2	5610	5770~26000	-35.19	≤-19.03	1.32130	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5690	30~5460	-35.71	≤-19.03	1.37721	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5690	30~5460	-36.51	≤-19.03	0.97499	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5690	5460~5469.5	-45.37	≤-13.01	0.14894	≤50	PASS
NTNV	11BE80MIMO	Ant2	5690	5460~5469.5	-44.71	≤-13.01	0.14757	≤50	PASS
NTNV	11BE80MIMO	Ant1	5690	5469.5~5470	-44.06	≤-12.91	0.20137	≤51.2	PASS
NTNV	11BE80MIMO	Ant2	5690	5469.5~5470	-45.08	≤-12.91	0.13552	≤51.2	PASS
NTNV	11BE80MIMO	Ant1	5690	5770~26000	-24.10	≤-19.03	19.95262	≤12.5	PASS* See Step 2
NTNV	11BE80MIMO	Ant2	5690	5770~26000	-30.48	≤-19.03	3.90841	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5250	30~5099.6	-42.66	≤-26.02	0.27797	≤2.5	PASS
NTNV	11BE160MIMO	Ant2	5250	30~5099.6	-42.52	≤-26.02	0.24434	≤2.5	PASS
NTNV	11BE160MIMO	Ant1	5250	5099.6~5150	-35.56	≤-18.24	1.42561	≤15	PASS
NTNV	11BE160MIMO	Ant2	5250	5099.6~5150	-36.39	≤-18.24	1.00231	≤15	PASS
NTNV	11BE160MIMO	Ant1	5250	5350~5400.4	-45.01	≤-18.24	0.16181	≤15	PASS
NTNV	11BE160MIMO	Ant2	5250	5350~5400.4	-44.68	≤-18.24	0.14859	≤15	PASS
NTNV	11BE160MIMO	Ant1	5250	5400.4~26000	-34.91	≤-26.02	1.65577	≤2.5	PASS
NTNV	11BE160MIMO	Ant2	5250	5400.4~26000	-35.20	≤-26.02	1.31826	≤2.5	PASS
NTNV	11BE160MIMO	Ant1	5570	30~5419.6	-23.25	≤-19.03	24.26610	≤12.5	PASS* See Step 2
NTNV	11BE160MIMO	Ant2	5570	30~5419.6	-32.85	≤-19.03	2.26464	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5570	5419.6~5470	-27.80	≤-13.01	8.51138	≤50	PASS
NTNV	11BE160MIMO	Ant2	5570	5419.6~5470	-27.38	≤-13.01	7.97995	≤50	PASS
NTNV	11BE160MIMO	Ant1	5570	5725~26000	-28.06	≤-19.03	8.01678	≤12.5	PASS
NTNV	11BE160MIMO	Ant2	5570	5725~26000	-30.91	≤-19.03	3.53997	≤12.5	PASS

Note: The antenna gain value was considered and has been compensated within the system software during the test.

Test Result Step2

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Result [μW/MHz]	Limit [μW]/MHz	Verdict
NTNV	11A-CDD	Ant1	5720	5746.34	-40.42	≤-19.03	0.46559	≤12.5	PASS
NTNV	11A-CDD	Ant1	5720	5746.34	-44.95	≤-19.03	0.13964	≤12.5	PASS
NTNV	11A-CDD	Ant1	5720	5746.34	---	---	0.60523	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5720	5745.26	-38.62	≤-19.03	0.70469	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5720	5745.26	-42.52	≤-19.03	0.24434	≤12.5	PASS
NTNV	11N20MIMO	Ant1	5720	5745.26	---	---	0.94903	≤12.5	PASS
NTNV	11N40MIMO	Ant1	5190	5779.17	-54.46	≤-26.02	0.01837	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5190	5779.17	-65.26	≤-26.02	0.00130	≤2.5	PASS
NTNV	11N40MIMO	Ant1	5190	5779.172	---	---	0.01967	≤2.5	PASS
NTNV	11AC20MIMO	Ant1	5240	5250.96	-34.07	≤-9.1	2.00909	≤123	PASS

NTNV	11AC20MIMO	Ant1	5240	5250.96	-40.59	≤-9.1	0.38107	≤123	PASS
NTNV	11AC20MIMO	Ant1	5240	5250.958	---	---	2.39016	≤123	PASS
NTNV	11AC20MIMO	Ant1	5260	5249.46	-34.01	≤-9.8	2.03704	≤105	PASS
NTNV	11AC20MIMO	Ant1	5260	5249.46	-38.72	≤-9.8	0.58614	≤105	PASS
NTNV	11AC20MIMO	Ant1	5260	5249.46	---	---	2.62318	≤105	PASS
NTNV	11AC20MIMO	Ant1	5720	5745.64	-38.97	≤-19.03	0.65013	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5720	5745.32	-38.66	≤-19.03	0.69823	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5720	5745.64	-43.91	≤-19.03	0.17742	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5720	5745.32	-43.10	≤-19.03	0.21380	≤12.5	PASS
NTNV	11AC20MIMO	Ant1	5720	5745.64	---	---	0.82755	≤12.5	PASS
NTNV	11AC20MIMO	Ant2	5720	5745.32	---	---	0.91203	≤12.5	PASS
NTNV	11AC40MIMO	Ant1	5510	5465.86	-40.21	≤-13.01	0.48865	≤50	PASS
NTNV	11AC40MIMO	Ant1	5510	5465.86	-44.69	≤-13.01	0.14825	≤50	PASS
NTNV	11AC40MIMO	Ant1	5510	5465.86	---	---	0.63690	≤50	PASS
NTNV	11AC80MIMO	Ant1	5690	5770.67	-40.20	≤-19.03	0.48978	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5785.51	-39.81	≤-19.03	0.53580	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5770.67	-43.57	≤-19.03	0.19187	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5785.51	-45.99	≤-19.03	0.10990	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5770.67	---	---	0.68165	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	5785.51	---	---	0.64570	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5413.49	-38.76	≤-19.03	0.68234	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5413.49	-48.44	≤-19.03	0.06252	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5413.49	---	---	0.74486	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5725.00	-34.97	≤-19.03	1.63305	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5725.00	-42.21	≤-19.03	0.26242	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5570	5725	---	---	1.89547	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.19	-16.53	≤-0.93	114.02498	≤807	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.13	-16.90	≤-1.47	104.71285	≤713	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.19	-20.41	≤-0.93	39.71915	≤807	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.13	-20.79	≤-1.47	36.39150	≤713	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.19	---	---	153.74413	≤807	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.1312	---	---	141.10435	≤713	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.37	-19.17	≤-2.9	62.08690	≤513	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.50	-35.30	≤-10	1.51356	≤100	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.37	-23.07	≤-2.9	21.52782	≤513	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.50	-39.36	≤-10	0.50582	≤100	PASS
NTNV	11AX20MIMO	Ant1	5240	5250.37	---	---	83.61472	≤513	PASS
NTNV	11AX20MIMO	Ant2	5240	5250.5	---	---	2.01938	≤100	PASS
NTNV	11AX20MIMO	Ant1	5260	5249.78	-24.06	≤-4.1	20.13724	≤389	PASS
NTNV	11AX20MIMO	Ant1	5260	5249.78	-29.59	≤-4.1	4.79733	≤389	PASS
NTNV	11AX20MIMO	Ant1	5260	5249.78	---	---	24.93457	≤389	PASS
NTNV	11AX20MIMO	Ant1	5720	5745.00	-36.99	≤-19.03	1.02565	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5720	5746.80	-35.78	≤-19.03	1.35519	≤12.5	PASS


NTNV	11AX20MIMO	Ant1	5720	5745.00	-41.52	≤-19.03	0.30761	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5720	5746.80	-41.75	≤-19.03	0.29174	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5720	5745	---	---	1.33326	≤12.5	PASS
NTNV	11AX20MIMO	Ant2	5720	5746.8	---	---	1.64693	≤12.5	PASS
NTNV	11AX40MIMO	Ant1	5230	5250.01	-40.83	≤-12.61	0.42364	≤55	PASS
NTNV	11AX40MIMO	Ant1	5230	5250.01	-37.46	≤-12.61	0.78343	≤55	PASS
NTNV	11AX40MIMO	Ant1	5230	5250.01	---	---	1.20707	≤55	PASS
NTNV	11AX40MIMO	Ant1	5270	5249.19	-41.73	≤-12.61	0.34435	≤55	PASS
NTNV	11AX40MIMO	Ant1	5270	5249.19	-39.03	≤-12.61	0.54576	≤55	PASS
NTNV	11AX40MIMO	Ant1	5270	5249.19	---	---	0.89011	≤55	PASS
NTNV	11AX40MIMO	Ant1	5310	23955.11	-47.04	≤-26.02	0.10139	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5310	23955.11	-57.84	≤-26.02	0.00718	≤2.5	PASS
NTNV	11AX40MIMO	Ant1	5310	23955.1054933333	---	---	0.10857	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5210	5250.17	-41.59	≤-14.52	0.35563	≤35	PASS
NTNV	11AX80MIMO	Ant1	5210	5250.17	-42.58	≤-14.52	0.24099	≤35	PASS
NTNV	11AX80MIMO	Ant1	5210	5250.17	---	---	0.59662	≤35	PASS
NTNV	11AX80MIMO	Ant1	5290	5249.49	-42.80	≤-15.32	0.26915	≤29	PASS
NTNV	11AX80MIMO	Ant1	5290	5249.49	-49.34	≤-15.32	0.05082	≤29	PASS
NTNV	11AX80MIMO	Ant1	5290	5249.49	---	---	0.31997	≤29	PASS
NTNV	11AX80MIMO	Ant1	5530	5469.71	-39.81	≤-12.91	0.53580	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5530	5469.71	-47.60	≤-12.91	0.07586	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5530	5469.71	---	---	0.61166	≤51.2	PASS
NTNV	11AX80MIMO	Ant1	5690	5774.72	-38.22	≤-19.03	0.77268	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	5777.42	-38.53	≤-19.03	0.71945	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	5774.72	-44.52	≤-19.03	0.15417	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	5777.42	-44.13	≤-19.03	0.16866	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	5774.72	---	---	0.92685	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	5777.41766666667	---	---	0.88811	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5570	5447.32	-39.77	≤-13.01	0.54075	≤50	PASS
NTNV	11AX160MIMO	Ant1	5570	5447.32	-49.69	≤-13.01	0.04688	≤50	PASS
NTNV	11AX160MIMO	Ant1	5570	5447.32	---	---	0.58763	≤50	PASS
NTNV	11AX160MIMO	Ant1	5570	5727.70	-38.39	≤-19.03	0.74302	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5570	5727.70	-46.65	≤-19.03	0.09441	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5570	5727.70333333333	---	---	0.83743	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5240	5250.12	-20.46	≤-3.3	46.13176	≤468	PASS
NTNV	11BE20MIMO	Ant2	5240	5250.75	-28.45	≤-6.5	7.32825	≤224	PASS
NTNV	11BE20MIMO	Ant1	5240	5250.12	-25.82	≤-3.3	11.42878	≤468	PASS
NTNV	11BE20MIMO	Ant2	5240	5250.75	-33.41	≤-6.5	1.99067	≤224	PASS
NTNV	11BE20MIMO	Ant1	5240	5250.12	---	---	57.56054	≤468	PASS
NTNV	11BE20MIMO	Ant2	5240	5250.75	---	---	9.31892	≤224	PASS
NTNV	11BE20MIMO	Ant1	5260	5250.00	-32.69	≤-7.8	2.76058	≤166	PASS
NTNV	11BE20MIMO	Ant1	5260	5250.00	-37.91	≤-7.8	0.70632	≤166	PASS
NTNV	11BE20MIMO	Ant1	5260	5250	---	---	3.46690	≤166	PASS

NTNV	11BE20MIMO	Ant1	5500	5469.92	-44.39	≤-19.03	0.18664	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5500	5469.92	-50.79	≤-19.03	0.03639	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5500	5469.92	---	---	0.22303	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5500	25916.36	-46.66	≤-26.02	0.11066	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5500	25916.36	-57.41	≤-26.02	0.00793	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5500	25916.36	---	---	0.11859	≤2.5	PASS
NTNV	11BE20MIMO	Ant1	5720	5746.78	-35.09	≤-19.03	1.58855	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5720	5745.26	-35.94	≤-19.03	1.30617	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5720	5746.78	-38.92	≤-19.03	0.55976	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5720	5745.26	-42.05	≤-19.03	0.27227	≤12.5	PASS
NTNV	11BE20MIMO	Ant1	5720	5746.78	---	---	2.14831	≤12.5	PASS
NTNV	11BE20MIMO	Ant2	5720	5745.26	---	---	1.57844	≤12.5	PASS
NTNV	11BE40MIMO	Ant1	5230	5250.09	-39.78	≤-10.31	0.53951	≤93	PASS
NTNV	11BE40MIMO	Ant1	5230	5250.09	-42.25	≤-10.31	0.26002	≤93	PASS
NTNV	11BE40MIMO	Ant1	5230	5250.09	---	---	0.79953	≤93	PASS
NTNV	11BE40MIMO	Ant1	5270	5249.84	-40.85	≤-10.81	0.42170	≤83	PASS
NTNV	11BE40MIMO	Ant1	5270	5249.84	-36.52	≤-10.81	0.97275	≤83	PASS
NTNV	11BE40MIMO	Ant1	5270	5249.84	---	---	1.39445	≤83	PASS
NTNV	11BE40MIMO	Ant1	5510	5463.68	-40.19	≤-13.01	0.49091	≤50	PASS
NTNV	11BE40MIMO	Ant1	5510	5463.68	-46.77	≤-13.01	0.09183	≤50	PASS
NTNV	11BE40MIMO	Ant1	5510	5463.68	---	---	0.58274	≤50	PASS
NTNV	11BE80MIMO	Ant1	5210	5250.28	-42.20	≤-15.72	0.30903	≤27	PASS
NTNV	11BE80MIMO	Ant1	5210	5250.28	-48.28	≤-15.72	0.06486	≤27	PASS
NTNV	11BE80MIMO	Ant1	5210	5250.28	---	---	0.37389	≤27	PASS
NTNV	11BE80MIMO	Ant1	5290	5249.08	-42.66	≤-15.02	0.27797	≤31	PASS
NTNV	11BE80MIMO	Ant1	5290	5249.08	-49.50	≤-15.02	0.04898	≤31	PASS
NTNV	11BE80MIMO	Ant1	5290	5249.077	---	---	0.32695	≤31	PASS
NTNV	11BE80MIMO	Ant1	5530	5457.65	-41.72	≤-19.03	0.34514	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5530	5457.65	-49.87	≤-19.03	0.04498	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5530	5457.65	---	---	0.39012	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5690	5775.39	-40.91	≤-19.03	0.41591	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5690	5775.39	-48.41	≤-19.03	0.06295	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5690	5775.39	---	---	0.47886	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5570	5419.24	-41.98	≤-19.03	0.32509	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5570	5419.24	-51.05	≤-19.03	0.03428	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5570	5419.24	---	---	0.35937	≤12.5	PASS


Note: The antenna gain value was considered and has been compensated within the system software during the test.

1.2 Test Graphs


Please refer to recording the spectrum plots in the worst conditions




NTNV-11A-CDD-Ant1-5180-30~5142-PASS




NTNV-11A-CDD-Ant2-5180-30~5142-PASS




NTNV-11A-CDD-Ant1-5180-5142~5150-PASS




NTNV-11A-CDD-Ant2-5180-5142~5150-PASS



NTNV-11A-CDD-Ant1-5180-5250~5251-PASS




NTNV-11A-CDD-Ant2-5180-5250~5251-PASS




NTNV-11A-CDD-Ant1-5180-5251~5260-PASS




NTNV-11A-CDD-Ant2-5180-5251~5260-PASS




NTNV-11A-CDD-Ant1-5180-5260~5266.7-PASS




NTNV-11A-CDD-Ant2-5180-5260~5266.7-PASS




NTNV-11A-CDD-Ant1-5180-5266.7~26000-PASS




NTNV-11A-CDD-Ant2-5180-5266.7~26000-PASS




NTNV-11A-CDD-Ant1-5200-30~5142-PASS




NTNV-11A-CDD-Ant2-5200-30~5142-PASS




NTNV-11A-CDD-Ant1-5200-5142~5150-PASS



NTNV-11A-CDD-Ant2-5200-5142~5150-PASS




NTNV-11A-CDD-Ant1-5200-5250~5251-PASS




NTNV-11A-CDD-Ant2-5200-5250~5251-PASS




NTNV-11A-CDD-Ant1-5200-5251~5260-PASS



NTNV-11A-CDD-Ant2-5200-5251~5260-PASS




NTNV-11A-CDD-Ant1-5200-5260~5266.7-PASS



NTNV-11A-CDD-Ant2-5200-5260~5266.7-PASS




NTNV-11A-CDD-Ant1-5200-5266.7~26000-PASS




NTNV-11A-CDD-Ant2-5200-5266.7~26000-PASS




NTNV-11A-CDD-Ant1-5240-30~5142-PASS




NTNV-11A-CDD-Ant2-5240-30~5142-PASS




NTNV-11A-CDD-Ant1-5240-5142~5150-PASS



NTNV-11A-CDD-Ant2-5240-5142~5150-PASS




NTNV-11A-CDD-Ant1-5240-5250~5251-PASS




NTNV-11A-CDD-Ant2-5240-5250~5251-PASS




NTNV-11A-CDD-Ant1-5240-5251~5260-PASS




NTNV-11A-CDD-Ant2-5240-5251~5260-PASS




NTNV-11A-CDD-Ant1-5240-5260~5266.7-PASS




NTNV-11A-CDD-Ant2-5240-5260~5266.7-PASS




NTNV-11A-CDD-Ant1-5240-5266.7~26000-PASS




NTNV-11A-CDD-Ant2-5240-5266.7~26000-PASS




NTNV-11A-CDD-Ant1-5260-30~5233.3-PASS




NTNV-11A-CDD-Ant2-5260-30~5233.3-PASS




NTNV-11A-CDD-Ant1-5260-5233.3~5240-PASS




NTNV-11A-CDD-Ant2-5260-5233.3~5240-PASS




NTNV-11A-CDD-Ant1-5260-5240~5249-PASS




NTNV-11A-CDD-Ant2-5260-5240~5249-PASS



NTNV-11A-CDD-Ant1-5260-5249~5250-PASS




NTNV-11A-CDD-Ant2-5260-5249~5250-PASS




NTNV-11A-CDD-Ant1-5260-5350~26000-PASS




NTNV-11A-CDD-Ant2-5260-5350~26000-PASS




NTNV-11A-CDD-Ant1-5280-30~5233.3-PASS




NTNV-11A-CDD-Ant2-5280-30~5233.3-PASS




NTNV-11A-CDD-Ant1-5280-5233.3~5240-PASS




NTNV-11A-CDD-Ant2-5280-5233.3~5240-PASS




NTNV-11A-CDD-Ant1-5280-5240~5249-PASS




NTNV-11A-CDD-Ant2-5280-5240~5249-PASS




NTNV-11A-CDD-Ant1-5280-5249~5250-PASS




NTNV-11A-CDD-Ant2-5280-5249~5250-PASS




NTNV-11A-CDD-Ant1-5280-5350~26000-PASS




NTNV-11A-CDD-Ant2-5280-5350~26000-PASS




NTNV-11A-CDD-Ant1-5320-30~5233.3-PASS




NTNV-11A-CDD-Ant2-5320-30~5233.3-PASS




NTNV-11A-CDD-Ant1-5320-5233.3~5240-PASS




NTNV-11A-CDD-Ant2-5320-5233.3~5240-PASS




NTNV-11A-CDD-Ant1-5320-5240~5249-PASS




NTNV-11A-CDD-Ant2-5320-5240~5249-PASS




NTNV-11A-CDD-Ant1-5320-5249~5250-PASS




NTNV-11A-CDD-Ant2-5320-5249~5250-PASS




NTNV-11A-CDD-Ant1-5320-5350~26000-PASS




NTNV-11A-CDD-Ant2-5320-5350~26000-PASS




NTNV-11A-CDD-Ant1-5500-30~5460-PASS




NTNV-11A-CDD-Ant2-5500-30~5460-PASS




NTNV-11A-CDD-Ant1-5500-5460~5470-PASS



NTNV-11A-CDD-Ant2-5500-5460~5470-PASS




NTNV-11A-CDD-Ant1-5500-5745~5765-PASS




NTNV-11A-CDD-Ant2-5500-5745~5765-PASS




NTNV-11A-CDD-Ant1-5500-5765~26000-PASS




NTNV-11A-CDD-Ant2-5500-5765~26000-PASS




NTNV-11A-CDD-Ant1-5600-30~5460-PASS




NTNV-11A-CDD-Ant2-5600-30~5460-PASS




NTNV-11A-CDD-Ant1-5600-5460~5470-PASS



NTNV-11A-CDD-Ant2-5600-5460~5470-PASS



NTNV-11A-CDD-Ant1-5600-5745~5765-PASS



NTNV-11A-CDD-Ant2-5600-5745~5765-PASS




NTNV-11A-CDD-Ant1-5600-5765~26000-PASS




NTNV-11A-CDD-Ant2-5600-5765~26000-PASS




NTNV-11A-CDD-Ant1-5720-30~5460-PASS




NTNV-11A-CDD-Ant2-5720-30~5460-PASS




NTNV-11A-CDD-Ant1-5720-5460~5470-PASS



NTNV-11A-CDD-Ant2-5720-5460~5470-PASS




NTNV-11A-CDD-Ant1-5720-5745~5765-See table below




NTNV-11A-CDD-Ant2-5720-5745~5765-PASS




NTNV-11A-CDD-Ant1-5720-5765~26000-PASS




NTNV-11A-CDD-Ant2-5720-5765~26000-PASS




NTNV-11N20MIMO-Ant1-5180-30~5142-PASS




NTNV-11N20MIMO-Ant2-5180-30~5142-PASS




NTNV-11N20MIMO-Ant1-5180-5142~5150-PASS




NTNV-11N20MIMO-Ant2-5180-5142~5150-PASS




NTNV-11N20MIMO-Ant1-5180-5250~5251-PASS




NTNV-11N20MIMO-Ant2-5180-5250~5251-PASS




NTNV-11N20MIMO-Ant1-5180-5251~5260-PASS



NTNV-11N20MIMO-Ant2-5180-5251~5260-PASS




NTNV-11N20MIMO-Ant1-5180-5260~5266.7-PASS



NTNV-11N20MIMO-Ant2-5180-5260~5266.7-PASS



NTNV-11N20MIMO-Ant1-5180-5266.7~26000-PASS




NTNV-11N20MIMO-Ant2-5180-5266.7~26000-PASS




NTNV-11N20MIMO-Ant1-5200-30~5142-PASS




NTNV-11N20MIMO-Ant2-5200-30~5142-PASS




NTNV-11N20MIMO-Ant1-5200-5142~5150-PASS




NTNV-11N20MIMO-Ant2-5200-5142~5150-PASS



NTNV-11N20MIMO-Ant1-5200-5250~5251-PASS




NTNV-11N20MIMO-Ant2-5200-5250~5251-PASS




NTNV-11N20MIMO-Ant1-5200-5251~5260-PASS




NTNV-11N20MIMO-Ant2-5200-5251~5260-PASS



NTNV-11N20MIMO-Ant1-5200-5260~5266.7-PASS




NTNV-11N20MIMO-Ant2-5200-5260~5266.7-PASS




NTNV-11N20MIMO-Ant1-5200-5266.7~26000-PASS




NTNV-11N20MIMO-Ant2-5200-5266.7~26000-PASS




NTNV-11N20MIMO-Ant1-5240-30~5142-PASS




NTNV-11N20MIMO-Ant2-5240-30~5142-PASS




NTNV-11N20MIMO-Ant1-5240-5142~5150-PASS




NTNV-11N20MIMO-Ant2-5240-5142~5150-PASS



NTNV-11N20MIMO-Ant1-5240-5250~5251-PASS




NTNV-11N20MIMO-Ant2-5240-5250~5251-PASS




NTNV-11N20MIMO-Ant1-5240-5251~5260-PASS



NTNV-11N20MIMO-Ant2-5240-5251~5260-PASS



NTNV-11N20MIMO-Ant1-5240-5260~5266.7-PASS




NTNV-11N20MIMO-Ant2-5240-5260~5266.7-PASS




NTNV-11N20MIMO-Ant1-5240-5266.7~26000-PASS




NTNV-11N20MIMO-Ant2-5240-5266.7~26000-PASS




NTNV-11N20MIMO-Ant1-5260-30~5233.3-PASS




NTNV-11N20MIMO-Ant2-5260-30~5233.3-PASS



NTNV-11N20MIMO-Ant1-5260-5233.3~5240-PASS




NTNV-11N20MIMO-Ant2-5260-5233.3~5240-PASS




NTNV-11N20MIMO-Ant1-5260-5240~5249-PASS



NTNV-11N20MIMO-Ant2-5260-5240~5249-PASS




NTNV-11N20MIMO-Ant1-5260-5249~5250-PASS



NTNV-11N20MIMO-Ant2-5260-5249~5250-PASS




NTNV-11N20MIMO-Ant1-5260-5350~26000-PASS




NTNV-11N20MIMO-Ant2-5260-5350~26000-PASS




NTNV-11N20MIMO-Ant1-5280-30~5233.3-PASS




NTNV-11N20MIMO-Ant2-5280-30~5233.3-PASS




NTNV-11N20MIMO-Ant1-5280-5233.3~5240-PASS




NTNV-11N20MIMO-Ant2-5280-5233.3~5240-PASS




NTNV-11N20MIMO-Ant1-5280-5240~5249-PASS




NTNV-11N20MIMO-Ant2-5280-5240~5249-PASS




NTNV-11N20MIMO-Ant1-5280-5249~5250-PASS




NTNV-11N20MIMO-Ant2-5280-5249~5250-PASS




NTNV-11N20MIMO-Ant1-5280-5350~26000-PASS




NTNV-11N20MIMO-Ant2-5280-5350~26000-PASS




NTNV-11N20MIMO-Ant1-5320-30~5233.3-PASS



NTNV-11N20MIMO-Ant2-5320-30~5233.3-PASS




NTNV-11N20MIMO-Ant1-5320-5233.3~5240-PASS




NTNV-11N20MIMO-Ant2-5320-5233.3~5240-PASS




NTNV-11N20MIMO-Ant1-5320-5240~5249-PASS




NTNV-11N20MIMO-Ant2-5320-5240~5249-PASS




NTNV-11N20MIMO-Ant1-5320-5249~5250-PASS




NTNV-11N20MIMO-Ant2-5320-5249~5250-PASS



NTNV-11N20MIMO-Ant1-5320-5350~26000-PASS




NTNV-11N20MIMO-Ant2-5320-5350~26000-PASS




NTNV-11N20MIMO-Ant1-5500-30~5460-PASS




NTNV-11N20MIMO-Ant2-5500-30~5460-PASS




NTNV-11N20MIMO-Ant1-5500-5460~5470-PASS



NTNV-11N20MIMO-Ant2-5500-5460~5470-PASS



NTNV-11N20MIMO-Ant1-5500-5745~5765-PASS



NTNV-11N20MIMO-Ant2-5500-5745~5765-PASS




NTNV-11N20MIMO-Ant1-5500-5765~26000-PASS




NTNV-11N20MIMO-Ant2-5500-5765~26000-PASS




NTNV-11N20MIMO-Ant1-5600-30~5460-PASS




NTNV-11N20MIMO-Ant2-5600-30~5460-PASS




NTNV-11N20MIMO-Ant1-5600-5460~5470-PASS




NTNV-11N20MIMO-Ant2-5600-5460~5470-PASS



NTNV-11N20MIMO-Ant1-5600-5745~5765-PASS




NTNV-11N20MIMO-Ant2-5600-5745~5765-PASS




NTNV-11N20MIMO-Ant1-5600-5765~26000-PASS




NTNV-11N20MIMO-Ant2-5600-5765~26000-PASS




NTNV-11N20MIMO-Ant1-5720-30~5460-PASS




NTNV-11N20MIMO-Ant2-5720-30~5460-PASS




NTNV-11N20MIMO-Ant1-5720-5460~5470-PASS



NTNV-11N20MIMO-Ant2-5720-5460~5470-PASS




NTNV-11N20MIMO-Ant1-5720-5745~5765-See table below



NTNV-11N20MIMO-Ant2-5720-5745~5765-PASS




NTNV-11N20MIMO-Ant1-5720-5765~26000-PASS




NTNV-11N20MIMO-Ant2-5720-5765~26000-PASS




NTNV-11N40MIMO-Ant1-5190-30~5141.6-PASS




NTNV-11N40MIMO-Ant2-5190-30~5141.6-PASS




NTNV-11N40MIMO-Ant1-5190-5141.6~5150-PASS




NTNV-11N40MIMO-Ant2-5190-5141.6~5150-PASS




NTNV-11N40MIMO-Ant1-5190-5250~5251-PASS




NTNV-11N40MIMO-Ant2-5190-5250~5251-PASS




NTNV-11N40MIMO-Ant1-5190-5251~5270-PASS



NTNV-11N40MIMO-Ant2-5190-5251~5270-PASS




NTNV-11N40MIMO-Ant1-5190-5270~5278.4-PASS




NTNV-11N40MIMO-Ant2-5190-5270~5278.4-PASS



NTNV-11N40MIMO-Ant1-5190-5278.4~26000-See table below




NTNV-11N40MIMO-Ant2-5190-5278.4~26000-PASS




NTNV-11N40MIMO-Ant1-5230-30~5141.6-PASS




NTNV-11N40MIMO-Ant2-5230-30~5141.6-PASS




NTNV-11N40MIMO-Ant1-5230-5141.6~5150-PASS



NTNV-11N40MIMO-Ant2-5230-5141.6~5150-PASS




NTNV-11N40MIMO-Ant1-5230-5250~5251-PASS




NTNV-11N40MIMO-Ant2-5230-5250~5251-PASS




NTNV-11N40MIMO-Ant1-5230-5251~5270-PASS



NTNV-11N40MIMO-Ant2-5230-5251~5270-PASS




NTNV-11N40MIMO-Ant1-5230-5270~5278.4-PASS




NTNV-11N40MIMO-Ant2-5230-5270~5278.4-PASS




NTNV-11N40MIMO-Ant1-5230-5278.4~26000-PASS




NTNV-11N40MIMO-Ant2-5230-5278.4~26000-PASS




NTNV-11N40MIMO-Ant1-5270-30~5221.6-PASS



NTNV-11N40MIMO-Ant2-5270-30~5221.6-PASS



NTNV-11N40MIMO-Ant1-5270-5221.6~5230-PASS




NTNV-11N40MIMO-Ant2-5270-5221.6~5230-PASS




NTNV-11N40MIMO-Ant1-5270-5230~5249-PASS




NTNV-11N40MIMO-Ant2-5270-5230~5249-PASS




NTNV-11N40MIMO-Ant1-5270-5249~5250-PASS



NTNV-11N40MIMO-Ant2-5270-5249~5250-PASS




NTNV-11N40MIMO-Ant1-5270-5350~5358.4-PASS




NTNV-11N40MIMO-Ant2-5270-5350~5358.4-PASS




NTNV-11N40MIMO-Ant1-5270-5358.4~26000-PASS




NTNV-11N40MIMO-Ant2-5270-5358.4~26000-PASS




NTNV-11N40MIMO-Ant1-5310-30~5221.6-PASS




NTNV-11N40MIMO-Ant2-5310-30~5221.6-PASS




NTNV-11N40MIMO-Ant1-5310-5221.6~5230-PASS




NTNV-11N40MIMO-Ant2-5310-5221.6~5230-PASS




NTNV-11N40MIMO-Ant1-5310-5230~5249-PASS




NTNV-11N40MIMO-Ant2-5310-5230~5249-PASS




NTNV-11N40MIMO-Ant1-5310-5249~5250-PASS




NTNV-11N40MIMO-Ant2-5310-5249~5250-PASS




NTNV-11N40MIMO-Ant1-5310-5350~5358.4-PASS




NTNV-11N40MIMO-Ant2-5310-5350~5358.4-PASS




NTNV-11N40MIMO-Ant1-5310-5358.4~26000-PASS




NTNV-11N40MIMO-Ant2-5310-5358.4~26000-PASS




NTNV-11N40MIMO-Ant1-5510-30~5460-PASS




NTNV-11N40MIMO-Ant2-5510-30~5460-PASS



NTNV-11N40MIMO-Ant1-5510-5460~5470-PASS




NTNV-11N40MIMO-Ant2-5510-5460~5470-PASS



NTNV-11N40MIMO-Ant1-5510-5770~26000-PASS




NTNV-11N40MIMO-Ant2-5510-5770~26000-PASS




NTNV-11N40MIMO-Ant1-5590-30~5460-PASS



NTNV-11N40MIMO-Ant2-5590-30~5460-PASS



NTNV-11N40MIMO-Ant1-5590-5460~5470-PASS




NTNV-11N40MIMO-Ant2-5590-5460~5470-PASS




NTNV-11N40MIMO-Ant1-5590-5770~26000-PASS




NTNV-11N40MIMO-Ant2-5590-5770~26000-PASS




NTNV-11N40MIMO-Ant1-5710-30~5460-PASS




NTNV-11N40MIMO-Ant2-5710-30~5460-PASS




NTNV-11N40MIMO-Ant1-5710-5460~5470-PASS




NTNV-11N40MIMO-Ant2-5710-5460~5470-PASS




NTNV-11N40MIMO-Ant1-5710-5770~26000-PASS




NTNV-11N40MIMO-Ant2-5710-5770~26000-PASS




NTNV-11AC20MIMO-Ant1-5180-30~5142-PASS




NTNV-11AC20MIMO-Ant2-5180-30~5142-PASS




NTNV-11AC20MIMO-Ant1-5180-5142~5150-PASS




NTNV-11AC20MIMO-Ant2-5180-5142~5150-PASS



NTNV-11AC20MIMO-Ant1-5180-5250~5251-PASS




NTNV-11AC20MIMO-Ant2-5180-5250~5251-PASS




NTNV-11AC20MIMO-Ant1-5180-5251~5260-PASS




NTNV-11AC20MIMO-Ant2-5180-5251~5260-PASS




NTNV-11AC20MIMO-Ant1-5180-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant2-5180-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant1-5180-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant2-5180-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant1-5200-30~5142-PASS




NTNV-11AC20MIMO-Ant2-5200-30~5142-PASS




NTNV-11AC20MIMO-Ant1-5200-5142~5150-PASS




NTNV-11AC20MIMO-Ant2-5200-5142~5150-PASS




NTNV-11AC20MIMO-Ant1-5200-5250~5251-PASS




NTNV-11AC20MIMO-Ant2-5200-5250~5251-PASS




NTNV-11AC20MIMO-Ant1-5200-5251~5260-PASS




NTNV-11AC20MIMO-Ant2-5200-5251~5260-PASS




NTNV-11AC20MIMO-Ant1-5200-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant2-5200-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant1-5200-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant2-5200-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant1-5240-30~5142-PASS




NTNV-11AC20MIMO-Ant2-5240-30~5142-PASS




NTNV-11AC20MIMO-Ant1-5240-5142~5150-PASS




NTNV-11AC20MIMO-Ant2-5240-5142~5150-PASS



NTNV-11AC20MIMO-Ant1-5240-5250~5251-See table below




NTNV-11AC20MIMO-Ant2-5240-5250~5251-PASS




NTNV-11AC20MIMO-Ant1-5240-5251~5260-PASS




NTNV-11AC20MIMO-Ant2-5240-5251~5260-PASS



NTNV-11AC20MIMO-Ant1-5240-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant2-5240-5260~5266.7-PASS




NTNV-11AC20MIMO-Ant1-5240-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant2-5240-5266.7~26000-PASS




NTNV-11AC20MIMO-Ant1-5260-30~5233.3-PASS



NTNV-11AC20MIMO-Ant2-5260-30~5233.3-PASS



NTNV-11AC20MIMO-Ant1-5260-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant2-5260-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant1-5260-5240~5249-PASS




NTNV-11AC20MIMO-Ant2-5260-5240~5249-PASS




NTNV-11AC20MIMO-Ant1-5260-5249~5250-See table below




NTNV-11AC20MIMO-Ant2-5260-5249~5250-PASS




NTNV-11AC20MIMO-Ant1-5260-5350~26000-PASS




NTNV-11AC20MIMO-Ant2-5260-5350~26000-PASS




NTNV-11AC20MIMO-Ant1-5280-30~5233.3-PASS




NTNV-11AC20MIMO-Ant2-5280-30~5233.3-PASS




NTNV-11AC20MIMO-Ant1-5280-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant2-5280-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant1-5280-5240~5249-PASS




NTNV-11AC20MIMO-Ant2-5280-5240~5249-PASS




NTNV-11AC20MIMO-Ant1-5280-5249~5250-PASS




NTNV-11AC20MIMO-Ant2-5280-5249~5250-PASS




NTNV-11AC20MIMO-Ant1-5280-5350~26000-PASS




NTNV-11AC20MIMO-Ant2-5280-5350~26000-PASS




NTNV-11AC20MIMO-Ant1-5320-30~5233.3-PASS




NTNV-11AC20MIMO-Ant2-5320-30~5233.3-PASS




NTNV-11AC20MIMO-Ant1-5320-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant2-5320-5233.3~5240-PASS




NTNV-11AC20MIMO-Ant1-5320-5240~5249-PASS




NTNV-11AC20MIMO-Ant2-5320-5240~5249-PASS




NTNV-11AC20MIMO-Ant1-5320-5249~5250-PASS



NTNV-11AC20MIMO-Ant2-5320-5249~5250-PASS




NTNV-11AC20MIMO-Ant1-5320-5350~26000-PASS




NTNV-11AC20MIMO-Ant2-5320-5350~26000-PASS




NTNV-11AC20MIMO-Ant1-5500-30~5460-PASS




NTNV-11AC20MIMO-Ant2-5500-30~5460-PASS




NTNV-11AC20MIMO-Ant1-5500-5460~5470-PASS



NTNV-11AC20MIMO-Ant2-5500-5460~5470-PASS




NTNV-11AC20MIMO-Ant1-5500-5745~5765-PASS



NTNV-11AC20MIMO-Ant2-5500-5745~5765-PASS




NTNV-11AC20MIMO-Ant1-5500-5765~26000-PASS




NTNV-11AC20MIMO-Ant2-5500-5765~26000-PASS




NTNV-11AC20MIMO-Ant1-5600-30~5460-PASS




NTNV-11AC20MIMO-Ant2-5600-30~5460-PASS




NTNV-11AC20MIMO-Ant1-5600-5460~5470-PASS



NTNV-11AC20MIMO-Ant2-5600-5460~5470-PASS




NTNV-11AC20MIMO-Ant1-5600-5745~5765-PASS




NTNV-11AC20MIMO-Ant2-5600-5745~5765-PASS




NTNV-11AC20MIMO-Ant1-5600-5765~26000-PASS




NTNV-11AC20MIMO-Ant2-5600-5765~26000-PASS




NTNV-11AC20MIMO-Ant1-5720-30~5460-PASS




NTNV-11AC20MIMO-Ant2-5720-30~5460-PASS




NTNV-11AC20MIMO-Ant1-5720-5460~5470-PASS



NTNV-11AC20MIMO-Ant2-5720-5460~5470-PASS



NTNV-11AC20MIMO-Ant1-5720-5745~5765-See table below




NTNV-11AC20MIMO-Ant2-5720-5745~5765-See table below



NTNV-11AC20MIMO-Ant1-5720-5765~26000-PASS




NTNV-11AC20MIMO-Ant2-5720-5765~26000-PASS




NTNV-11AC40MIMO-Ant1-5190-30~5141.6-PASS




NTNV-11AC40MIMO-Ant2-5190-30~5141.6-PASS




NTNV-11AC40MIMO-Ant1-5190-5141.6~5150-PASS




NTNV-11AC40MIMO-Ant2-5190-5141.6~5150-PASS




NTNV-11AC40MIMO-Ant1-5190-5250~5251-PASS




NTNV-11AC40MIMO-Ant2-5190-5250~5251-PASS




NTNV-11AC40MIMO-Ant1-5190-5251~5270-PASS




NTNV-11AC40MIMO-Ant2-5190-5251~5270-PASS




NTNV-11AC40MIMO-Ant1-5190-5270~5278.4-PASS




NTNV-11AC40MIMO-Ant2-5190-5270~5278.4-PASS




NTNV-11AC40MIMO-Ant1-5190-5278.4~26000-PASS




NTNV-11AC40MIMO-Ant2-5190-5278.4~26000-PASS




NTNV-11AC40MIMO-Ant1-5230-30~5141.6-PASS




NTNV-11AC40MIMO-Ant2-5230-30~5141.6-PASS




NTNV-11AC40MIMO-Ant1-5230-5141.6~5150-PASS




NTNV-11AC40MIMO-Ant2-5230-5141.6~5150-PASS




NTNV-11AC40MIMO-Ant1-5230-5250~5251-PASS




NTNV-11AC40MIMO-Ant2-5230-5250~5251-PASS




NTNV-11AC40MIMO-Ant1-5230-5251~5270-PASS




NTNV-11AC40MIMO-Ant2-5230-5251~5270-PASS




NTNV-11AC40MIMO-Ant1-5230-5270~5278.4-PASS




NTNV-11AC40MIMO-Ant2-5230-5270~5278.4-PASS



NTNV-11AC40MIMO-Ant1-5230-5278.4~26000-PASS




NTNV-11AC40MIMO-Ant2-5230-5278.4~26000-PASS




NTNV-11AC40MIMO-Ant1-5270-30~5221.6-PASS




NTNV-11AC40MIMO-Ant2-5270-30~5221.6-PASS




NTNV-11AC40MIMO-Ant1-5270-5221.6~5230-PASS




NTNV-11AC40MIMO-Ant2-5270-5221.6~5230-PASS




NTNV-11AC40MIMO-Ant1-5270-5230~5249-PASS




NTNV-11AC40MIMO-Ant2-5270-5230~5249-PASS




NTNV-11AC40MIMO-Ant1-5270-5249~5250-PASS




NTNV-11AC40MIMO-Ant2-5270-5249~5250-PASS




NTNV-11AC40MIMO-Ant1-5270-5350~5358.4-PASS




NTNV-11AC40MIMO-Ant2-5270-5350~5358.4-PASS




NTNV-11AC40MIMO-Ant1-5270-5358.4~26000-PASS




NTNV-11AC40MIMO-Ant2-5270-5358.4~26000-PASS




NTNV-11AC40MIMO-Ant1-5310-30~5221.6-PASS



NTNV-11AC40MIMO-Ant2-5310-30~5221.6-PASS




NTNV-11AC40MIMO-Ant1-5310-5221.6~5230-PASS




NTNV-11AC40MIMO-Ant2-5310-5221.6~5230-PASS




NTNV-11AC40MIMO-Ant1-5310-5230~5249-PASS




NTNV-11AC40MIMO-Ant2-5310-5230~5249-PASS




NTNV-11AC40MIMO-Ant1-5310-5249~5250-PASS



NTNV-11AC40MIMO-Ant2-5310-5249~5250-PASS




NTNV-11AC40MIMO-Ant1-5310-5350~5358.4-PASS




NTNV-11AC40MIMO-Ant2-5310-5350~5358.4-PASS




NTNV-11AC40MIMO-Ant1-5310-5358.4~26000-PASS




NTNV-11AC40MIMO-Ant2-5310-5358.4~26000-PASS




NTNV-11AC40MIMO-Ant1-5510-30~5460-PASS




NTNV-11AC40MIMO-Ant2-5510-30~5460-PASS




NTNV-11AC40MIMO-Ant1-5510-5460~5470-See table below




NTNV-11AC40MIMO-Ant2-5510-5460~5470-PASS




NTNV-11AC40MIMO-Ant1-5510-5770~26000-PASS




NTNV-11AC40MIMO-Ant2-5510-5770~26000-PASS




NTNV-11AC40MIMO-Ant1-5590-30~5460-PASS



NTNV-11AC40MIMO-Ant2-5590-30~5460-PASS




NTNV-11AC40MIMO-Ant1-5590-5460~5470-PASS




NTNV-11AC40MIMO-Ant2-5590-5460~5470-PASS




NTNV-11AC40MIMO-Ant1-5590-5770~26000-PASS




NTNV-11AC40MIMO-Ant2-5590-5770~26000-PASS




NTNV-11AC40MIMO-Ant1-5710-30~5460-PASS




NTNV-11AC40MIMO-Ant2-5710-30~5460-PASS




NTNV-11AC40MIMO-Ant1-5710-5460~5470-PASS




NTNV-11AC40MIMO-Ant2-5710-5460~5470-PASS



NTNV-11AC40MIMO-Ant1-5710-5770~26000-PASS




NTNV-11AC40MIMO-Ant2-5710-5770~26000-PASS




NTNV-11AC80MIMO-Ant1-5210-30~5123.2-PASS




NTNV-11AC80MIMO-Ant2-5210-30~5123.2-PASS




NTNV-11AC80MIMO-Ant1-5210-5123.2~5150-PASS




NTNV-11AC80MIMO-Ant2-5210-5123.2~5150-PASS




NTNV-11AC80MIMO-Ant1-5210-5250~5251-PASS




NTNV-11AC80MIMO-Ant2-5210-5250~5251-PASS




NTNV-11AC80MIMO-Ant1-5210-5251~5290-PASS




NTNV-11AC80MIMO-Ant2-5210-5251~5290-PASS




NTNV-11AC80MIMO-Ant1-5210-5290~5296.7-PASS




NTNV-11AC80MIMO-Ant2-5210-5290~5296.7-PASS



NTNV-11AC80MIMO-Ant1-5210-5296.7~26000-PASS




NTNV-11AC80MIMO-Ant2-5210-5296.7~26000-PASS




NTNV-11AC80MIMO-Ant1-5290-30~5203.3-PASS



NTNV-11AC80MIMO-Ant2-5290-30~5203.3-PASS




NTNV-11AC80MIMO-Ant1-5290-5203.3~5210-PASS




NTNV-11AC80MIMO-Ant2-5290-5203.3~5210-PASS




NTNV-11AC80MIMO-Ant1-5290-5210~5249-PASS




NTNV-11AC80MIMO-Ant2-5290-5210~5249-PASS




NTNV-11AC80MIMO-Ant1-5290-5249~5250-PASS




NTNV-11AC80MIMO-Ant2-5290-5249~5250-PASS




NTNV-11AC80MIMO-Ant1-5290-5350~5376.8-PASS




NTNV-11AC80MIMO-Ant2-5290-5350~5376.8-PASS



NTNV-11AC80MIMO-Ant1-5290-5376.8~26000-PASS




NTNV-11AC80MIMO-Ant2-5290-5376.8~26000-PASS




NTNV-11AC80MIMO-Ant1-5530-30~5460-PASS




NTNV-11AC80MIMO-Ant2-5530-30~5460-PASS




NTNV-11AC80MIMO-Ant1-5530-5460~5469.5-PASS




NTNV-11AC80MIMO-Ant2-5530-5460~5469.5-PASS



NTNV-11AC80MIMO-Ant1-5530-5469.5~5470-PASS




NTNV-11AC80MIMO-Ant2-5530-5469.5~5470-PASS



NTNV-11AC80MIMO-Ant1-5530-5770~26000-PASS




NTNV-11AC80MIMO-Ant2-5530-5770~26000-PASS




NTNV-11AC80MIMO-Ant1-5610-30~5460-PASS




NTNV-11AC80MIMO-Ant2-5610-30~5460-PASS




NTNV-11AC80MIMO-Ant1-5610-5460~5469.5-PASS




NTNV-11AC80MIMO-Ant2-5610-5460~5469.5-PASS




NTNV-11AC80MIMO-Ant1-5610-5469.5~5470-PASS




NTNV-11AC80MIMO-Ant2-5610-5469.5~5470-PASS



NTNV-11AC80MIMO-Ant1-5610-5770~26000-PASS




NTNV-11AC80MIMO-Ant2-5610-5770~26000-PASS




NTNV-11AC80MIMO-Ant1-5690-30~5460-PASS




NTNV-11AC80MIMO-Ant2-5690-30~5460-PASS




NTNV-11AC80MIMO-Ant1-5690-5460~5469.5-PASS



NTNV-11AC80MIMO-Ant2-5690-5460~5469.5-PASS




NTNV-11AC80MIMO-Ant1-5690-5469.5~5470-PASS




NTNV-11AC80MIMO-Ant2-5690-5469.5~5470-PASS




NTNV-11AC80MIMO-Ant1-5690-5770~26000-See table below




NTNV-11AC80MIMO-Ant2-5690-5770~26000-PASS




NTNV-11AC160MIMO-Ant1-5250-30~5099.6-PASS




NTNV-11AC160MIMO-Ant2-5250-30~5099.6-PASS




NTNV-11AC160MIMO-Ant1-5250-5099.6~5150-PASS



NTNV-11AC160MIMO-Ant2-5250-5099.6~5150-PASS




NTNV-11AC160MIMO-Ant1-5250-5350~5400.4-PASS




NTNV-11AC160MIMO-Ant2-5250-5350~5400.4-PASS




NTNV-11AC160MIMO-Ant1-5250-5400.4~26000-PASS




NTNV-11AC160MIMO-Ant2-5250-5400.4~26000-PASS




NTNV-11AC160MIMO-Ant1-5570-30~5419.6-See table below




NTNV-11AC160MIMO-Ant2-5570-30~5419.6-PASS




NTNV-11AC160MIMO-Ant1-5570-5419.6~5470-PASS




NTNV-11AC160MIMO-Ant2-5570-5419.6~5470-PASS



NTNV-11AC160MIMO-Ant1-5570-5725~26000-See table below




NTNV-11AC160MIMO-Ant2-5570-5725~26000-PASS




NTNV-11AX20MIMO-Ant1-5180-30~5142-PASS




NTNV-11AX20MIMO-Ant2-5180-30~5142-PASS




NTNV-11AX20MIMO-Ant1-5180-5142~5150-PASS




NTNV-11AX20MIMO-Ant2-5180-5142~5150-PASS




NTNV-11AX20MIMO-Ant1-5180-5250~5250.2-PASS




NTNV-11AX20MIMO-Ant2-5180-5250~5250.2-PASS



NTNV-11AX20MIMO-Ant1-5180-5250.2~5251-PASS




NTNV-11AX20MIMO-Ant2-5180-5250.2~5251-PASS




NTNV-11AX20MIMO-Ant1-5180-5251~5260-PASS



NTNV-11AX20MIMO-Ant2-5180-5251~5260-PASS



NTNV-11AX20MIMO-Ant1-5180-5260~5266.7-PASS



NTNV-11AX20MIMO-Ant2-5180-5260~5266.7-PASS