

TEST REPORT

Product Name : Indoor Access Point
Model Number : AP-N506

Prepared for : FS JAPAN CO.,LTD.
Address : JS Progress Building 5F, 4-1-23 Heiwajima, Ota-ku, Tokyo

Prepared by : EMTEK (SHENZHEN) CO., LTD.
Address : Bldg 69, Majialong Industry Zone, Nanshan District,
Shenzhen, Guangdong, China

Tel: (0755) 26954280
Fax: (0755) 26954282

Report Number : ENS2509120306W00603R
Date(s) of Tests : October 23, 2025 to December 3, 2025
Date of Issue : December 5, 2025

TABLE OF CONTENTS

1. EUT TECHNICAL DESCRIPTION.....	5
1.1. PRODUCT DESCRIPTION.....	5
1.2. FEATURE OF EUT.....	6
2. SUMMARY OF TEST RESULT.....	7
3. TEST METHODOLOGY.....	8
3.1. GENERAL DESCRIPTION OF APPLIED STANDARDS.....	8
3.2. MEASUREMENT EQUIPMENT USED.....	8
3.3. DESCRIPTION OF TEST MODES.....	9
4. FACILITIES AND ACCREDITATIONS.....	12
4.1. FACILITIES.....	12
4.2. LABORATORY ACCREDITATIONS AND LISTINGS.....	12
5. TEST SYSTEM UNCERTAINTY.....	13
6. WIRELESS MODULE VOLTAGE TEST IN EXTREME CONDITIONS.....	14
6.1. APPLICABLE STANDARD.....	14
6.2. TEST CONFIGURATION.....	14
6.3. TEST RESULTS.....	15
6.4. SUPPORT EQUIPMENT.....	16
7. TEST REQUIREMENTS.....	17
7.1. FREQUENCY ERROR.....	17
7.2. ANTENNA POWER AND E.I.R.P.....	88
7.3. SPURIOUS EMISSIONS OF TX.....	328
7.4. OCCUPIED BANDWIDTH (99%).....	753
7.5. LEAK POWER OF ADJACENT CHANNELS.....	823
7.6. LEAK POWER OUT OF BAND.....	903
7.7. SPURIOUS EMISSIONS OF RX.....	909
7.8. TRANSMISSION BURST LENGTH.....	1048
7.9. INTERFACE PREVENTION FUNCTION.....	1118
7.10. CARRIER SENSE FUNCTION.....	1119
7.11. RF ACCESSIBILITY.....	1124
APPENDIX- PHOTOGRAPHS OF TEST SETUP.....	1125

Modified Information

Version	Report No.	Revision Date	Summary
Ver.1.0	ENS2509120306W00603R	/	Original Report

TEST RESULT CERTIFICATION

Applicant : FS JAPAN CO.,LTD.
Address : JS Progress Building 5F, 4-1-23 Heiwajima, Ota-ku, Tokyo
Manufacturer : FS.COM INC
Address : 380 Centerpoint Blvd, New Castle, DE 19720, United States
EUT : Indoor Access Point
Model Name : AP-N506
Trademark : 

Measurement Procedure Used:

APPLICABLE STANDARDS		
STANDARD	Test Procedure	TEST RESULT
Item 19-3 of Article 2 Paragraph 1	MIC notice No. 88 Appendix No. 45	PASS

The device described above is tested by SHENZHEN EMTEK , CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. The measurement results are contained in this test report and EMTEK (SHENZHEN) CO., LTD. is assumed full of responsibility for the accuracy and completeness of these measurements. Also, this report shows that the EUT (Equipment Under Test) is technically compliant with the above table standards requirement.
This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (SHENZHEN) CO., LTD.

Date of Test : October 23, 2025 to December 3, 2025

Prepared by : 
Yu Xiaolan/Editor

Reviewer : 
Xia Lili/Supervisor

Approved & Authorized Signer : 
Wang Li/Manager



1. EUT TECHNICAL DESCRIPTION

1.1. Product Description

WIFI Type:	WIFI 5G with 5150MHz-5250MHz Band WIFI 5G with 5250MHz-5350MHz Band WIFI 5G with 5470MHz-5725MHz Band
WLAN Supported:	802.11a 802.11n(20MHz channel bandwidth) 802.11n(40MHz channel bandwidth) 802.11ac(20MHz channel bandwidth) 802.11ac(40MHz channel bandwidth) 802.11ac(80MHz channel bandwidth) 802.11ax(20MHz channel bandwidth) 802.11ax(40MHz channel bandwidth) 802.11ax(80MHz channel bandwidth)
Modulation:	OFDM, OFDMA
Operating Frequency Range:	WIFI 5G with 5150MHz-5250MHz Band: 5180-5240MHz for 802.11a 5180-5240MHz for 802.11n(HT20) 5190-5230MHz for 802.11n(HT40) 5180-5240MHz for 802.11ac(HT20) 5190-5230MHz for 802.11ac(HT40) 5210MHz for 802.11ac(HT80) 5180-5240MHz for 802.11ax(HT20) 5190-5230MHz for 802.11ax(HT40) 5210MHz for 802.11ax(HT80) WIFI 5G with 5250MHz-5350MHz Band: 5260-5320MHz for 802.11a 5260-5320MHz for 802.11n(20) 5270-5310MHz for 802.11n(40) 5260-5320MHz for 802.11ac(20) 5270-5310MHz for 802.11ac(40) 5290MHz for 802.11ac(80) 5260-5320MHz for 802.11ax(20) 5270-5310MHz for 802.11ax(40) 5290MHz for 802.11ax(80) WIFI 5G with 5470MHz-5725MHz Band: 5500-5700MHz for 802.11a 5500-5700MHz for 802.11n(20) 5510-5670MHz for 802.11n(40) 5500-5700MHz for 802.11ac(20) 5510-5670MHz for 802.11ac(40) 5530-5610MHz for 802.11ac(80) 5500-5700MHz for 802.11ax(20) 5510-5670MHz for 802.11ax(40)

	5530-5610MHz for 802.11ax(80)
Smart System:	MIMO
Beamforming,	Not Support
TPC Function:	Support
Power Supply:	AC 100V/60Hz by Adapter or PoE (Note: The EUT can be powered through two methods, adapter or PoE, pre testing all power supplies, and find the adapter is the worst, so only the worst data is shown in the report.)
Temperature Range:	-10°C~45°C

1.2. Feature of EUT

a) Antenna information

Specification	Antenna	Brand	Model	Antenna Type	Gain
BLE	1	/	/	Integrated Antenna	-0.6dBi
2.4G WIFI	1	/	/	Integrated Antenna	3.1dBi
2.4G WIFI	2	/	/	Integrated Antenna	4.3dBi
5G WIFI	1	/	/	Integrated Antenna	4.3dBi
5G WIFI	2	/	/	Integrated Antenna	5.6dBi

Note: The antenna information provided by the manufacturer will have a certain impact on the test results.

b) Modification Record

There were no modifications required for compliance.

c) For more details, please refer to the user's manual of the EUT.

2. SUMMARY OF TEST RESULT

Test Rule	Test Parameter	Verdict	Remark
Item 19-3 of Article 2 Paragraph 1	Frequency Error	PASS	
Item 19-3 of Article 2 Paragraph 1	Antenna Power	PASS	
Item 19-3 of Article 2 Paragraph 1	Equivalent isotropically radiated power (E.I.R.P.)	PASS	
Item 19-3 of Article 2 Paragraph 1	Spurious Emissions of Tx	PASS	
Item 19-3 of Article 2 Paragraph 1	Occupied Bandwidth (99%)	PASS	
Item 19-3 of Article 2 Paragraph 1	Leak Power of Adjacent Channels	PASS	
Item 19-3 of Article 2 Paragraph 1	Leak Power Out of Band	PASS	
Item 19-3 of Article 2 Paragraph 1	Spurious Emissions of Rx	PASS	
Item 19-3 of Article 2 Paragraph 1	Transmission Burst Length	PASS	
Item 19-3 of Article 2 Paragraph 1	Interference prevention function	PASS	
Item 19-3 of Article 2 Paragraph 1	Carrier Sense Function	PASS	
Item 19-3 of Article 2 Paragraph 1	RF accessibility	PASS	

3. TEST METHODOLOGY

3.1. GENERAL DESCRIPTION OF APPLIED STANDARDS

According to its specifications, the EUT must comply with the requirements of the following standards:
ARIB STD T-66 Second Generation Low Power Data Communication System/Wireless LAN System
RE-740 49.20 MIC Requirements for Certification

3.2. MEASUREMENT EQUIPMENT USED

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval	Calibration Body	Calibration Method
Wideband Radio Communication Tester	R&S	CMW500	171168	2025/9/9	1Year	LISAI	(c)
Frequency Extender	R&S	CMW-Z800A	100430	2025/9/9	1Year	LISAI	(c)
Spectrum Analyzer	R&S	FSV3044	101289	2024/12/17	1Year	LISAI	(c)
Analog Signal Generator	R&S	SMB100A	183237	2025/9/9	1Year	LISAI	(c)
Vector Signal Generator	R&S	SMM100A	101808	2025/9/9	1Year	LISAI	(c)
RF Control Unit(Power Meter)	Tonscend	JS0806-2	22C8060567	2025/9/9	1Year	LISAI	(c)
Temperature&Humidity Chamber	ESPEC	EL-02KA	12107166	2025/5/10	1 Year	LISAI	(c)
DC Power Supply	KEYSIGHT	E3642A	MY53030016	2025/9/9	1 Year	LISAI	(c)

Remark:

- (a) Calibration conducted by the National Institute of Information and Communications Technology (NICT) in Japan (hereinafter referred to as "NICT") or a designated calibration agency under Article 102-18 paragraph (1) in JRL.
 - (b) Correction conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Act (Act No. 51 of 1992).
 - (c) Calibration conducted in countries except Japan, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).
 - (d) Calibration, etc. conducted by using measuring instruments and other equipment listed in the right column of appended table No. 3, which shall have been given any type of calibration, etc. listed above from (a) to (c).
- From JRL Article 24-2, paragraph 4, Item 2.

3.3. Description of test modes

The EUT has been tested under its typical operating condition.

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

Test of channel included the lowest and middle and highest frequency to perform the test, then record on this report.

Wifi 5G with 5150-5250MHz

Frequency and Channels list for 802.11a/n(20)/ac(20)/ax(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
36	5180	44	5220		
40	5200	48	5240		

Frequency and Channels list for 802.11n(40)/ac(40)/ax(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
38	5190				
46	5230				

Frequency and Channel list for 802.11ac(80)/ax(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
42	5210				

Test Frequency and Channels for 802.11a/n(20)/ac(20)/ax(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
36	5180	40	5200	48	5240

Test Frequency and channels for 802.11n(40)/ac(40)/ax(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
38	5190	N/A	N/A	46	5230

Test Frequency and channels for 802.11ac(80)/ax(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
42	5210	N/A	N/A	N/A	N/A

Wifi 5G with 5250-5350MHz

Frequency and Channels list for 802.11a/n(20)/ac(20)/ax(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
52	5260	60	5300		
56	5280	64	5320		

Frequency and Channels list for 802.11n (40)/ac(40)/ax(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
54	5270				
62	5310				

Frequency and Channels list for 802.11ac(80)/ax(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
58	5290				

Test Frequency and Channels for 802.11a/n(20)/ac(20)/ax(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
52	5260	56	5280	60	5300
Channel	Frequency (MHz)				
64	5320				

Test Frequency and channels for 802.11n (40)/ac(40)/ax(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
54	5270	N/A	N/A	62	5310

Test Frequency and channels for 802.11ac(80)/ax(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
58	5290				

Wifi 5G with 5470-5725MHz

Frequency and Channels list for 802.11a/n(20)/ac(20)/ax(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
100	5500	116	5580	132	5660
104	5520	120	5600	136	5680
108	5540	124	5620	140	5700
112	5560	128	5640		

Frequency and Channels list for 802.11n(40)/ac(40)/ax(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
102	5510	118	5590	134	5670
110	5550	126	5630		

Frequency and Channels list for 802.11ac(80)/ax(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
106	5530	122	5610	138	5690

Test Frequency and Channels for 802.11a/n(20)/ac(20)/ax(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
100	5500	116	5580	120	5600
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
140	5700				

Test Frequency and channels for 802.11n(40)/ac(40)/ax(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
102	5510	N/A	N/A	134	5670

Test Frequency and channels for 802.11ac(80)/ax(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
106	5530	122	5610	138	5690

4. FACILITIES AND ACCREDITATIONS

4.1. FACILITIES

All measurement facilities used to collect the measurement data are located at Bldg 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China
The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4

4.2. LABORATORY ACCREDITATIONS AND LISTINGS

Site Description

EMC Lab. : The Certificate Registration Number is L2291
The Laboratory has been assessed and proved to be in compliance with CNAS-CL01 (identical to ISO/IEC 17025:2017)

3m Chamber #1 : Certificated by VCCI, Japan
Registration No.: R-12777
Registration No.: G-20141

10m Chamber : Certificated by VCCI, Japan
Registration No.: R-14410

Shielding Room #1 : Certificated by VCCI, Japan
Registration No.: C-13065
Registration No.: T-11318

Name of Firm : EMTEK (SHENZHEN) CO., LTD.

Site Location : Building 69, Majialong, Industry Zone, Nanshan District, Shenzhen, Guangdong, China

5. TEST SYSTEM UNCERTAINTY

The following measurement uncertainty levels have been estimated for tests performed on the apparatus:

Parameter	Uncertainty
Radio Frequency	$\pm 1 \times 10^{-5}$
Uncertainty for Output power test	$\pm 0.83\text{dB}$
Conducted Emissions Test	$\pm 2.0\text{dB}$
Radiated Emission Test	$\pm 2.0\text{dB}$
Occupied Bandwidth Test	$\pm 1.0\text{dB}$
Power density test	$\pm 1.85\text{dB}$
All emission, radiated	$\pm 3\text{dB}$
Antenna Port Emission	$\pm 3\text{dB}$
Temperature	$\pm 0.5^\circ\text{C}$
Humidity	$\pm 3\%$

Measurement Uncertainty for a level of Confidence of 95%.


6. Wireless module voltage test in extreme conditions

6.1. Applicable Standard


When there is a fluctuation of $\pm 10\%$ input voltage from external power to the test equipment. If the fluctuation of input voltage to the circuit of the radio part (excl. power) in the test equipment is confirmed below $\pm 1\%$, Measurement shall be tested with the rated voltage.

6.2. Test Configuration

Config A



Config B



6.3. Test Results

Temperature : 25℃
Humidity : 60 %

Test By: LHJ
Atmospheric Pressure: 101KPa

Test Sample DC Input Voltage	10.8V	12V	13.2V
Input Voltage To The Circuit	3.31	3.29	3.29
Module Rated Voltage	3.30	3.30	3.30
The Deviation of Module Voltage (%)	0.00%	0.00%	0.00%

Note: In extreme conditions, The test sample module power is confirmed below +/-1%.

6.4. SUPPORT EQUIPMENT

Adapter	: Model: P120W3000U Input: 100-240V~50/60Hz, 0.6A Output: 12V, 3A
PoE	: Model: RG-E-130(GE) Input: 100-240V~50/60Hz, 0.75A Max Output: 53V, 0.6A

Notes:

- 1.All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- 2.Grounding was established in accordance with the manufacturer's requirements and conditions for the intended use.

7. TEST REQUIREMENTS

7.1. FREQUENCY ERROR

7.1.1. Limit

Tolerance of frequency: $\pm 20\text{ppm}$.

7.1.2. Test Procedure

Test Method for Radio Equipment mentioned in MIC Notice No.88 Annex45 Clause 3

7.1.3. Test Configuration

Temperature and Voltage Measurement (under normal and extreme test conditions)



Remarks:

The spectrum analyzer could be connected to a monopole antenna or directly connected to the EUT, if the EUT has already employing an antenna connector.

7.1.4. TEST RESULTS



Temperature : 24.5℃
Humidity : 45 %


Test By: LHJ
Test voltage: Normal voltage

Teswwt Condition	TestMode	Antenna	Frequency[M Hz]	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	11A	Ant1	5180	5180.019	3.66795	±20	PASS
NTNV	11A	Ant2	5180	5180.011	2.12355	±20	PASS
NTNV	11A	Ant1	5200	5200.017	3.26923	±20	PASS
NTNV	11A	Ant2	5200	5200.011	2.11539	±20	PASS
NTNV	11A	Ant1	5240	5240.017	3.24428	±20	PASS
NTNV	11A	Ant2	5240	5240.011	2.09924	±20	PASS
NTNV	11A	Ant1	5260	5260.015	2.85171	±20	PASS
NTNV	11A	Ant2	5260	5260.01	1.90114	±20	PASS
NTNV	11A	Ant1	5280	5280.015	2.84091	±20	PASS
NTNV	11A	Ant2	5280	5280.01	1.89394	±20	PASS
NTNV	11A	Ant1	5320	5320.014	2.63158	±20	PASS
NTNV	11A	Ant2	5320	5320.01	1.87970	±20	PASS
NTNV	11A	Ant1	5500	5500.014	2.54546	±20	PASS
NTNV	11A	Ant2	5500	5500.01	1.81818	±20	PASS
NTNV	11A	Ant1	5580	5580.013	2.32975	±20	PASS
NTNV	11A	Ant2	5580	5580.01	1.79212	±20	PASS
NTNV	11A	Ant1	5700	5700.013	2.28070	±20	PASS
NTNV	11A	Ant2	5700	5700.01	1.75439	±20	PASS
NTNV	11N20MIMO	Ant1	5180	5180.019	3.66795	±20	PASS
NTNV	11N20MIMO	Ant2	5180	5180.011	2.12355	±20	PASS
NTNV	11N20MIMO	Ant1	5200	5200.017	3.26923	±20	PASS
NTNV	11N20MIMO	Ant2	5200	5200.011	2.11539	±20	PASS
NTNV	11N20MIMO	Ant1	5240	5240.016	3.05344	±20	PASS
NTNV	11N20MIMO	Ant2	5240	5240.01	1.90840	±20	PASS
NTNV	11N20MIMO	Ant1	5260	5260.015	2.85171	±20	PASS
NTNV	11N20MIMO	Ant2	5260	5260.01	1.90114	±20	PASS
NTNV	11N20MIMO	Ant1	5280	5280.014	2.65152	±20	PASS
NTNV	11N20MIMO	Ant2	5280	5280.01	1.89394	±20	PASS
NTNV	11N20MIMO	Ant1	5320	5320.014	2.63158	±20	PASS
NTNV	11N20MIMO	Ant2	5320	5320.01	1.87970	±20	PASS
NTNV	11N20MIMO	Ant1	5500	5500.014	2.54546	±20	PASS
NTNV	11N20MIMO	Ant2	5500	5500.01	1.81818	±20	PASS
NTNV	11N20MIMO	Ant1	5580	5580.013	2.32975	±20	PASS
NTNV	11N20MIMO	Ant2	5580	5580.01	1.79212	±20	PASS
NTNV	11N20MIMO	Ant1	5700	5700.013	2.28070	±20	PASS
NTNV	11N20MIMO	Ant2	5700	5700.009	1.57895	±20	PASS
NTNV	11N40MIMO	Ant1	5190	5190.007	1.34875	±20	PASS
NTNV	11N40MIMO	Ant2	5190	5190.007	1.34875	±20	PASS
NTNV	11N40MIMO	Ant1	5230	5230.006	1.14723	±20	PASS
NTNV	11N40MIMO	Ant2	5230	5230.006	1.14723	±20	PASS
NTNV	11N40MIMO	Ant1	5270	5270.005	0.94877	±20	PASS
NTNV	11N40MIMO	Ant2	5270	5270.005	0.94877	±20	PASS
NTNV	11N40MIMO	Ant1	5310	5310.005	0.94162	±20	PASS
NTNV	11N40MIMO	Ant2	5310	5310.004	0.75330	±20	PASS
NTNV	11N40MIMO	Ant1	5510	5510.005	0.90744	±20	PASS
NTNV	11N40MIMO	Ant2	5510	5510.004	0.72595	±20	PASS
NTNV	11N40MIMO	Ant1	5670	5670.004	0.70547	±20	PASS
NTNV	11N40MIMO	Ant2	5670	5670.004	0.70547	±20	PASS
NTNV	11N40MIMO	Ant1	5710	5710.003	0.52539	±20	PASS
NTNV	11N40MIMO	Ant2	5710	5710.003	0.52539	±20	PASS
NTNV	11AC20MIMO	Ant1	5180	5180.019	3.66795	±20	PASS
NTNV	11AC20MIMO	Ant2	5180	5180.011	2.12355	±20	PASS
NTNV	11AC20MIMO	Ant1	5200	5200.017	3.26923	±20	PASS
NTNV	11AC20MIMO	Ant2	5200	5200.011	2.11539	±20	PASS
NTNV	11AC20MIMO	Ant1	5240	5240.016	3.05344	±20	PASS
NTNV	11AC20MIMO	Ant2	5240	5240.01	1.90840	±20	PASS
NTNV	11AC20MIMO	Ant1	5260	5260.015	2.85171	±20	PASS
NTNV	11AC20MIMO	Ant2	5260	5260.01	1.90114	±20	PASS
NTNV	11AC20MIMO	Ant1	5280	5280.014	2.65152	±20	PASS


NTNV	11AC20MIMO	Ant2	5280	5280.01	1.89394	±20	PASS
NTNV	11AC20MIMO	Ant1	5320	5320.014	2.63158	±20	PASS
NTNV	11AC20MIMO	Ant2	5320	5320.01	1.87970	±20	PASS
NTNV	11AC20MIMO	Ant1	5500	5500.014	2.54546	±20	PASS
NTNV	11AC20MIMO	Ant2	5500	5500.01	1.81818	±20	PASS
NTNV	11AC20MIMO	Ant1	5580	5580.013	2.32975	±20	PASS
NTNV	11AC20MIMO	Ant2	5580	5580.009	1.61290	±20	PASS
NTNV	11AC20MIMO	Ant1	5700	5700.013	2.28070	±20	PASS
NTNV	11AC20MIMO	Ant2	5700	5700.009	1.57895	±20	PASS
NTNV	11AC40MIMO	Ant1	5190	5190.006	1.15607	±20	PASS
NTNV	11AC40MIMO	Ant2	5190	5190.006	1.15607	±20	PASS
NTNV	11AC40MIMO	Ant1	5230	5230.005	0.95602	±20	PASS
NTNV	11AC40MIMO	Ant2	5230	5230.005	0.95602	±20	PASS
NTNV	11AC40MIMO	Ant1	5270	5270.005	0.94877	±20	PASS
NTNV	11AC40MIMO	Ant2	5270	5270.005	0.94877	±20	PASS
NTNV	11AC40MIMO	Ant1	5310	5310.004	0.75330	±20	PASS
NTNV	11AC40MIMO	Ant2	5310	5310.004	0.75330	±20	PASS
NTNV	11AC40MIMO	Ant1	5510	5510.004	0.72595	±20	PASS
NTNV	11AC40MIMO	Ant2	5510	5510.004	0.72595	±20	PASS
NTNV	11AC40MIMO	Ant1	5670	5670.004	0.70547	±20	PASS
NTNV	11AC40MIMO	Ant2	5670	5670.003	0.52910	±20	PASS
NTNV	11AC40MIMO	Ant1	5710	5710.003	0.52539	±20	PASS
NTNV	11AC40MIMO	Ant2	5710	5710.003	0.52539	±20	PASS
NTNV	11AC80MIMO	Ant1	5210	5210.003	0.57582	±20	PASS
NTNV	11AC80MIMO	Ant2	5210	5210.011	2.11132	±20	PASS
NTNV	11AC80MIMO	Ant1	5290	5290.01	1.89036	±20	PASS
NTNV	11AC80MIMO	Ant2	5290	5290.009	1.70132	±20	PASS
NTNV	11AC80MIMO	Ant1	5530	5530.009	1.62749	±20	PASS
NTNV	11AC80MIMO	Ant2	5530	5530.009	1.62749	±20	PASS
NTNV	11AC80MIMO	Ant1	5610	5610.008	1.42603	±20	PASS
NTNV	11AC80MIMO	Ant2	5610	5610.008	1.42603	±20	PASS
NTNV	11AC80MIMO	Ant1	5690	5690.008	1.40598	±20	PASS
NTNV	11AC80MIMO	Ant2	5690	5690.008	1.40598	±20	PASS
NTNV	11AX20MIMO	Ant1	5180	5180.019	3.66795	±20	PASS
NTNV	11AX20MIMO	Ant2	5180	5180.011	2.12355	±20	PASS
NTNV	11AX20MIMO	Ant1	5200	5200.017	3.26923	±20	PASS
NTNV	11AX20MIMO	Ant2	5200	5200.011	2.11539	±20	PASS
NTNV	11AX20MIMO	Ant1	5240	5240.016	3.05344	±20	PASS
NTNV	11AX20MIMO	Ant2	5240	5240.01	1.90840	±20	PASS
NTNV	11AX20MIMO	Ant1	5260	5260.015	2.85171	±20	PASS
NTNV	11AX20MIMO	Ant2	5260	5260.01	1.90114	±20	PASS
NTNV	11AX20MIMO	Ant1	5280	5280.014	2.65152	±20	PASS
NTNV	11AX20MIMO	Ant2	5280	5280.01	1.89394	±20	PASS
NTNV	11AX20MIMO	Ant1	5320	5320.014	2.63158	±20	PASS
NTNV	11AX20MIMO	Ant2	5320	5320.01	1.87970	±20	PASS
NTNV	11AX20MIMO	Ant1	5500	5500.013	2.36364	±20	PASS
NTNV	11AX20MIMO	Ant2	5500	5500.009	1.63636	±20	PASS
NTNV	11AX20MIMO	Ant1	5580	5580.013	2.32975	±20	PASS
NTNV	11AX20MIMO	Ant2	5580	5580.009	1.61290	±20	PASS
NTNV	11AX20MIMO	Ant1	5700	5700.013	2.28070	±20	PASS
NTNV	11AX20MIMO	Ant2	5700	5700.009	1.57895	±20	PASS
NTNV	11AX40MIMO	Ant1	5190	5190.006	1.15607	±20	PASS
NTNV	11AX40MIMO	Ant2	5190	5190.006	1.15607	±20	PASS
NTNV	11AX40MIMO	Ant1	5230	5230.005	0.95602	±20	PASS
NTNV	11AX40MIMO	Ant2	5230	5230.005	0.95602	±20	PASS
NTNV	11AX40MIMO	Ant1	5270	5270.005	0.94877	±20	PASS
NTNV	11AX40MIMO	Ant2	5270	5270.005	0.94877	±20	PASS
NTNV	11AX40MIMO	Ant1	5310	5310.004	0.75330	±20	PASS
NTNV	11AX40MIMO	Ant2	5310	5310.004	0.75330	±20	PASS
NTNV	11AX40MIMO	Ant1	5510	5510.004	0.72595	±20	PASS
NTNV	11AX40MIMO	Ant2	5510	5510.003	0.54447	±20	PASS
NTNV	11AX40MIMO	Ant1	5670	5670.003	0.52910	±20	PASS
NTNV	11AX40MIMO	Ant2	5670	5670.003	0.52910	±20	PASS
NTNV	11AX40MIMO	Ant1	5710	5710.003	0.52539	±20	PASS
NTNV	11AX40MIMO	Ant2	5710	5710.003	0.52539	±20	PASS
NTNV	11AX80MIMO	Ant1	5210	5210.003	0.57582	±20	PASS
NTNV	11AX80MIMO	Ant2	5210	5210.003	0.57582	±20	PASS
NTNV	11AX80MIMO	Ant1	5290	5290.009	1.70132	±20	PASS

NTNV	11AX80MIMO	Ant2	5290	5290.008	1.51229	±20	PASS
NTNV	11AX80MIMO	Ant1	5530	5530.008	1.44666	±20	PASS
NTNV	11AX80MIMO	Ant2	5530	5530.008	1.44666	±20	PASS
NTNV	11AX80MIMO	Ant1	5610	5610.008	1.42603	±20	PASS
NTNV	11AX80MIMO	Ant2	5610	5610.008	1.42603	±20	PASS
NTNV	11AX80MIMO	Ant1	5690	5690.007	1.23023	±20	PASS
NTNV	11AX80MIMO	Ant2	5690	5690.007	1.23023	±20	PASS







NTNV-11A-Ant1-5200-PASS




NTNV-11A-Ant2-5200-PASS




NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant2-5240-PASS




NTNV-11A-Ant1-5260-PASS




NTNV-11A-Ant2-5260-PASS




NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant2-5280-PASS




NTNV-11A-Ant1-5320-PASS




NTNV-11A-Ant2-5320-PASS




NTNV-11A-Ant1-5500-PASS




NTNV-11A-Ant2-5500-PASS




NTNV-11A-Ant1-5580-PASS




NTNV-11A-Ant2-5580-PASS




NTNV-11A-Ant1-5700-PASS




NTNV-11A-Ant2-5700-PASS




NTNV-11N20MIMO-Ant1-5180-PASS




NTNV-11N20MIMO-Ant2-5180-PASS




NTNV-11N20MIMO-Ant1-5200-PASS




NTNV-11N20MIMO-Ant2-5200-PASS




NTNV-11N20MIMO-Ant1-5240-PASS




NTNV-11N20MIMO-Ant2-5240-PASS




NTNV-11N20MIMO-Ant1-5260-PASS




NTNV-11N20MIMO-Ant2-5260-PASS




NTNV-11N20MIMO-Ant1-5280-PASS




NTNV-11N20MIMO-Ant2-5280-PASS




NTNV-11N20MIMO-Ant1-5320-PASS




NTNV-11N20MIMO-Ant2-5320-PASS




NTNV-11N20MIMO-Ant1-5500-PASS




NTNV-11N20MIMO-Ant2-5500-PASS




NTNV-11N20MIMO-Ant1-5580-PASS




NTNV-11N20MIMO-Ant2-5580-PASS




NTNV-11N20MIMO-Ant1-5700-PASS




NTNV-11N20MIMO-Ant2-5700-PASS




NTNV-11N40MIMO-Ant1-5190-PASS




NTNV-11N40MIMO-Ant2-5190-PASS




NTNV-11N40MIMO-Ant1-5230-PASS




NTNV-11N40MIMO-Ant2-5230-PASS




NTNV-11N40MIMO-Ant1-5270-PASS




NTNV-11N40MIMO-Ant2-5270-PASS




NTNV-11N40MIMO-Ant1-5310-PASS




NTNV-11N40MIMO-Ant2-5310-PASS




NTNV-11N40MIMO-Ant1-5510-PASS




NTNV-11N40MIMO-Ant2-5510-PASS




NTNV-11N40MIMO-Ant1-5670-PASS




NTNV-11N40MIMO-Ant2-5670-PASS




NTNV-11N40MIMO-Ant1-5710-PASS




NTNV-11N40MIMO-Ant2-5710-PASS




NTNV-11AC20MIMO-Ant1-5180-PASS




NTNV-11AC20MIMO-Ant2-5180-PASS




NTNV-11AC20MIMO-Ant1-5200-PASS




NTNV-11AC20MIMO-Ant2-5200-PASS




NTNV-11AC20MIMO-Ant1-5240-PASS




NTNV-11AC20MIMO-Ant2-5240-PASS




NTNV-11AC20MIMO-Ant1-5260-PASS




NTNV-11AC20MIMO-Ant2-5260-PASS




NTNV-11AC20MIMO-Ant1-5280-PASS




NTNV-11AC20MIMO-Ant2-5280-PASS




NTNV-11AC20MIMO-Ant1-5320-PASS




NTNV-11AC20MIMO-Ant2-5320-PASS




NTNV-11AC20MIMO-Ant1-5500-PASS




NTNV-11AC20MIMO-Ant2-5500-PASS




NTNV-11AC20MIMO-Ant1-5580-PASS




NTNV-11AC20MIMO-Ant2-5580-PASS




NTNV-11AC20MIMO-Ant1-5700-PASS




NTNV-11AC20MIMO-Ant2-5700-PASS




NTNV-11AC40MIMO-Ant1-5190-PASS




NTNV-11AC40MIMO-Ant2-5190-PASS




NTNV-11AC40MIMO-Ant1-5230-PASS




NTNV-11AC40MIMO-Ant2-5230-PASS




NTNV-11AC40MIMO-Ant1-5270-PASS




NTNV-11AC40MIMO-Ant2-5270-PASS




NTNV-11AC40MIMO-Ant1-5310-PASS




NTNV-11AC40MIMO-Ant2-5310-PASS




NTNV-11AC40MIMO-Ant1-5510-PASS




NTNV-11AC40MIMO-Ant2-5510-PASS




NTNV-11AC40MIMO-Ant1-5670-PASS




NTNV-11AC40MIMO-Ant2-5670-PASS




NTNV-11AC40MIMO-Ant1-5710-PASS




NTNV-11AC40MIMO-Ant2-5710-PASS




NTNV-11AC80MIMO-Ant1-5210-PASS




NTNV-11AC80MIMO-Ant2-5210-PASS




NTNV-11AC80MIMO-Ant1-5290-PASS




NTNV-11AC80MIMO-Ant2-5290-PASS




NTNV-11AC80MIMO-Ant1-5530-PASS




NTNV-11AC80MIMO-Ant2-5530-PASS




NTNV-11AC80MIMO-Ant1-5610-PASS




NTNV-11AC80MIMO-Ant2-5610-PASS




NTNV-11AC80MIMO-Ant1-5690-PASS




NTNV-11AC80MIMO-Ant2-5690-PASS




NTNV-11AX20MIMO-Ant1-5180-PASS




NTNV-11AX20MIMO-Ant2-5180-PASS




NTNV-11AX20MIMO-Ant1-5200-PASS




NTNV-11AX20MIMO-Ant2-5200-PASS




NTNV-11AX20MIMO-Ant1-5240-PASS




NTNV-11AX20MIMO-Ant2-5240-PASS




NTNV-11AX20MIMO-Ant1-5260-PASS




NTNV-11AX20MIMO-Ant2-5260-PASS




NTNV-11AX20MIMO-Ant1-5280-PASS




NTNV-11AX20MIMO-Ant2-5280-PASS




NTNV-11AX20MIMO-Ant1-5320-PASS




NTNV-11AX20MIMO-Ant2-5320-PASS




NTNV-11AX20MIMO-Ant1-5500-PASS




NTNV-11AX20MIMO-Ant2-5500-PASS




NTNV-11AX20MIMO-Ant1-5580-PASS




NTNV-11AX20MIMO-Ant2-5580-PASS




NTNV-11AX20MIMO-Ant1-5700-PASS




NTNV-11AX20MIMO-Ant2-5700-PASS




NTNV-11AX40MIMO-Ant1-5190-PASS




NTNV-11AX40MIMO-Ant2-5190-PASS




NTNV-11AX40MIMO-Ant1-5230-PASS




NTNV-11AX40MIMO-Ant2-5230-PASS




NTNV-11AX40MIMO-Ant1-5270-PASS




NTNV-11AX40MIMO-Ant2-5270-PASS




NTNV-11AX40MIMO-Ant1-5310-PASS




NTNV-11AX40MIMO-Ant2-5310-PASS




NTNV-11AX40MIMO-Ant1-5510-PASS




NTNV-11AX40MIMO-Ant2-5510-PASS




NTNV-11AX40MIMO-Ant1-5670-PASS




NTNV-11AX40MIMO-Ant2-5670-PASS




NTNV-11AX40MIMO-Ant1-5710-PASS




NTNV-11AX40MIMO-Ant2-5710-PASS




NTNV-11AX80MIMO-Ant1-5210-PASS




NTNV-11AX80MIMO-Ant2-5210-PASS




NTNV-11AX80MIMO-Ant1-5290-PASS




NTNV-11AX80MIMO-Ant2-5290-PASS




NTNV-11AX80MIMO-Ant1-5530-PASS




NTNV-11AX80MIMO-Ant2-5530-PASS




NTNV-11AX80MIMO-Ant1-5610-PASS



NTNV-11AX80MIMO-Ant2-5610-PASS



NTNV-11AX80MIMO-Ant1-5690-PASS



NTNV-11AX80MIMO-Ant2-5690-PASS

7.2. ANTENNA POWER AND E.I.R.P

7.2.1. Limit

W52 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 20% to - 80% power range that base on manufacturer

W53 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 20% to - 80% power range that base on manufacturer

W56 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 50% to - 50% power range that base on manufacturer

E.I.R.P

ARIB STD-T71, Clause 3.1.2(5)

W52 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less

W53 Band

approximately 20MHz bandwidth with TCP shell be 10mW/MHz(10dBm/MHz) or less
approximately 20MHz bandwidth without TCP shell be 5mW/MHz(7dBm/MHz) or less
approximately 40MHz bandwidth with TCP shell be 5mW/MHz(7dBm/MHz) or less
approximately 40MHz bandwidth without TCP shell be 2.5mW/MHz(4dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
approximately 160MHz bandwidth shell be 1.25mW/MHz(1dBm/MHz) or less


W56 Band

approximately 20MHz bandwidth with TCP shell be 50mW/MHz(17dBm/MHz) or less
approximately 20MHz bandwidth without TCP shell be 25mW/MHz(14dBm/MHz) or less
approximately 40MHz bandwidth with TCP shell be 25mW/MHz(14dBm/MHz) or less
approximately 40MHz bandwidth without TCP shell be 12.5mW/MHz(11dBm/MHz) or less
approximately 80MHz bandwidth shell be 12.5mW/MHz(11dBm/MHz) or less
approximately 160MHz bandwidth shell be 6.25mW/MHz(8dBm/MHz) or less

7.2.2. Test Procedure

Test Method for Radio Equipment mentioned in MIC Notice No.88 Annex45 Clause 6

7.2.3. Test Configuration



7.2.4. TEST RESULT

Rate	Duty Cycle	Trasmission cycle time
Mbs	%	ms
1	100	N/A
11	100	N/A
6	100	N/A
54	100	N/A
MCS0	100	N/A
MCS7	100	N/A

Temperature : 24.5℃
Humidity : 43 %

Test By:
Test voltage:

LHJ
Normal voltage

TestCondition	TestMode	Antenna	Frequency[MHz]	TPC	Result(dBm/MHz)	Result(mW/MHz)	Limit(mW/MHz)	Verdict
NTNV	11A	Ant1	5180	NA	2.89	1.9454	≤10	PASS
NTNV	11A	Ant2	5180	NA	2.28	1.6904	≤10	PASS
NTNV	11A	Ant1	5200	NA	2.98	1.9861	≤10	PASS
NTNV	11A	Ant2	5200	NA	1.95	1.5668	≤10	PASS
NTNV	11A	Ant1	5240	NA	2.93	1.9634	≤10	PASS
NTNV	11A	Ant2	5240	NA	1.86	1.5346	≤10	PASS
NTNV	11A	Ant1	5260	TPC H	2.78	1.8967	≤10	PASS
NTNV	11A	Ant2	5260	TPC H	1.55	1.4289	≤10	PASS
NTNV	11A	Ant1	5260	TPC L	-0.85	0.8222	≤10	PASS
NTNV	11A	Ant2	5260	TPC L	-1.74	0.6699	≤10	PASS
NTNV	11A	Ant1	5280	TPC H	2.83	1.9187	≤10	PASS
NTNV	11A	Ant2	5280	TPC H	1.46	1.3996	≤10	PASS
NTNV	11A	Ant1	5280	TPC L	-0.72	0.8472	≤10	PASS
NTNV	11A	Ant2	5280	TPC L	-1.76	0.6668	≤10	PASS
NTNV	11A	Ant1	5320	TPC H	2.39	1.7338	≤10	PASS
NTNV	11A	Ant2	5320	TPC H	1.17	1.3092	≤10	PASS
NTNV	11A	Ant1	5320	TPC L	-1.14	0.7691	≤10	PASS
NTNV	11A	Ant2	5320	TPC L	-1.94	0.6397	≤10	PASS
NTNV	11A	Ant1	5500	TPC H	1.81	1.5171	≤10	PASS
NTNV	11A	Ant2	5500	TPC H	2.72	1.8707	≤10	PASS
NTNV	11A	Ant1	5500	TPC L	-1.58	0.6950	≤10	PASS
NTNV	11A	Ant2	5500	TPC L	-0.44	0.9036	≤10	PASS
NTNV	11A	Ant1	5580	TPC H	2.64	1.8365	≤10	PASS
NTNV	11A	Ant2	5580	TPC H	2.63	1.8323	≤10	PASS
NTNV	11A	Ant1	5580	TPC L	-1.45	0.7161	≤10	PASS
NTNV	11A	Ant2	5580	TPC L	-0.62	0.8670	≤10	PASS
NTNV	11A	Ant1	5700	TPC H	2.80	1.9055	≤10	PASS
NTNV	11A	Ant2	5700	TPC H	1.27	1.3397	≤10	PASS
NTNV	11A	Ant1	5700	TPC L	-0.65	0.8610	≤10	PASS
NTNV	11A	Ant2	5700	TPC L	-2.19	0.6039	≤10	PASS
NTNV	11N20MIMO	Ant1	5180	NA	-0.50	0.8913	≤10	PASS
NTNV	11N20MIMO	Ant2	5180	NA	-0.79	0.8337	≤10	PASS
NTNV	11N20MIMO	total	5180	NA	2.37	1.7250	≤10	PASS
NTNV	11N20MIMO	Ant1	5200	NA	-0.24	0.9462	≤10	PASS
NTNV	11N20MIMO	Ant2	5200	NA	-1.32	0.7379	≤10	PASS
NTNV	11N20MIMO	total	5200	NA	2.26	1.6841	≤10	PASS
NTNV	11N20MIMO	Ant1	5240	NA	-0.41	0.9099	≤10	PASS
NTNV	11N20MIMO	Ant2	5240	NA	-1.33	0.7362	≤10	PASS
NTNV	11N20MIMO	total	5240	NA	2.16	1.6461	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC H	-0.53	0.8851	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC H	-1.81	0.6592	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC H	1.89	1.5443	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC L	-4.46	0.3581	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC L	-5.40	0.2884	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC L	-1.89	0.6465	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC H	-0.57	0.8770	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC H	-1.76	0.6668	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC H	1.89	1.5438	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC L	-4.34	0.3681	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC L	-5.43	0.2864	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC L	-1.84	0.6545	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC H	-1.10	0.7762	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC H	-2.02	0.6281	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC H	1.47	1.4043	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC L	-4.66	0.3420	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC L	-5.81	0.2624	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC L	-2.19	0.6044	≤10	PASS
NTNV	11N20MIMO	Ant1	5500	TPC H	-1.36	0.7311	≤10	PASS
NTNV	11N20MIMO	Ant2	5500	TPC H	-0.52	0.8872	≤10	PASS
NTNV	11N20MIMO	total	5500	TPC H	2.09	1.6183	≤10	PASS
NTNV	11N20MIMO	Ant1	5500	TPC L	-5.07	0.3112	≤10	PASS
NTNV	11N20MIMO	Ant2	5500	TPC L	-3.96	0.4018	≤10	PASS
NTNV	11N20MIMO	total	5500	TPC L	-1.47	0.7130	≤10	PASS
NTNV	11N20MIMO	Ant1	5580	TPC H	-1.01	0.7925	≤10	PASS
NTNV	11N20MIMO	Ant2	5580	TPC H	-0.70	0.8511	≤10	PASS
NTNV	11N20MIMO	total	5580	TPC H	2.16	1.6436	≤10	PASS
NTNV	11N20MIMO	Ant1	5580	TPC L	-4.68	0.3404	≤10	PASS
NTNV	11N20MIMO	Ant2	5580	TPC L	-4.10	0.3890	≤10	PASS
NTNV	11N20MIMO	total	5580	TPC L	-1.37	0.7294	≤10	PASS
NTNV	11N20MIMO	Ant1	5700	TPC H	-0.58	0.8750	≤10	PASS
NTNV	11N20MIMO	Ant2	5700	TPC H	-2.08	0.6194	≤10	PASS
NTNV	11N20MIMO	total	5700	TPC H	1.74	1.4944	≤10	PASS
NTNV	11N20MIMO	Ant1	5700	TPC L	-4.30	0.3715	≤10	PASS
NTNV	11N20MIMO	Ant2	5700	TPC L	-5.43	0.2864	≤10	PASS
NTNV	11N20MIMO	total	5700	TPC L	-1.82	0.6579	≤10	PASS

NTNV	11N40MIMO	Ant1	5190	NA	-2.50	0.5623	≤5	PASS
NTNV	11N40MIMO	Ant2	5190	NA	-3.17	0.4819	≤5	PASS
NTNV	11N40MIMO	total	5190	NA	0.19	1.0442	≤5	PASS
NTNV	11N40MIMO	Ant1	5230	NA	-2.41	0.5741	≤5	PASS
NTNV	11N40MIMO	Ant2	5230	NA	-3.61	0.4355	≤5	PASS
NTNV	11N40MIMO	total	5230	NA	0.04	1.0096	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC H	-2.53	0.5585	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC H	-3.91	0.4064	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC H	-0.16	0.9649	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC L	-6.63	0.2173	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC L	-7.48	0.1786	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC L	-4.02	0.3959	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC H	-2.91	0.5117	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC H	-4.40	0.3631	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC H	-0.58	0.8748	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC L	-6.67	0.2153	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC L	-8.03	0.1574	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC L	-4.29	0.3727	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC H	-3.73	0.4236	≤5	PASS
NTNV	11N40MIMO	Ant2	5510	TPC H	-2.73	0.5333	≤5	PASS
NTNV	11N40MIMO	total	5510	TPC H	-0.19	0.9569	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC L	-7.21	0.1901	≤5	PASS
NTNV	11N40MIMO	Ant2	5510	TPC L	-6.18	0.2410	≤5	PASS
NTNV	11N40MIMO	total	5510	TPC L	-3.65	0.4311	≤5	PASS
NTNV	11N40MIMO	Ant1	5670	TPC H	-3.03	0.4977	≤5	PASS
NTNV	11N40MIMO	Ant2	5670	TPC H	-4.03	0.3954	≤5	PASS
NTNV	11N40MIMO	total	5670	TPC H	-0.49	0.8931	≤5	PASS
NTNV	11N40MIMO	Ant1	5670	TPC L	-6.78	0.2099	≤5	PASS
NTNV	11N40MIMO	Ant2	5670	TPC L	-7.89	0.1626	≤5	PASS
NTNV	11N40MIMO	total	5670	TPC L	-4.29	0.3725	≤5	PASS
NTNV	11N40MIMO	Ant1	5710	TPC H	-3.01	0.5000	≤5	PASS
NTNV	11N40MIMO	Ant2	5710	TPC H	-4.53	0.3524	≤5	PASS
NTNV	11N40MIMO	total	5710	TPC H	-0.69	0.8524	≤5	PASS
NTNV	11N40MIMO	Ant1	5710	TPC L	-6.39	0.2296	≤5	PASS
NTNV	11N40MIMO	Ant2	5710	TPC L	-7.63	0.1726	≤5	PASS
NTNV	11N40MIMO	total	5710	TPC L	-3.96	0.4022	≤5	PASS
NTNV	11AC20MIMO	Ant1	5180	NA	-0.60	0.8710	≤10	PASS
NTNV	11AC20MIMO	Ant2	5180	NA	-0.91	0.8110	≤10	PASS
NTNV	11AC20MIMO	total	5180	NA	2.26	1.6820	≤10	PASS
NTNV	11AC20MIMO	Ant1	5200	NA	-0.33	0.9268	≤10	PASS
NTNV	11AC20MIMO	Ant2	5200	NA	-1.24	0.7516	≤10	PASS
NTNV	11AC20MIMO	total	5200	NA	2.25	1.6784	≤10	PASS
NTNV	11AC20MIMO	Ant1	5240	NA	-0.12	0.9727	≤10	PASS
NTNV	11AC20MIMO	Ant2	5240	NA	-1.32	0.7379	≤10	PASS
NTNV	11AC20MIMO	total	5240	NA	2.33	1.7106	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC H	-0.27	0.9397	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC H	-1.67	0.6808	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC H	2.10	1.6205	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC L	-4.34	0.3681	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC L	-5.35	0.2917	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC L	-1.81	0.6598	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC H	-0.28	0.9376	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC H	-1.89	0.6471	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC H	2.00	1.5847	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC L	-4.39	0.3639	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC L	-5.37	0.2904	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC L	-1.84	0.6543	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC H	-1.02	0.7907	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC H	-2.07	0.6209	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC H	1.50	1.4116	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC L	-4.60	0.3467	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC L	-5.71	0.2685	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC L	-2.11	0.6152	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC H	-1.13	0.7709	≤10	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC H	-0.49	0.8933	≤10	PASS
NTNV	11AC20MIMO	total	5500	TPC H	2.21	1.6642	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC L	-4.98	0.3177	≤10	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC L	-4.07	0.3917	≤10	PASS
NTNV	11AC20MIMO	total	5500	TPC L	-1.49	0.7094	≤10	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC H	-0.95	0.8035	≤10	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC H	-0.56	0.8790	≤10	PASS
NTNV	11AC20MIMO	total	5580	TPC H	2.26	1.6825	≤10	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC L	-4.76	0.3342	≤10	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC L	-4.02	0.3963	≤10	PASS
NTNV	11AC20MIMO	total	5580	TPC L	-1.36	0.7305	≤10	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC H	-0.54	0.8831	≤10	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC H	-2.07	0.6209	≤10	PASS
NTNV	11AC20MIMO	total	5700	TPC H	1.77	1.5040	≤10	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC L	-4.29	0.3724	≤10	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC L	-5.48	0.2831	≤10	PASS
NTNV	11AC20MIMO	total	5700	TPC L	-1.83	0.6555	≤10	PASS
NTNV	11AC40MIMO	Ant1	5190	NA	-2.58	0.5521	≤5	PASS
NTNV	11AC40MIMO	Ant2	5190	NA	-3.27	0.4710	≤5	PASS

NTNV	11AC40MIMO	total	5190	NA	0.10	1.0231	≤5	PASS
NTNV	11AC40MIMO	Ant1	5230	NA	-2.36	0.5808	≤5	PASS
NTNV	11AC40MIMO	Ant2	5230	NA	-3.55	0.4416	≤5	PASS
NTNV	11AC40MIMO	total	5230	NA	0.10	1.0224	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC H	-2.66	0.5420	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC H	-4.57	0.3491	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC H	-0.50	0.8911	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC L	-6.64	0.2168	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC L	-7.79	0.1663	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC L	-4.17	0.3831	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC H	-2.81	0.5236	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC H	-4.29	0.3724	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC H	-0.48	0.8960	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC L	-6.51	0.2234	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC L	-8.01	0.1581	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC L	-4.19	0.3815	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC H	-3.44	0.4529	≤5	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC H	-2.59	0.5508	≤5	PASS
NTNV	11AC40MIMO	total	5510	TPC H	0.02	1.0037	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC L	-7.32	0.1854	≤5	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC L	-6.04	0.2489	≤5	PASS
NTNV	11AC40MIMO	total	5510	TPC L	-3.62	0.4343	≤5	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC H	-2.87	0.5164	≤5	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC H	-3.74	0.4227	≤5	PASS
NTNV	11AC40MIMO	total	5670	TPC H	-0.27	0.9391	≤5	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC L	-6.40	0.2291	≤5	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC L	-7.63	0.1726	≤5	PASS
NTNV	11AC40MIMO	total	5670	TPC L	-3.96	0.4017	≤5	PASS
NTNV	11AC40MIMO	Ant1	5710	TPC H	-2.90	0.5129	≤5	PASS
NTNV	11AC40MIMO	Ant2	5710	TPC H	-4.25	0.3758	≤5	PASS
NTNV	11AC40MIMO	total	5710	TPC H	-0.51	0.8887	≤5	PASS
NTNV	11AC40MIMO	Ant1	5710	TPC L	-6.41	0.2286	≤5	PASS
NTNV	11AC40MIMO	Ant2	5710	TPC L	-7.72	0.1690	≤5	PASS
NTNV	11AC40MIMO	total	5710	TPC L	-4.01	0.3976	≤5	PASS
NTNV	11AC80MIMO	Ant1	5210	NA	-6.63	0.2173	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	NA	-6.97	0.2009	≤2.5	PASS
NTNV	11AC80MIMO	total	5210	NA	-3.79	0.4182	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC H	-6.37	0.2307	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC H	-7.42	0.1811	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC H	-3.85	0.4118	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC L	-10.07	0.0984	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC L	-11.02	0.0791	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC L	-7.51	0.1775	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC H	-6.87	0.2056	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC H	-6.03	0.2495	≤2.5	PASS
NTNV	11AC80MIMO	total	5530	TPC H	-3.42	0.4551	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC L	-11.28	0.0745	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC L	-9.32	0.1169	≤2.5	PASS
NTNV	11AC80MIMO	total	5530	TPC L	-7.18	0.1914	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5610	TPC H	-7.36	0.1837	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5610	TPC H	-6.64	0.2168	≤2.5	PASS
NTNV	11AC80MIMO	total	5610	TPC H	-3.97	0.4005	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5610	TPC L	-11.24	0.0752	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5610	TPC L	-10.26	0.0942	≤2.5	PASS
NTNV	11AC80MIMO	total	5610	TPC L	-7.71	0.1694	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5690	TPC H	-6.15	0.2427	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5690	TPC H	-8.01	0.1581	≤2.5	PASS
NTNV	11AC80MIMO	total	5690	TPC H	-3.97	0.4008	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5690	TPC L	-10.00	0.1000	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5690	TPC L	-11.04	0.0787	≤2.5	PASS
NTNV	11AC80MIMO	total	5690	TPC L	-7.48	0.1787	≤2.5	PASS
NTNV	11AX20MIMO	Ant1	5180	NA	-0.78	0.8356	≤10	PASS
NTNV	11AX20MIMO	Ant2	5180	NA	-1.32	0.7379	≤10	PASS
NTNV	11AX20MIMO	total	5180	NA	1.97	1.5735	≤10	PASS
NTNV	11AX20MIMO	Ant1	5200	NA	-0.75	0.8414	≤10	PASS
NTNV	11AX20MIMO	Ant2	5200	NA	-1.59	0.6934	≤10	PASS
NTNV	11AX20MIMO	total	5200	NA	1.86	1.5348	≤10	PASS
NTNV	11AX20MIMO	Ant1	5240	NA	-0.76	0.8395	≤10	PASS
NTNV	11AX20MIMO	Ant2	5240	NA	-1.80	0.6607	≤10	PASS
NTNV	11AX20MIMO	total	5240	NA	1.76	1.5002	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC H	-1.13	0.7709	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC H	-2.34	0.5834	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC H	1.32	1.3543	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC L	-4.69	0.3396	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC L	-6.07	0.2472	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC L	-2.32	0.5868	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC H	-1.13	0.7709	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC H	-2.25	0.5957	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC H	1.36	1.3666	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC L	-4.99	0.3170	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC L	-5.77	0.2649	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC L	-2.35	0.5819	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC H	-1.82	0.6577	≤10	PASS

NTNV	11AX20MIMO	Ant2	5320	TPC H	-2.90	0.5129	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC H	0.68	1.1706	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC L	-5.16	0.3048	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC L	-6.30	0.2344	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC L	-2.68	0.5392	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC H	-1.69	0.6776	≤10	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC H	-1.02	0.7907	≤10	PASS
NTNV	11AX20MIMO	total	5500	TPC H	1.67	1.4683	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC L	-5.74	0.2667	≤10	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC L	-4.47	0.3573	≤10	PASS
NTNV	11AX20MIMO	total	5500	TPC L	-2.05	0.6240	≤10	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC H	-1.86	0.6516	≤10	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC H	-1.19	0.7603	≤10	PASS
NTNV	11AX20MIMO	total	5580	TPC H	1.50	1.4119	≤10	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC L	-5.11	0.3083	≤10	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC L	-4.45	0.3589	≤10	PASS
NTNV	11AX20MIMO	total	5580	TPC L	-1.76	0.6672	≤10	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC H	-1.02	0.7907	≤10	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC H	-2.61	0.5483	≤10	PASS
NTNV	11AX20MIMO	total	5700	TPC H	1.27	1.3390	≤10	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC L	-5.06	0.3119	≤10	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC L	-5.85	0.2600	≤10	PASS
NTNV	11AX20MIMO	total	5700	TPC L	-2.43	0.5719	≤10	PASS
NTNV	11AX40MIMO	Ant1	5190	NA	-3.66	0.4305	≤5	PASS
NTNV	11AX40MIMO	Ant2	5190	NA	-4.27	0.3741	≤5	PASS
NTNV	11AX40MIMO	total	5190	NA	-0.94	0.8046	≤5	PASS
NTNV	11AX40MIMO	Ant1	5230	NA	-3.51	0.4457	≤5	PASS
NTNV	11AX40MIMO	Ant2	5230	NA	-4.42	0.3614	≤5	PASS
NTNV	11AX40MIMO	total	5230	NA	-0.93	0.8071	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC H	-4.46	0.3581	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC H	-5.34	0.2924	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC H	-1.87	0.6505	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC L	-7.70	0.1698	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC L	-8.78	0.1324	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC L	-5.20	0.3022	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC H	-3.73	0.4236	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC H	-5.74	0.2667	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC H	-1.61	0.6903	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC L	-7.78	0.1667	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC L	-9.19	0.1205	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC L	-5.42	0.2872	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC H	-4.24	0.3767	≤5	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC H	-3.50	0.4467	≤5	PASS
NTNV	11AX40MIMO	total	5510	TPC H	-0.84	0.8234	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC L	-7.86	0.1637	≤5	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC L	-7.03	0.1982	≤5	PASS
NTNV	11AX40MIMO	total	5510	TPC L	-4.41	0.3619	≤5	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC H	-3.77	0.4198	≤5	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC H	-4.52	0.3532	≤5	PASS
NTNV	11AX40MIMO	total	5670	TPC H	-1.12	0.7730	≤5	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC L	-7.43	0.1807	≤5	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC L	-8.41	0.1442	≤5	PASS
NTNV	11AX40MIMO	total	5670	TPC L	-4.88	0.3249	≤5	PASS
NTNV	11AX40MIMO	Ant1	5710	TPC H	-3.70	0.4266	≤5	PASS
NTNV	11AX40MIMO	Ant2	5710	TPC H	-5.07	0.3112	≤5	PASS
NTNV	11AX40MIMO	total	5710	TPC H	-1.32	0.7378	≤5	PASS
NTNV	11AX40MIMO	Ant1	5710	TPC L	-7.07	0.1963	≤5	PASS
NTNV	11AX40MIMO	Ant2	5710	TPC L	-8.51	0.1409	≤5	PASS
NTNV	11AX40MIMO	total	5710	TPC L	-4.72	0.3372	≤5	PASS
NTNV	11AX80MIMO	Ant1	5210	NA	-6.59	0.2193	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	NA	-7.62	0.1730	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	NA	-4.06	0.3923	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC H	-6.58	0.2198	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC H	-7.91	0.1618	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC H	-4.18	0.3816	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC L	-10.85	0.0822	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC L	-11.30	0.0741	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC L	-8.06	0.1563	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC H	-7.82	0.1652	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC H	-6.16	0.2421	≤2.5	PASS
NTNV	11AX80MIMO	total	5530	TPC H	-3.90	0.4073	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC L	-10.90	0.0813	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC L	-10.39	0.0914	≤2.5	PASS
NTNV	11AX80MIMO	total	5530	TPC L	-7.63	0.1727	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5610	TPC H	-6.99	0.2000	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5610	TPC H	-7.41	0.1816	≤2.5	PASS
NTNV	11AX80MIMO	total	5610	TPC H	-4.18	0.3816	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5610	TPC L	-11.07	0.0782	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5610	TPC L	-10.60	0.0871	≤2.5	PASS
NTNV	11AX80MIMO	total	5610	TPC L	-7.82	0.1653	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5690	TPC H	-6.50	0.2239	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5690	TPC H	-8.23	0.1503	≤2.5	PASS
NTNV	11AX80MIMO	total	5690	TPC H	-4.27	0.3742	≤2.5	PASS

NTNV	11AX80MIMO	Ant1	5690	TPC L	-10.25	0.0944	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5690	TPC L	-11.31	0.0740	≤2.5	PASS
NTNV	11AX80MIMO	total	5690	TPC L	-7.74	0.1684	≤2.5	PASS

TestCondition	TestMode	Antenna	Frequency[M Hz]	TPC	Result (mW)	EIRP (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11A	Ant1	5180	NA	1.9454	5.2360	≤10	PASS
NTNV	11A	Ant2	5180	NA	1.6904	6.1376	≤10	PASS
NTNV	11A	Ant1	5200	NA	1.9861	5.3456	≤10	PASS
NTNV	11A	Ant2	5200	NA	1.5668	5.6885	≤10	PASS
NTNV	11A	Ant1	5240	NA	1.9634	5.2845	≤10	PASS
NTNV	11A	Ant2	5240	NA	1.5346	5.5719	≤10	PASS
NTNV	11A	Ant1	5260	TPC H	1.8967	5.1050	≤10	PASS
NTNV	11A	Ant2	5260	TPC H	1.4289	5.1880	≤10	PASS
NTNV	11A	Ant1	5260	TPC L	0.8222	2.2131	≤10	PASS
NTNV	11A	Ant2	5260	TPC L	0.6699	2.4322	≤10	PASS
NTNV	11A	Ant1	5280	TPC H	1.9187	5.1642	≤10	PASS
NTNV	11A	Ant2	5280	TPC H	1.3996	5.0816	≤10	PASS
NTNV	11A	Ant1	5280	TPC L	0.8472	2.2803	≤10	PASS
NTNV	11A	Ant2	5280	TPC L	0.6668	2.4210	≤10	PASS
NTNV	11A	Ant1	5320	TPC H	1.7338	4.6666	≤10	PASS
NTNV	11A	Ant2	5320	TPC H	1.3092	4.7534	≤10	PASS
NTNV	11A	Ant1	5320	TPC L	0.7691	2.0701	≤10	PASS
NTNV	11A	Ant2	5320	TPC L	0.6397	2.3227	≤10	PASS
NTNV	11A	Ant1	5500	TPC H	1.5171	4.0832	≤50	PASS
NTNV	11A	Ant2	5500	TPC H	1.8707	6.7920	≤50	PASS
NTNV	11A	Ant1	5500	TPC L	0.6950	1.8707	≤50	PASS
NTNV	11A	Ant2	5500	TPC L	0.9036	3.2810	≤50	PASS
NTNV	11A	Ant1	5580	TPC H	1.8365	4.9431	≤50	PASS
NTNV	11A	Ant2	5580	TPC H	1.8323	6.6527	≤50	PASS
NTNV	11A	Ant1	5580	TPC L	0.7161	1.9275	≤50	PASS
NTNV	11A	Ant2	5580	TPC L	0.8670	3.1477	≤50	PASS
NTNV	11A	Ant1	5700	TPC H	1.9055	5.1286	≤50	PASS
NTNV	11A	Ant2	5700	TPC H	1.3397	4.8641	≤50	PASS
NTNV	11A	Ant1	5700	TPC L	0.8610	2.3174	≤50	PASS
NTNV	11A	Ant2	5700	TPC L	0.6039	2.1928	≤50	PASS
NTNV	11N20MIMO	Ant1	5180	NA	0.8913	2.3988	≤10	PASS
NTNV	11N20MIMO	Ant2	5180	NA	0.8337	3.0269	≤10	PASS
NTNV	11N20MIMO	total	5180	NA	1.7250	5.4257	≤10	PASS
NTNV	11N20MIMO	Ant1	5200	NA	0.9462	2.5468	≤10	PASS
NTNV	11N20MIMO	Ant2	5200	NA	0.7379	2.6792	≤10	PASS
NTNV	11N20MIMO	total	5200	NA	1.6841	5.2260	≤10	PASS
NTNV	11N20MIMO	Ant1	5240	NA	0.9099	2.4491	≤10	PASS
NTNV	11N20MIMO	Ant2	5240	NA	0.7362	2.6730	≤10	PASS
NTNV	11N20MIMO	total	5240	NA	1.6461	5.1221	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC H	0.8851	2.3823	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC H	0.6592	2.3933	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC H	1.5443	4.7756	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC L	0.3581	0.9638	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC L	0.2884	1.0471	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC L	0.6465	2.0109	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC H	0.8770	2.3605	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC H	0.6668	2.4210	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC H	1.5438	4.7815	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC L	0.3681	0.9908	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC L	0.2864	1.0399	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC L	0.6545	2.0307	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC H	0.7762	2.0893	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC H	0.6281	2.2803	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC H	1.4043	4.3696	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC L	0.3420	0.9204	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC L	0.2624	0.9528	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC L	0.6044	1.8732	≤10	PASS
NTNV	11N20MIMO	Ant1	5500	TPC H	0.7311	1.9679	≤50	PASS
NTNV	11N20MIMO	Ant2	5500	TPC H	0.8872	3.2211	≤50	PASS
NTNV	11N20MIMO	total	5500	TPC H	1.6183	5.1890	≤50	PASS
NTNV	11N20MIMO	Ant1	5500	TPC L	0.3112	0.8375	≤50	PASS
NTNV	11N20MIMO	Ant2	5500	TPC L	0.4018	1.4588	≤50	PASS
NTNV	11N20MIMO	total	5500	TPC L	0.7130	2.2963	≤50	PASS
NTNV	11N20MIMO	Ant1	5580	TPC H	0.7925	2.1330	≤50	PASS
NTNV	11N20MIMO	Ant2	5580	TPC H	0.8511	3.0903	≤50	PASS
NTNV	11N20MIMO	total	5580	TPC H	1.6436	5.2233	≤50	PASS
NTNV	11N20MIMO	Ant1	5580	TPC L	0.3404	0.9162	≤50	PASS
NTNV	11N20MIMO	Ant2	5580	TPC L	0.3890	1.4125	≤50	PASS
NTNV	11N20MIMO	total	5580	TPC L	0.7294	2.3287	≤50	PASS
NTNV	11N20MIMO	Ant1	5700	TPC H	0.8750	2.3550	≤50	PASS
NTNV	11N20MIMO	Ant2	5700	TPC H	0.6194	2.2491	≤50	PASS
NTNV	11N20MIMO	total	5700	TPC H	1.4944	4.6041	≤50	PASS
NTNV	11N20MIMO	Ant1	5700	TPC L	0.3715	1.0000	≤50	PASS
NTNV	11N20MIMO	Ant2	5700	TPC L	0.2864	1.0399	≤50	PASS

NTNV	11N20MIMO	total	5700	TPC L	0.6579	2.0399	≤50	PASS
NTNV	11N40MIMO	Ant1	5190	NA	0.5623	1.5136	≤5	PASS
NTNV	11N40MIMO	Ant2	5190	NA	0.4819	1.7498	≤5	PASS
NTNV	11N40MIMO	total	5190	NA	1.0442	3.2634	≤5	PASS
NTNV	11N40MIMO	Ant1	5230	NA	0.5741	1.5453	≤5	PASS
NTNV	11N40MIMO	Ant2	5230	NA	0.4355	1.5812	≤5	PASS
NTNV	11N40MIMO	total	5230	NA	1.0096	3.1265	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC H	0.5585	1.5031	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC H	0.4064	1.4757	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC H	0.9649	2.9788	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC L	0.2173	0.5848	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC L	0.1786	0.6486	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC L	0.3959	1.2334	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC H	0.5117	1.3772	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC H	0.3631	1.3183	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC H	0.8748	2.6955	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC L	0.2153	0.5794	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC L	0.1574	0.5715	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC L	0.3727	1.1509	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC H	0.4236	1.1402	≤25	PASS
NTNV	11N40MIMO	Ant2	5510	TPC H	0.5333	1.9364	≤25	PASS
NTNV	11N40MIMO	total	5510	TPC H	0.9569	3.0766	≤25	PASS
NTNV	11N40MIMO	Ant1	5510	TPC L	0.1901	0.5117	≤25	PASS
NTNV	11N40MIMO	Ant2	5510	TPC L	0.2410	0.8750	≤25	PASS
NTNV	11N40MIMO	total	5510	TPC L	0.4311	1.3867	≤25	PASS
NTNV	11N40MIMO	Ant1	5670	TPC H	0.4977	1.3397	≤25	PASS
NTNV	11N40MIMO	Ant2	5670	TPC H	0.3954	1.4355	≤25	PASS
NTNV	11N40MIMO	total	5670	TPC H	0.8931	2.7752	≤25	PASS
NTNV	11N40MIMO	Ant1	5670	TPC L	0.2099	0.5649	≤25	PASS
NTNV	11N40MIMO	Ant2	5670	TPC L	0.1626	0.5902	≤25	PASS
NTNV	11N40MIMO	total	5670	TPC L	0.3725	1.1551	≤25	PASS
NTNV	11N40MIMO	Ant1	5710	TPC H	0.5000	1.3459	≤25	PASS
NTNV	11N40MIMO	Ant2	5710	TPC H	0.3524	1.2794	≤25	PASS
NTNV	11N40MIMO	total	5710	TPC H	0.8524	2.6253	≤25	PASS
NTNV	11N40MIMO	Ant1	5710	TPC L	0.2296	0.6180	≤25	PASS
NTNV	11N40MIMO	Ant2	5710	TPC L	0.1726	0.6266	≤25	PASS
NTNV	11N40MIMO	total	5710	TPC L	0.4022	1.2446	≤25	PASS
NTNV	11AC20MIMO	Ant1	5180	NA	0.8710	2.3442	≤10	PASS
NTNV	11AC20MIMO	Ant2	5180	NA	0.8110	2.9444	≤10	PASS
NTNV	11AC20MIMO	total	5180	NA	1.6820	5.2886	≤10	PASS
NTNV	11AC20MIMO	Ant1	5200	NA	0.9268	2.4946	≤10	PASS
NTNV	11AC20MIMO	Ant2	5200	NA	0.7516	2.7290	≤10	PASS
NTNV	11AC20MIMO	total	5200	NA	1.6784	5.2236	≤10	PASS
NTNV	11AC20MIMO	Ant1	5240	NA	0.9727	2.6182	≤10	PASS
NTNV	11AC20MIMO	Ant2	5240	NA	0.7379	2.6792	≤10	PASS
NTNV	11AC20MIMO	total	5240	NA	1.7106	5.2974	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC H	0.9397	2.5293	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC H	0.6808	2.4717	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC H	1.6205	5.0010	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC L	0.3681	0.9908	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC L	0.2917	1.0593	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC L	0.6598	2.0501	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC H	0.9376	2.5235	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC H	0.6471	2.3496	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC H	1.5847	4.8731	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC L	0.3639	0.9795	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC L	0.2904	1.0544	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC L	0.6543	2.0339	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC H	0.7907	2.1281	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC H	0.6209	2.2542	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC H	1.4116	4.3823	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC L	0.3467	0.9333	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC L	0.2685	0.9750	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC L	0.6152	1.9083	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC H	0.7709	2.0749	≤50	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC H	0.8933	3.2434	≤50	PASS
NTNV	11AC20MIMO	total	5500	TPC H	1.6642	5.3183	≤50	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC L	0.3177	0.8551	≤50	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC L	0.3917	1.4223	≤50	PASS
NTNV	11AC20MIMO	total	5500	TPC L	0.7094	2.2774	≤50	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC H	0.8035	2.1627	≤50	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC H	0.8790	3.1915	≤50	PASS
NTNV	11AC20MIMO	total	5580	TPC H	1.6825	5.3542	≤50	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC L	0.3342	0.8995	≤50	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC L	0.3963	1.4388	≤50	PASS
NTNV	11AC20MIMO	total	5580	TPC L	0.7305	2.3383	≤50	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC H	0.8831	2.3768	≤50	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC H	0.6209	2.2542	≤50	PASS
NTNV	11AC20MIMO	total	5700	TPC H	1.5040	4.6310	≤50	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC L	0.3724	1.0023	≤50	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC L	0.2831	1.0280	≤50	PASS
NTNV	11AC20MIMO	total	5700	TPC L	0.6555	2.0303	≤50	PASS
NTNV	11AC40MIMO	Ant1	5190	NA	0.5521	1.4859	≤5	PASS


NTNV	11AC40MIMO	Ant2	5190	NA	0.4710	1.7100	≤5	PASS
NTNV	11AC40MIMO	total	5190	NA	1.0231	3.1959	≤5	PASS
NTNV	11AC40MIMO	Ant1	5230	NA	0.5808	1.5631	≤5	PASS
NTNV	11AC40MIMO	Ant2	5230	NA	0.4416	1.6032	≤5	PASS
NTNV	11AC40MIMO	total	5230	NA	1.0224	3.1663	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC H	0.5420	1.4588	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC H	0.3491	1.2677	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC H	0.8911	2.7265	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC L	0.2168	0.5834	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC L	0.1663	0.6039	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC L	0.3831	1.1873	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC H	0.5236	1.4093	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC H	0.3724	1.3521	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC H	0.8960	2.7614	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC L	0.2234	0.6012	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC L	0.1581	0.5741	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC L	0.3815	1.1753	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC H	0.4529	1.2190	≤25	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC H	0.5508	1.9999	≤25	PASS
NTNV	11AC40MIMO	total	5510	TPC H	1.0037	3.2189	≤25	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC L	0.1854	0.4989	≤25	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC L	0.2489	0.9036	≤25	PASS
NTNV	11AC40MIMO	total	5510	TPC L	0.4343	1.4025	≤25	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC H	0.5164	1.3900	≤25	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC H	0.4227	1.5346	≤25	PASS
NTNV	11AC40MIMO	total	5670	TPC H	0.9391	2.9246	≤25	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC L	0.2291	0.6166	≤25	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC L	0.1726	0.6266	≤25	PASS
NTNV	11AC40MIMO	total	5670	TPC L	0.4017	1.2432	≤25	PASS
NTNV	11AC40MIMO	Ant1	5710	TPC H	0.5129	1.3804	≤25	PASS
NTNV	11AC40MIMO	Ant2	5710	TPC H	0.3758	1.3646	≤25	PASS
NTNV	11AC40MIMO	total	5710	TPC H	0.8887	2.7450	≤25	PASS
NTNV	11AC40MIMO	Ant1	5710	TPC L	0.2286	0.6152	≤25	PASS
NTNV	11AC40MIMO	Ant2	5710	TPC L	0.1690	0.6138	≤25	PASS
NTNV	11AC40MIMO	total	5710	TPC L	0.3976	1.2290	≤25	PASS
NTNV	11AC80MIMO	Ant1	5210	NA	0.2173	0.5848	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	NA	0.2009	0.7295	≤2.5	PASS
NTNV	11AC80MIMO	total	5210	NA	0.4182	1.3143	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC H	0.2307	0.6209	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC H	0.1811	0.6577	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC H	0.4118	1.2786	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC L	0.0984	0.2649	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC L	0.0791	0.2871	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC L	0.1775	0.5520	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC H	0.2056	0.5534	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC H	0.2495	0.9057	≤12.5	PASS
NTNV	11AC80MIMO	total	5530	TPC H	0.4551	1.4591	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC L	0.0745	0.2004	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC L	0.1169	0.4246	≤12.5	PASS
NTNV	11AC80MIMO	total	5530	TPC L	0.1914	0.6250	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5610	TPC H	0.1837	0.4943	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5610	TPC H	0.2168	0.7870	≤12.5	PASS
NTNV	11AC80MIMO	total	5610	TPC H	0.4005	1.2813	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5610	TPC L	0.0752	0.2023	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5610	TPC L	0.0942	0.3420	≤12.5	PASS
NTNV	11AC80MIMO	total	5610	TPC L	0.1694	0.5443	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	TPC H	0.2427	0.6531	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5690	TPC H	0.1581	0.5741	≤12.5	PASS
NTNV	11AC80MIMO	total	5690	TPC H	0.4008	1.2272	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5690	TPC L	0.1000	0.2692	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5690	TPC L	0.0787	0.2858	≤12.5	PASS
NTNV	11AC80MIMO	total	5690	TPC L	0.1787	0.5550	≤12.5	PASS
NTNV	11AX20MIMO	Ant1	5180	NA	0.8356	2.2491	≤10	PASS
NTNV	11AX20MIMO	Ant2	5180	NA	0.7379	2.6792	≤10	PASS
NTNV	11AX20MIMO	total	5180	NA	1.5735	4.9283	≤10	PASS
NTNV	11AX20MIMO	Ant1	5200	NA	0.8414	2.2646	≤10	PASS
NTNV	11AX20MIMO	Ant2	5200	NA	0.6934	2.5177	≤10	PASS
NTNV	11AX20MIMO	total	5200	NA	1.5348	4.7823	≤10	PASS
NTNV	11AX20MIMO	Ant1	5240	NA	0.8395	2.2594	≤10	PASS
NTNV	11AX20MIMO	Ant2	5240	NA	0.6607	2.3988	≤10	PASS
NTNV	11AX20MIMO	total	5240	NA	1.5002	4.6582	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC H	0.7709	2.0749	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC H	0.5834	2.1184	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC H	1.3543	4.1933	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC L	0.3396	0.9141	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC L	0.2472	0.8974	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC L	0.5868	1.8115	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC H	0.7709	2.0749	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC H	0.5957	2.1627	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC H	1.3666	4.2376	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC L	0.3170	0.8531	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC L	0.2649	0.9616	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC L	0.5819	1.8147	≤10	PASS

NTNV	11AX20MIMO	Ant1	5320	TPC H	0.6577	1.7701	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC H	0.5129	1.8621	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC H	1.1706	3.6322	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC L	0.3048	0.8204	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC L	0.2344	0.8511	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC L	0.5392	1.6715	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC H	0.6776	1.8239	≤50	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC H	0.7907	2.8708	≤50	PASS
NTNV	11AX20MIMO	total	5500	TPC H	1.4683	4.6947	≤50	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC L	0.2667	0.7178	≤50	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC L	0.3573	1.2972	≤50	PASS
NTNV	11AX20MIMO	total	5500	TPC L	0.6240	2.0150	≤50	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC H	0.6516	1.7539	≤50	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC H	0.7603	2.7606	≤50	PASS
NTNV	11AX20MIMO	total	5580	TPC H	1.4119	4.5145	≤50	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC L	0.3083	0.8299	≤50	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC L	0.3589	1.3032	≤50	PASS
NTNV	11AX20MIMO	total	5580	TPC L	0.6672	2.1331	≤50	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC H	0.7907	2.1281	≤50	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC H	0.5483	1.9907	≤50	PASS
NTNV	11AX20MIMO	total	5700	TPC H	1.3390	4.1188	≤50	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC L	0.3119	0.8395	≤50	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC L	0.2600	0.9441	≤50	PASS
NTNV	11AX20MIMO	total	5700	TPC L	0.5719	1.7836	≤50	PASS
NTNV	11AX40MIMO	Ant1	5190	NA	0.4305	1.1588	≤5	PASS
NTNV	11AX40MIMO	Ant2	5190	NA	0.3741	1.3583	≤5	PASS
NTNV	11AX40MIMO	total	5190	NA	0.8046	2.5171	≤5	PASS
NTNV	11AX40MIMO	Ant1	5230	NA	0.4457	1.1995	≤5	PASS
NTNV	11AX40MIMO	Ant2	5230	NA	0.3614	1.3122	≤5	PASS
NTNV	11AX40MIMO	total	5230	NA	0.8071	2.5117	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC H	0.3581	0.9638	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC H	0.2924	1.0617	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC H	0.6505	2.0255	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC L	0.1698	0.4571	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC L	0.1324	0.4808	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC L	0.3022	0.9379	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC H	0.4236	1.1402	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC H	0.2667	0.9683	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC H	0.6903	2.1085	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC L	0.1667	0.4487	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC L	0.1205	0.4375	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC L	0.2872	0.8862	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC H	0.3767	1.0139	≤25	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC H	0.4467	1.6218	≤25	PASS
NTNV	11AX40MIMO	total	5510	TPC H	0.8234	2.6357	≤25	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC L	0.1637	0.4406	≤25	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC L	0.1982	0.7194	≤25	PASS
NTNV	11AX40MIMO	total	5510	TPC L	0.3619	1.1600	≤25	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC H	0.4198	1.1298	≤25	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC H	0.3532	1.2823	≤25	PASS
NTNV	11AX40MIMO	total	5670	TPC H	0.7730	2.4121	≤25	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC L	0.1807	0.4864	≤25	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC L	0.1442	0.5236	≤25	PASS
NTNV	11AX40MIMO	total	5670	TPC L	0.3249	1.0100	≤25	PASS
NTNV	11AX40MIMO	Ant1	5710	TPC H	0.4266	1.1482	≤25	PASS
NTNV	11AX40MIMO	Ant2	5710	TPC H	0.3112	1.1298	≤25	PASS
NTNV	11AX40MIMO	total	5710	TPC H	0.7378	2.2780	≤25	PASS
NTNV	11AX40MIMO	Ant1	5710	TPC L	0.1963	0.5284	≤25	PASS
NTNV	11AX40MIMO	Ant2	5710	TPC L	0.1409	0.5117	≤25	PASS
NTNV	11AX40MIMO	total	5710	TPC L	0.3372	1.0401	≤25	PASS
NTNV	11AX80MIMO	Ant1	5210	NA	0.2193	0.5902	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	NA	0.1730	0.6281	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	NA	0.3923	1.2183	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC H	0.2198	0.5916	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC H	0.1618	0.5875	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC H	0.3816	1.1791	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC L	0.0822	0.2213	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC L	0.0741	0.2692	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC L	0.1563	0.4905	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC H	0.1652	0.4446	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC H	0.2421	0.8790	≤12.5	PASS
NTNV	11AX80MIMO	total	5530	TPC H	0.4073	1.3236	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC L	0.0813	0.2188	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC L	0.0914	0.3319	≤12.5	PASS
NTNV	11AX80MIMO	total	5530	TPC L	0.1727	0.5507	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5610	TPC H	0.2000	0.5383	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5610	TPC H	0.1816	0.6592	≤12.5	PASS
NTNV	11AX80MIMO	total	5610	TPC H	0.3816	1.1975	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5610	TPC L	0.0782	0.2104	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5610	TPC L	0.0871	0.3162	≤12.5	PASS
NTNV	11AX80MIMO	total	5610	TPC L	0.1653	0.5266	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	TPC H	0.2239	0.6026	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	TPC H	0.1503	0.5458	≤12.5	PASS


NTNV	11AX80MIMO	total	5690	TPC H	0.3742	1.1484	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5690	TPC L	0.0944	0.2541	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5690	TPC L	0.0740	0.2685	≤12.5	PASS
NTNV	11AX80MIMO	total	5690	TPC L	0.1684	0.5226	≤12.5	PASS


Test Condition	Test Mode	Antenna	Frequency[M Hz]	TPC	Power (mW/MHz)	RatedPower (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11A	Ant1	5180	NA	1.9454	2	-2.73	-80 to +20	PASS
NTNV	11A	Ant2	5180	NA	1.6904	2	-15.48	-80 to +20	PASS
NTNV	11A	Ant1	5200	NA	1.9861	2	-0.70	-80 to +20	PASS
NTNV	11A	Ant2	5200	NA	1.5668	2	-21.66	-80 to +20	PASS
NTNV	11A	Ant1	5240	NA	1.9634	2	-1.83	-80 to +20	PASS
NTNV	11A	Ant2	5240	NA	1.5346	2	-23.27	-80 to +20	PASS
NTNV	11A	Ant1	5260	TPC H	1.8967	2	-5.17	-80 to +20	PASS
NTNV	11A	Ant2	5260	TPC H	1.4289	2	-28.56	-80 to +20	PASS
NTNV	11A	Ant1	5260	TPC L	0.8222	1	-17.78	-80 to +20	PASS
NTNV	11A	Ant2	5260	TPC L	0.6699	1	-33.01	-80 to +20	PASS
NTNV	11A	Ant1	5280	TPC H	1.9187	2	-4.07	-80 to +20	PASS
NTNV	11A	Ant2	5280	TPC H	1.3996	2	-30.02	-80 to +20	PASS
NTNV	11A	Ant1	5280	TPC L	0.8472	1	-15.28	-80 to +20	PASS
NTNV	11A	Ant2	5280	TPC L	0.6668	1	-33.32	-80 to +20	PASS
NTNV	11A	Ant1	5320	TPC H	1.7338	2	-13.31	-80 to +20	PASS
NTNV	11A	Ant2	5320	TPC H	1.3092	2	-34.54	-80 to +20	PASS
NTNV	11A	Ant1	5320	TPC L	0.7691	1	-23.09	-80 to +20	PASS
NTNV	11A	Ant2	5320	TPC L	0.6397	1	-36.03	-80 to +20	PASS
NTNV	11A	Ant1	5500	TPC H	1.5171	2	-24.15	-50 to +50	PASS
NTNV	11A	Ant2	5500	TPC H	1.8707	2	-6.47	-50 to +50	PASS
NTNV	11A	Ant1	5500	TPC L	0.6950	1	-30.50	-50 to +50	PASS
NTNV	11A	Ant2	5500	TPC L	0.9036	1	-9.64	-50 to +50	PASS
NTNV	11A	Ant1	5580	TPC H	1.8365	2	-8.18	-50 to +50	PASS
NTNV	11A	Ant2	5580	TPC H	1.8323	2	-8.39	-50 to +50	PASS
NTNV	11A	Ant1	5580	TPC L	0.7161	1	-28.39	-50 to +50	PASS
NTNV	11A	Ant2	5580	TPC L	0.8670	1	-13.30	-50 to +50	PASS
NTNV	11A	Ant1	5700	TPC H	1.9055	2	-4.73	-50 to +50	PASS
NTNV	11A	Ant2	5700	TPC H	1.3397	2	-33.02	-50 to +50	PASS
NTNV	11A	Ant1	5700	TPC L	0.8610	1	-13.90	-50 to +50	PASS
NTNV	11A	Ant2	5700	TPC L	0.6039	1	-39.61	-50 to +50	PASS
NTNV	11N20MIMO	total	5180	NA	1.7250	2	-13.75	-80 to +20	PASS
NTNV	11N20MIMO	total	5200	NA	1.6841	2	-15.80	-80 to +20	PASS
NTNV	11N20MIMO	total	5240	NA	1.6461	2	-17.70	-80 to +20	PASS
NTNV	11N20MIMO	total	5260	TPC H	1.5443	2	-22.79	-80 to +20	PASS
NTNV	11N20MIMO	total	5260	TPC L	0.6465	1	-35.35	-80 to +20	PASS
NTNV	11N20MIMO	total	5280	TPC H	1.5438	2	-22.81	-80 to +20	PASS
NTNV	11N20MIMO	total	5280	TPC L	0.6545	1	-34.55	-80 to +20	PASS
NTNV	11N20MIMO	total	5320	TPC H	1.4043	2	-29.79	-80 to +20	PASS
NTNV	11N20MIMO	total	5320	TPC L	0.6044	1	-39.56	-80 to +20	PASS
NTNV	11N20MIMO	total	5500	TPC H	1.6183	2	-19.09	-50 to +50	PASS
NTNV	11N20MIMO	total	5500	TPC L	0.7130	1	-28.70	-50 to +50	PASS
NTNV	11N20MIMO	total	5580	TPC H	1.6436	2	-17.82	-50 to +50	PASS
NTNV	11N20MIMO	total	5580	TPC L	0.7294	1	-27.06	-50 to +50	PASS
NTNV	11N20MIMO	total	5700	TPC H	1.4944	2	-25.28	-50 to +50	PASS
NTNV	11N20MIMO	total	5700	TPC L	0.6579	1	-34.21	-50 to +50	PASS
NTNV	11N40MIMO	total	5190	NA	1.0442	1	4.42	-80 to +20	PASS
NTNV	11N40MIMO	total	5230	NA	1.0096	1	0.96	-80 to +20	PASS
NTNV	11N40MIMO	total	5270	TPC H	0.9649	1	-3.51	-80 to +20	PASS
NTNV	11N40MIMO	total	5270	TPC L	0.3959	0.5	-20.82	-80 to +20	PASS
NTNV	11N40MIMO	total	5310	TPC H	0.8748	1	-12.52	-80 to +20	PASS
NTNV	11N40MIMO	total	5310	TPC L	0.3727	0.5	-25.46	-80 to +20	PASS
NTNV	11N40MIMO	total	5510	TPC H	0.9569	1	-4.31	-50 to +50	PASS
NTNV	11N40MIMO	total	5510	TPC L	0.4311	0.5	-13.78	-50 to +50	PASS
NTNV	11N40MIMO	total	5670	TPC H	0.8931	1	-10.69	-50 to +50	PASS
NTNV	11N40MIMO	total	5670	TPC L	0.3725	0.5	-25.50	-50 to +50	PASS
NTNV	11N40MIMO	total	5710	TPC H	0.8524	1	-14.76	-50 to +50	PASS
NTNV	11N40MIMO	total	5710	TPC L	0.4022	0.5	-19.56	-50 to +50	PASS
NTNV	11AC20MIMO	total	5180	NA	1.6820	2	-15.90	-80 to +20	PASS
NTNV	11AC20MIMO	total	5200	NA	1.6784	2	-16.08	-80 to +20	PASS
NTNV	11AC20MIMO	total	5240	NA	1.7106	2	-14.47	-80 to +20	PASS
NTNV	11AC20MIMO	total	5260	TPC H	1.6205	2	-18.98	-80 to +20	PASS
NTNV	11AC20MIMO	total	5260	TPC L	0.6598	1	-34.02	-80 to +20	PASS
NTNV	11AC20MIMO	total	5280	TPC H	1.5847	2	-20.77	-80 to +20	PASS
NTNV	11AC20MIMO	total	5280	TPC L	0.6543	1	-34.57	-80 to +20	PASS
NTNV	11AC20MIMO	total	5320	TPC H	1.4116	2	-29.42	-80 to +20	PASS
NTNV	11AC20MIMO	total	5320	TPC L	0.6152	1	-38.48	-80 to +20	PASS
NTNV	11AC20MIMO	total	5500	TPC H	1.6642	2	-16.79	-50 to +50	PASS
NTNV	11AC20MIMO	total	5500	TPC L	0.7094	1	-29.06	-50 to +50	PASS
NTNV	11AC20MIMO	total	5580	TPC H	1.6825	2	-15.88	-50 to +50	PASS
NTNV	11AC20MIMO	total	5580	TPC L	0.7305	1	-26.95	-50 to +50	PASS
NTNV	11AC20MIMO	total	5700	TPC H	1.5040	2	-24.80	-50 to +50	PASS
NTNV	11AC20MIMO	total	5700	TPC L	0.6555	1	-34.45	-50 to +50	PASS
NTNV	11AC40MIMO	total	5190	NA	1.0231	1	2.31	-80 to +20	PASS

NTNV	11AC40MIMO	total	5230	NA	1.0224	1	2.24	-80 to +20	PASS
NTNV	11AC40MIMO	total	5270	TPC H	0.8911	1	-10.89	-80 to +20	PASS
NTNV	11AC40MIMO	total	5270	TPC L	0.3831	0.5	-23.38	-80 to +20	PASS
NTNV	11AC40MIMO	total	5310	TPC H	0.8960	1	-10.40	-80 to +20	PASS
NTNV	11AC40MIMO	total	5310	TPC L	0.3815	0.5	-23.70	-80 to +20	PASS
NTNV	11AC40MIMO	total	5510	TPC H	1.0037	1	0.37	-50 to +50	PASS
NTNV	11AC40MIMO	total	5510	TPC L	0.4343	0.5	-13.14	-50 to +50	PASS
NTNV	11AC40MIMO	total	5670	TPC H	0.9391	1	-6.09	-50 to +50	PASS
NTNV	11AC40MIMO	total	5670	TPC L	0.4017	0.5	-19.66	-50 to +50	PASS
NTNV	11AC40MIMO	total	5710	TPC H	0.8887	1	-11.13	-50 to +50	PASS
NTNV	11AC40MIMO	total	5710	TPC L	0.3976	0.5	-20.48	-50 to +50	PASS
NTNV	11AC80MIMO	total	5210	NA	0.4182	0.5	-16.36	-80 to +20	PASS
NTNV	11AC80MIMO	total	5290	TPC H	0.4118	0.5	-17.64	-80 to +20	PASS
NTNV	11AC80MIMO	total	5290	TPC L	0.1775	0.25	-29.00	-80 to +20	PASS
NTNV	11AC80MIMO	total	5530	TPC H	0.4551	0.5	-8.98	-50 to +50	PASS
NTNV	11AC80MIMO	total	5530	TPC L	0.1914	0.25	-23.44	-50 to +50	PASS
NTNV	11AC80MIMO	total	5610	TPC H	0.4005	0.5	-19.90	-50 to +50	PASS
NTNV	11AC80MIMO	total	5610	TPC L	0.1694	0.25	-32.24	-50 to +50	PASS
NTNV	11AC80MIMO	total	5690	TPC H	0.4008	0.5	-19.84	-50 to +50	PASS
NTNV	11AC80MIMO	total	5690	TPC L	0.1787	0.25	-28.52	-50 to +50	PASS
NTNV	11AX20MIMO	total	5180	NA	1.5735	2	-21.33	-80 to +20	PASS
NTNV	11AX20MIMO	total	5200	NA	1.5348	2	-23.26	-80 to +20	PASS
NTNV	11AX20MIMO	total	5240	NA	1.5002	2	-24.99	-80 to +20	PASS
NTNV	11AX20MIMO	total	5260	TPC H	1.3543	2	-32.29	-80 to +20	PASS
NTNV	11AX20MIMO	total	5260	TPC L	0.5868	1	-41.32	-80 to +20	PASS
NTNV	11AX20MIMO	total	5280	TPC H	1.3666	2	-31.67	-80 to +20	PASS
NTNV	11AX20MIMO	total	5280	TPC L	0.5819	1	-41.81	-80 to +20	PASS
NTNV	11AX20MIMO	total	5320	TPC H	1.1706	2	-41.47	-80 to +20	PASS
NTNV	11AX20MIMO	total	5320	TPC L	0.5392	1	-46.08	-80 to +20	PASS
NTNV	11AX20MIMO	total	5500	TPC H	1.4683	2	-26.59	-50 to +50	PASS
NTNV	11AX20MIMO	total	5500	TPC L	0.6240	1	-37.60	-50 to +50	PASS
NTNV	11AX20MIMO	total	5580	TPC H	1.4119	2	-29.41	-50 to +50	PASS
NTNV	11AX20MIMO	total	5580	TPC L	0.6672	1	-33.28	-50 to +50	PASS
NTNV	11AX20MIMO	total	5700	TPC H	1.3390	2	-33.05	-50 to +50	PASS
NTNV	11AX20MIMO	total	5700	TPC L	0.5719	1	-42.81	-50 to +50	PASS
NTNV	11AX40MIMO	total	5190	NA	0.8046	1	-19.54	-80 to +20	PASS
NTNV	11AX40MIMO	total	5230	NA	0.8071	1	-19.29	-80 to +20	PASS
NTNV	11AX40MIMO	total	5270	TPC H	0.6505	1	-34.95	-80 to +20	PASS
NTNV	11AX40MIMO	total	5270	TPC L	0.3022	0.5	-39.56	-80 to +20	PASS
NTNV	11AX40MIMO	total	5310	TPC H	0.6903	1	-30.97	-80 to +20	PASS
NTNV	11AX40MIMO	total	5310	TPC L	0.2872	0.5	-42.56	-80 to +20	PASS
NTNV	11AX40MIMO	total	5510	TPC H	0.8234	1	-17.66	-50 to +50	PASS
NTNV	11AX40MIMO	total	5510	TPC L	0.3619	0.5	-27.62	-50 to +50	PASS
NTNV	11AX40MIMO	total	5670	TPC H	0.7730	1	-22.70	-50 to +50	PASS
NTNV	11AX40MIMO	total	5670	TPC L	0.3249	0.5	-35.02	-50 to +50	PASS
NTNV	11AX40MIMO	total	5710	TPC H	0.7378	1	-26.22	-50 to +50	PASS
NTNV	11AX40MIMO	total	5710	TPC L	0.3372	0.5	-32.56	-50 to +50	PASS
NTNV	11AX80MIMO	total	5210	NA	0.3923	0.5	-21.54	-80 to +20	PASS
NTNV	11AX80MIMO	total	5290	TPC H	0.3816	0.5	-23.68	-80 to +20	PASS
NTNV	11AX80MIMO	total	5290	TPC L	0.1563	0.25	-37.48	-80 to +20	PASS
NTNV	11AX80MIMO	total	5530	TPC H	0.4073	0.5	-18.54	-50 to +50	PASS
NTNV	11AX80MIMO	total	5530	TPC L	0.1727	0.25	-30.92	-50 to +50	PASS
NTNV	11AX80MIMO	total	5610	TPC H	0.3816	0.5	-23.68	-50 to +50	PASS
NTNV	11AX80MIMO	total	5610	TPC L	0.1653	0.25	-33.88	-50 to +50	PASS
NTNV	11AX80MIMO	total	5690	TPC H	0.3742	0.5	-25.16	-50 to +50	PASS
NTNV	11AX80MIMO	total	5690	TPC L	0.1684	0.25	-32.64	-50 to +50	PASS





NTNV-11A-Ant1-5180-PASS







NTNV-11A-Ant2-5180-PASS






NTNV-11A-Ant1-5200-PASS







NTNV-11A-Ant2-5200-PASS







NTNV-11A-Ant1-5240-PASS







NTNV-11A-Ant2-5240-PASS







NTNV-11A-Ant1-5260-TPC_H-PASS







NTNV-11A-Ant2-5260-TPC_H-PASS







NTNV-11A-Ant1-5260-TPC_L-PASS






NTNV-11A-Ant2-5260-TPC_L-PASS







NTNV-11A-Ant1-5280-TPC_H-PASS







NTNV-11A-Ant2-5280-TPC H-PASS







NTNV-11A-Ant1-5280-TPC_L-PASS







NTNV-11A-Ant2-5280-TPC_L-PASS






NTNV-11A-Ant1-5320-TPC_H-PASS







NTNV-11A-Ant2-5320-TPC_H-PASS







NTNV-11A-Ant1-5320-TPC_L-PASS







NTNV-11A-Ant2-5320-TPC_L-PASS







NTNV-11A-Ant1-5500-TPC_H-PASS







NTNV-11A-Ant2-5500-TPC_H-PASS







NTNV-11A-Ant1-5500-TPC_L-PASS







NTNV-11A-Ant2-5500-TPC_L-PASS







NTNV-11A-Ant1-5580-TPC_H-PASS







NTNV-11A-Ant2-5580-TPC_H-PASS







NTNV-11A-Ant1-5580-TPC_L-PASS







NTNV-11A-Ant2-5580-TPC_L-PASS






NTNV-11A-Ant1-5700-TPC_H-PASS







NTNV-11A-Ant2-5700-TPC_H-PASS







NTNV-11A-Ant1-5700-TPC_L-PASS







NTNV-11A-Ant2-5700-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5180-PASS







NTNV-11N20MIMO-Ant2-5180-PASS







NTNV-11N20MIMO-Ant1-5200-PASS






NTNV-11N20MIMO-Ant2-5200-PASS







NTNV-11N20MIMO-Ant1-5240-PASS







NTNV-11N20MIMO-Ant2-5240-PASS







NTNV-11N20MIMO-Ant1-5260-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5260-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5260-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5260-TPC_L-PASS





NTNV-11N20MIMO-Ant1-5280-TPC_H-PASS





NTNV-11N20MIMO-Ant2-5280-TPC_H-PASS

