




Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Appendix C: Maximum average conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	7.93	35.23	4.53	12.46	≤30.00	PASS
11A	Ant1	5200	8.29	35.23	4.53	12.82	≤30.00	PASS
11A	Ant1	5240	7.19	35.23	4.53	11.72	≤30.00	PASS
11A	Ant1	5260	7.61	35.23	4.53	12.14	≤23.98	PASS
11A	Ant1	5280	8.50	35.14	4.54	13.04	≤23.98	PASS
11A	Ant1	5320	7.50	35.23	4.53	12.03	≤23.98	PASS
11A	Ant1	5500	7.41	35.23	4.53	11.94	≤23.98	PASS
11A	Ant1	5580	7.51	35.23	4.53	12.04	≤23.98	PASS
11A	Ant1	5700	8.14	35.14	4.54	12.68	≤23.98	PASS
11A	Ant1	5745	7.71	35.23	4.53	12.24	≤30.00	PASS
11A	Ant1	5785	6.68	35.14	4.54	11.22	≤30.00	PASS
11A	Ant1	5825	7.76	35.14	4.54	12.30	≤30.00	PASS
11N20SISO	Ant1	5180	7.22	31.23	5.05	12.27	≤30.00	PASS
11N20SISO	Ant1	5200	7.45	31.42	5.03	12.48	≤30.00	PASS
11N20SISO	Ant1	5240	6.26	31.23	5.05	11.31	≤30.00	PASS
11N20SISO	Ant1	5260	6.80	31.51	5.02	11.82	≤23.98	PASS
11N20SISO	Ant1	5280	7.24	31.51	5.02	12.26	≤23.98	PASS
11N20SISO	Ant1	5320	6.73	31.42	5.03	11.76	≤23.98	PASS
11N20SISO	Ant1	5500	8.17	31.51	5.02	13.19	≤23.98	PASS
11N20SISO	Ant1	5580	7.64	31.42	5.03	12.67	≤23.98	PASS
11N20SISO	Ant1	5700	7.65	31.51	5.02	12.67	≤23.98	PASS
11N20SISO	Ant1	5745	7.37	31.23	5.05	12.42	≤30.00	PASS
11N20SISO	Ant1	5785	6.66	31.23	5.05	11.71	≤30.00	PASS
11N20SISO	Ant1	5825	7.59	31.23	5.05	12.64	≤30.00	PASS
11N40SISO	Ant1	5190	4.44	18.83	7.25	11.69	≤30.00	PASS
11N40SISO	Ant1	5230	3.43	18.51	7.33	10.76	≤30.00	PASS
11N40SISO	Ant1	5270	4.06	18.51	7.33	11.39	≤23.98	PASS
11N40SISO	Ant1	5310	3.50	18.57	7.31	10.81	≤23.98	PASS
11N40SISO	Ant1	5510	5.37	18.57	7.31	12.68	≤23.98	PASS
11N40SISO	Ant1	5550	5.67	18.51	7.33	13.00	≤23.98	PASS
11N40SISO	Ant1	5670	5.40	18.51	7.33	12.73	≤23.98	PASS
11N40SISO	Ant1	5755	5.13	18.57	7.31	12.44	≤30.00	PASS
11N40SISO	Ant1	5795	4.44	18.51	7.33	11.77	≤30.00	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AC20SISO	Ant1	5180	5.79	28.37	5.47	11.26	≤30.00	PASS
11AC20SISO	Ant1	5200	6.44	28.37	5.47	11.91	≤30.00	PASS
11AC20SISO	Ant1	5240	4.85	28.37	5.47	10.32	≤30.00	PASS
11AC20SISO	Ant1	5260	5.40	28.37	5.47	10.87	≤23.98	PASS
11AC20SISO	Ant1	5280	6.20	28.29	5.48	11.68	≤23.98	PASS
11AC20SISO	Ant1	5320	5.35	28.29	5.48	10.83	≤23.98	PASS
11AC20SISO	Ant1	5500	6.45	28.29	5.48	11.93	≤23.98	PASS
11AC20SISO	Ant1	5580	6.65	28.29	5.48	12.13	≤23.98	PASS
11AC20SISO	Ant1	5700	7.05	28.29	5.48	12.53	≤23.98	PASS
11AC20SISO	Ant1	5745	6.28	28.37	5.47	11.75	≤30.00	PASS
11AC20SISO	Ant1	5785	5.90	28.37	5.47	11.37	≤30.00	PASS
11AC20SISO	Ant1	5825	6.85	28.37	5.47	12.32	≤30.00	PASS
11AC40SISO	Ant1	5190	6.22	18.83	7.25	13.47	≤30.00	PASS
11AC40SISO	Ant1	5230	4.33	18.83	7.25	11.58	≤30.00	PASS
11AC40SISO	Ant1	5270	4.34	18.83	7.25	11.59	≤23.98	PASS
11AC40SISO	Ant1	5310	3.84	18.57	7.31	11.15	≤23.98	PASS
11AC40SISO	Ant1	5510	5.18	18.83	7.25	12.43	≤23.98	PASS
11AC40SISO	Ant1	5550	5.62	18.83	7.25	12.87	≤23.98	PASS
11AC40SISO	Ant1	5670	5.53	18.83	7.25	12.78	≤23.98	PASS
11AC40SISO	Ant1	5755	5.36	18.83	7.25	12.61	≤30.00	PASS
11AC40SISO	Ant1	5795	4.35	18.83	7.25	11.60	≤30.00	PASS
11AC80SISO	Ant1	5210	2.64	10.39	9.83	12.47	≤30.00	PASS
11AC80SISO	Ant1	5290	1.58	10.39	9.83	11.41	≤23.98	PASS
11AC80SISO	Ant1	5530	1.41	10.39	9.83	11.24	≤23.98	PASS
11AC80SISO	Ant1	5610	2.07	10.39	9.83	11.90	≤23.98	PASS
11AC80SISO	Ant1	5775	1.86	10.39	9.83	11.69	≤30.00	PASS
11AX20SISO	Ant1	5180	6.89	28.08	5.52	12.41	≤30.00	PASS
11AX20SISO	Ant1	5200	7.60	28.08	5.52	13.12	≤30.00	PASS
11AX20SISO	Ant1	5240	5.21	28.08	5.52	10.73	≤30.00	PASS
11AX20SISO	Ant1	5260	5.42	28.08	5.52	10.94	≤23.98	PASS
11AX20SISO	Ant1	5280	6.11	28.37	5.47	11.58	≤23.98	PASS
11AX20SISO	Ant1	5320	5.49	28.08	5.52	11.01	≤23.98	PASS
11AX20SISO	Ant1	5500	6.23	28.08	5.52	11.75	≤23.98	PASS
11AX20SISO	Ant1	5580	6.29	28.08	5.52	11.81	≤23.98	PASS
11AX20SISO	Ant1	5700	7.17	28.08	5.52	12.69	≤23.98	PASS
11AX20SISO	Ant1	5745	6.73	28.37	5.47	12.20	≤30.00	PASS
11AX20SISO	Ant1	5785	5.83	28.37	5.47	11.30	≤30.00	PASS
11AX20SISO	Ant1	5825	6.80	28.37	5.47	12.27	≤30.00	PASS
11AX40SISO	Ant1	5190	4.83	17.22	7.64	12.47	≤30.00	PASS
11AX40SISO	Ant1	5230	3.52	17.22	7.64	11.16	≤30.00	PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AX40SISO	Ant1	5270	3.16	17.22	7.64	10.80	≤23.98	PASS
11AX40SISO	Ant1	5310	3.47	17.22	7.64	11.11	≤23.98	PASS
11AX40SISO	Ant1	5510	4.43	17.22	7.64	12.07	≤23.98	PASS
11AX40SISO	Ant1	5550	4.66	17.16	7.65	12.31	≤23.98	PASS
11AX40SISO	Ant1	5670	5.01	17.22	7.64	12.65	≤23.98	PASS
11AX40SISO	Ant1	5755	4.44	17.16	7.65	12.09	≤30.00	PASS
11AX40SISO	Ant1	5795	4.88	17.22	7.64	12.52	≤30.00	PASS
11AX80SISO	Ant1	5210	2.38	10.07	9.97	12.35	≤30.00	PASS
11AX80SISO	Ant1	5290	1.23	10.07	9.97	11.20	≤23.98	PASS
11AX80SISO	Ant1	5530	0.77	10.07	9.97	10.74	≤23.98	PASS
11AX80SISO	Ant1	5610	1.41	10.07	9.97	11.38	≤23.98	PASS
11AX80SISO	Ant1	5775	1.27	10.07	9.97	11.24	≤30.00	PASS



Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	7.95	35.14	4.54	12.49	≤30.00	PASS
11A	Ant2	5200	7.83	35.14	4.54	12.37	≤30.00	PASS
11A	Ant2	5240	7.46	35.23	4.53	11.99	≤30.00	PASS
11A	Ant2	5260	7.96	35.23	4.53	12.49	≤23.98	PASS
11A	Ant2	5280	8.85	35.14	4.54	13.39	≤23.98	PASS
11A	Ant2	5320	6.15	35.14	4.54	10.69	≤23.98	PASS
11A	Ant2	5500	6.99	35.23	4.53	11.52	≤23.98	PASS
11A	Ant2	5580	8.41	35.23	4.53	12.94	≤23.98	PASS
11A	Ant2	5700	8.29	35.23	4.53	12.82	≤23.98	PASS
11A	Ant2	5745	8.22	35.14	4.54	12.76	≤30.00	PASS
11A	Ant2	5785	6.43	35.14	4.54	10.97	≤30.00	PASS
11A	Ant2	5825	7.04	35.14	4.54	11.58	≤30.00	PASS
11N20SISO	Ant2	5180	8.14	31.51	5.02	13.16	≤30.00	PASS
11N20SISO	Ant2	5200	8.34	31.51	5.02	13.36	≤30.00	PASS
11N20SISO	Ant2	5240	5.88	31.23	5.05	10.93	≤30.00	PASS
11N20SISO	Ant2	5260	5.26	31.23	5.05	10.31	≤23.98	PASS
11N20SISO	Ant2	5280	5.64	31.23	5.05	10.69	≤23.98	PASS
11N20SISO	Ant2	5320	5.60	31.51	5.02	10.62	≤23.98	PASS
11N20SISO	Ant2	5500	6.52	31.23	5.05	11.57	≤23.98	PASS
11N20SISO	Ant2	5580	7.48	31.23	5.05	12.53	≤23.98	PASS
11N20SISO	Ant2	5700	6.86	31.23	5.05	11.91	≤23.98	PASS
11N20SISO	Ant2	5745	6.00	31.23	5.05	11.05	≤30.00	PASS
11N20SISO	Ant2	5785	6.03	31.51	5.02	11.05	≤30.00	PASS
11N20SISO	Ant2	5825	5.72	31.51	5.02	10.74	≤30.00	PASS
11N40SISO	Ant2	5190	6.43	18.51	7.33	13.76	≤30.00	PASS
11N40SISO	Ant2	5230	3.99	18.51	7.33	11.32	≤30.00	PASS
11N40SISO	Ant2	5270	3.55	18.51	7.33	10.88	≤23.98	PASS
11N40SISO	Ant2	5310	2.14	18.57	7.31	9.45	≤23.98	PASS
11N40SISO	Ant2	5510	3.82	18.51	7.33	11.15	≤23.98	PASS
11N40SISO	Ant2	5550	4.15	18.51	7.33	11.48	≤23.98	PASS
11N40SISO	Ant2	5670	5.50	18.51	7.33	12.83	≤23.98	PASS
11N40SISO	Ant2	5755	3.74	18.51	7.33	11.07	≤30.00	PASS
11N40SISO	Ant2	5795	2.64	18.57	7.31	9.95	≤30.00	PASS
11AC20SISO	Ant2	5180	7.45	28.37	5.47	12.92	≤30.00	PASS
11AC20SISO	Ant2	5200	7.20	28.37	5.47	12.67	≤30.00	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AC20SISO	Ant2	5240	5.92	28.37	5.47	11.39	≤30.00	PASS
11AC20SISO	Ant2	5260	6.12	28.29	5.48	11.60	≤23.98	PASS
11AC20SISO	Ant2	5280	6.04	28.37	5.47	11.51	≤23.98	PASS
11AC20SISO	Ant2	5320	5.97	28.37	5.47	11.44	≤23.98	PASS
11AC20SISO	Ant2	5500	5.04	28.29	5.48	10.52	≤23.98	PASS
11AC20SISO	Ant2	5580	6.11	28.29	5.48	11.59	≤23.98	PASS
11AC20SISO	Ant2	5700	6.66	28.37	5.47	12.13	≤23.98	PASS
11AC20SISO	Ant2	5745	5.57	28.57	5.44	11.01	≤30.00	PASS
11AC20SISO	Ant2	5785	4.72	28.29	5.48	10.20	≤30.00	PASS
11AC20SISO	Ant2	5825	5.12	28.29	5.48	10.60	≤30.00	PASS
11AC40SISO	Ant2	5190	6.27	18.51	7.33	13.60	≤30.00	PASS
11AC40SISO	Ant2	5230	4.01	18.51	7.33	11.34	≤30.00	PASS
11AC40SISO	Ant2	5270	4.73	18.83	7.25	11.98	≤23.98	PASS
11AC40SISO	Ant2	5310	2.86	18.83	7.25	10.11	≤23.98	PASS
11AC40SISO	Ant2	5510	3.61	18.83	7.25	10.86	≤23.98	PASS
11AC40SISO	Ant2	5550	3.67	18.51	7.33	11.00	≤23.98	PASS
11AC40SISO	Ant2	5670	5.28	18.83	7.25	12.53	≤23.98	PASS
11AC40SISO	Ant2	5755	4.00	18.83	7.25	11.25	≤30.00	PASS
11AC40SISO	Ant2	5795	2.92	18.83	7.25	10.17	≤30.00	PASS
11AC80SISO	Ant2	5210	3.33	10.04	9.98	13.31	≤30.00	PASS
11AC80SISO	Ant2	5290	1.18	10.39	9.83	11.01	≤23.98	PASS
11AC80SISO	Ant2	5530	0.72	10.39	9.83	10.55	≤23.98	PASS
11AC80SISO	Ant2	5610	1.61	10.04	9.98	11.59	≤23.98	PASS
11AC80SISO	Ant2	5775	0.63	10.04	9.98	10.61	≤30.00	PASS
11AX20SISO	Ant2	5180	7.89	28.08	5.52	13.41	≤30.00	PASS
11AX20SISO	Ant2	5200	7.67	28.08	5.52	13.19	≤30.00	PASS
11AX20SISO	Ant2	5240	6.50	28.08	5.52	12.02	≤30.00	PASS
11AX20SISO	Ant2	5260	6.34	28.08	5.52	11.86	≤23.98	PASS
11AX20SISO	Ant2	5280	6.61	28.37	5.47	12.08	≤23.98	PASS
11AX20SISO	Ant2	5320	4.17	28.08	5.52	9.69	≤23.98	PASS
11AX20SISO	Ant2	5500	5.40	28.08	5.52	10.92	≤23.98	PASS
11AX20SISO	Ant2	5580	6.05	28.08	5.52	11.57	≤23.98	PASS
11AX20SISO	Ant2	5700	6.85	28.08	5.52	12.37	≤23.98	PASS
11AX20SISO	Ant2	5745	5.57	28.37	5.47	11.04	≤30.00	PASS
11AX20SISO	Ant2	5785	4.61	28.08	5.52	10.13	≤30.00	PASS
11AX20SISO	Ant2	5825	4.44	28.37	5.47	9.91	≤30.00	PASS
11AX40SISO	Ant2	5190	6.02	17.22	7.64	13.66	≤30.00	PASS
11AX40SISO	Ant2	5230	4.79	17.22	7.64	12.43	≤30.00	PASS
11AX40SISO	Ant2	5270	4.23	17.22	7.64	11.87	≤23.98	PASS
11AX40SISO	Ant2	5310	2.15	17.16	7.65	9.80	≤23.98	PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AX40SISO	Ant2	5510	3.21	17.22	7.64	10.85	≤23.98	PASS
11AX40SISO	Ant2	5550	3.55	17.22	7.64	11.19	≤23.98	PASS
11AX40SISO	Ant2	5670	5.04	17.22	7.64	12.68	≤23.98	PASS
11AX40SISO	Ant2	5755	3.97	17.16	7.65	11.62	≤30.00	PASS
11AX40SISO	Ant2	5795	2.41	17.22	7.64	10.05	≤30.00	PASS
11AX80SISO	Ant2	5210	3.81	10.07	9.97	13.78	≤30.00	PASS
11AX80SISO	Ant2	5290	0.85	10.07	9.97	10.82	≤23.98	PASS
11AX80SISO	Ant2	5530	1.01	10.07	9.97	10.98	≤23.98	PASS
11AX80SISO	Ant2	5610	2.38	10.07	9.97	12.35	≤23.98	PASS
11AX80SISO	Ant2	5775	0.39	10.07	9.97	10.36	≤30.00	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

MIMO

Test Mode	Frequency [MHz]	Ant 1 Result [dBm]	Ant 2 Result [dBm]	MIMO Result [dBm]	Limit [dBm]	Verdict
11N20SISO	5180	12.27	13.16	15.75	≤27.16	PASS
11N20SISO	5220	12.48	13.36	15.95	≤27.16	PASS
11N20SISO	5240	11.31	10.93	14.13	≤27.16	PASS
11N20SISO	5260	11.82	10.31	14.14	≤21.14	PASS
11N20SISO	5300	12.26	10.69	14.56	≤21.14	PASS
11N20SISO	5320	11.76	10.62	14.24	≤21.14	PASS
11N20SISO	5500	13.19	11.57	15.47	≤21.14	PASS
11N20SISO	5580	12.67	12.53	15.61	≤21.14	PASS
11N20SISO	5700	12.67	11.91	15.32	≤21.14	PASS
11N20SISO	5745	12.42	11.05	14.80	≤27.16	PASS
11N20SISO	5785	11.71	11.05	14.40	≤27.16	PASS
11N20SISO	5825	12.64	10.74	14.80	≤27.16	PASS
11N40SISO	5190	11.69	13.76	15.86	≤27.16	PASS
11N40SISO	5230	10.76	11.32	14.06	≤27.16	PASS
11N40SISO	5270	11.39	10.88	14.15	≤21.14	PASS
11N40SISO	5310	10.81	9.45	13.19	≤21.14	PASS
11N40SISO	5510	12.68	11.15	14.99	≤21.14	PASS
11N40SISO	5550	13.00	11.48	15.32	≤21.14	PASS
11N40SISO	5670	12.73	12.83	15.79	≤21.14	PASS
11N40SISO	5755	12.44	11.07	14.82	≤27.16	PASS
11N40SISO	5795	11.77	9.95	13.96	≤27.16	PASS
11AC20SISO	5180	11.26	12.92	15.18	≤27.16	PASS
11AC20SISO	5220	11.91	12.67	15.32	≤27.16	PASS
11AC20SISO	5240	10.32	11.39	13.90	≤27.16	PASS
11AC20SISO	5260	10.87	11.60	14.26	≤21.14	PASS
11AC20SISO	5300	11.68	11.51	14.61	≤21.14	PASS
11AC20SISO	5320	10.83	11.44	14.16	≤21.14	PASS
11AC20SISO	5500	11.93	10.52	14.29	≤21.14	PASS
11AC20SISO	5580	12.13	11.59	14.88	≤21.14	PASS
11AC20SISO	5700	12.53	12.13	15.34	≤21.14	PASS
11AC20SISO	5745	11.75	11.01	14.41	≤27.16	PASS
11AC20SISO	5785	11.37	10.20	13.83	≤27.16	PASS
11AC20SISO	5825	12.32	10.60	14.55	≤27.16	PASS
11AC40SISO	5190	13.47	13.60	16.55	≤27.16	PASS
11AC40SISO	5230	11.58	11.34	14.47	≤27.16	PASS
11AC40SISO	5270	11.59	11.98	14.80	≤21.14	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AC40SISO	5310	11.15	10.11	13.67	≤21.14	PASS
11AC40SISO	5510	12.43	10.86	14.73	≤21.14	PASS
11AC40SISO	5550	12.87	11.00	15.05	≤21.14	PASS
11AC40SISO	5670	12.78	12.53	15.67	≤21.14	PASS
11AC40SISO	5755	12.61	11.25	14.99	≤27.16	PASS
11AC40SISO	5795	11.60	10.17	13.95	≤27.16	PASS
11AC80SISO	5210	12.47	13.31	15.92	≤27.16	PASS
11AC80SISO	5290	11.41	11.01	14.22	≤21.14	PASS
11AC80SISO	5530	11.24	10.55	13.92	≤21.14	PASS
11AC80SISO	5610	11.90	11.59	14.76	≤21.14	PASS
11AC80SISO	5775	11.69	10.61	14.19	≤27.16	PASS
11AX20SISO	5180	12.41	13.41	15.95	≤27.16	PASS
11AX20SISO	5220	13.12	13.19	16.17	≤27.16	PASS
11AX20SISO	5240	10.73	12.02	14.43	≤27.16	PASS
11AX20SISO	5260	10.94	11.86	14.43	≤21.14	PASS
11AX20SISO	5300	11.58	12.08	14.85	≤21.14	PASS
11AX20SISO	5320	11.01	9.69	13.41	≤21.14	PASS
11AX20SISO	5500	11.75	10.92	14.37	≤21.14	PASS
11AX20SISO	5580	11.81	11.57	14.70	≤21.14	PASS
11AX20SISO	5700	12.69	12.37	15.54	≤21.14	PASS
11AX20SISO	5745	12.20	11.04	14.67	≤27.16	PASS
11AX20SISO	5785	11.30	10.13	13.76	≤27.16	PASS
11AX20SISO	5825	12.27	9.91	14.26	≤27.16	PASS
11AX40SISO	5190	12.47	13.66	16.12	≤27.16	PASS
11AX40SISO	5230	11.16	12.43	14.85	≤27.16	PASS
11AX40SISO	5270	10.80	11.87	14.38	≤21.14	PASS
11AX40SISO	5310	11.11	9.80	13.51	≤21.14	PASS
11AX40SISO	5510	12.07	10.85	14.51	≤21.14	PASS
11AX40SISO	5550	12.31	11.19	14.80	≤21.14	PASS
11AX40SISO	5670	12.65	12.68	15.68	≤21.14	PASS
11AX40SISO	5755	12.09	11.62	14.87	≤27.16	PASS
11AX40SISO	5795	12.52	10.05	14.47	≤27.16	PASS
11AX80SISO	5210	12.35	13.78	16.13	≤27.16	PASS
11AX80SISO	5290	11.20	10.82	14.02	≤21.14	PASS
11AX80SISO	5530	10.74	10.98	13.87	≤21.14	PASS
11AX80SISO	5610	11.38	12.35	14.90	≤21.14	PASS
11AX80SISO	5775	11.24	10.36	13.83	≤27.16	PASS

Remark: Directional gain is 8.84 dBi.



Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	1.77	≤11.00	PASS
11A	Ant1	5200	2.52	≤11.00	PASS
11A	Ant1	5240	0.98	≤11.00	PASS
11A	Ant1	5260	1.83	≤11.00	PASS
11A	Ant1	5280	2.07	≤11.00	PASS
11A	Ant1	5320	1.84	≤11.00	PASS
11A	Ant1	5500	1.21	≤11.00	PASS
11A	Ant1	5580	1.56	≤11.00	PASS
11A	Ant1	5700	2.08	≤11.00	PASS
11A	Ant1	5745	-0.92	≤30.00	PASS
11A	Ant1	5785	-2.23	≤30.00	PASS
11A	Ant1	5825	-1.35	≤30.00	PASS
11N20SISO	Ant1	5180	1.58	≤11.00	PASS
11N20SISO	Ant1	5200	1.93	≤11.00	PASS
11N20SISO	Ant1	5240	0.15	≤11.00	PASS
11N20SISO	Ant1	5260	1.24	≤11.00	PASS
11N20SISO	Ant1	5280	1.92	≤11.00	PASS
11N20SISO	Ant1	5320	1.29	≤11.00	PASS
11N20SISO	Ant1	5500	2.48	≤11.00	PASS
11N20SISO	Ant1	5580	2.24	≤11.00	PASS
11N20SISO	Ant1	5700	2.10	≤11.00	PASS
11N20SISO	Ant1	5745	-1.93	≤30.00	PASS
11N20SISO	Ant1	5785	-2.09	≤30.00	PASS
11N20SISO	Ant1	5825	-1.44	≤30.00	PASS
11N40SISO	Ant1	5190	-1.24	≤11.00	PASS
11N40SISO	Ant1	5230	-2.36	≤11.00	PASS
11N40SISO	Ant1	5270	-1.53	≤11.00	PASS
11N40SISO	Ant1	5310	-1.61	≤11.00	PASS
11N40SISO	Ant1	5510	-0.14	≤11.00	PASS
11N40SISO	Ant1	5550	-0.97	≤11.00	PASS
11N40SISO	Ant1	5670	1.50	≤11.00	PASS
11N40SISO	Ant1	5755	-1.33	≤30.00	PASS
11N40SISO	Ant1	5795	-3.77	≤30.00	PASS
11AC20SISO	Ant1	5180	0.91	≤11.00	PASS
11AC20SISO	Ant1	5200	-0.67	≤11.00	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AC20SISO	Ant1	5240	0.12	≤11.00	PASS
11AC20SISO	Ant1	5260	0.35	≤11.00	PASS
11AC20SISO	Ant1	5280	1.31	≤11.00	PASS
11AC20SISO	Ant1	5320	-0.03	≤11.00	PASS
11AC20SISO	Ant1	5500	1.79	≤11.00	PASS
11AC20SISO	Ant1	5580	1.81	≤11.00	PASS
11AC20SISO	Ant1	5700	1.79	≤11.00	PASS
11AC20SISO	Ant1	5745	-1.34	≤30.00	PASS
11AC20SISO	Ant1	5785	-2.86	≤30.00	PASS
11AC20SISO	Ant1	5825	0.04	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.61	≤11.00	PASS
11AC40SISO	Ant1	5230	-1.27	≤11.00	PASS
11AC40SISO	Ant1	5270	-1.63	≤11.00	PASS
11AC40SISO	Ant1	5310	-3.79	≤11.00	PASS
11AC40SISO	Ant1	5510	-1.26	≤11.00	PASS
11AC40SISO	Ant1	5550	-0.42	≤11.00	PASS
11AC40SISO	Ant1	5670	0.49	≤11.00	PASS
11AC40SISO	Ant1	5755	-3.46	≤30.00	PASS
11AC40SISO	Ant1	5795	-4.67	≤30.00	PASS
11AC80SISO	Ant1	5210	-4.22	≤11.00	PASS
11AC80SISO	Ant1	5290	-3.85	≤11.00	PASS
11AC80SISO	Ant1	5530	-3.95	≤11.00	PASS
11AC80SISO	Ant1	5610	-4.40	≤11.00	PASS
11AC80SISO	Ant1	5775	-5.98	≤30.00	PASS
11AX20SISO	Ant1	5180	2.11	≤11.00	PASS
11AX20SISO	Ant1	5200	3.10	≤11.00	PASS
11AX20SISO	Ant1	5240	-0.41	≤11.00	PASS
11AX20SISO	Ant1	5260	2.35	≤11.00	PASS
11AX20SISO	Ant1	5280	1.23	≤11.00	PASS
11AX20SISO	Ant1	5320	1.33	≤11.00	PASS
11AX20SISO	Ant1	5500	1.30	≤11.00	PASS
11AX20SISO	Ant1	5580	0.86	≤11.00	PASS
11AX20SISO	Ant1	5700	1.49	≤11.00	PASS
11AX20SISO	Ant1	5745	-0.76	≤30.00	PASS
11AX20SISO	Ant1	5785	-1.51	≤30.00	PASS
11AX20SISO	Ant1	5825	0.55	≤30.00	PASS
11AX40SISO	Ant1	5190	-0.46	≤11.00	PASS
11AX40SISO	Ant1	5230	-1.68	≤11.00	PASS
11AX40SISO	Ant1	5270	-3.11	≤11.00	PASS
11AX40SISO	Ant1	5310	-4.10	≤11.00	PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AX40SISO	Ant1	5510	-2.27	≤11.00	PASS
11AX40SISO	Ant1	5550	0.07	≤11.00	PASS
11AX40SISO	Ant1	5670	0.13	≤11.00	PASS
11AX40SISO	Ant1	5755	-2.74	≤30.00	PASS
11AX40SISO	Ant1	5795	-2.96	≤30.00	PASS
11AX80SISO	Ant1	5210	-4.68	≤11.00	PASS
11AX80SISO	Ant1	5290	-3.01	≤11.00	PASS
11AX80SISO	Ant1	5530	-3.72	≤11.00	PASS
11AX80SISO	Ant1	5610	-4.96	≤11.00	PASS
11AX80SISO	Ant1	5775	-7.01	≤30.00	PASS


Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

Test Graphs






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02







Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China


FCCID:2A22E-R-W6X18A

GRCTR250902029-02





GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02







Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





GRCTR250902029-02




11AC40SISO-Ant1-5670-PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant2	5180	1.63	≤11.00	PASS
11A	Ant2	5200	1.93	≤11.00	PASS
11A	Ant2	5240	1.25	≤11.00	PASS
11A	Ant2	5260	1.57	≤11.00	PASS
11A	Ant2	5280	2.30	≤11.00	PASS
11A	Ant2	5320	0.16	≤11.00	PASS
11A	Ant2	5500	1.07	≤11.00	PASS
11A	Ant2	5580	2.28	≤11.00	PASS
11A	Ant2	5700	2.83	≤11.00	PASS
11A	Ant2	5745	-1.55	≤30.00	PASS
11A	Ant2	5785	-2.55	≤30.00	PASS
11A	Ant2	5825	-1.40	≤30.00	PASS
11N20SISO	Ant2	5180	2.74	≤11.00	PASS
11N20SISO	Ant2	5200	2.53	≤11.00	PASS
11N20SISO	Ant2	5240	-0.04	≤11.00	PASS
11N20SISO	Ant2	5260	-0.10	≤11.00	PASS
11N20SISO	Ant2	5280	0.11	≤11.00	PASS
11N20SISO	Ant2	5320	-0.52	≤11.00	PASS
11N20SISO	Ant2	5500	0.70	≤11.00	PASS
11N20SISO	Ant2	5580	2.18	≤11.00	PASS
11N20SISO	Ant2	5700	2.08	≤11.00	PASS
11N20SISO	Ant2	5745	-2.47	≤30.00	PASS
11N20SISO	Ant2	5785	-2.89	≤30.00	PASS
11N20SISO	Ant2	5825	-2.85	≤30.00	PASS
11N40SISO	Ant2	5190	0.62	≤11.00	PASS
11N40SISO	Ant2	5230	-0.97	≤11.00	PASS
11N40SISO	Ant2	5270	-1.54	≤11.00	PASS
11N40SISO	Ant2	5310	-5.01	≤11.00	PASS
11N40SISO	Ant2	5510	-2.54	≤11.00	PASS
11N40SISO	Ant2	5550	-1.49	≤11.00	PASS
11N40SISO	Ant2	5670	-1.24	≤11.00	PASS
11N40SISO	Ant2	5755	-5.69	≤30.00	PASS
11N40SISO	Ant2	5795	-5.57	≤30.00	PASS
11AC20SISO	Ant2	5180	2.06	≤11.00	PASS
11AC20SISO	Ant2	5200	2.02	≤11.00	PASS
11AC20SISO	Ant2	5240	1.13	≤11.00	PASS
11AC20SISO	Ant2	5260	1.43	≤11.00	PASS



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AC20SISO	Ant2	5280	1.13	≤11.00	PASS
11AC20SISO	Ant2	5320	0.10	≤11.00	PASS
11AC20SISO	Ant2	5500	-0.90	≤11.00	PASS
11AC20SISO	Ant2	5580	0.96	≤11.00	PASS
11AC20SISO	Ant2	5700	2.26	≤11.00	PASS
11AC20SISO	Ant2	5745	-3.35	≤30.00	PASS
11AC20SISO	Ant2	5785	-2.97	≤30.00	PASS
11AC20SISO	Ant2	5825	-1.90	≤30.00	PASS
11AC40SISO	Ant2	5190	-0.61	≤11.00	PASS
11AC40SISO	Ant2	5230	-1.22	≤11.00	PASS
11AC40SISO	Ant2	5270	-0.43	≤11.00	PASS
11AC40SISO	Ant2	5310	-3.03	≤11.00	PASS
11AC40SISO	Ant2	5510	-2.18	≤11.00	PASS
11AC40SISO	Ant2	5550	-1.40	≤11.00	PASS
11AC40SISO	Ant2	5670	-1.42	≤11.00	PASS
11AC40SISO	Ant2	5755	-3.66	≤30.00	PASS
11AC40SISO	Ant2	5795	-6.20	≤30.00	PASS
11AC80SISO	Ant2	5210	-1.83	≤11.00	PASS
11AC80SISO	Ant2	5290	-4.48	≤11.00	PASS
11AC80SISO	Ant2	5530	-4.62	≤11.00	PASS
11AC80SISO	Ant2	5610	-3.46	≤11.00	PASS
11AC80SISO	Ant2	5775	-7.27	≤30.00	PASS
11AX20SISO	Ant2	5180	2.12	≤11.00	PASS
11AX20SISO	Ant2	5200	2.14	≤11.00	PASS
11AX20SISO	Ant2	5240	1.95	≤11.00	PASS
11AX20SISO	Ant2	5260	1.90	≤11.00	PASS
11AX20SISO	Ant2	5280	1.39	≤11.00	PASS
11AX20SISO	Ant2	5320	-1.46	≤11.00	PASS
11AX20SISO	Ant2	5500	0.47	≤11.00	PASS
11AX20SISO	Ant2	5580	1.98	≤11.00	PASS
11AX20SISO	Ant2	5700	0.64	≤11.00	PASS
11AX20SISO	Ant2	5745	-3.34	≤30.00	PASS
11AX20SISO	Ant2	5785	-2.81	≤30.00	PASS
11AX20SISO	Ant2	5825	-3.90	≤30.00	PASS
11AX40SISO	Ant2	5190	-0.50	≤11.00	PASS
11AX40SISO	Ant2	5230	0.38	≤11.00	PASS
11AX40SISO	Ant2	5270	-0.46	≤11.00	PASS
11AX40SISO	Ant2	5310	-4.14	≤11.00	PASS
11AX40SISO	Ant2	5510	-2.63	≤11.00	PASS
11AX40SISO	Ant2	5550	-2.60	≤11.00	PASS



Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02

11AX40SISO	Ant2	5670	-0.62	≤11.00	PASS
11AX40SISO	Ant2	5755	-4.30	≤30.00	PASS
11AX40SISO	Ant2	5795	-5.77	≤30.00	PASS
11AX80SISO	Ant2	5210	-2.12	≤11.00	PASS
11AX80SISO	Ant2	5290	-5.16	≤11.00	PASS
11AX80SISO	Ant2	5530	-4.77	≤11.00	PASS
11AX80SISO	Ant2	5610	-5.09	≤11.00	PASS
11AX80SISO	Ant2	5775	-7.45	≤30.00	PASS


Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.



FCCID:2A22E-R-W6X18A

GRCTR250902029-02

Test Graphs






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02






Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02





Shenzhen GUOREN Certification Technology Service Co., Ltd.
101#, Building K & Building T, The Second Industrial Zone, Jiazitang
Community, Fenghuang Street, Guangming District, Shenzhen, China

FCCID:2A22E-R-W6X18A

GRCTR250902029-02

