





802.11g LOW CHANNEL CARRIER LEVEL




802.11g LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz 802.11g LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11g MIDDLE CHANNEL CARRIER LEVEL




802.11g MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11g MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11g HIGH CHANNEL CARRIER LEVEL






802.11g HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11g HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL






802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-40 MHz LOW CHANNEL CARRIER LEVEL

802.11n-40 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-40 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-40 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-40 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-40 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-40 MHz HIGH CHANNEL CARRIER LEVEL







802.11n-40 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-40 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) LOW CHANNEL CARRIER LEVEL

802.11ax-20 MHz(SU) LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11ax-20 MHz(SU) LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz802.11ax-20 MHz(SU) MIDDLE CHANNEL CARRIER
LEVEL


802.11ax-20 MHz(SU) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) HIGH CHANNEL CARRIER LEVEL







802.11ax-20 MHz(SU) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) LOW CHANNEL CARRIER LEVEL

802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz802.11ax-40 MHz(SU) MIDDLE CHANNEL CARRIER
LEVEL


802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) HIGH CHANNEL CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11ax-40 MHz(SU) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note ¹: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-30.52	12.25	-7.75	Pass
High Channel	-46.33	12.78	-7.22	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-21.08	7.75	-12.25	Pass
High Channel	-30.23	8.47	-11.53	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-22.47	8.14	-11.86	Pass
High Channel	-30.03	8.22	-11.78	Pass

802.11n-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-26.10	4.74	-15.26	Pass
High Channel	-30.86	4.54	-15.46	Pass

802.11ax-20 MHz(SU) Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-16.23	9.98	-10.02	Pass
High Channel	-27.03	9.86	-10.14	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-24.98	4.93	-15.07	Pass
High Channel	-28.07	4.67	-15.33	Pass

Test Plots

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE




802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-40 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE




802.11ax-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) LOW CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions

Note: Not applicable.

A.6 Radiated Emission

Note¹: The symbol of “--” in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	80.634	15.44	-30.49	40.0	24.56	Peak	166.30	100	Horizontal	Pass
2	143.538	23.43	-28.66	43.5	20.07	Peak	229.90	100	Horizontal	Pass
3	222.594	26.52	-23.99	46.0	19.48	Peak	20.40	100	Horizontal	Pass
4	254.700	27.78	-22.65	46.0	18.22	Peak	191.20	100	Horizontal	Pass
5	883.843	32.96	-6.17	46.0	13.04	Peak	0.00	100	Horizontal	Pass
6	988.554	34.05	-4.53	54.0	19.95	Peak	236.50	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	41.010	24.05	-25.22	40.0	15.95	Peak	300.30	100	Vertical	Pass
2	55.850	27.29	-24.54	40.0	12.71	Peak	252.70	100	Vertical	Pass
3	78.985	22.88	-30.62	40.0	17.12	Peak	182.00	100	Vertical	Pass
4	142.568	24.54	-28.66	43.5	18.96	Peak	234.00	100	Vertical	Pass
5	256.252	23.67	-22.58	46.0	22.33	Peak	227.30	100	Vertical	Pass
6	963.140	34.52	-5.04	54.0	19.48	Peak	247.20	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note²: The spurious above 18G is noise only, do not show on the report.

Note³: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note⁴: The RSE Plot only shows the worst-case scenario, while all other data are presented in tabular form.

1 GHz to 18 GHz, ANT H 802.11b Low Channel


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.790	41.73	74.0	32.27	Peak	199.00	300	Horizontal	Pass
1**	1476.790	31.78	54.0	22.22	AV	199.00	300	Horizontal	Pass
2	3948.051	47.39	74.0	26.61	Peak	131.00	300	Horizontal	Pass
2**	3948.051	38.41	54.0	15.60	AV	131.00	300	Horizontal	Pass
3	4968.265	49.27	74.0	24.73	Peak	118.00	200	Horizontal	Pass
3**	4968.265	39.92	54.0	14.08	AV	118.00	200	Horizontal	Pass
4	7549.064	45.55	74.0	28.45	Peak	108.00	100	Horizontal	Pass
4**	7549.064	36.91	54.0	17.09	AV	108.00	100	Horizontal	Pass
5	12464.446	47.56	74.0	26.44	Peak	102.00	300	Horizontal	Pass
5**	12464.446	38.88	54.0	15.12	AV	102.00	300	Horizontal	Pass
6	15808.319	50.97	74.0	23.03	Peak	294.00	200	Horizontal	Pass
6**	15808.319	42.73	54.0	11.27	AV	294.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.849	41.68	74.0	32.32	Peak	88.00	400	Vertical	Pass
1**	1464.849	32.42	54.0	21.58	AV	88.00	400	Vertical	Pass
2	3872.128	46.59	74.0	27.42	Peak	278.00	200	Vertical	Pass
2**	3872.128	36.39	54.0	17.61	AV	278.00	200	Vertical	Pass
3	4530.263	49.05	74.0	24.95	Peak	333.00	200	Vertical	Pass
3**	4530.263	38.70	54.0	15.30	AV	333.00	200	Vertical	Pass
4	7558.663	46.22	74.0	27.78	Peak	105.00	100	Vertical	Pass
4**	7558.663	36.67	54.0	17.33	AV	105.00	100	Vertical	Pass
5	11721.951	47.76	74.0	26.24	Peak	182.00	100	Vertical	Pass
5**	11721.951	38.08	54.0	15.92	AV	182.00	100	Vertical	Pass
6	15808.099	51.09	74.0	22.91	Peak	66.00	200	Vertical	Pass
6**	15808.099	41.91	54.0	12.09	AV	66.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.946	41.08	74.0	32.92	Peak	123.00	400	Horizontal	Pass
1**	1471.946	31.53	54.0	22.47	AV	123.00	400	Horizontal	Pass
2	3948.571	47.35	74.0	26.65	Peak	265.00	100	Horizontal	Pass
2**	3948.571	38.14	54.0	15.87	AV	265.00	100	Horizontal	Pass
3	4964.876	48.50	74.0	25.50	Peak	174.00	200	Horizontal	Pass
3**	4964.876	39.22	54.0	14.78	AV	174.00	200	Horizontal	Pass
4	7550.221	44.89	74.0	29.11	Peak	352.00	200	Horizontal	Pass
4**	7550.221	36.86	54.0	17.14	AV	352.00	200	Horizontal	Pass
5	12468.666	47.40	74.0	26.60	Peak	72.00	400	Horizontal	Pass
5**	12468.666	37.98	54.0	16.02	AV	72.00	400	Horizontal	Pass
6	15804.535	50.41	74.0	23.59	Peak	89.00	200	Horizontal	Pass
6**	15804.535	41.21	54.0	12.79	AV	89.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.660	40.78	74.0	33.22	Peak	107.00	300	Vertical	Pass
1**	1459.660	32.23	54.0	21.77	AV	107.00	300	Vertical	Pass
2	3871.838	45.69	74.0	28.32	Peak	262.00	300	Vertical	Pass
2**	3871.838	35.71	54.0	18.29	AV	262.00	300	Vertical	Pass
3	4525.274	48.44	74.0	25.56	Peak	28.00	200	Vertical	Pass
3**	4525.274	38.66	54.0	15.34	AV	28.00	200	Vertical	Pass
4	7550.988	45.99	74.0	28.01	Peak	292.00	200	Vertical	Pass
4**	7550.988	36.50	54.0	17.50	AV	292.00	200	Vertical	Pass
5	11725.305	46.98	74.0	27.02	Peak	121.00	400	Vertical	Pass
5**	11725.305	37.46	54.0	16.54	AV	121.00	400	Vertical	Pass
6	15807.767	50.53	74.0	23.47	Peak	155.00	400	Vertical	Pass
6**	15807.767	41.69	54.0	12.31	AV	155.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.195	41.71	74.0	32.29	Peak	231.00	100	Horizontal	Pass
1**	1475.195	31.54	54.0	22.46	AV	231.00	100	Horizontal	Pass
2	3942.063	47.36	74.0	26.64	Peak	114.00	100	Horizontal	Pass
2**	3942.063	37.90	54.0	16.11	AV	114.00	100	Horizontal	Pass
3	4964.713	49.24	74.0	24.76	Peak	311.00	200	Horizontal	Pass
3**	4964.713	39.72	54.0	14.28	AV	311.00	200	Horizontal	Pass
4	7554.440	45.30	74.0	28.70	Peak	98.00	300	Horizontal	Pass
4**	7554.440	36.54	54.0	17.46	AV	98.00	300	Horizontal	Pass
5	12467.596	47.03	74.0	26.97	Peak	357.00	300	Horizontal	Pass
5**	12467.596	38.48	54.0	15.52	AV	357.00	300	Horizontal	Pass
6	15801.710	50.54	74.0	23.46	Peak	105.00	100	Horizontal	Pass
6**	15801.710	41.69	54.0	12.31	AV	105.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.417	41.16	74.0	32.84	Peak	158.00	300	Vertical	Pass
1**	1458.417	31.63	54.0	22.37	AV	158.00	300	Vertical	Pass
2	3876.721	45.70	74.0	28.31	Peak	280.00	100	Vertical	Pass
2**	3876.721	35.47	54.0	18.53	AV	280.00	100	Vertical	Pass
3	4531.532	49.02	74.0	24.98	Peak	85.00	200	Vertical	Pass
3**	4531.532	38.59	54.0	15.41	AV	85.00	200	Vertical	Pass
4	7551.858	46.16	74.0	27.84	Peak	159.00	200	Vertical	Pass
4**	7551.858	36.63	54.0	17.37	AV	159.00	200	Vertical	Pass
5	11725.354	47.36	74.0	26.64	Peak	117.00	400	Vertical	Pass
5**	11725.354	37.29	54.0	16.71	AV	117.00	400	Vertical	Pass
6	15803.098	50.77	74.0	23.23	Peak	168.00	400	Vertical	Pass
6**	15803.098	41.69	54.0	12.31	AV	168.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.114	40.85	74.0	33.15	Peak	261.00	100	Horizontal	Pass
1**	1475.114	31.39	54.0	22.61	AV	261.00	100	Horizontal	Pass
2	3948.255	47.01	74.0	26.99	Peak	347.00	100	Horizontal	Pass
2**	3948.255	38.03	54.0	15.98	AV	347.00	100	Horizontal	Pass
3	4968.054	48.50	74.0	25.50	Peak	259.00	200	Horizontal	Pass
3**	4968.054	39.58	54.0	14.42	AV	259.00	200	Horizontal	Pass
4	7556.412	45.54	74.0	28.46	Peak	117.00	100	Horizontal	Pass
4**	7556.412	36.70	54.0	17.30	AV	117.00	100	Horizontal	Pass
5	12468.999	47.49	74.0	26.51	Peak	282.00	200	Horizontal	Pass
5**	12468.999	38.53	54.0	15.47	AV	282.00	200	Horizontal	Pass
6	15802.742	50.34	74.0	23.66	Peak	94.00	100	Horizontal	Pass
6**	15802.742	41.84	54.0	12.16	AV	94.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.313	40.14	74.0	33.86	Peak	275.00	400	Vertical	Pass
1**	1457.313	31.59	54.0	22.41	AV	275.00	400	Vertical	Pass
2	3871.586	45.13	74.0	28.88	Peak	232.00	300	Vertical	Pass
2**	3871.586	34.96	54.0	19.04	AV	232.00	300	Vertical	Pass
3	4531.411	48.26	74.0	25.74	Peak	130.00	200	Vertical	Pass
3**	4531.411	38.36	54.0	15.64	AV	130.00	200	Vertical	Pass
4	7551.609	45.28	74.0	28.72	Peak	71.00	100	Vertical	Pass
4**	7551.609	35.55	54.0	18.45	AV	71.00	100	Vertical	Pass
5	11723.723	46.42	74.0	27.58	Peak	234.00	300	Vertical	Pass
5**	11723.723	36.49	54.0	17.51	AV	234.00	300	Vertical	Pass
6	15805.882	50.29	74.0	23.71	Peak	26.00	300	Vertical	Pass
6**	15805.882	41.44	54.0	12.56	AV	26.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.499	40.96	74.0	33.04	Peak	180.00	400	Horizontal	Pass
1**	1475.499	31.14	54.0	22.86	AV	180.00	400	Horizontal	Pass
2	3942.278	46.78	74.0	27.22	Peak	207.00	300	Horizontal	Pass
2**	3942.278	37.23	54.0	16.78	AV	207.00	300	Horizontal	Pass
3	4967.833	47.68	74.0	26.32	Peak	31.00	200	Horizontal	Pass
3**	4967.833	38.25	54.0	15.75	AV	31.00	200	Horizontal	Pass
4	7554.690	44.64	74.0	29.36	Peak	341.00	200	Horizontal	Pass
4**	7554.690	35.94	54.0	18.06	AV	341.00	200	Horizontal	Pass
5	12467.400	47.29	74.0	26.71	Peak	56.00	100	Horizontal	Pass
5**	12467.400	37.65	54.0	16.35	AV	56.00	100	Horizontal	Pass
6	15804.024	49.42	74.0	24.58	Peak	164.00	200	Horizontal	Pass
6**	15804.024	41.45	54.0	12.55	AV	164.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.898	40.25	74.0	33.75	Peak	56.00	300	Vertical	Pass
1**	1464.898	31.57	54.0	22.43	AV	56.00	300	Vertical	Pass
2	3874.207	45.03	74.0	28.98	Peak	18.00	200	Vertical	Pass
2**	3874.207	34.63	54.0	19.37	AV	18.00	200	Vertical	Pass
3	4532.577	48.80	74.0	25.20	Peak	68.00	200	Vertical	Pass
3**	4532.577	38.02	54.0	15.98	AV	68.00	200	Vertical	Pass
4	7554.390	45.59	74.0	28.41	Peak	166.00	300	Vertical	Pass
4**	7554.390	35.93	54.0	18.07	AV	166.00	300	Vertical	Pass
5	11722.056	46.42	74.0	27.58	Peak	127.00	400	Vertical	Pass
5**	11722.056	36.93	54.0	17.07	AV	127.00	400	Vertical	Pass
6	15805.914	50.43	74.0	23.57	Peak	245.00	400	Vertical	Pass
6**	15805.914	41.31	54.0	12.69	AV	245.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.611	40.86	74.0	33.14	Peak	278.00	400	Horizontal	Pass
1**	1471.611	31.21	54.0	22.79	AV	278.00	400	Horizontal	Pass
2	3946.996	46.52	74.0	27.48	Peak	163.00	300	Horizontal	Pass
2**	3946.996	37.55	54.0	16.46	AV	163.00	300	Horizontal	Pass
3	4963.974	48.77	74.0	25.23	Peak	62.00	200	Horizontal	Pass
3**	4963.974	38.78	54.0	15.22	AV	62.00	200	Horizontal	Pass
4	7550.455	44.90	74.0	29.10	Peak	83.00	300	Horizontal	Pass
4**	7550.455	35.91	54.0	18.09	AV	83.00	300	Horizontal	Pass
5	12467.199	46.61	74.0	27.39	Peak	308.00	300	Horizontal	Pass
5**	12467.199	37.57	54.0	16.43	AV	308.00	300	Horizontal	Pass
6	15803.349	49.62	74.0	24.38	Peak	25.00	400	Horizontal	Pass
6**	15803.349	41.65	54.0	12.35	AV	25.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.946	40.07	74.0	33.93	Peak	234.00	100	Vertical	Pass
1**	1459.946	31.50	54.0	22.50	AV	234.00	100	Vertical	Pass
2	3875.972	45.11	74.0	28.89	Peak	172.00	300	Vertical	Pass
2**	3875.972	34.91	54.0	19.09	AV	172.00	300	Vertical	Pass
3	4525.109	48.17	74.0	25.83	Peak	129.00	200	Vertical	Pass
3**	4525.109	38.27	54.0	15.73	AV	129.00	200	Vertical	Pass
4	7552.053	45.19	74.0	28.81	Peak	241.00	200	Vertical	Pass
4**	7552.053	35.50	54.0	18.50	AV	241.00	200	Vertical	Pass
5	11722.907	46.32	74.0	27.68	Peak	253.00	300	Vertical	Pass
5**	11722.907	36.43	54.0	17.57	AV	253.00	300	Vertical	Pass
6	15809.029	50.25	74.0	23.76	Peak	266.00	100	Vertical	Pass
6**	15809.029	41.40	54.0	12.60	AV	266.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.989	40.83	74.0	33.17	Peak	122.00	200	Horizontal	Pass
1**	1472.989	31.31	54.0	22.69	AV	122.00	200	Horizontal	Pass
2	3944.901	47.01	74.0	27.00	Peak	151.00	200	Horizontal	Pass
2**	3944.901	37.95	54.0	16.06	AV	151.00	200	Horizontal	Pass
3	4967.549	48.44	74.0	25.56	Peak	139.00	200	Horizontal	Pass
3**	4967.549	39.49	54.0	14.52	AV	139.00	200	Horizontal	Pass
4	7552.838	45.54	74.0	28.46	Peak	249.00	100	Horizontal	Pass
4**	7552.838	36.64	54.0	17.36	AV	249.00	100	Horizontal	Pass
5	12468.057	47.42	74.0	26.58	Peak	244.00	400	Horizontal	Pass
5**	12468.057	38.46	54.0	15.54	AV	244.00	400	Horizontal	Pass
6	15801.034	50.25	74.0	23.75	Peak	244.00	400	Horizontal	Pass
6**	15801.034	41.78	54.0	12.22	AV	244.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.976	40.24	74.0	33.76	Peak	163.00	100	Vertical	Pass
1**	1457.976	31.50	54.0	22.50	AV	163.00	100	Vertical	Pass
2	3878.307	45.00	74.0	29.00	Peak	186.00	300	Vertical	Pass
2**	3878.307	34.56	54.0	19.44	AV	186.00	300	Vertical	Pass
3	4529.089	48.71	74.0	25.29	Peak	351.00	200	Vertical	Pass
3**	4529.089	37.94	54.0	16.06	AV	351.00	200	Vertical	Pass
4	7557.328	45.54	74.0	28.46	Peak	216.00	100	Vertical	Pass
4**	7557.328	35.87	54.0	18.13	AV	216.00	100	Vertical	Pass
5	11719.637	46.39	74.0	27.61	Peak	170.00	400	Vertical	Pass
5**	11719.637	36.87	54.0	17.13	AV	170.00	400	Vertical	Pass
6	15804.898	50.40	74.0	23.60	Peak	110.00	100	Vertical	Pass
6**	15804.898	41.29	54.0	12.71	AV	110.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.102	41.67	74.0	32.33	Peak	31.00	400	Horizontal	Pass
1**	1475.102	31.73	54.0	22.27	AV	31.00	400	Horizontal	Pass
2	3941.023	47.35	74.0	26.65	Peak	287.00	200	Horizontal	Pass
2**	3941.023	38.36	54.0	15.64	AV	287.00	200	Horizontal	Pass
3	4964.367	49.23	74.0	24.77	Peak	275.00	200	Horizontal	Pass
3**	4964.367	39.91	54.0	14.09	AV	275.00	200	Horizontal	Pass
4	7553.329	45.51	74.0	28.49	Peak	42.00	400	Horizontal	Pass
4**	7553.329	36.81	54.0	17.19	AV	42.00	400	Horizontal	Pass
5	12469.962	47.52	74.0	26.48	Peak	330.00	300	Horizontal	Pass
5**	12469.962	38.85	54.0	15.15	AV	330.00	300	Horizontal	Pass
6	15803.030	50.95	74.0	23.05	Peak	140.00	300	Horizontal	Pass
6**	15803.030	41.72	54.0	12.28	AV	140.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.433	39.08	74.0	34.92	Peak	318.00	400	Vertical	Pass
1**	1457.433	30.97	54.0	23.03	AV	318.00	400	Vertical	Pass
2	3871.081	44.83	74.0	29.17	Peak	44.00	400	Vertical	Pass
2**	3871.081	34.78	54.0	19.22	AV	44.00	400	Vertical	Pass
3	4526.539	47.92	74.0	26.08	Peak	56.00	200	Vertical	Pass
3**	4526.539	38.11	54.0	15.89	AV	56.00	200	Vertical	Pass
4	7554.705	44.49	74.0	29.51	Peak	18.00	200	Vertical	Pass
4**	7554.705	35.20	54.0	18.80	AV	18.00	200	Vertical	Pass
5	11725.548	45.42	74.0	28.58	Peak	310.00	100	Vertical	Pass
5**	11725.548	35.63	54.0	18.37	AV	310.00	100	Vertical	Pass
6	15807.981	49.27	74.0	24.74	Peak	352.00	200	Vertical	Pass
6**	15807.981	41.11	54.0	12.89	AV	352.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.119	41.71	74.0	32.29	Peak	164.00	200	Horizontal	Pass
1**	1472.119	31.77	54.0	22.23	AV	164.00	200	Horizontal	Pass
2	3948.568	47.36	74.0	26.64	Peak	101.00	100	Horizontal	Pass
2**	3948.568	38.34	54.0	15.66	AV	101.00	100	Horizontal	Pass
3	4968.233	49.17	74.0	24.83	Peak	115.00	200	Horizontal	Pass
3**	4968.233	39.91	54.0	14.09	AV	115.00	200	Horizontal	Pass
4	7552.851	45.47	74.0	28.53	Peak	114.00	300	Horizontal	Pass
4**	7552.851	36.90	54.0	17.10	AV	114.00	300	Horizontal	Pass
5	12468.595	47.55	74.0	26.45	Peak	118.00	400	Horizontal	Pass
5**	12468.595	38.82	54.0	15.18	AV	118.00	400	Horizontal	Pass
6	15800.818	50.90	74.0	23.10	Peak	333.00	100	Horizontal	Pass
6**	15800.818	41.67	54.0	12.33	AV	333.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.783	40.23	74.0	33.78	Peak	70.00	300	Vertical	Pass
1**	1464.783	31.46	54.0	22.54	AV	70.00	300	Vertical	Pass
2	3872.415	44.79	74.0	29.21	Peak	40.00	300	Vertical	Pass
2**	3872.415	33.91	54.0	20.09	AV	40.00	300	Vertical	Pass
3	4526.735	47.74	74.0	26.26	Peak	138.00	200	Vertical	Pass
3**	4526.735	37.00	54.0	17.00	AV	138.00	200	Vertical	Pass
4	7553.909	45.50	74.0	28.50	Peak	62.00	300	Vertical	Pass
4**	7553.909	35.59	54.0	18.41	AV	62.00	300	Vertical	Pass
5	11724.400	45.79	74.0	28.21	Peak	178.00	300	Vertical	Pass
5**	11724.400	36.44	54.0	17.56	AV	178.00	300	Vertical	Pass
6	15802.855	50.26	74.0	23.74	Peak	10.00	100	Vertical	Pass
6**	15802.855	40.74	54.0	13.26	AV	10.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.813	41.64	74.0	32.36	Peak	295.00	200	Horizontal	Pass
1**	1474.813	31.72	54.0	22.29	AV	295.00	200	Horizontal	Pass
2	3947.831	47.33	74.0	26.67	Peak	177.00	300	Horizontal	Pass
2**	3947.831	38.36	54.0	15.64	AV	177.00	300	Horizontal	Pass
3	4965.488	49.19	74.0	24.81	Peak	61.00	200	Horizontal	Pass
3**	4965.488	39.89	54.0	14.11	AV	61.00	200	Horizontal	Pass
4	7550.234	45.46	74.0	28.54	Peak	144.00	400	Horizontal	Pass
4**	7550.234	36.82	54.0	17.18	AV	144.00	400	Horizontal	Pass
5	12464.867	47.47	74.0	26.53	Peak	239.00	300	Horizontal	Pass
5**	12464.867	38.87	54.0	15.13	AV	239.00	300	Horizontal	Pass
6	15805.357	50.96	74.0	23.05	Peak	291.00	100	Horizontal	Pass
6**	15805.357	41.71	54.0	12.29	AV	291.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.620	41.09	74.0	32.91	Peak	6.00	400	Vertical	Pass
1**	1462.620	31.48	54.0	22.52	AV	6.00	400	Vertical	Pass
2	3876.106	46.00	74.0	28.01	Peak	225.00	100	Vertical	Pass
2**	3876.106	36.04	54.0	17.96	AV	225.00	100	Vertical	Pass
3	4526.725	48.63	74.0	25.37	Peak	339.00	200	Vertical	Pass
3**	4526.725	38.00	54.0	16.00	AV	339.00	200	Vertical	Pass
4	7554.872	46.20	74.0	27.80	Peak	131.00	200	Vertical	Pass
4**	7554.872	36.17	54.0	17.83	AV	131.00	200	Vertical	Pass
5	11719.605	47.75	74.0	26.25	Peak	269.00	300	Vertical	Pass
5**	11719.605	37.63	54.0	16.37	AV	269.00	300	Vertical	Pass
6	15808.351	50.87	74.0	23.13	Peak	281.00	100	Vertical	Pass
6**	15808.351	41.87	54.0	12.13	AV	281.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.138	40.61	74.0	33.39	Peak	346.00	300	Horizontal	Pass
1**	1475.138	30.78	54.0	23.22	AV	346.00	300	Horizontal	Pass
2	3946.081	46.38	74.0	27.62	Peak	28.00	200	Horizontal	Pass
2**	3946.081	38.04	54.0	15.97	AV	28.00	200	Horizontal	Pass
3	4967.684	48.23	74.0	25.77	Peak	211.00	200	Horizontal	Pass
3**	4967.684	38.76	54.0	15.24	AV	211.00	200	Horizontal	Pass
4	7553.796	44.18	74.0	29.82	Peak	196.00	200	Horizontal	Pass
4**	7553.796	36.46	54.0	17.54	AV	196.00	200	Horizontal	Pass
5	12469.971	46.73	74.0	27.27	Peak	308.00	100	Horizontal	Pass
5**	12469.971	37.36	54.0	16.64	AV	308.00	100	Horizontal	Pass
6	15802.574	50.01	74.0	23.99	Peak	67.00	300	Horizontal	Pass
6**	15802.574	41.18	54.0	12.82	AV	67.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.668	40.62	74.0	33.38	Peak	96.00	200	Vertical	Pass
1**	1458.668	31.72	54.0	22.28	AV	96.00	200	Vertical	Pass
2	3874.988	44.74	74.0	29.27	Peak	4.00	400	Vertical	Pass
2**	3874.988	35.03	54.0	18.97	AV	4.00	400	Vertical	Pass
3	4529.352	47.46	74.0	26.54	Peak	278.00	200	Vertical	Pass
3**	4529.352	38.48	54.0	15.52	AV	278.00	200	Vertical	Pass
4	7554.614	45.88	74.0	28.12	Peak	210.00	400	Vertical	Pass
4**	7554.614	36.07	54.0	17.93	AV	210.00	400	Vertical	Pass
5	11725.915	46.29	74.0	27.71	Peak	284.00	400	Vertical	Pass
5**	11725.915	36.81	54.0	17.19	AV	284.00	400	Vertical	Pass
6	15804.521	49.58	74.0	24.42	Peak	328.00	300	Vertical	Pass
6**	15804.521	41.44	54.0	12.56	AV	328.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.086	41.26	74.0	32.74	Peak	222.00	300	Horizontal	Pass
1**	1473.086	30.83	54.0	23.17	AV	222.00	300	Horizontal	Pass
2	3943.824	46.44	74.0	27.56	Peak	115.00	400	Horizontal	Pass
2**	3943.824	37.42	54.0	16.59	AV	115.00	400	Horizontal	Pass
3	4963.031	48.95	74.0	25.05	Peak	238.00	200	Horizontal	Pass
3**	4963.031	39.40	54.0	14.60	AV	238.00	200	Horizontal	Pass
4	7550.777	45.42	74.0	28.58	Peak	73.00	300	Horizontal	Pass
4**	7550.777	36.81	54.0	17.19	AV	73.00	300	Horizontal	Pass
5	12468.474	47.40	74.0	26.60	Peak	299.00	400	Horizontal	Pass
5**	12468.474	37.94	54.0	16.06	AV	299.00	400	Horizontal	Pass
6	15803.605	50.73	74.0	23.27	Peak	54.00	400	Horizontal	Pass
6**	15803.605	41.63	54.0	12.37	AV	54.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.929	40.79	74.0	33.21	Peak	262.00	200	Vertical	Pass
1**	1456.929	32.29	54.0	21.71	AV	262.00	200	Vertical	Pass
2	3873.401	46.19	74.0	27.82	Peak	214.00	200	Vertical	Pass
2**	3873.401	35.62	54.0	18.38	AV	214.00	200	Vertical	Pass
3	4526.555	48.23	74.0	25.77	Peak	48.00	200	Vertical	Pass
3**	4526.555	37.88	54.0	16.12	AV	48.00	200	Vertical	Pass
4	7557.493	45.22	74.0	28.78	Peak	14.00	400	Vertical	Pass
4**	7557.493	36.56	54.0	17.44	AV	14.00	400	Vertical	Pass
5	11720.767	46.93	74.0	27.07	Peak	151.00	400	Vertical	Pass
5**	11720.767	37.65	54.0	16.35	AV	151.00	400	Vertical	Pass
6	15805.145	50.24	74.0	23.76	Peak	166.00	300	Vertical	Pass
6**	15805.145	41.16	54.0	12.84	AV	166.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.481	40.97	74.0	33.03	Peak	123.00	200	Horizontal	Pass
1**	1472.481	31.29	54.0	22.71	AV	123.00	200	Horizontal	Pass
2	3941.837	46.96	74.0	27.04	Peak	228.00	300	Horizontal	Pass
2**	3941.837	37.86	54.0	16.15	AV	228.00	300	Horizontal	Pass
3	4962.036	48.41	74.0	25.59	Peak	97.00	200	Horizontal	Pass
3**	4962.036	38.97	54.0	15.03	AV	97.00	200	Horizontal	Pass
4	7554.468	44.86	74.0	29.14	Peak	165.00	100	Horizontal	Pass
4**	7554.468	35.94	54.0	18.06	AV	165.00	100	Horizontal	Pass
5	12464.320	46.77	74.0	27.23	Peak	105.00	200	Horizontal	Pass
5**	12464.320	37.62	54.0	16.38	AV	105.00	200	Horizontal	Pass
6	15805.770	50.13	74.0	23.87	Peak	333.00	100	Horizontal	Pass
6**	15805.770	41.88	54.0	12.12	AV	333.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.163	39.83	74.0	34.17	Peak	214.00	300	Vertical	Pass
1**	1464.163	31.45	54.0	22.55	AV	214.00	300	Vertical	Pass
2	3873.532	44.71	74.0	29.30	Peak	29.00	100	Vertical	Pass
2**	3873.532	34.97	54.0	19.03	AV	29.00	100	Vertical	Pass
3	4528.596	47.93	74.0	26.07	Peak	78.00	200	Vertical	Pass
3**	4528.596	37.99	54.0	16.01	AV	78.00	200	Vertical	Pass
4	7556.287	45.23	74.0	28.77	Peak	61.00	400	Vertical	Pass
4**	7556.287	35.82	54.0	18.18	AV	61.00	400	Vertical	Pass
5	11725.368	46.15	74.0	27.85	Peak	126.00	200	Vertical	Pass
5**	11725.368	36.91	54.0	17.09	AV	126.00	200	Vertical	Pass
6	15810.020	50.07	74.0	23.93	Peak	302.00	200	Vertical	Pass
6**	15810.020	41.21	54.0	12.79	AV	302.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.637	40.94	74.0	33.06	Peak	359.00	200	Horizontal	Pass
1**	1476.637	31.04	54.0	22.96	AV	359.00	200	Horizontal	Pass
2	3941.225	46.47	74.0	27.53	Peak	293.00	200	Horizontal	Pass
2**	3941.225	37.52	54.0	16.49	AV	293.00	200	Horizontal	Pass
3	4966.955	48.98	74.0	25.02	Peak	311.00	200	Horizontal	Pass
3**	4966.955	38.93	54.0	15.07	AV	311.00	200	Horizontal	Pass
4	7556.351	44.75	74.0	29.25	Peak	66.00	400	Horizontal	Pass
4**	7556.351	35.62	54.0	18.38	AV	66.00	400	Horizontal	Pass
5	12464.306	46.80	74.0	27.20	Peak	47.00	200	Horizontal	Pass
5**	12464.306	37.75	54.0	16.25	AV	47.00	200	Horizontal	Pass
6	15804.929	50.53	74.0	23.47	Peak	160.00	100	Horizontal	Pass
6**	15804.929	41.56	54.0	12.44	AV	160.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.758	40.39	74.0	33.61	Peak	228.00	200	Vertical	Pass
1**	1461.758	30.65	54.0	23.35	AV	228.00	200	Vertical	Pass
2	3871.850	45.54	74.0	28.47	Peak	253.00	400	Vertical	Pass
2**	3871.850	35.45	54.0	18.55	AV	253.00	400	Vertical	Pass
3	4529.513	48.86	74.0	25.14	Peak	177.00	200	Vertical	Pass
3**	4529.513	38.25	54.0	15.75	AV	177.00	200	Vertical	Pass
4	7556.753	45.96	74.0	28.04	Peak	258.00	300	Vertical	Pass
4**	7556.753	35.63	54.0	18.37	AV	258.00	300	Vertical	Pass
5	11718.325	46.54	74.0	27.46	Peak	131.00	100	Vertical	Pass
5**	11718.325	36.80	54.0	17.20	AV	131.00	100	Vertical	Pass
6	15807.582	50.02	74.0	23.98	Peak	183.00	100	Vertical	Pass
6**	15807.582	41.49	54.0	12.51	AV	183.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.806	41.28	74.0	32.72	Peak	347.00	100	Horizontal	Pass
1**	1474.806	30.84	54.0	23.16	AV	347.00	100	Horizontal	Pass
2	3945.635	47.19	74.0	26.81	Peak	52.00	100	Horizontal	Pass
2**	3945.635	38.22	54.0	15.79	AV	52.00	100	Horizontal	Pass
3	4961.207	49.26	74.0	24.74	Peak	138.00	200	Horizontal	Pass
3**	4961.207	39.70	54.0	14.30	AV	138.00	200	Horizontal	Pass
4	7556.675	45.15	74.0	28.85	Peak	229.00	400	Horizontal	Pass
4**	7556.675	36.52	54.0	17.48	AV	229.00	400	Horizontal	Pass
5	12470.344	47.55	74.0	26.45	Peak	251.00	400	Horizontal	Pass
5**	12470.344	38.25	54.0	15.75	AV	251.00	400	Horizontal	Pass
6	15807.539	50.38	74.0	23.62	Peak	100.00	400	Horizontal	Pass
6**	15807.539	41.30	54.0	12.70	AV	100.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.796	41.00	74.0	33.00	Peak	17.00	200	Vertical	Pass
1**	1458.796	31.94	54.0	22.06	AV	17.00	200	Vertical	Pass
2	3875.236	46.43	74.0	27.58	Peak	320.00	300	Vertical	Pass
2**	3875.236	36.10	54.0	17.90	AV	320.00	300	Vertical	Pass
3	4527.485	48.60	74.0	25.40	Peak	173.00	200	Vertical	Pass
3**	4527.485	38.61	54.0	15.39	AV	173.00	200	Vertical	Pass
4	7556.874	46.14	74.0	27.86	Peak	142.00	400	Vertical	Pass
4**	7556.874	36.43	54.0	17.57	AV	142.00	400	Vertical	Pass
5	11725.157	47.69	74.0	26.31	Peak	85.00	300	Vertical	Pass
5**	11725.157	37.86	54.0	16.14	AV	85.00	300	Vertical	Pass
6	15803.807	50.34	74.0	23.66	Peak	315.00	400	Vertical	Pass
6**	15803.807	40.91	54.0	13.09	AV	315.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.776	41.58	74.0	32.42	Peak	1.00	300	Horizontal	Pass
1**	1473.776	30.87	54.0	23.13	AV	1.00	300	Horizontal	Pass
2	3948.685	46.99	74.0	27.01	Peak	343.00	100	Horizontal	Pass
2**	3948.685	38.12	54.0	15.89	AV	343.00	100	Horizontal	Pass
3	4962.723	48.83	74.0	25.17	Peak	168.00	200	Horizontal	Pass
3**	4962.723	39.74	54.0	14.26	AV	168.00	200	Horizontal	Pass
4	7549.618	45.35	74.0	28.65	Peak	91.00	400	Horizontal	Pass
4**	7549.618	36.58	54.0	17.42	AV	91.00	400	Horizontal	Pass
5	12465.124	47.35	74.0	26.65	Peak	216.00	300	Horizontal	Pass
5**	12465.124	38.41	54.0	15.59	AV	216.00	300	Horizontal	Pass
6	15805.526	50.06	74.0	23.94	Peak	315.00	200	Horizontal	Pass
6**	15805.526	41.79	54.0	12.21	AV	315.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.404	41.64	74.0	32.36	Peak	224.00	200	Vertical	Pass
1**	1461.404	32.34	54.0	21.66	AV	224.00	200	Vertical	Pass
2	3872.280	46.25	74.0	27.76	Peak	75.00	100	Vertical	Pass
2**	3872.280	35.90	54.0	18.10	AV	75.00	100	Vertical	Pass
3	4527.519	48.36	74.0	25.64	Peak	353.00	200	Vertical	Pass
3**	4527.519	38.49	54.0	15.51	AV	353.00	200	Vertical	Pass
4	7551.743	45.72	74.0	28.28	Peak	190.00	400	Vertical	Pass
4**	7551.743	36.05	54.0	17.95	AV	190.00	400	Vertical	Pass
5	11718.788	46.85	74.0	27.15	Peak	302.00	400	Vertical	Pass
5**	11718.788	37.26	54.0	16.74	AV	302.00	400	Vertical	Pass
6	15803.493	50.57	74.0	23.43	Peak	350.00	400	Vertical	Pass
6**	15803.493	41.89	54.0	12.11	AV	350.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.710	40.54	74.0	33.46	Peak	100.00	300	Horizontal	Pass
1**	1476.710	30.74	54.0	23.26	AV	100.00	300	Horizontal	Pass
2	3943.092	46.73	74.0	27.27	Peak	350.00	300	Horizontal	Pass
2**	3943.092	37.45	54.0	16.56	AV	350.00	300	Horizontal	Pass
3	4962.933	47.96	74.0	26.04	Peak	258.00	200	Horizontal	Pass
3**	4962.933	39.01	54.0	14.99	AV	258.00	200	Horizontal	Pass
4	7552.892	44.13	74.0	29.87	Peak	308.00	400	Horizontal	Pass
4**	7552.892	36.15	54.0	17.85	AV	308.00	400	Horizontal	Pass
5	12465.207	46.69	74.0	27.31	Peak	138.00	100	Horizontal	Pass
5**	12465.207	37.22	54.0	16.78	AV	138.00	100	Horizontal	Pass
6	15803.346	49.94	74.0	24.06	Peak	63.00	200	Horizontal	Pass
6**	15803.346	41.90	54.0	12.10	AV	63.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.554	40.59	74.0	33.41	Peak	353.00	200	Vertical	Pass
1**	1459.554	32.06	54.0	21.94	AV	353.00	200	Vertical	Pass
2	3876.914	44.92	74.0	29.09	Peak	80.00	400	Vertical	Pass
2**	3876.914	34.76	54.0	19.24	AV	80.00	400	Vertical	Pass
3	4529.237	48.31	74.0	25.69	Peak	316.00	200	Vertical	Pass
3**	4529.237	38.40	54.0	15.60	AV	316.00	200	Vertical	Pass
4	7553.435	45.72	74.0	28.28	Peak	248.00	300	Vertical	Pass
4**	7553.435	36.18	54.0	17.82	AV	248.00	300	Vertical	Pass
5	11722.789	46.82	74.0	27.18	Peak	93.00	100	Vertical	Pass
5**	11722.789	37.01	54.0	16.99	AV	93.00	100	Vertical	Pass
6	15803.162	50.38	74.0	23.62	Peak	217.00	200	Vertical	Pass
6**	15803.162	41.44	54.0	12.56	AV	217.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.178	41.65	74.0	32.35	Peak	172.00	200	Horizontal	Pass
1**	1478.178	31.50	54.0	22.50	AV	172.00	200	Horizontal	Pass
2	3942.342	46.52	74.0	27.48	Peak	98.00	300	Horizontal	Pass
2**	3942.342	37.87	54.0	16.14	AV	98.00	300	Horizontal	Pass
3	4963.485	49.09	74.0	24.91	Peak	163.00	200	Horizontal	Pass
3**	4963.485	39.02	54.0	14.98	AV	163.00	200	Horizontal	Pass
4	7550.408	44.37	74.0	29.63	Peak	198.00	300	Horizontal	Pass
4**	7550.408	35.94	54.0	18.06	AV	198.00	300	Horizontal	Pass
5	12471.164	46.72	74.0	27.28	Peak	66.00	200	Horizontal	Pass
5**	12471.164	38.30	54.0	15.70	AV	66.00	200	Horizontal	Pass
6	15805.149	50.31	74.0	23.69	Peak	6.00	400	Horizontal	Pass
6**	15805.149	41.02	54.0	12.98	AV	6.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.909	41.15	74.0	32.85	Peak	95.00	200	Vertical	Pass
1**	1456.909	30.71	54.0	23.29	AV	95.00	200	Vertical	Pass
2	3870.724	44.91	74.0	29.10	Peak	52.00	400	Vertical	Pass
2**	3870.724	35.03	54.0	18.97	AV	52.00	400	Vertical	Pass
3	4529.580	48.73	74.0	25.27	Peak	145.00	200	Vertical	Pass
3**	4529.580	37.88	54.0	16.12	AV	145.00	200	Vertical	Pass
4	7556.213	45.91	74.0	28.09	Peak	224.00	200	Vertical	Pass
4**	7556.213	35.64	54.0	18.36	AV	224.00	200	Vertical	Pass
5	11724.881	46.47	74.0	27.53	Peak	13.00	400	Vertical	Pass
5**	11724.881	37.13	54.0	16.87	AV	13.00	400	Vertical	Pass
6	15807.175	50.14	74.0	23.86	Peak	8.00	400	Vertical	Pass
6**	15807.175	41.43	54.0	12.57	AV	8.00	400	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Note ⁶: The RSE Plot only shows the worst-case scenario, while all other data are presented in tabular form.

Test Data and Plots


802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.309	56.48	74.0	17.52	Peak	67.00	100	Horizontal	Pass
1**	2383.309	44.23	54.0	9.77	AV	67.00	100	Horizontal	Pass
2	2390.000	54.06	74.0	19.94	Peak	26.00	100	Horizontal	Pass
2**	2390.000	44.01	54.0	9.99	AV	26.00	100	Horizontal	Pass

802.11b HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.11	74.0	18.89	Peak	287.00	100	Horizontal	Pass
1**	2483.500	44.21	54.0	9.79	AV	287.00	100	Horizontal	Pass
2	2485.968	56.35	74.0	17.65	Peak	37.00	200	Horizontal	Pass
2**	2485.968	43.92	54.0	10.08	AV	37.00	200	Horizontal	Pass

802.11g LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2333.987	54.78	74.0	19.22	Peak	294.00	100	Horizontal	Pass
1**	2333.987	42.89	54.0	11.11	AV	294.00	100	Horizontal	Pass
2	2390.000	55.53	74.0	18.47	Peak	36.00	200	Horizontal	Pass
2**	2390.000	44.05	54.0	9.95	AV	36.00	200	Horizontal	Pass

802.11g HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.02	74.0	18.98	Peak	187.00	200	Horizontal	Pass
1**	2483.500	44.35	54.0	9.65	AV	187.00	200	Horizontal	Pass
2	2484.687	56.10	74.0	17.90	Peak	281.00	100	Horizontal	Pass
2**	2484.687	43.78	54.0	10.22	AV	281.00	100	Horizontal	Pass

802.11n20 LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.089	55.99	74.0	18.01	Peak	132.00	300	Horizontal	Pass
1**	2388.089	43.22	54.0	10.78	AV	132.00	300	Horizontal	Pass
2	2390.000	56.33	74.0	17.67	Peak	81.00	200	Horizontal	Pass
2**	2390.000	44.12	54.0	9.88	AV	81.00	200	Horizontal	Pass

802.11n20 HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.53	74.0	14.47	Peak	141.00	300	Horizontal	Pass
1**	2483.500	48.10	54.0	5.90	AV	141.00	300	Horizontal	Pass
2	2486.224	58.67	74.0	15.33	Peak	116.00	300	Horizontal	Pass
2**	2486.224	48.22	54.0	5.78	AV	116.00	300	Horizontal	Pass

802.11n40 LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.384	57.31	74.0	16.69	Peak	259.00	100	Horizontal	Pass
1**	2388.384	43.32	54.0	10.68	AV	259.00	100	Horizontal	Pass
2	2390.000	57.76	74.0	16.24	Peak	230.00	200	Horizontal	Pass
2**	2390.000	43.81	54.0	10.19	AV	230.00	200	Horizontal	Pass

802.11n40 HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.43	74.0	14.57	Peak	104.00	300	Horizontal	Pass
1**	2483.500	43.59	54.0	10.41	AV	104.00	300	Horizontal	Pass
2	2486.997	59.50	74.0	14.50	Peak	120.00	300	Horizontal	Pass
2**	2486.997	43.80	54.0	10.20	AV	120.00	300	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.715	56.68	74.0	17.32	Peak	35.00	200	Horizontal	Pass
1**	2388.715	43.72	54.0	10.28	AV	35.00	200	Horizontal	Pass
2	2390.000	56.47	74.0	17.53	Peak	97.00	100	Horizontal	Pass
2**	2390.000	43.66	54.0	10.34	AV	97.00	100	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.20	74.0	14.80	Peak	186.00	100	Horizontal	Pass
1**	2483.500	43.76	54.0	10.24	AV	186.00	100	Horizontal	Pass
2	2484.621	58.83	74.0	15.17	Peak	357.00	200	Horizontal	Pass
2**	2484.621	43.83	54.0	10.17	AV	357.00	200	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.887	58.13	74.0	15.87	Peak	255.00	100	Horizontal	Pass
1**	2387.887	47.89	54.0	6.11	AV	255.00	100	Horizontal	Pass
2	2390.000	57.88	74.0	16.12	Peak	319.00	300	Horizontal	Pass
2**	2390.000	48.97	54.0	5.03	AV	319.00	300	Horizontal	Pass

802.11ax40(SU) HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.54	74.0	16.46	Peak	90.00	300	Horizontal	Pass
1**	2483.500	47.91	54.0	6.09	AV	90.00	300	Horizontal	Pass
2	2484.765	58.01	74.0	15.99	Peak	124.00	300	Horizontal	Pass
2**	2484.765	47.24	54.0	6.76	AV	124.00	300	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.74	8	Pass
Middle	-3.31	8	Pass
High	-2.80	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.52	8	Pass
Middle	-6.28	8	Pass
High	-6.88	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.49	8	Pass
Middle	-6.99	8	Pass
High	-7.78	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.88	8	Pass
Middle	-9.91	8	Pass
High	-10.45	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.66	8	Pass
Middle	-5.89	8	Pass
High	-6.54	8	Pass

802.11ax-40 MHz(SU) Mode:


Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.91	8	Pass
Middle	-10.99	8	Pass
High	-11.20	8	Pass

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2680004-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2680004-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2680004-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--