

























Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.652
NVNT	a	5200	16.618
NVNT	a	5240	16.611
NVNT	a	5260	16.632
NVNT	a	5300	16.646
NVNT	a	5320	16.655
NVNT	a	5500	16.731
NVNT	a	5580	16.735
NVNT	a	5700	16.738
NVNT	a	5745	16.763
NVNT	a	5785	16.748
NVNT	a	5825	16.768
NVNT	n20	5180	17.819
NVNT	n20	5200	17.826
NVNT	n20	5240	17.836
NVNT	n20	5260	17.839
NVNT	n20	5300	17.828
NVNT	n20	5320	17.826
NVNT	n20	5500	17.945
NVNT	n20	5580	17.954
NVNT	n20	5700	17.977
NVNT	n20	5745	17.904
NVNT	n20	5785	17.915
NVNT	n20	5825	17.934
NVNT	n40	5190	36.388
NVNT	n40	5230	36.367
NVNT	n40	5270	36.419
NVNT	n40	5310	36.368
NVNT	n40	5510	36.549
NVNT	n40	5550	36.597
NVNT	n40	5670	36.546
NVNT	n40	5755	36.585
NVNT	n40	5795	36.602
NVNT	ac20	5180	17.858
NVNT	ac20	5200	17.834
NVNT	ac20	5240	17.836
NVNT	ac20	5260	17.876
NVNT	ac20	5300	17.855
NVNT	ac20	5320	17.809
NVNT	ac20	5500	17.963
NVNT	ac20	5580	17.956
NVNT	ac20	5700	17.954
NVNT	ac20	5745	17.93
NVNT	ac20	5785	17.966
NVNT	ac20	5825	17.942
NVNT	ac40	5190	36.402
NVNT	ac40	5230	36.466
NVNT	ac40	5270	36.371
NVNT	ac40	5310	36.42
NVNT	ac40	5510	36.615
NVNT	ac40	5550	36.539
NVNT	ac40	5670	36.618
NVNT	ac40	5755	36.533



NVNT	ac40	5795	36.593
NVNT	ax20	5180	19.053
NVNT	ax20	5200	19.07
NVNT	ax20	5240	19.001
NVNT	ax20	5260	19.046
NVNT	ax20	5300	19.036
NVNT	ax20	5320	19.022
NVNT	ax20	5500	19.087
NVNT	ax20	5580	19.139
NVNT	ax20	5700	19.103
NVNT	ax20	5745	19.101
NVNT	ax20	5785	19.099
NVNT	ax20	5825	19.13
NVNT	ax40	5190	37.86
NVNT	ax40	5230	37.85
NVNT	ax40	5270	37.83
NVNT	ax40	5310	37.881
NVNT	ax40	5510	37.978
NVNT	ax40	5550	37.953
NVNT	ax40	5670	38.029
NVNT	ax40	5755	38.026
NVNT	ax40	5795	37.951



Test Graphs

OBW NVNT a 5180MHz



OBW NVNT a 5200MHz



OBW NVNT a 5240MHz





OBW NVNT a 5260MHz



OBW NVNT a 5300MHz



OBW NVNT a 5320MHz





OBW NVNT a 5500MHz



OBW NVNT a 5580MHz



OBW NVNT a 5700MHz





OBW NVNT a 5745MHz



OBW NVNT a 5785MHz



OBW NVNT a 5825MHz





OBW NVNT n20 5180MHz



OBW NVNT n20 5200MHz



OBW NVNT n20 5240MHz









OBW NVNT n20 5745MHz



OBW NVNT n20 5785MHz



OBW NVNT n20 5825MHz





OBW NVNT n40 5190MHz



OBW NVNT n40 5230MHz



OBW NVNT n40 5270MHz





OBW NVNT n40 5310MHz




OBW NVNT n40 5510MHz



OBW NVNT n40 5550MHz







OBW NVNT ac20 5180MHz



OBW NVNT ac20 5200MHz



OBW NVNT ac20 5240MHz





OBW NVNT ac20 5260MHz



OBW NVNT ac20 5300MHz



OBW NVNT ac20 5320MHz





OBW NVNT ac20 5500MHz



OBW NVNT ac20 5580MHz



OBW NVNT ac20 5700MHz





OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz


















OBW NVNT ax20 5745MHz



OBW NVNT ax20 5785MHz



OBW NVNT ax20 5825MHz







OBW NVNT ax40 5310MHz



OBW NVNT ax40 5510MHz



OBW NVNT ax40 5550MHz





OBW NVNT ax40 5670MHz



OBW NVNT ax40 5755MHz



OBW NVNT ax40 5795MHz





Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	2.81	0.22	3.03	10.22	Pass
NVNT	a	5200	2.48	0.22	2.7	10.22	Pass
NVNT	a	5240	2.5	0.22	2.72	10.22	Pass
NVNT	a	5260	2.8	0.32	3.12	10.22	Pass
NVNT	a	5300	2.78	0.32	3.1	10.22	Pass
NVNT	a	5320	2.93	0.32	3.25	10.22	Pass
NVNT	a	5500	1.51	0.32	1.83	10.22	Pass
NVNT	a	5580	-1.03	0.32	-0.71	10.22	Pass
NVNT	a	5700	0.42	0.32	0.74	10.22	Pass
NVNT	n20	5180	1.32	0.24	1.56	10.22	Pass
NVNT	n20	5200	0.95	0.24	1.19	10.22	Pass
NVNT	n20	5240	1.43	0.24	1.67	10.22	Pass
NVNT	n20	5260	1.35	0.34	1.69	10.22	Pass
NVNT	n20	5300	1.57	0.34	1.91	10.22	Pass
NVNT	n20	5320	1.37	0.34	1.71	10.22	Pass
NVNT	n20	5500	0.01	0.34	0.35	10.22	Pass
NVNT	n20	5580	-2.63	0.34	-2.29	10.22	Pass
NVNT	n20	5700	-1.32	0.34	-0.98	10.22	Pass
NVNT	n40	5190	-1.43	0.46	-0.97	10.22	Pass
NVNT	n40	5230	-1.88	0.46	-1.42	10.22	Pass
NVNT	n40	5270	-1.94	0.65	-1.29	10.22	Pass
NVNT	n40	5310	-2.18	0.65	-1.53	10.22	Pass
NVNT	n40	5510	-4.67	0.65	-4.02	10.22	Pass
NVNT	n40	5550	-6.28	0.65	-5.63	10.22	Pass
NVNT	n40	5670	-5.06	0.65	-4.41	10.22	Pass
NVNT	ac20	5180	0.84	0.24	1.08	10.22	Pass
NVNT	ac20	5200	1.19	0.24	1.43	10.22	Pass
NVNT	ac20	5240	1.39	0.24	1.63	10.22	Pass
NVNT	ac20	5260	1.28	0.34	1.62	10.22	Pass
NVNT	ac20	5300	1.42	0.34	1.76	10.22	Pass
NVNT	ac20	5320	1.54	0.34	1.88	10.22	Pass
NVNT	ac20	5500	0.15	0.34	0.49	10.22	Pass
NVNT	ac20	5580	-2.1	0.34	-1.76	10.22	Pass
NVNT	ac20	5700	-1.1	0.34	-0.76	10.22	Pass
NVNT	ac40	5190	-1.69	0.46	-1.23	10.22	Pass
NVNT	ac40	5230	-2.19	0.46	-1.73	10.22	Pass
NVNT	ac40	5270	-1.99	0.46	-1.53	10.22	Pass
NVNT	ac40	5310	-2.15	0.45	-1.7	10.22	Pass
NVNT	ac40	5510	-4.84	0.46	-4.38	10.22	Pass
NVNT	ac40	5550	-6.08	0.46	-5.62	10.22	Pass
NVNT	ac40	5670	-5.23	0.46	-4.77	10.22	Pass
NVNT	ax20	5180	0.91	0.3	1.21	10.22	Pass
NVNT	ax20	5200	1.13	0.3	1.43	10.22	Pass
NVNT	ax20	5240	1.29	0.3	1.59	10.22	Pass
NVNT	ax20	5260	1.23	0.43	1.66	10.22	Pass
NVNT	ax20	5300	1.45	0.43	1.88	10.22	Pass
NVNT	ax20	5320	1.47	0.43	1.9	10.22	Pass
NVNT	ax20	5500	-0.39	0.43	0.04	10.22	Pass
NVNT	ax20	5580	-2.49	0.43	-2.06	10.22	Pass
NVNT	ax20	5700	-1.24	0.43	-0.81	10.22	Pass
NVNT	ax40	5190	-1.55	0.54	-1.01	10.22	Pass




NVNT	ax40	5230	-1.95	0.54	-1.41	10.22	Pass
NVNT	ax40	5270	-1.82	0.76	-1.06	10.22	Pass
NVNT	ax40	5310	-2.25	0.76	-1.49	10.22	Pass
NVNT	ax40	5510	-5.42	0.76	-4.66	10.22	Pass
NVNT	ax40	5550	-5.94	0.76	-5.18	10.22	Pass
NVNT	ax40	5670	-5.18	0.76	-4.42	10.22	Pass


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510k Hz)	Conducted PSD (dBm/500k Hz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
NVNT	a	5745	-1.82	-1.91	0.22	-1.69	29.22	Pass
NVNT	a	5785	-1.42	-1.51	0.22	-1.29	29.22	Pass
NVNT	a	5825	-1.5	-1.59	0.22	-1.37	29.22	Pass
NVNT	n20	5745	-3.13	-3.22	0.24	-2.98	29.22	Pass
NVNT	n20	5785	-2.91	-3.00	0.24	-2.76	29.22	Pass
NVNT	n20	5825	-2.88	-2.97	0.24	-2.73	29.22	Pass
NVNT	n40	5755	-6.11	-6.20	0.65	-5.55	29.22	Pass
NVNT	n40	5795	-5.93	-6.02	0.65	-5.37	29.22	Pass
NVNT	ac20	5745	-3.27	-3.36	0.34	-3.02	29.22	Pass
NVNT	ac20	5785	-2.78	-2.87	0.34	-2.53	29.22	Pass
NVNT	ac20	5825	-2.08	-2.17	0.34	-1.83	29.22	Pass
NVNT	ac40	5755	-5.79	-5.88	0.46	-5.42	29.22	Pass
NVNT	ac40	5795	-5.52	-5.61	0.46	-5.15	29.22	Pass
NVNT	ax20	5745	-3.3	-3.39	0.43	-2.96	29.22	Pass
NVNT	ax20	5785	-3.11	-3.20	0.43	-2.77	29.22	Pass
NVNT	ax20	5825	-2.72	-2.81	0.43	-2.38	29.22	Pass
NVNT	ax40	5755	-6.19	-6.28	0.76	-5.52	29.22	Pass
NVNT	ax40	5795	-6.05	-6.14	0.76	-5.38	29.22	Pass



































































Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	-27.46	-27	Pass
NVNT	a	5240	-38.34	-27	Pass
NVNT	a	5260	-35.48	-27	Pass
NVNT	a	5320	-29.2	-27	Pass
NVNT	a	5500	-27.93	-27	Pass
NVNT	a	5700	-27.3	-27	Pass
NVNT	n20	5180	-27.62	-27	Pass
NVNT	n20	5240	-37.46	-27	Pass
NVNT	n20	5260	-36.19	-27	Pass
NVNT	n20	5320	-30.22	-27	Pass
NVNT	n20	5500	-31.58	-27	Pass
NVNT	n20	5700	-30.34	-27	Pass
NVNT	n40	5190	-28.14	-27	Pass
NVNT	n40	5230	-38.1	-27	Pass
NVNT	n40	5270	-36.5	-27	Pass
NVNT	n40	5310	-28.68	-27	Pass
NVNT	n40	5510	-29.56	-27	Pass
NVNT	n40	5550	-36.84	-27	Pass
NVNT	n40	5670	-35.74	-27	Pass
NVNT	ac20	5180	-28.69	-27	Pass
NVNT	ac20	5240	-38.1	-27	Pass
NVNT	ac20	5260	-35.72	-27	Pass
NVNT	ac20	5320	-30.3	-27	Pass
NVNT	ac20	5500	-29.37	-27	Pass
NVNT	ac20	5700	-28.04	-27	Pass
NVNT	ac40	5190	-28.84	-27	Pass
NVNT	ac40	5230	-38.54	-27	Pass
NVNT	ac40	5270	-35.89	-27	Pass
NVNT	ac40	5310	-30.46	-27	Pass
NVNT	ac40	5510	-27.48	-27	Pass
NVNT	ac40	5550	-37.64	-27	Pass
NVNT	ac40	5670	-32.89	-27	Pass
NVNT	ax20	5180	-27.54	-27	Pass
NVNT	ax20	5240	-37.15	-27	Pass
NVNT	ax20	5260	-36.1	-27	Pass
NVNT	ax20	5320	-32.84	-27	Pass
NVNT	ax20	5500	-30.8	-27	Pass
NVNT	ax20	5700	-27.78	-27	Pass
NVNT	ax40	5190	-27.89	-27	Pass
NVNT	ax40	5230	-38.18	-27	Pass
NVNT	ax40	5270	-35.83	-27	Pass
NVNT	ax40	5310	-31.25	-27	Pass
NVNT	ax40	5510	-27.45	-27	Pass
NVNT	ax40	5550	-37.23	-27	Pass
NVNT	ax40	5670	-32.37	-27	Pass
Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-17.85	15.6	Pass
NVNT	a	5825	-26.75	15.6	Pass
NVNT	n20	5745	-22.88	15.6	Pass
NVNT	n20	5825	-29.65	15.6	Pass
NVNT	n40	5755	-26.42	15.6	Pass
NVNT	n40	5795	-34.17	15.6	Pass
NVNT	ac20	5745	-23.48	15.6	Pass



NVNT	ac20	5825	-30.86	15.6	Pass
NVNT	ac40	5755	-24.84	15.6	Pass
NVNT	ac40	5795	-29.53	15.6	Pass
NVNT	ax20	5745	-21.17	15.6	Pass
NVNT	ax20	5825	-31.46	15.6	Pass
NVNT	ax40	5755	-22.34	15.6	Pass
NVNT	ax40	5795	-30.91	15.6	Pass





Band Edge NVNT a 5320MHz High




Band Edge NVNT a 5500MHz Low




Band Edge NVNT a 5700MHz High



















Band Edge NVNT ac20 5700MHz High



Band Edge NVNT ac40 5190MHz Low




Band Edge NVNT ac40 5230MHz High






Band Edge NVNT ac40 5270MHz Low




Band Edge NVNT ac40 5310MHz High



Band Edge NVNT ac40 5510MHz Low







Band Edge NVNT ax20 5240MHz High




Band Edge NVNT ax20 5260MHz Low



Band Edge NVNT ax20 5320MHz High







Band Edge NVNT ax40 5230MHz High



Band Edge NVNT ax40 5270MHz Low



Band Edge NVNT ax40 5310MHz High





Band Edge NVNT ax40 5510MHz Low



Band Edge NVNT ax40 5550MHz Low



Band Edge NVNT ax40 5670MHz High






Band Edge NVNT a 5745MHz Low




Band Edge NVNT a 5825MHz High



Band Edge NVNT n20 5745MHz Low










Band Edge NVNT ac40 5795MHz High




Band Edge NVNT ax20 5745MHz Low



Band Edge NVNT ax20 5825MHz High







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.358	0.5	Pass
NVNT	a	5785	16.353	0.5	Pass
NVNT	a	5825	16.372	0.5	Pass
NVNT	n20	5745	17.647	0.5	Pass
NVNT	n20	5785	17.627	0.5	Pass
NVNT	n20	5825	17.589	0.5	Pass
NVNT	n40	5755	36.331	0.5	Pass
NVNT	n40	5795	36.333	0.5	Pass
NVNT	ac20	5745	17.623	0.5	Pass
NVNT	ac20	5785	17.583	0.5	Pass
NVNT	ac20	5825	17.604	0.5	Pass
NVNT	ac40	5755	36.323	0.5	Pass
NVNT	ac40	5795	36.337	0.5	Pass
NVNT	ax20	5745	18.949	0.5	Pass
NVNT	ax20	5785	18.994	0.5	Pass
NVNT	ax20	5825	18.992	0.5	Pass
NVNT	ax40	5755	37.893	0.5	Pass
NVNT	ax40	5795	37.942	0.5	Pass



Test Graphs


-6dB Bandwidth NVNT a 5745MHz





-6dB Bandwidth NVNT a 5785MHz





-6dB Bandwidth NVNT a 5825MHz
















APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID & IC.

※※※※※END OF THE REPORT※※※※※