

RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
Product Name:	Retro Mini PC
Test Model:	AYANEO Retro Mini PC
Sample ID:	HC-C-202310-0170-01-01-2#
Environmental Conditions	
Temperature:	25℃
Relative Humidity:	55%
Test Voltage:	DC 12V
Test Engineer:	Li ying jing
Note: For a more detailed features description, please refer to the report TBR-C-202310-0170-102 The report only show the worst case data.	

Contents


1. Duty Cycle.....	3
2. Maximum Conducted Output Power.....	13
3. -6dB Bandwidth.....	15
4. Occupied Channel Bandwidth.....	34
5. Maximum Power Spectral Density Level.....	53
6. Band Edge	73
7. Conducted RF Spurious Emission.....	98
8. Restrict Band.....	135

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ax(VHT20)	2412	Sum	92.73	0.33	1.96
NVNT	ax(VHT20)	2437	Sum	92.59	0.33	2.00
NVNT	ax(VHT20)	2462	Sum	94.44	0.25	1.96
NVNT	ax(VHT40)	2422	Sum	87.80	0.57	2.78
NVNT	ax(VHT40)	2437	Sum	89.74	0.47	2.86
NVNT	ax(VHT40)	2452	Sum	95.12	0.22	2.56
NVNT	b	2412	Sum	99.76	0.01	0.01
NVNT	b	2437	Sum	99.52	0.02	0.01
NVNT	b	2462	Sum	99.88	0.01	0.01
NVNT	g	2412	Sum	84.62	0.73	4.55
NVNT	g	2437	Sum	86.36	0.64	5.26
NVNT	g	2462	Sum	93.75	0.28	2.22
NVNT	n(HT20)	2412	Sum	95.24	0.21	2.50
NVNT	n(HT20)	2437	Sum	94.59	0.24	2.86
NVNT	n(HT20)	2462	Sum	90.48	0.43	2.63
NVNT	n(HT40)	2422	Sum	89.47	0.48	2.94
NVNT	n(HT40)	2437	Sum	94.74	0.23	2.78
NVNT	n(HT40)	2452	Sum	90.00	0.46	2.78

Test Graphs


Duty Cycle NVNT ax(VHT20) 2412MHz Sum




Duty Cycle NVNT ax(VHT20) 2437MHz Sum




Duty Cycle NVNT ax(VHT20) 2462MHz Sum




Duty Cycle NVNT ax(VHT40) 2422MHz Sum




Duty Cycle NVNT ax(VHT40) 2437MHz Sum




Duty Cycle NVNT ax(VHT40) 2452MHz Sum




Duty Cycle NVNT b 2412MHz Sum




Duty Cycle NVNT b 2437MHz Sum




Duty Cycle NVNT b 2462MHz Sum




Duty Cycle NVNT g 2412MHz Sum




Duty Cycle NVNT g 2437MHz Sum




Duty Cycle NVNT g 2462MHz Sum




Duty Cycle NVNT n(HT20) 2412MHz Sum




Duty Cycle NVNT n(HT20) 2437MHz Sum




Duty Cycle NVNT n(HT20) 2462MHz Sum




Duty Cycle NVNT n(HT40) 2422MHz Sum



Duty Cycle NVNT n(HT40) 2437MHz Sum



Duty Cycle NVNT n(HT40) 2452MHz Sum



2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ax(VHT20)	2412	Ant1	13.953	30	Pass
NVNT	ax(VHT20)	2412	Ant2	13.29	30	Pass
NVNT	ax(VHT20)	2412	Sum	16.644	29.87	Pass
NVNT	ax(VHT20)	2437	Ant1	14.077	30	Pass
NVNT	ax(VHT20)	2437	Ant2	13.55	30	Pass
NVNT	ax(VHT20)	2437	Sum	16.832	29.87	Pass
NVNT	ax(VHT20)	2462	Ant1	13.995	30	Pass
NVNT	ax(VHT20)	2462	Ant2	13.389	30	Pass
NVNT	ax(VHT20)	2462	Sum	16.713	29.87	Pass
NVNT	ax(VHT40)	2422	Ant1	11.879	30	Pass
NVNT	ax(VHT40)	2422	Ant2	12.228	30	Pass
NVNT	ax(VHT40)	2422	Sum	15.067	29.87	Pass
NVNT	ax(VHT40)	2437	Ant1	11.919	30	Pass
NVNT	ax(VHT40)	2437	Ant2	11.757	30	Pass
NVNT	ax(VHT40)	2437	Sum	14.849	29.87	Pass
NVNT	ax(VHT40)	2452	Ant1	11.611	30	Pass
NVNT	ax(VHT40)	2452	Ant2	11.73	30	Pass
NVNT	ax(VHT40)	2452	Sum	14.681	29.87	Pass
NVNT	b	2412	Ant1	16.323	30	Pass
NVNT	b	2412	Ant2	15.638	30	Pass
NVNT	b	2412	Sum	19.004	29.87	Pass
NVNT	b	2437	Ant1	16.585	30	Pass
NVNT	b	2437	Ant2	15.868	30	Pass
NVNT	b	2437	Sum	19.252	29.87	Pass
NVNT	b	2462	Ant1	16.331	30	Pass
NVNT	b	2462	Ant2	15.676	30	Pass
NVNT	b	2462	Sum	19.026	29.87	Pass
NVNT	g	2412	Ant1	13.532	30	Pass
NVNT	g	2412	Ant2	13.16	30	Pass
NVNT	g	2412	Sum	16.36	29.87	Pass
NVNT	g	2437	Ant1	13.789	30	Pass
NVNT	g	2437	Ant2	13.274	30	Pass
NVNT	g	2437	Sum	16.549	29.87	Pass
NVNT	g	2462	Ant1	13.622	30	Pass
NVNT	g	2462	Ant2	13.814	30	Pass
NVNT	g	2462	Sum	16.729	29.87	Pass
NVNT	n(HT20)	2412	Ant1	13.523	30	Pass
NVNT	n(HT20)	2412	Ant2	12.70	30	Pass
NVNT	n(HT20)	2412	Sum	16.141	29.87	Pass
NVNT	n(HT20)	2437	Ant1	13.295	30	Pass
NVNT	n(HT20)	2437	Ant2	13.147	30	Pass
NVNT	n(HT20)	2437	Sum	16.232	29.87	Pass

NVNT	n(HT20)	2462	Ant1	13.69	30	Pass
NVNT	n(HT20)	2462	Ant2	13.404	30	Pass
NVNT	n(HT20)	2462	Sum	16.56	29.87	Pass
NVNT	n(HT40)	2422	Ant1	14.206	30	Pass
NVNT	n(HT40)	2422	Ant2	14.045	30	Pass
NVNT	n(HT40)	2422	Sum	17.137	29.87	Pass
NVNT	n(HT40)	2437	Ant1	14.406	30	Pass
NVNT	n(HT40)	2437	Ant2	13.893	30	Pass
NVNT	n(HT40)	2437	Sum	17.167	29.87	Pass
NVNT	n(HT40)	2452	Ant1	14.396	30	Pass
NVNT	n(HT40)	2452	Ant2	13.909	30	Pass
NVNT	n(HT40)	2452	Sum	17.170	29.87	Pass


Note: The Duty Cycle Factor is compensated in the graph.

3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	ax(VHT20)	2412	Ant1	16.3	0.5	Pass
NVNT	ax(VHT20)	2412	Ant2	16.4	0.5	Pass
NVNT	ax(VHT20)	2437	Ant1	15.13	0.5	Pass
NVNT	ax(VHT20)	2437	Ant2	15.05	0.5	Pass
NVNT	ax(VHT20)	2462	Ant1	15.07	0.5	Pass
NVNT	ax(VHT20)	2462	Ant2	16.23	0.5	Pass
NVNT	ax(VHT40)	2422	Ant1	35.04	0.5	Pass
NVNT	ax(VHT40)	2422	Ant2	35.06	0.5	Pass
NVNT	ax(VHT40)	2437	Ant1	35.05	0.5	Pass
NVNT	ax(VHT40)	2437	Ant2	35.11	0.5	Pass
NVNT	ax(VHT40)	2452	Ant1	35.1	0.5	Pass
NVNT	ax(VHT40)	2452	Ant2	35.1	0.5	Pass
NVNT	b	2412	Ant1	8.06	0.5	Pass
NVNT	b	2412	Ant2	8.58	0.5	Pass
NVNT	b	2437	Ant1	9.06	0.5	Pass
NVNT	b	2437	Ant2	8.58	0.5	Pass
NVNT	b	2462	Ant1	9.04	0.5	Pass
NVNT	b	2462	Ant2	8.54	0.5	Pass
NVNT	g	2412	Ant1	16.32	0.5	Pass
NVNT	g	2412	Ant2	16.31	0.5	Pass
NVNT	g	2437	Ant1	16.31	0.5	Pass
NVNT	g	2437	Ant2	16.32	0.5	Pass
NVNT	g	2462	Ant1	16.31	0.5	Pass
NVNT	g	2462	Ant2	16.33	0.5	Pass
NVNT	n(HT20)	2412	Ant1	15.11	0.5	Pass
NVNT	n(HT20)	2412	Ant2	15.13	0.5	Pass
NVNT	n(HT20)	2437	Ant1	15.09	0.5	Pass
NVNT	n(HT20)	2437	Ant2	15.08	0.5	Pass
NVNT	n(HT20)	2462	Ant1	15.08	0.5	Pass
NVNT	n(HT20)	2462	Ant2	15.11	0.5	Pass
NVNT	n(HT40)	2422	Ant1	35.04	0.5	Pass
NVNT	n(HT40)	2422	Ant2	35.1	0.5	Pass
NVNT	n(HT40)	2437	Ant1	35.1	0.5	Pass
NVNT	n(HT40)	2437	Ant2	35.09	0.5	Pass
NVNT	n(HT40)	2452	Ant1	35.07	0.5	Pass
NVNT	n(HT40)	2452	Ant2	35.1	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT ax(VHT20) 2412MHz Ant1




-6dB Bandwidth NVNT ax(VHT20) 2412MHz Ant2




-6dB Bandwidth NVNT ax(VHT20) 2437MHz Ant1




-6dB Bandwidth NVNT ax(VHT20) 2437MHz Ant2




-6dB Bandwidth NVNT ax(VHT20) 2462MHz Ant1




-6dB Bandwidth NVNT ax(VHT20) 2462MHz Ant2




-6dB Bandwidth NVNT ax(VHT40) 2422MHz Ant1




-6dB Bandwidth NVNT ax(VHT40) 2422MHz Ant2




-6dB Bandwidth NVNT ax(VHT40) 2437MHz Ant1




-6dB Bandwidth NVNT ax(VHT40) 2437MHz Ant2




-6dB Bandwidth NVNT ax(VHT40) 2452MHz Ant1




-6dB Bandwidth NVNT ax(VHT40) 2452MHz Ant2




-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2412MHz Ant2




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant2




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant2




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant2




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant2




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant2




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant2




-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2437MHz Ant2




-6dB Bandwidth NVNT n(HT20) 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2462MHz Ant2




-6dB Bandwidth NVNT n(HT40) 2422MHz Ant1




-6dB Bandwidth NVNT n(HT40) 2422MHz Ant2




-6dB Bandwidth NVNT n(HT40) 2437MHz Ant1




-6dB Bandwidth NVNT n(HT40) 2437MHz Ant2



-6dB Bandwidth NVNT n(HT40) 2452MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2452MHz Ant2




4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ax(VHT20)	2412	Ant1	18.868
NVNT	ax(VHT20)	2412	Ant2	18.859
NVNT	ax(VHT20)	2437	Ant1	18.84
NVNT	ax(VHT20)	2437	Ant2	18.83
NVNT	ax(VHT20)	2462	Ant1	18.887
NVNT	ax(VHT20)	2462	Ant2	18.935
NVNT	ax(VHT40)	2422	Ant1	35.98
NVNT	ax(VHT40)	2422	Ant2	35.91
NVNT	ax(VHT40)	2437	Ant1	35.931
NVNT	ax(VHT40)	2437	Ant2	35.906
NVNT	ax(VHT40)	2452	Ant1	35.977
NVNT	ax(VHT40)	2452	Ant2	35.94
NVNT	b	2412	Ant1	13.507
NVNT	b	2412	Ant2	13.488
NVNT	b	2437	Ant1	13.509
NVNT	b	2437	Ant2	13.512
NVNT	b	2462	Ant1	13.471
NVNT	b	2462	Ant2	13.494
NVNT	g	2412	Ant1	16.741
NVNT	g	2412	Ant2	16.675
NVNT	g	2437	Ant1	16.686
NVNT	g	2437	Ant2	16.669
NVNT	g	2462	Ant1	16.687
NVNT	g	2462	Ant2	16.643
NVNT	n(HT20)	2412	Ant1	23.137
NVNT	n(HT20)	2412	Ant2	17.63
NVNT	n(HT20)	2437	Ant1	17.628
NVNT	n(HT20)	2437	Ant2	17.664
NVNT	n(HT20)	2462	Ant1	17.648
NVNT	n(HT20)	2462	Ant2	17.647
NVNT	n(HT40)	2422	Ant1	35.919
NVNT	n(HT40)	2422	Ant2	35.931
NVNT	n(HT40)	2437	Ant1	35.955
NVNT	n(HT40)	2437	Ant2	35.891
NVNT	n(HT40)	2452	Ant1	35.962
NVNT	n(HT40)	2452	Ant2	35.906

Test Graphs


OBW NVNT ax(VHT20) 2412MHz Ant1




OBW NVNT ax(VHT20) 2412MHz Ant2




OBW NVNT ax(VHT20) 2437MHz Ant1




OBW NVNT ax(VHT20) 2437MHz Ant2




OBW NVNT ax(VHT20) 2462MHz Ant1




OBW NVNT ax(VHT20) 2462MHz Ant2




OBW NVNT ax(VHT40) 2422MHz Ant1




OBW NVNT ax(VHT40) 2422MHz Ant2




OBW NVNT ax(VHT40) 2437MHz Ant1




OBW NVNT ax(VHT40) 2437MHz Ant2




OBW NVNT ax(VHT40) 2452MHz Ant1




OBW NVNT ax(VHT40) 2452MHz Ant2




OBW NVNT b 2412MHz Ant1




OBW NVNT b 2412MHz Ant2




OBW NVNT b 2437MHz Ant1




OBW NVNT b 2437MHz Ant2




OBW NVNT b 2462MHz Ant1




OBW NVNT b 2462MHz Ant2




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2412MHz Ant2




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2437MHz Ant2




OBW NVNT g 2462MHz Ant1




OBW NVNT g 2462MHz Ant2




OBW NVNT n(HT20) 2412MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant2




OBW NVNT n(HT20) 2437MHz Ant1




OBW NVNT n(HT20) 2437MHz Ant2




OBW NVNT n(HT20) 2462MHz Ant1




OBW NVNT n(HT20) 2462MHz Ant2




OBW NVNT n(HT40) 2422MHz Ant1




OBW NVNT n(HT40) 2422MHz Ant2




OBW NVNT n(HT40) 2437MHz Ant1




OBW NVNT n(HT40) 2437MHz Ant2



OBW NVNT n(HT40) 2452MHz Ant1



OBW NVNT n(HT40) 2452MHz Ant2



5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	ax(VHT20)	2412	Ant1	-20.446	8	Pass
NVNT	ax(VHT20)	2412	Ant2	-20.373	8	Pass
NVNT	ax(VHT20)	2412	Sum	-17.399	7.87	Pass
NVNT	ax(VHT20)	2437	Ant1	-20.193	8	Pass
NVNT	ax(VHT20)	2437	Ant2	-20.191	8	Pass
NVNT	ax(VHT20)	2437	Sum	-17.182	7.87	Pass
NVNT	ax(VHT20)	2462	Ant1	-20.594	8	Pass
NVNT	ax(VHT20)	2462	Ant2	-20.783	8	Pass
NVNT	ax(VHT20)	2462	Sum	-17.677	7.87	Pass
NVNT	ax(VHT40)	2422	Ant1	-24.477	8	Pass
NVNT	ax(VHT40)	2422	Ant2	-24.718	8	Pass
NVNT	ax(VHT40)	2422	Sum	-21.586	7.87	Pass
NVNT	ax(VHT40)	2437	Ant1	-24.351	8	Pass
NVNT	ax(VHT40)	2437	Ant2	-25.152	8	Pass
NVNT	ax(VHT40)	2437	Sum	-21.723	7.87	Pass
NVNT	ax(VHT40)	2452	Ant1	-24.562	8	Pass
NVNT	ax(VHT40)	2452	Ant2	-24.011	8	Pass
NVNT	ax(VHT40)	2452	Sum	-21.267	7.87	Pass
NVNT	b	2412	Ant1	-16.248	8	Pass
NVNT	b	2412	Ant2	-15.428	8	Pass
NVNT	b	2412	Sum	-12.808	7.87	Pass
NVNT	b	2437	Ant1	-14.823	8	Pass
NVNT	b	2437	Ant2	-15.974	8	Pass
NVNT	b	2437	Sum	-12.35	7.87	Pass
NVNT	b	2462	Ant1	-14.933	8	Pass
NVNT	b	2462	Ant2	-15.85	8	Pass
NVNT	b	2462	Sum	-12.357	7.87	Pass
NVNT	g	2412	Ant1	-19.181	8	Pass
NVNT	g	2412	Ant2	-19.312	8	Pass
NVNT	g	2412	Sum	-16.236	7.87	Pass
NVNT	g	2437	Ant1	-19.215	8	Pass
NVNT	g	2437	Ant2	-19.819	8	Pass
NVNT	g	2437	Sum	-16.496	7.87	Pass
NVNT	g	2462	Ant1	-18.746	8	Pass
NVNT	g	2462	Ant2	-18.98	8	Pass
NVNT	g	2462	Sum	-15.851	7.87	Pass
NVNT	n(HT20)	2412	Ant1	-19.309	8	Pass
NVNT	n(HT20)	2412	Ant2	-19.073	8	Pass
NVNT	n(HT20)	2412	Sum	-16.179	7.87	Pass
NVNT	n(HT20)	2437	Ant1	-18.56	8	Pass
NVNT	n(HT20)	2437	Ant2	-20.028	8	Pass
NVNT	n(HT20)	2437	Sum	-16.222	7.87	Pass
NVNT	n(HT20)	2462	Ant1	-19.285	8	Pass

NVNT	n(HT20)	2462	Ant2	-20.03	8	Pass
NVNT	n(HT20)	2462	Sum	-16.631	7.87	Pass
NVNT	n(HT40)	2422	Ant1	-22.199	8	Pass
NVNT	n(HT40)	2422	Ant2	-22.735	8	Pass
NVNT	n(HT40)	2422	Sum	-19.448	7.87	Pass
NVNT	n(HT40)	2437	Ant1	-21.95	8	Pass
NVNT	n(HT40)	2437	Ant2	-22.585	8	Pass
NVNT	n(HT40)	2437	Sum	-19.246	7.87	Pass
NVNT	n(HT40)	2452	Ant1	-22.177	8	Pass
NVNT	n(HT40)	2452	Ant2	-22.611	8	Pass
NVNT	n(HT40)	2452	Sum	-19.378	7.87	Pass


Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs


PSD NVNT ax(VHT20) 2412MHz Ant1




PSD NVNT ax(VHT20) 2412MHz Ant2




PSD NVNT ax(VHT20) 2437MHz Ant1




PSD NVNT ax(VHT20) 2437MHz Ant2




PSD NVNT ax(VHT20) 2462MHz Ant1




PSD NVNT ax(VHT20) 2462MHz Ant2




PSD NVNT ax(VHT40) 2422MHz Ant1




PSD NVNT ax(VHT40) 2422MHz Ant2




PSD NVNT ax(VHT40) 2437MHz Ant1



PSD NVNT ax(VHT40) 2437MHz Ant2



PSD NVNT ax(VHT40) 2452MHz Ant1



PSD NVNT ax(VHT40) 2452MHz Ant2

