

RF Test Data for 2.4G Wi-Fi (Conducted Measurements)

General Description of EUT	
EUT Name:	Portable Gaming Computer
Model:	KONKR Pocket Advance
Sample ID:	HC-C-202603-0419-01-01-2#
Test Standard:	FCC Part 15.247
Environmental Conditions	
Ambient Temperature:	25°C
Ambient Humidity:	45%RH
Test Power Supply:	DC 3.8V
Test Engineer:	Gold. Zhang
Note: For a more detailed features description, please refer to the report TBR-C-202603-0419-101	

Contents


1: DTS Bandwidth	3
1.1 Test Result	3
1.2 Test Graphs	4
2: Occupied Channel Bandwidth	6
2.1 Test Result	6
2.2 Test Graphs	7
3: Maximum conducted output power	9
3.1 Test Result Average	9
4: Maximum power spectral density	10
4.1 Test Result	10
4.2 Test Graphs	11
5: Band edge measurements	13
5.1 Test Result	13
5.2 Test Graphs	14
6: Conducted Spurious Emission	16
6.1 Test Result	16
6.2 Test Graphs	17
7: Duty Cycle	23
7.1 Test Result	23
7.2 Test Graphs	24
8: Emissions in Restricted Bands	26
8.1 Test Result	26
8.2 Test Graphs	28



1: DTS Bandwidth

1.1 Test Result

Test Mode	Ant.	Frequency [MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.60	2407.96	2416.56	0.5	PASS
11B	Ant1	2437	8.12	2432.44	2440.56	0.5	PASS
11B	Ant1	2462	8.56	2457.48	2466.04	0.5	PASS
11G	Ant1	2412	16.20	2404.04	2420.24	0.5	PASS
11G	Ant1	2437	14.44	2428.88	2443.32	0.5	PASS
11G	Ant1	2462	15.68	2454.44	2470.12	0.5	PASS
11N20SISO	Ant1	2412	17.52	2403.40	2420.92	0.5	PASS
11N20SISO	Ant1	2437	16.12	2428.20	2444.32	0.5	PASS
11N20SISO	Ant1	2462	14.92	2455.72	2470.64	0.5	PASS
11N40SISO	Ant1	2422	25.84	2411.44	2437.28	0.5	PASS
11N40SISO	Ant1	2437	34.88	2419.56	2454.44	0.5	PASS
11N40SISO	Ant1	2452	36.40	2433.84	2470.24	0.5	PASS



1.2 Test Graphs







11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2437-PASS



11N20SISO-Ant1-2462-PASS

11N40SISO-Ant1-2422-PASS



11N40SISO-Ant1-2437-PASS


11N40SISO-Ant1-2452-PASS



2: Occupied Channel Bandwidth

2.1 Test Result


Test Mode	Ant.	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.347	2405.6064	2418.9530	---	---
11B	Ant1	2437	13.027	2430.1668	2443.1938	---	---
11B	Ant1	2462	12.468	2456.0460	2468.5135	---	---
11G	Ant1	2412	17.463	2403.5285	2420.9910	---	---
11G	Ant1	2437	17.023	2428.3287	2445.3516	---	---
11G	Ant1	2462	16.783	2453.7682	2470.5514	---	---
11N20SISO	Ant1	2412	17.942	2403.1289	2421.0709	---	---
11N20SISO	Ant1	2437	18.102	2427.8092	2445.9111	---	---
11N20SISO	Ant1	2462	17.582	2453.4086	2470.9910	---	---
11N40SISO	Ant1	2422	35.564	2404.3377	2439.9021	---	---
11N40SISO	Ant1	2437	36.044	2419.0180	2455.0619	---	---
11N40SISO	Ant1	2452	36.923	2433.6184	2470.5415	---	---

2.2 Test Graphs







11N20SISO-Ant1-2412



11N20SISO-Ant1-2437



11N20SISO-Ant1-2462



11N40SISO-Ant1-2422



11N40SISO-Ant1-2437

11N40SISO-Ant1-2452

3: Maximum conducted output power

3.1 Test Result Average


Test Mode	Ant.	Frequency [MHz]	Raw Power [dBm]	DC Factor	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	14.67	0.02	14.69	≤30.00	PASS
11B	Ant1	2437	14.09	0.02	14.11	≤30.00	PASS
11B	Ant1	2462	13.63	0.02	13.65	≤30.00	PASS
11G	Ant1	2412	14.65	0.12	14.77	≤30.00	PASS
11G	Ant1	2437	14.94	0.15	15.09	≤30.00	PASS
11G	Ant1	2462	14.00	0.12	14.12	≤30.00	PASS
11N20SISO	Ant1	2412	13.21	0.17	13.38	≤30.00	PASS
11N20SISO	Ant1	2437	12.78	0.16	12.94	≤30.00	PASS
11N20SISO	Ant1	2462	12.72	0.13	12.85	≤30.00	PASS
11N40SISO	Ant1	2422	12.02	0.26	12.28	≤30.00	PASS
11N40SISO	Ant1	2437	11.80	0.26	12.06	≤30.00	PASS
11N40SISO	Ant1	2452	11.71	0.26	11.97	≤30.00	PASS


4: Maximum power spectral density

4.1 Test Result

Test Mode	Ant.	Frequency[MHz]	RawData [dBm/3kHz]	DC Factor	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-16.48	0.02	-16.46	≤8.00	PASS
11B	Ant1	2437	-16.85	0.02	-16.83	≤8.00	PASS
11B	Ant1	2462	-19.44	0.02	-19.42	≤8.00	PASS
11G	Ant1	2412	-21.79	0.12	-21.67	≤8.00	PASS
11G	Ant1	2437	-18.64	0.15	-18.49	≤8.00	PASS
11G	Ant1	2462	-18.78	0.12	-18.66	≤8.00	PASS
11N20SISO	Ant1	2412	-20.96	0.17	-20.79	≤8.00	PASS
11N20SISO	Ant1	2437	-23.25	0.16	-23.09	≤8.00	PASS
11N20SISO	Ant1	2462	-21.03	0.13	-20.90	≤8.00	PASS
11N40SISO	Ant1	2422	-20.56	0.26	-20.30	≤8.00	PASS
11N40SISO	Ant1	2437	-22.21	0.26	-21.95	≤8.00	PASS
11N40SISO	Ant1	2452	-24.28	0.26	-24.02	≤8.00	PASS


4.2 Test Graphs






Date: 17.JUL.2026 11:09:43

11N20SISO-Ant1-2412-PASS




Date: 17.JUL.2026 11:12:26

11N20SISO-Ant1-2437-PASS




Date: 17.JUL.2026 12:50:16

11N20SISO-Ant1-2462-PASS




Date: 17.JUL.2026 13:10:46

11N40SISO-Ant1-2422-PASS



Date: 17.JUL.2026 13:08:14

11N40SISO-Ant1-2437-PASS



Date: 17.JUL.2026 13:05:09


11N40SISO-Ant1-2452-PASS



5: Band edge measurements

5.1 Test Result

TestMode	Ant.	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	5.93	-39.22	≤-24.07	PASS
11B	Ant1	High	2462	2.81	-52.77	≤-27.19	PASS
11G	Ant1	Low	2412	-0.27	-32.21	≤-30.27	PASS
11G	Ant1	High	2462	3.17	-46.68	≤-26.83	PASS
11N20SISO	Ant1	Low	2412	1.49	-32.36	≤-28.51	PASS
11N20SISO	Ant1	High	2462	-0.74	-48.48	≤-30.74	PASS
11N40SISO	Ant1	Low	2422	-3.19	-41.93	≤-33.19	PASS
11N40SISO	Ant1	High	2452	-2.09	-39.63	≤-32.09	PASS

5.2 Test Graphs






6: Conducted Spurious Emission


6.1 Test Result

TestMode	Ant.	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	0~Reference	3.27	3.27	---	PASS
11B	Ant1	2412	30~1000	3.27	-56.93	≤-26.73	PASS
11B	Ant1	2412	1000~26500	3.27	-37.71	≤-26.73	PASS
11B	Ant1	2437	0~Reference	2.29	2.29	---	PASS
11B	Ant1	2437	30~1000	2.29	-59.09	≤-27.71	PASS
11B	Ant1	2437	1000~26500	2.29	-37.42	≤-27.71	PASS
11B	Ant1	2462	0~Reference	0.84	0.84	---	PASS
11B	Ant1	2462	30~1000	0.84	-63.57	≤-29.16	PASS
11B	Ant1	2462	1000~26500	0.84	-37.21	≤-29.16	PASS
11G	Ant1	2412	0~Reference	0.19	0.19	---	PASS
11G	Ant1	2412	30~1000	0.19	-64.55	≤-29.81	PASS
11G	Ant1	2412	1000~26500	0.19	-38.06	≤-29.81	PASS
11G	Ant1	2437	0~Reference	3.54	3.54	---	PASS
11G	Ant1	2437	30~1000	3.54	-54.69	≤-26.46	PASS
11G	Ant1	2437	1000~26500	3.54	-37.82	≤-26.46	PASS
11G	Ant1	2462	0~Reference	0.08	0.08	---	PASS
11G	Ant1	2462	30~1000	0.08	-58.5	≤-29.92	PASS
11G	Ant1	2462	1000~26500	0.08	-36.5	≤-29.92	PASS
11N20SISO	Ant1	2412	0~Reference	-1.41	-1.41	---	PASS
11N20SISO	Ant1	2412	30~1000	-1.41	-55.25	≤-31.41	PASS
11N20SISO	Ant1	2412	1000~26500	-1.41	-37.12	≤-31.41	PASS
11N20SISO	Ant1	2437	0~Reference	-2.34	-2.34	---	PASS
11N20SISO	Ant1	2437	30~1000	-2.34	-62.47	≤-32.34	PASS
11N20SISO	Ant1	2437	1000~26500	-2.34	-37.12	≤-32.34	PASS
11N20SISO	Ant1	2462	0~Reference	0.28	0.28	---	PASS
11N20SISO	Ant1	2462	30~1000	0.28	-59.82	≤-29.72	PASS
11N20SISO	Ant1	2462	1000~26500	0.28	-36.89	≤-29.72	PASS
11N40SISO	Ant1	2422	0~Reference	-0.48	-0.48	---	PASS
11N40SISO	Ant1	2422	30~1000	-0.48	-55.75	≤-30.48	PASS
11N40SISO	Ant1	2422	1000~26500	-0.48	-37.76	≤-30.48	PASS
11N40SISO	Ant1	2437	0~Reference	-1.10	-1.10	---	PASS
11N40SISO	Ant1	2437	30~1000	-1.10	-61.04	≤-31.1	PASS
11N40SISO	Ant1	2437	1000~26500	-1.10	-37.49	≤-31.1	PASS
11N40SISO	Ant1	2452	0~Reference	-2.36	-2.36	---	PASS
11N40SISO	Ant1	2452	30~1000	-2.36	-55.83	≤-32.36	PASS
11N40SISO	Ant1	2452	1000~26500	-2.36	-37.91	≤-32.36	PASS

6.2 Test Graphs




Date: 17.JUL.2026 10:38:44




Date: 17.JUL.2026 10:38:52

11B-Ant1-2412-0~Reference-PASS

11B-Ant1-2412-30~1000-PASS




Date: 17.JUL.2026 10:39:09




Date: 17.JUL.2026 10:41:07

11B-Ant1-2412-1000~26500-PASS

11B-Ant1-2437-0~Reference-PASS




Date: 17.JUL.2026 10:41:15




Date: 17.JUL.2026 10:41:32

11B-Ant1-2437-30~1000-PASS

11B-Ant1-2437-1000~26500-PASS




Date: 17.JUL.2026 10:43:58




Date: 17.JUL.2026 10:44:05

11B-Ant1-2462-0~Reference-PASS

11B-Ant1-2462-30~1000-PASS




Date: 17.JUL.2026 10:44:23




Date: 17.JUL.2026 10:48:54

11B-Ant1-2462-1000~26500-PASS

11G-Ant1-2412-0~Reference-PASS




Date: 17.JUL.2026 10:49:02




Date: 17.JUL.2026 10:49:19

11G-Ant1-2412-30~1000-PASS

11G-Ant1-2412-1000~26500-PASS




Date: 17.JUL.2026 11:04:02




Date: 17.JUL.2026 11:04:10

11G-Ant1-2437-0~Reference-PASS

11G-Ant1-2437-30~1000-PASS




Date: 17.JUL.2026 11:04:27




Date: 17.JUL.2026 10:51:34

11G-Ant1-2437-1000~26500-PASS

11G-Ant1-2462-0~Reference-PASS




Date: 17.JUL.2026 10:51:41




Date: 17.JUL.2026 10:51:59

11G-Ant1-2462-30~1000-PASS

11G-Ant1-2462-1000~26500-PASS




Date: 17.JUL.2026 11:10:19




Date: 17.JUL.2026 11:10:27

11N20SISO-Ant1-2412-0~Reference-PASS

11N20SISO-Ant1-2412-30~1000-PASS




Date: 17.JUL.2026 11:10:44




Date: 17.JUL.2026 11:12:32

11N20SISO-Ant1-2412-1000~26500-PASS

11N20SISO-Ant1-2437-0~Reference-PASS




Date: 17.JUL.2026 11:12:39




Date: 17.JUL.2026 11:12:56

11N20SISO-Ant1-2437-30~1000-PASS

11N20SISO-Ant1-2437-1000~26500-PASS




Date: 17.JUL.2026 12:50:51




Date: 17.JUL.2026 12:50:59

11N20SISO-Ant1-2462-0~Reference-PASS




Date: 17.JUL.2026 12:51:16




Date: 17.JUL.2026 13:11:25

11N20SISO-Ant1-2462-1000~26500-PASS




Date: 17.JUL.2026 13:11:33




Date: 17.JUL.2026 13:11:50

11N40SISO-Ant1-2422-30~1000-PASS

11N40SISO-Ant1-2422-1000~26500-PASS




Date: 17.JUL.2026 13:08:20




Date: 17.JUL.2026 13:08:27

11N40SISO-Ant1-2437-0~Reference-PASS




Date: 17.JUL.2026 13:08:45




Date: 17.JUL.2026 13:09:46

11N40SISO-Ant1-2437-1000~26500-PASS



Date: 17.JUL.2026 13:05:54



Date: 17.JUL.2026 13:06:11

11N40SISO-Ant1-2452-30~1000-PASS

11N40SISO-Ant1-2452-1000~26500-PASS

7: Duty Cycle

7.1 Test Result



TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	1/T [kHz]
11B	Ant1	2412	8.39	8.43	99.53	0.02	0.12
11B	Ant1	2437	8.39	8.43	99.53	0.02	0.12
11B	Ant1	2462	8.40	8.43	99.64	0.02	0.12
11G	Ant1	2412	1.40	1.44	97.22	0.12	0.71
11G	Ant1	2437	1.39	1.44	96.53	0.15	0.72
11G	Ant1	2462	1.40	1.44	97.22	0.12	0.71
11N20SISO	Ant1	2412	1.29	1.34	96.27	0.17	0.78
11N20SISO	Ant1	2437	1.30	1.35	96.30	0.16	0.77
11N20SISO	Ant1	2462	1.30	1.34	97.01	0.13	0.77
11N40SISO	Ant1	2422	0.65	0.69	94.20	0.26	1.54
11N40SISO	Ant1	2437	0.65	0.69	94.20	0.26	1.54
11N40SISO	Ant1	2452	0.65	0.69	94.20	0.26	1.54

Note: 1, Duty Cycle= Transmission Duration/ Transmission Period


2, DC Factor= $10 \cdot \log_{10}(1/\text{Duty Cycle})$

3, $1/T = 1/\text{Transmission Duration}$


7.2 Test Graphs




NTNV-11B-Ant1-2412




NTNV-11B-Ant1-2437



NTNV-11B-Ant1-2462





NTNV-11G-Ant1-2412





NTNV-11G-Ant1-2437

NTNV-11G-Ant1-2462





NTNV-11N20SISO-Ant1-2412

NTNV-11N20SISO-Ant1-2437



NTNV-11N20SISO-Ant1-2462

NTNV-11N40SISO-Ant1-2422



NTNV-11N40SISO-Ant1-2437

NTNV-11N40SISO-Ant1-2452

8: Emissions in Restricted Bands

8.1 Test Result


TestMode	Ant.	ChName	Freq. [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	Peak	2390.000	-36.99	≤-21.20	58.21	≤74	PASS
11B	Ant1	Low	2412	Peak	2310.000	-36.87	≤-21.20	58.33	≤74	PASS
11B	Ant1	Low	2412	Peak	2343.899	-32.5	≤-21.20	62.70	≤74	PASS
11B	Ant1	Low	2412	AV	2390.000	-57.91	≤-41.20	37.29	≤54	PASS
11B	Ant1	Low	2412	AV	2310.000	-63.16	≤-41.20	32.04	≤54	PASS
11B	Ant1	Low	2412	AV	2387.609	-53.58	≤-41.20	41.62	≤54	PASS
11B	Ant1	High	2462	Peak	2483.500	-36.51	≤-21.20	58.69	≤74	PASS
11B	Ant1	High	2462	Peak	2500.000	-35.47	≤-21.20	59.73	≤74	PASS
11B	Ant1	High	2462	Peak	2499.304	-33.88	≤-21.20	61.32	≤74	PASS
11B	Ant1	High	2462	AV	2483.500	-59.91	≤-41.20	35.29	≤54	PASS
11B	Ant1	High	2462	AV	2500.000	-60.51	≤-41.20	34.69	≤54	PASS
11B	Ant1	High	2462	AV	2491.333	-57.01	≤-41.20	38.19	≤54	PASS
11G	Ant1	Low	2412	Peak	2390.000	-35.77	≤-21.20	59.43	≤74	PASS
11G	Ant1	Low	2412	Peak	2310.000	-36.07	≤-21.20	59.13	≤74	PASS
11G	Ant1	Low	2412	Peak	2340.884	-32.95	≤-21.20	62.25	≤74	PASS
11G	Ant1	Low	2412	AV	2390.000	-44.92	≤-41.20	50.28	≤54	PASS
11G	Ant1	Low	2412	AV	2310.000	-63.9	≤-41.20	31.30	≤54	PASS
11G	Ant1	Low	2412	AV	2389.870	-45.51	≤-41.20	49.69	≤54	PASS
11G	Ant1	High	2462	Peak	2483.500	-29.88	≤-21.20	65.32	≤74	PASS
11G	Ant1	High	2462	Peak	2500.000	-36.46	≤-21.20	58.74	≤74	PASS
11G	Ant1	High	2462	Peak	2483.522	-29.88	≤-21.20	65.32	≤74	PASS
11G	Ant1	High	2462	AV	2483.500	-44.41	≤-41.20	50.79	≤54	PASS
11G	Ant1	High	2462	AV	2500.000	-56.98	≤-41.20	38.22	≤54	PASS
11G	Ant1	High	2462	AV	2483.522	-44.41	≤-41.20	50.79	≤54	PASS
11N20SISO	Ant1	Low	2412	Peak	2390.000	-34.26	≤-21.20	60.94	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2310.000	-36.8	≤-21.20	58.40	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2340.884	-33.21	≤-21.20	61.99	≤74	PASS
11N20SISO	Ant1	Low	2412	AV	2390.000	-45.25	≤-41.20	49.95	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2310.000	-62.67	≤-41.20	32.53	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2389.870	-45.43	≤-41.20	49.77	≤54	PASS
11N20SISO	Ant1	High	2462	Peak	2483.500	-36.05	≤-21.20	59.15	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2500.000	-37.55	≤-21.20	57.65	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2486.232	-33.5	≤-21.20	61.70	≤74	PASS
11N20SISO	Ant1	High	2462	AV	2483.500	-46.55	≤-41.20	48.65	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2500.000	-55.77	≤-41.20	39.43	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2483.522	-46.55	≤-41.20	48.65	≤54	PASS
11N40SISO	Ant1	Low	2422	Peak	2390.000	-33.19	≤-21.20	62.01	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2310.000	-36.66	≤-21.20	58.54	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2389.783	-33.26	≤-21.20	61.94	≤74	PASS
11N40SISO	Ant1	Low	2422	AV	2390.000	-48.47	≤-41.20	46.73	≤54	PASS
11N40SISO	Ant1	Low	2422	AV	2310.000	-63.7	≤-41.20	31.50	≤54	PASS

11N40SISO	Ant1	Low	2422	AV	2389.783	-48.54	≤ -41.20	46.66	≤ 54	PASS
11N40SISO	Ant1	High	2452	Peak	2483.500	-30.92	≤ -21.20	64.28	≤ 74	PASS
11N40SISO	Ant1	High	2452	Peak	2500.000	-35.81	≤ -21.20	59.39	≤ 74	PASS
11N40SISO	Ant1	High	2452	Peak	2489.493	-27.57	≤ -21.20	67.63	≤ 74	PASS
11N40SISO	Ant1	High	2452	AV	2483.500	-43.83	≤ -41.20	51.37	≤ 54	PASS
11N40SISO	Ant1	High	2452	AV	2500.000	-51.06	≤ -41.20	44.14	≤ 54	PASS
11N40SISO	Ant1	High	2452	AV	2492.391	-42.41	≤ -41.20	52.79	≤ 54	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a), The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

8.2 Test Graphs




Date: 17.JUL.2026 10:38:28




Date: 17.JUL.2026 10:38:39

11B-Ant1-2412-PASS

11B-Ant1-2412-PASS




Date: 17.JUL.2026 10:43:42




Date: 17.JUL.2026 10:43:52

11B-Ant1-2462-PASS

11B-Ant1-2462-PASS





Date: 17.JUL.2026 10:47:04



Date: 17.JUL.2026 10:47:16



11G-Ant1-2412-PASS

11G-Ant1-2412-PASS





11G-Ant1-2462-PASS

11G-Ant1-2462-PASS





11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2412-PASS





11N20SISO-Ant1-2462-PASS

11N20SISO-Ant1-2462-PASS



11N40SISO-Ant1-2422-PASS

11N40SISO-Ant1-2422-PASS



11N40SISO-Ant1-2452-PASS

11N40SISO-Ant1-2452-PASS

-----END OF THE REPORT-----