



# Test Report



No.: AJT250726007E-1

Applicant Name: KNP LLC  
Applicant Address: 7601 NORTH FEDERAL HIGHWAY, SUITE 215A, BOCA RATON, FL 33487 USA  
Manufacturer Name: KNP LLC  
Manufacturer Address: 7601 NORTH FEDERAL HIGHWAY, SUITE 215A, BOCA RATON, FL 33487 USA

The following samples were submitted and identified by/on behalf of the client as:

Sample Description: RC CAR  
Model No.: 5004132  
FCC ID: 2A28T-27KNP5004132  
Sample Received Date: July 26, 2025  
Testing Completed Date: July 30, 2025

Tests conducted: For compliance with application, refer to attached page(s) for details.

| Test Requested:                                            | Conclusion |
|------------------------------------------------------------|------------|
| FCC part 15, Subpart C, Section 15. 227 & ANSI C63,10-2013 | PASS       |

Tested by:

*Glory*

Reviewed by:

*Fly Liang*

Approved by:

Position: Technical Supervisor  
Date: 2025-08-01



This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 1 of 20





# Test Report



No.: AJT250726007E-1

## TABLE OF CONTENTS

|                                                               |    |
|---------------------------------------------------------------|----|
| 1 Test Standards .....                                        | 3  |
| 2 Summary .....                                               | 3  |
| 2.1 General Remarks .....                                     | 3  |
| 2.2 Final Assessment .....                                    | 3  |
| 3 Equipment Under Test .....                                  | 3  |
| 3.1 Short Description of the Equipment Under Test (EUT) ..... | 3  |
| 3.2 EUT Configuration .....                                   | 4  |
| 3.3 Description of Test Modes .....                           | 4  |
| 4 Test Environment .....                                      | 5  |
| 4.1 Address of the Test Laboratory .....                      | 5  |
| 4.2 Environmental Conditions .....                            | 5  |
| 4.3 Statement of the Measurement Uncertainty .....            | 6  |
| 4.4 Test Types and Results .....                              | 6  |
| 5 Test Conditions and Results .....                           | 6  |
| 5.1 Radiated Emission (RE) .....                              | 6  |
| 5.2 20dB Bandwidth .....                                      | 15 |
| 5.3 Conducted Emission (CE) .....                             | 16 |
| 5.4 Antenna Requirements .....                                | 18 |
| 6 Test Equipment .....                                        | 19 |
| 7 Test Photographs .....                                      | 20 |
| 8 Photos of the EUT .....                                     | 20 |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

**AJT TESTING SERVICES LIMITED**

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 2 of 20





# Test Report



No.: AJT250726007E-1

## 1 Test Standards

|                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------|
| The tests were performed according to following standards:                                                       |
| FCC part 15, Subpart C, Section 15. 227: Operation within the band 26.96-27.28 MHz                               |
| ANSI C63,10-2013: American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices |

## 2 Summary

### 2.1 General Remarks

|                                |                                  |
|--------------------------------|----------------------------------|
| Date of receipt of test sample | July 26, 2025                    |
| Testing commenced on           | July 26, 2025 ---- July 30, 2025 |
| Testing concluded on           | July 30, 2025                    |

### 2.2 Final Assessment

| Test Content:                                                                            | Assessment                    |
|------------------------------------------------------------------------------------------|-------------------------------|
| The RF requirements pertaining to the technical standards and tested operation modes are | Fulfilled                     |
| The equipment under test                                                                 | Fulfilled the RF requirements |

## 3 Equipment Under Test

### 3.1 Short Description of the Equipment Under Test (EUT)

|                                                                                                                                                                                                                                                                                    |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| EUT Name                                                                                                                                                                                                                                                                           | RC CAR             |
| Model No.                                                                                                                                                                                                                                                                          | 5004132            |
| FCC ID                                                                                                                                                                                                                                                                             | 2A28T-27KNP5004132 |
| Power Supply Voltage                                                                                                                                                                                                                                                               | DC 3.0V(AA*2)      |
| Operating Mode                                                                                                                                                                                                                                                                     | TX mode            |
| Operation Frequency                                                                                                                                                                                                                                                                | 27.145MHz          |
| Number of Channel                                                                                                                                                                                                                                                                  | 1                  |
| Modulation                                                                                                                                                                                                                                                                         | FSK                |
| Antenna Type                                                                                                                                                                                                                                                                       | Spring Antenna     |
| Antenna Gain                                                                                                                                                                                                                                                                       | 5dBi               |
| NOTE:<br>1. The above EUT information is declared by manufacturer and for more detailed features description, please refers to the manufacturer's specifications or user's manual. The laboratory is not responsible for the accuracy of the information provided by manufacturer. |                    |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)





# Test Report



No.: AJT250726007E-1

## 3.2 EUT Configuration

(The CDF filled by the applicant can be viewed at the test laboratory.)

The following peripheral devices and interface cables were connected during the measurement:

Not Applicable

EUT

## 3.3 Description of Test Modes

| NO.                                                                                                                                                                                                                | Frequency | Test Mode Description |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|
| 1                                                                                                                                                                                                                  | 27.145MHz | TX mode               |
| Note:<br>1. All the test modes can be supply by new battery, and only the data of the worst case recorded in the test report.<br>2. For radiated emission, 3axis were chosen for testing for each applicable mode. |           |                       |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 4 of 20





# Test Report



No.: AJT250726007E-1

## 4 Test Environment

### 4.1 Address of the Test Laboratory

|                  |                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------|
| Test Laboratory: | AJT Testing Services Limited                                                                            |
| Test Site:       | 1-2/F., NO.1, WENHUA SOUTH ROAD, CHENGHUA INDUSTRIAL ZONE, CHENGHAI DISTRICT, SHANTOU, GUANGDONG, CHINA |
| Tel:             | 86-754-85860999                                                                                         |
| Fax:             | 86-754-86984098                                                                                         |

### 4.2 Environmental Conditions

|                                                                                    |           |
|------------------------------------------------------------------------------------|-----------|
| During the measurement the environmental conditions were within the listed ranges: |           |
| Temperature                                                                        | 15~35°C   |
| Humidity                                                                           | 30~75% RH |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

**AJT TESTING SERVICES LIMITED**

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)





# Test Report



No.: AJT250726007E-1

## 4.3 Statement of the Measurement Uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. Furthermore, component and process variability of devices are similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

| Measurement Uncertainty      |                     |
|------------------------------|---------------------|
| Conducted Emission (CE)      | $\pm 2.14\text{dB}$ |
| Radiated Emission below 1GHz | $\pm 4.44\text{dB}$ |
| Radiated Emission above 1GHz | $\pm 5.26\text{dB}$ |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .

## 4.4 Test Types and Results

| Standard: FCC part 15, Subpart C |                         |        |                              |
|----------------------------------|-------------------------|--------|------------------------------|
| Standard Section                 | Test Type               | Result | Remark                       |
| §15.207                          | Conducted Emission (CE) | N/A    | EUT is powered by battery    |
| §15.227 & §15.209                | Radiated Emission (RE)  | Pass   | Compliant                    |
| §15.215                          | 20dB Bandwidth          | Pass   | Compliant                    |
| §15.203                          | Antenna Requirement     | Pass   | No antenna connector is used |

Note: The conducted limits are not required for devices which only employ battery power for operation.

## 5 Test Conditions and Results

### 5.1 Radiated Emission (RE)

For test instruments and accessories used see section 6

#### 5.1.1 Test Procedures

The basic test procedure was in accordance with ANSI C63.10 (section 6).

- (1) The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3m chamber room. The table was rotated 360 degrees to determine the position of the highest radiation. (Below 1000MHz)
- (2) The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3m chamber room. The table was rotated 360 degrees to determine the position of the highest radiation. (Below 30MHz)
- (3) The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 6 of 20




No.: AJT250726007E-1

- (4) The height of antenna is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- (5) For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- (6) The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1GHz.
- (7) During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, rotated about all 3 axis (X,Y & Z) and considered typical configuration to obtain worst position Y, manipulating interconnecting cables, For battery operated equipment, the equipment tests shall be perform using new battery. The turntable was rotated to maximize the emission level.
- (8) For below 30MHz, a loop antenna with its vertical plane is place 3m from the EUT and rotated about its vertical axis for maximum response at each azimuth about the EUT. And the centre of the loop shall be 1m above the ground.

**Note:**

1. The resolution bandwidth of test receiver/spectrum analyzer is 120kHz for Quasi-peak detection at frequency below 1GHz.
2. Emission level (dBμV/m) = Raw value (dBμV) + Correction Factor (dB/m)
3. Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Factor (dB)
4. Margin value = Emission level – Limit value.
5. Fundamental AV value = PK Emission + AV Factor

## 5.1.2 Test Setup



Below 30MHz

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.


**AJT TESTING SERVICES LIMITED**

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 7 of 20





30MHz-1GHz

## 5.1.3 Test Limits

Emissions radiated outside of the specified bands, shall be according to the general radiated limits in 15.209 as following:

| Frequencies (MHz) | Field strength (microvolts/meter) | Measurement distance (meters) |
|-------------------|-----------------------------------|-------------------------------|
| 0.009 ~ 0.490     | 2400/F(kHz)                       | 300                           |
| 0.490 ~ 1.705     | 24000/F(kHz)                      | 30                            |
| 1.705 ~ 30.0      | 30                                | 30                            |
| 30 ~ 88           | 100                               | 3                             |
| 88 ~ 216          | 150                               | 3                             |
| 216 ~ 960         | 200                               | 3                             |
| Above 960         | 500                               | 3                             |

According to §15. 227(a), the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:

| Fundamental Range of Fundamental (MHz) | Field Strength of Fundamental Emission (Peak) (μV/m) | Field Strength of Fundamental Emission (average) (μV/m) |
|----------------------------------------|------------------------------------------------------|---------------------------------------------------------|
| 26.96 ~ 27.28                          | 100,000(100dBμV/m)                                   | 10,000(80dBμV/m)                                        |

### Note:

1. The lower limit shall apply at the transition frequencies.
2. Emission level (dBμV/m) = 20 log Emission level (μV/m).
3. As shown in 15.35(b), for frequencies above 1000MHz, the field strength limits are based on average detector, however, the peak field strength of any emission shall not exceed the maximum permitted average limits, specified above by more than 20dB under any condition of modulation.

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)






# Test Report




No.: AJT250726007E-1

## 5.1.4 Test Results

### 5.1.4.1 Field Strength of Fundamental



Horizontal



Vertical

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 9 of 20





# Test Report



No.: AJT250726007E-1

| Frequency (MHz)                                                                                                                                                                                                                                                                                                                                                                                                                           | Reading Level (dBμV/m) | Emission Level (dBμV/m) | Limit. (dBμV/m) | Margin (dB) | Correction Factor(dB) | Polarization |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|-----------------|-------------|-----------------------|--------------|
| 27.145824 (PK)                                                                                                                                                                                                                                                                                                                                                                                                                            | /                      | 42.39                   | 100.00          | -57.61      | -9.57                 | Horizontal   |
| 27.145472 (PK)                                                                                                                                                                                                                                                                                                                                                                                                                            | /                      | 64.83                   | 100.00          | -35.17      | -9.57                 | Vertical     |
| 27.145824 (AV)                                                                                                                                                                                                                                                                                                                                                                                                                            | /                      | 38.24                   | 80.00           | -41.76      | -4.15                 | Horizontal   |
| 27.145472 (AV)                                                                                                                                                                                                                                                                                                                                                                                                                            | /                      | 60.68                   | 80.00           | -19.32      | -4.15                 | Vertical     |
| <p>Note:</p> <p>1.Emission Level = Read Level + Correction Factor</p> <p>2.Correction Factor = Antenna Factor + Cable Loss - Preamplifier Gain</p> <p>3.Margin = Emission Level -Limit Value</p> <p>4. The average value of fundamental frequency is: Average value = Peak value +AV factor, where the AV factor is calculated from following formula: AV factor=20 log (Duty cycle) = 20 log (62.03%) = -4.15dB, please see 5.1.4.2.</p> |                        |                         |                 |             |                       |              |

## 5.1.4.2 Calculation of Average Factor

The duration of one cycle = 18.96ms

Effective period of the cycle =  $0.54 \times 10 + 1.59 \times 4 = 11.76\text{ms}$

Duty Cycle =  $11.76\text{ms} / 18.96\text{ms} = 62.03\%$

Averaging factor in dB =  $20 \log (\text{duty cycle}) = 20 \log (62.03\%) = -4.15\text{dB}$

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 10 of 20






# Test Report




No.: AJT250726007E-1

## 100ms Duty Cycle



## Ton1



This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 11 of 20






# Test Report




No.: AJT250726007E-1

Ton2



The duration of one cycle



This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 12 of 20





# Test Report



No.: AJT250726007E-1

## 5.1.4.3 9kHz-1GHz Radiated Emission Result

The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

|                |                                            |
|----------------|--------------------------------------------|
| Operation Mode | TX mode                                    |
| Test Condition | Ambient Temperature: 25°C Humidity: 65% RH |

| Frequency (MHz) | Peak (dB $\mu$ V/m) | QP (dB $\mu$ V/m) | QP Lim. (dB $\mu$ V/m) | Margin (dB) | Angle (°) | Height (m) | Polarization |
|-----------------|---------------------|-------------------|------------------------|-------------|-----------|------------|--------------|
| 54.25           | 17.43               | /                 | 40.00                  | -22.57      | 211.00    | 1.50       | Horizontal   |
| 102.75          | 15.96               | /                 | 43.50                  | -27.54      | 178.00    | 1.50       | Horizontal   |
| 346.802         | 19.46               | /                 | 46.00                  | -26.54      | 25.00     | 1.50       | Horizontal   |
| 496.57          | 22.98               | /                 | 46.00                  | -23.02      | 325.00    | 1.50       | Horizontal   |
| 648.084         | 26.82               | /                 | 46.00                  | -19.18      | 85.00     | 1.50       | Horizontal   |
| 866.14          | 29.05               | /                 | 46.00                  | -16.95      | 182.00    | 1.50       | Horizontal   |
| 54.25           | 24.30               | /                 | 40.00                  | -15.70      | 118.00    | 1.50       | Vertical     |
| 106.727         | 14.76               | /                 | 43.50                  | -28.74      | 341.00    | 1.50       | Vertical     |
| 352.913         | 23.30               | /                 | 46.00                  | -22.70      | 164.00    | 1.50       | Vertical     |
| 379.976         | 24.79               | /                 | 46.00                  | -21.21      | 155.00    | 1.50       | Vertical     |
| 647.987         | 27.08               | /                 | 46.00                  | -18.92      | 112.00    | 1.50       | Vertical     |
| 756.045         | 28.02               | /                 | 46.00                  | -17.98      | 158.00    | 1.50       | Vertical     |

1.QP is abbreviation of Quasi-Peak

2.Margin = Emission Level -Limit Value

3.The emission levels of other frequencies were more than 20dB margin against the limit

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 13 of 20







# Test Report



No.: AJT250726007E-1

Test Graph:



This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 14 of 20





# Test Report



No.: AJT250726007E-1

## 5.2 20dB Bandwidth

For test instruments and accessories used see section 6

### 5.2.1 Test Procedures

1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
2. Turn on the EUT and connect it to measurement instrument. Then set it to any one convenient frequency within its operating range. Set a reference level on the measuring instrument equal to the highest peak value.
3. Measure the frequency difference of two frequencies that were attenuated 20dB from the reference level. Record the frequency difference as the emission bandwidth.
4. Repeat above procedures until all frequencies measured were complete.

### 5.2.2 Test Setup



### 5.2.3 Test Limits

The field strength of any emissions appearing between the band edges and out of band shall be attenuated at least 20 dB below the level of the unmodulated carrier or to the general limits in Section 15.209

| Frequency (MHz) | Limits (MHz)       |
|-----------------|--------------------|
| 27.145          | Within 26.96-27.28 |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)






# Test Report



No.: AJT250726007E-1

## 5.2.4 Test Results



| Frequency (MHz) | 20dB Bandwidth |
|-----------------|----------------|
| 27.145          | 6.127kHz       |

## 5.3 Conducted Emission (CE)

For test instruments and accessories used see section 6

### 5.3.1 Test Procedures

The PC Power connected to the power mains through a line impedance stabilization network (L.I.S.N.#2). This provides a 50 ohm coupling impedance for the EUT. Please refer the block diagram of the test setup and photographs. The other peripheral devices power cord connected to the power mains through a line impedance stabilization network (L.I.S.N.#1). Power on the PC and let it work normally, we use a keyboard test software, let EUT working in test mode, then test it. Both sides of AC line are checked to find out the maximum conducted emission. In order to find the maximum emission levels, the relative positions of equipment and all of the interface cables shall be changed according to FCC Part 15C on Conducted Emission Test.

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED


Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 16 of 20



## 5.3.2 Test Setup



## 5.3.3 Test Limits

| Standard: FCC part 15, Subpart C |                         |                      |
|----------------------------------|-------------------------|----------------------|
| Frequency of emission (MHz)      | Maximum RF Line Voltage |                      |
|                                  | Quasi-Peak Level dB(μV) | Average Level dB(μV) |
| 0.15-0.5                         | 66 to 56*               | 56 to 46*            |
| 0.5-5                            | 56                      | 46                   |
| 5-30                             | 60                      | 50                   |

Notes: 1. \* Decreasing linearly with logarithm of frequency.  
2. The lower limit shall apply at the transition frequencies.

## 5.3.4 Test Results

Not Applicable

Note: The device is a DC power supply and does not apply to conducted emissions.

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098

Website: [www.ajtesting.com](http://www.ajtesting.com)

Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 17 of 20





# Test Report



No.: AJT250726007E-1

## 5.4 Antenna Requirements

### 5.4.1 Test Standard:

FCC Part 15, Subpart C 15.203

### 5.4.2 Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user. but the use of a standard antenna jack or electrical connector is prohibited.

### 5.4.3 EUT Antenna:

The antenna is Spring Antenna and no consideration of replacement. The best case gain of the antenna is 5dBi. Antenna location: Refer to Internal Photos.

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

**AJT TESTING SERVICES LIMITED**

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 18 of 20





# Test Report



No.: AJT250726007E-1

## 6 Test Equipment

| Test Equipment                                | Manufacturer    | Model No.          | Serial No.     | Last Cal.  | Next Cal.  |
|-----------------------------------------------|-----------------|--------------------|----------------|------------|------------|
| EMI Test Receiver                             | ROHDE & SCHWARZ | ESR3               | 102452         | 2025/02/17 | 2026/02/16 |
| Spectrum Analyzer                             | Keysight        | N9010A             | MY51120099     | 2025/02/17 | 2026/02/16 |
| Trilog Broadband Antenna                      | SCHWARZBECK     | VULB 9163          | 01127          | 2025/03/11 | 2026/03/10 |
| Horn Antenna                                  | SCHWARZBECK     | BBHA 9120D         | 01829          | 2025/03/11 | 2026/03/10 |
| Broadband Preamplifier                        | SCHWARZBECK     | BBV 9743B          | 00067          | 2025/02/17 | 2026/02/16 |
| Broadband Preamplifier                        | SCHWARZBECK     | BBV 9718B          | 00002          | 2025/02/17 | 2026/02/16 |
| Line Impedance Stabilization Network / V LINE | SCHWARZBECK     | NSLK 8127 RC       | 8127-RC 05040  | 2025/02/17 | 2026/02/16 |
| Pulse Limiter                                 | SCHWARZBECK     | VTSD 9561-F        | 9561-F N00359  | 2025/02/17 | 2026/02/16 |
| DC Power Supply                               | MAISEN          | MP5030D            | 2018121557     | 2025/02/20 | 2026/02/09 |
| Active Loop Antenna                           | HRTY            | HR8913A            | 69331322060 23 | 2025/07/18 | 2026/07/18 |
| BAT-EMC Testing (Test Software)               | NEXIO           | Version: 3.19.1.20 | N/A            | /          | /          |

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

AJT TESTING SERVICES LIMITED

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 19 of 20





# Test Report



No.: AJT250726007E-1

## 7 Test Photographs

Referring to – “Test Setup Photos of AJT250726007P-3”.

## 8 Photos of the EUT

Referring to – “External Photos of AJT250726007P-1” and “Internal Photos of AJT250726007P-2”.

END OF TEST REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Disagreement against this test report, if any, should be filed with to our company in writing within 15 days of receiving the report. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

**AJT TESTING SERVICES LIMITED**

Add: 1-2/F., No.1, Wenhua South Road, Chenghua Industrial Zone, Chenghai District, Shantou, Guangdong, China

Tel: 86-754-85860999 Fax: 86-754-86984098 Website: [www.ajtesting.com](http://www.ajtesting.com) Email: [info@ajtesting.com](mailto:info@ajtesting.com)

Page 20 of 20

