


Spurious Emission at Antenna Terminals


2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	967.378	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1699	-53.47	-13	40.47	Pass	701
1700	1765	1	RMS	1725.675	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2982	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11997	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	830.7	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1699	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1725.838	22.15	60	37.85	Pass	401
1765	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11995	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	829.5	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1676	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1740.788	23.3	60	36.7	Pass	401
1765	3000	1	RMS	1766	-47.69	-13	34.69	Pass	1236
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	997.298	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1740.788	22.39	60	37.61	Pass	401
1765	3000	1	RMS	1767	-47.21	-13	34.21	Pass	1236
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	833.4	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-50	-13	37	Pass	701
1700	1765	1	RMS	1711.05	23.02	60	36.98	Pass	401
1765	3000	1	RMS	2994	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	59.75	Pass	2986
30	1000	0.1	RMS	936.558	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	37.2	Pass	701
1700	1765	1	RMS	1711.05	22.25	60	37.75	Pass	401
1765	3000	1	RMS	2978	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




**2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	852.702	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1697	-52.98	-13	39.98	Pass	701
1700	1765	1	RMS	1723.563	23.15	60	36.85	Pass	401
1765	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13604	-39.8	-13	26.8	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	979.987	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1697	-53.43	-13	40.43	Pass	701
1700	1765	1	RMS	1723.563	22.26	60	37.74	Pass	401
1765	3000	1	RMS	2998	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	962.375	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1736.075	23.12	60	36.88	Pass	401
1765	3000	1	RMS	1765	-39.66	-13	26.66	Pass	1236
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001



**2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	846.2	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1736.075	22.26	60	37.74	Pass	401
1765	3000	1	RMS	1765	-40.65	-13	27.65	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.18	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	813.5	-65.07	-13	52.07	Pass	7841
814	860	0.1	RMS	824.2	20.65	60	39.35	Pass	461
860	1000	0.1	RMS	870.1	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1648	-46.18	-13	33.18	Pass	2001
3000	10000	1	RMS	6796	-45.66	-13	32.66	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	814	0.1	RMS	813.5	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	824.2	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	870.1	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-13	59.86	Pass	2986
30	814	0.1	RMS	738.3	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	836	20.63	60	39.37	Pass	461
860	1000	0.1	RMS	969.2	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1672	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	806.7	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	836.1	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	989.2	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1672	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	805.5	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	847.9	20.46	60	39.54	Pass	461
860	1000	0.1	RMS	977.2	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1695	-46.39	-13	33.39	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	744.8	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	847.8	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	958.9	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1695	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6802	-45.58	-13	32.58	Pass	7001




**3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.6	-64.87	-13	51.87	Pass	7841
814	860	0.1	RMS	824.2	21.01	60	38.99	Pass	461
860	1000	0.1	RMS	869.8	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1648	-46.13	-13	33.13	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	813.5	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	870.9	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1648	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	813.7	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	835.2	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	970.2	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.2	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	802.2	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	835.2	19.98	60	40.02	Pass	461
860	1000	0.1	RMS	982.3	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1670	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




**3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	785.4	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	846.2	20.85	60	39.15	Pass	461
860	1000	0.1	RMS	872.7	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1692	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	6798	-45.61	-13	32.61	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.26	-72.93	-13	59.93	Pass	2986
30	814	0.1	RMS	799.5	-65.7	-13	52.7	Pass	7841
814	860	0.1	RMS	846.2	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	864.8	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




**3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.6	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	824.3	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	869.8	-65.1	-13	52.1	Pass	1401
1000	3000	1	RMS	1648	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




**3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.6	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	824.3	19.86	60	40.14	Pass	461
860	1000	0.1	RMS	965.7	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1648	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




**3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	812	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	834.3	20.93	60	39.07	Pass	461
860	1000	0.1	RMS	977.1	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1668	-46.2	-13	33.2	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




**3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	803.8	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	834.3	20.13	60	39.87	Pass	461
860	1000	0.1	RMS	982.2	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1668	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001




**3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	811.7	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	844.3	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	989.3	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1688	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




**3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.1	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	844.3	20.14	60	39.86	Pass	461
860	1000	0.1	RMS	873	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1688	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




**3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	813.9	-64.34	-13	51.34	Pass	7841
814	860	0.1	RMS	824.6	21.34	60	38.66	Pass	461
860	1000	0.1	RMS	983.3	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1649	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	813.9	-64.9	-13	51.9	Pass	7841
814	860	0.1	RMS	824.6	20.54	60	39.46	Pass	461
860	1000	0.1	RMS	869.9	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1649	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	811.5	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	832.1	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	992.7	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1664	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




**3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	804.9	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	832.1	20.33	60	39.67	Pass	461
860	1000	0.1	RMS	952.6	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1664	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	807.7	-65.7	-13	52.7	Pass	7841
814	860	0.1	RMS	839.6	21.32	60	38.68	Pass	461
860	1000	0.1	RMS	860.7	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1679	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	812.7	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	839.6	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	869.3	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1679	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	539.6	-63.65	-25	38.65	Pass	9701
1000	2490	1	RMS	2490	-51.97	-25	26.97	Pass	1491
2490	2580	1	RMS	2500.35	22.47	60	37.53	Pass	401
2580	3000	1	RMS	2993	-51.4	-25	26.4	Pass	421
3000	12000	1	RMS	11990	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25498	-56.67	-25	31.67	Pass	14002




**4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-25	46.8	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	539.6	-64.02	-25	39.02	Pass	9701
1000	2490	1	RMS	2490	-52.07	-25	27.07	Pass	1491
2490	2580	1	RMS	2500.125	21.49	60	38.51	Pass	401
2580	3000	1	RMS	2997	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11899	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25500	-56.62	-25	31.62	Pass	14002




**4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-25	47.46	Pass	401
0.15	30	0.01	RMS	0.27	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	572.1	-64.83	-25	39.83	Pass	9701
1000	2490	1	RMS	2481	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2532.75	22.63	60	37.37	Pass	401
2580	3000	1	RMS	2993	-51.41	-25	26.41	Pass	421
3000	12000	1	RMS	11997	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25505	-56.72	-25	31.72	Pass	14002




**4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-25	47.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-25	46.32	Pass	2986
30	1000	0.1	RMS	572.1	-65.09	-25	40.09	Pass	9701
1000	2490	1	RMS	2481	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2532.75	21.79	60	38.21	Pass	401
2580	3000	1	RMS	2997	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11999	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25520	-56.7	-25	31.7	Pass	14002




**4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-25	47.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	604.6	-64.6	-25	39.6	Pass	9701
1000	2490	1	RMS	2489	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2565.15	22.58	60	37.42	Pass	401
2580	3000	1	RMS	2994	-51.38	-25	26.38	Pass	421
3000	12000	1	RMS	12000	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25504	-56.67	-25	31.67	Pass	14002




**4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	47.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-25	47.47	Pass	2986
30	1000	0.1	RMS	604.6	-65.03	-25	40.03	Pass	9701
1000	2490	1	RMS	2483	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2565.15	21.81	60	38.19	Pass	401
2580	3000	1	RMS	2990	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11898	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25504	-56.68	-25	31.68	Pass	14002




**4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-25	47.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	539.9	-63.45	-25	38.45	Pass	9701
1000	2490	1	RMS	2490	-50.78	-25	25.78	Pass	1491
2490	2580	1	RMS	2500.575	22.47	60	37.53	Pass	401
2580	3000	1	RMS	2985	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11996	-64	-25	39	Pass	9002
12000	26000	1	RMS	25499	-56.74	-25	31.74	Pass	14002




**4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	47.36	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-25	47.05	Pass	2986
30	1000	0.1	RMS	539.9	-63.76	-25	38.76	Pass	9701
1000	2490	1	RMS	2490	-50.85	-25	25.85	Pass	1491
2490	2580	1	RMS	2500.575	21.63	60	38.37	Pass	401
2580	3000	1	RMS	3000	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11899	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25503	-56.67	-25	31.67	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	569.9	-64.22	-25	39.22	Pass	9701
1000	2490	1	RMS	2486	-52.42	-25	27.42	Pass	1491
2490	2580	1	RMS	2530.5	22.59	60	37.41	Pass	401
2580	3000	1	RMS	2985	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11895	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25499	-56.63	-25	31.63	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	569.9	-64.56	-25	39.56	Pass	9701
1000	2490	1	RMS	2479	-52.44	-25	27.44	Pass	1491
2490	2580	1	RMS	2530.5	21.61	60	38.39	Pass	401
2580	3000	1	RMS	2995	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11893	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25501	-56.68	-25	31.68	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-25	46.36	Pass	2986
30	1000	0.1	RMS	599.9	-64.32	-25	39.32	Pass	9701
1000	2490	1	RMS	2490	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2560.425	22.58	60	37.42	Pass	401
2580	3000	1	RMS	2983	-51.4	-25	26.4	Pass	421
3000	12000	1	RMS	11997	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25510	-56.69	-25	31.69	Pass	14002




4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	46.49	Pass	2986
30	1000	0.1	RMS	599.9	-64.39	-25	39.39	Pass	9701
1000	2490	1	RMS	2490	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2560.425	21.64	60	38.36	Pass	401
2580	3000	1	RMS	2999	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11998	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25509	-56.64	-25	31.64	Pass	14002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	47.02	Pass	2986
30	1000	0.1	RMS	540.2	-63.87	-25	38.87	Pass	9701
1000	2490	1	RMS	2490	-49.83	-25	24.83	Pass	1491
2490	2580	1	RMS	2500.8	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2990	-51.4	-25	26.4	Pass	421
3000	12000	1	RMS	11997	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25501	-56.67	-25	31.67	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.68	-25	47.68	Pass	401
0.15	30	0.01	RMS	0.27	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	540.1	-64.47	-25	39.47	Pass	9701
1000	2490	1	RMS	2490	-50	-25	25	Pass	1491
2490	2580	1	RMS	2500.8	21.59	60	38.41	Pass	401
2580	3000	1	RMS	2986	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11898	-64	-25	39	Pass	9002
12000	26000	1	RMS	25516	-56.75	-25	31.75	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	47.48	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-25	47.05	Pass	2986
30	1000	0.1	RMS	567.6	-64.85	-25	39.85	Pass	9701
1000	2490	1	RMS	2489	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2528.25	22.58	60	37.42	Pass	401
2580	3000	1	RMS	2998	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11992	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25507	-56.69	-25	31.69	Pass	14002




**4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-25	48.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-25	46.75	Pass	2986
30	1000	0.1	RMS	567.6	-64.96	-25	39.96	Pass	9701
1000	2490	1	RMS	2487	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2528.25	21.6	60	38.4	Pass	401
2580	3000	1	RMS	2984	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11997	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25512	-56.59	-25	31.59	Pass	14002




**4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-25	47.49	Pass	401
0.15	30	0.01	RMS	0.32	-72.75	-25	47.75	Pass	2986
30	1000	0.1	RMS	595.1	-64.62	-25	39.62	Pass	9701
1000	2490	1	RMS	2485	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2555.7	22.54	60	37.46	Pass	401
2580	3000	1	RMS	2580	-49.15	-25	24.15	Pass	421
3000	12000	1	RMS	11900	-64	-25	39	Pass	9002
12000	26000	1	RMS	25501	-56.66	-25	31.66	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.99	-25	47.99	Pass	401
0.15	30	0.01	RMS	0.42	-72.65	-25	47.65	Pass	2986
30	1000	0.1	RMS	595.1	-64.71	-25	39.71	Pass	9701
1000	2490	1	RMS	2489	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2555.7	21.71	60	38.29	Pass	401
2580	3000	1	RMS	2582	-48.76	-25	23.76	Pass	421
3000	12000	1	RMS	11999	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25498	-56.72	-25	31.72	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-25	47.35	Pass	401
0.15	30	0.01	RMS	0.24	-72.53	-25	47.53	Pass	2986
30	1000	0.1	RMS	540.4	-63.37	-25	38.37	Pass	9701
1000	2490	1	RMS	2490	-50.5	-25	25.5	Pass	1491
2490	2580	1	RMS	2501.025	22.45	60	37.55	Pass	401
2580	3000	1	RMS	2998	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11892	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25490	-56.74	-25	31.74	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-25	47.36	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	540.4	-64.15	-25	39.15	Pass	9701
1000	2490	1	RMS	2490	-50.63	-25	25.63	Pass	1491
2490	2580	1	RMS	2501.025	21.6	60	38.4	Pass	401
2580	3000	1	RMS	2994	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11996	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25496	-56.74	-25	31.74	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-25	46.9	Pass	2986
30	1000	0.1	RMS	565.4	-64.77	-25	39.77	Pass	9701
1000	2490	1	RMS	2488	-52.44	-25	27.44	Pass	1491
2490	2580	1	RMS	2526	22.52	60	37.48	Pass	401
2580	3000	1	RMS	2994	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11902	-64	-25	39	Pass	9002
12000	26000	1	RMS	25507	-56.64	-25	31.64	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-25	48.07	Pass	401
0.15	30	0.01	RMS	0.24	-72.67	-25	47.67	Pass	2986
30	1000	0.1	RMS	565.4	-65.05	-25	40.05	Pass	9701
1000	2490	1	RMS	2488	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2526	21.6	60	38.4	Pass	401
2580	3000	1	RMS	2988	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11999	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25504	-56.74	-25	31.74	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	47.6	Pass	2986
30	1000	0.1	RMS	590.4	-64.55	-25	39.55	Pass	9701
1000	2490	1	RMS	2480	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2550.975	22.5	60	37.5	Pass	401
2580	3000	1	RMS	2580	-46.08	-25	21.08	Pass	421
3000	12000	1	RMS	11994	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25500	-56.67	-25	31.67	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-25	47.38	Pass	2986
30	1000	0.1	RMS	590.4	-64.63	-25	39.63	Pass	9701
1000	2490	1	RMS	2490	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2550.975	21.57	60	38.43	Pass	401
2580	3000	1	RMS	2580	-46.7	-25	21.7	Pass	421
3000	12000	1	RMS	11899	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25493	-56.66	-25	31.66	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	688.6	-65.52	-13	52.52	Pass	6591
689	726	0.1	RMS	699.268	20.97	60	39.03	Pass	401
726	1000	0.1	RMS	840.5	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1398	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	689	0.1	RMS	688.6	-65.85	-13	52.85	Pass	6591
689	726	0.1	RMS	699.268	19.94	60	40.06	Pass	401
726	1000	0.1	RMS	830.5	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1398	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




**5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.22	-72.13	-13	59.13	Pass	2986
30	689	0.1	RMS	485	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	707.038	21.14	60	38.86	Pass	401
726	1000	0.1	RMS	939.8	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1414	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.23	-72.21	-13	59.21	Pass	2986
30	689	0.1	RMS	492.4	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	707.038	20.12	60	39.88	Pass	401
726	1000	0.1	RMS	971.6	-65	-13	52	Pass	2741
1000	3000	1	RMS	1414	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




**5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	689	0.1	RMS	490.7	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	714.808	20.44	60	39.56	Pass	401
726	1000	0.1	RMS	864.7	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1429	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6798	-45.53	-13	32.53	Pass	7001




**5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.2	-72.67	-13	59.67	Pass	2986
30	689	0.1	RMS	611.5	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	714.808	19.6	60	40.4	Pass	401
726	1000	0.1	RMS	841.4	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1429	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




**5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.18	-73.16	-13	60.16	Pass	2986
30	689	0.1	RMS	688.5	-65.69	-13	52.69	Pass	6591
689	726	0.1	RMS	699.268	20.91	60	39.09	Pass	401
726	1000	0.1	RMS	975.4	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1398	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




**5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.2	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	688.6	-65.68	-13	52.68	Pass	6591
689	726	0.1	RMS	699.268	20.07	60	39.93	Pass	401
726	1000	0.1	RMS	854.9	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1398	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




**5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	689	0.1	RMS	495.2	-66	-13	53	Pass	6591
689	726	0.1	RMS	706.205	20.85	60	39.15	Pass	401
726	1000	0.1	RMS	849.1	-64.84	-13	51.84	Pass	2741
1000	3000	1	RMS	1412	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-73.05	-13	60.05	Pass	2986
30	689	0.1	RMS	631.9	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	706.205	19.89	60	40.11	Pass	401
726	1000	0.1	RMS	856.5	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1412	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




**5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	689	0.1	RMS	499.5	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	713.235	21.11	60	38.89	Pass	401
726	1000	0.1	RMS	963.9	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1426	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.25	-72.51	-13	59.51	Pass	2986
30	689	0.1	RMS	658.7	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	713.235	20.2	60	39.8	Pass	401
726	1000	0.1	RMS	843.3	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1426	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



**5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.2	-72.45	-13	59.45	Pass	2986
30	689	0.1	RMS	688.6	-65.41	-13	52.41	Pass	6591
689	726	0.1	RMS	699.36	20.99	60	39.01	Pass	401
726	1000	0.1	RMS	994.2	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1398	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001



5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.19	-73.09	-13	60.09	Pass	2986
30	689	0.1	RMS	688.7	-65.94	-13	52.94	Pass	6591
689	726	0.1	RMS	699.36	20.11	60	39.89	Pass	401
726	1000	0.1	RMS	833.3	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1398	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001

