


Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_13.23.33

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH6 P=20
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1364.000	39.94	-15.85	74.0	34.06	Peak	0.00	150	Vertical	Pass
1**	1364.000	29.00	-15.85	54.0	25.00	AV	0.00	150	Vertical	Pass
2	2438.000	78.19	-12.38	74.0	-4.19	Peak	109.00	150	Vertical	N/A
2**	2438.000	74.73	-12.38	54.0	-20.73	AV	109.00	150	Vertical	N/A
3	3595.500	46.24	-5.38	74.0	27.76	Peak	230.00	150	Vertical	Pass
3**	3595.500	36.21	-5.38	54.0	17.79	AV	230.00	150	Vertical	Pass
4	6714.500	52.80	0.32	74.0	21.20	Peak	335.00	150	Vertical	Pass
4**	6714.500	42.12	0.32	54.0	11.88	AV	335.00	150	Vertical	Pass
5	10089.500	47.05	-4.10	74.0	26.95	Peak	32.00	150	Vertical	Pass
5**	10089.500	35.91	-4.10	54.0	18.09	AV	32.00	150	Vertical	Pass
6	15430.000	49.79	-1.65	74.0	24.21	Peak	269.00	150	Vertical	Pass
6**	15430.000	38.34	-1.65	54.0	15.66	AV	269.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_13.14.41

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: PN500CC

Humidity (%RH): 51

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH6 P=20


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1169.500	40.05	-15.51	74.0	33.95	Peak	360.00	150	Horizontal	Pass
1**	1169.500	28.41	-15.51	54.0	25.59	AV	360.00	150	Horizontal	Pass
2	2435.750	93.74	-12.32	74.0	-19.74	Peak	250.00	150	Horizontal	N/A
2**	2435.750	90.64	-12.32	54.0	-36.64	AV	250.00	150	Horizontal	N/A
3	3680.000	46.09	-5.39	74.0	27.91	Peak	0.00	150	Horizontal	Pass
3**	3680.000	34.52	-5.39	54.0	19.48	AV	0.00	150	Horizontal	Pass
4	6888.000	53.08	0.63	74.0	20.92	Peak	154.00	150	Horizontal	Pass
4**	6888.000	41.93	0.63	54.0	12.07	AV	154.00	150	Horizontal	Pass
5	11409.000	48.46	-3.43	74.0	25.54	Peak	69.00	150	Horizontal	Pass
5**	11409.000	36.91	-3.43	54.0	17.09	AV	69.00	150	Horizontal	Pass
6	16065.000	49.02	-1.28	74.0	24.98	Peak	350.00	150	Horizontal	Pass
6**	16065.000	38.15	-1.28	54.0	15.85	AV	350.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.30.47

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH6 P=19


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.750	40.06	-15.53	74.0	33.94	Peak	285.00	150	Vertical	Pass
1**	1158.750	28.45	-15.53	54.0	25.55	AV	285.00	150	Vertical	Pass
2	2434.750	93.05	-12.31	74.0	-19.05	Peak	201.00	150	Vertical	N/A
2**	2434.750	85.18	-12.31	54.0	-31.18	AV	201.00	150	Vertical	N/A
3	4121.000	46.70	-4.37	74.0	27.30	Peak	83.00	150	Vertical	Pass
3**	4121.000	36.04	-4.37	54.0	17.96	AV	83.00	150	Vertical	Pass
4	7412.000	53.49	0.70	74.0	20.51	Peak	344.00	150	Vertical	Pass
4**	7412.000	41.97	0.70	54.0	12.03	AV	344.00	150	Vertical	Pass
5	10272.500	47.44	-3.01	74.0	26.56	Peak	119.00	150	Vertical	Pass
5**	10272.500	36.58	-3.01	54.0	17.42	AV	119.00	150	Vertical	Pass
6	15669.000	48.61	-1.37	74.0	25.39	Peak	205.00	150	Vertical	Pass
6**	15669.000	38.05	-1.37	54.0	15.95	AV	205.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.34.31

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH6 P=19


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.000	39.36	-15.84	74.0	34.64	Peak	343.00	150	Horizontal	Pass
1**	1358.000	29.17	-15.84	54.0	24.83	AV	343.00	150	Horizontal	Pass
2	2437.750	107.96	-12.38	74.0	-33.96	Peak	255.00	150	Horizontal	N/A
2**	2437.750	100.08	-12.38	54.0	-46.08	AV	255.00	150	Horizontal	N/A
3	4114.500	46.34	-4.15	74.0	27.66	Peak	0.00	150	Horizontal	Pass
3**	4114.500	35.88	-4.15	54.0	18.12	AV	0.00	150	Horizontal	Pass
4	7540.500	53.47	0.75	74.0	20.53	Peak	0.00	150	Horizontal	Pass
4**	7540.500	41.67	0.75	54.0	12.33	AV	0.00	150	Horizontal	Pass
5	11001.500	47.68	-2.77	74.0	26.32	Peak	329.00	150	Horizontal	Pass
5**	11001.500	37.00	-2.77	54.0	17.00	AV	329.00	150	Horizontal	Pass
6	16760.500	49.23	-1.61	74.0	24.77	Peak	0.00	150	Horizontal	Pass
6**	16760.500	37.61	-1.61	54.0	16.39	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.44.10

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH6 P=18


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.250	41.00	-15.46	74.0	33.00	Peak	235.00	150	Vertical	Pass
1**	1162.250	28.57	-15.46	54.0	25.43	AV	235.00	150	Vertical	Pass
2	2442.750	92.61	-12.45	74.0	-18.61	Peak	107.00	150	Vertical	N/A
2**	2442.750	84.75	-12.45	54.0	-30.75	AV	107.00	150	Vertical	N/A
3	4026.000	46.57	-3.89	74.0	27.43	Peak	0.00	150	Vertical	Pass
3**	4026.000	35.45	-3.89	54.0	18.55	AV	0.00	150	Vertical	Pass
4	6414.000	52.64	0.25	74.0	21.36	Peak	301.00	150	Vertical	Pass
4**	6414.000	41.50	0.25	54.0	12.50	AV	301.00	150	Vertical	Pass
5	10760.500	46.76	-3.60	74.0	27.24	Peak	360.00	150	Vertical	Pass
5**	10760.500	35.65	-3.60	54.0	18.35	AV	360.00	150	Vertical	Pass
6	15298.500	48.19	-1.89	74.0	25.81	Peak	264.00	150	Vertical	Pass
6**	15298.500	37.43	-1.89	54.0	16.57	AV	264.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.40.34

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH6 P=18


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1369.000	40.28	-15.93	74.0	33.72	Peak	88.00	150	Horizontal	Pass
1**	1369.000	28.54	-15.93	54.0	25.46	AV	88.00	150	Horizontal	Pass
2	2438.750	107.70	-12.37	74.0	-33.70	Peak	249.00	150	Horizontal	N/A
2**	2438.750	99.39	-12.37	54.0	-45.39	AV	249.00	150	Horizontal	N/A
3	4174.000	47.00	-4.18	74.0	27.00	Peak	178.00	150	Horizontal	Pass
3**	4174.000	35.84	-4.18	54.0	18.16	AV	178.00	150	Horizontal	Pass
4	7209.000	53.28	0.78	74.0	20.72	Peak	15.00	150	Horizontal	Pass
4**	7209.000	42.27	0.78	54.0	11.73	AV	15.00	150	Horizontal	Pass
5	9792.000	46.69	-3.59	74.0	27.31	Peak	76.00	150	Horizontal	Pass
5**	9792.000	35.01	-3.59	54.0	18.99	AV	76.00	150	Horizontal	Pass
6	17594.499	49.61	0.61	74.0	24.39	Peak	97.00	150	Horizontal	Pass
6**	17594.499	38.34	0.61	54.0	15.66	AV	97.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.49.21

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH6 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1295.250	39.77	-15.72	74.0	34.23	Peak	39.00	150	Vertical	Pass
1**	1295.250	29.04	-15.72	54.0	24.96	AV	39.00	150	Vertical	Pass
2	2422.250	89.94	-12.31	74.0	-15.94	Peak	118.00	150	Vertical	N/A
2**	2422.250	81.61	-12.31	54.0	-27.61	AV	118.00	150	Vertical	N/A
3	4301.500	47.03	-3.58	74.0	26.97	Peak	342.00	150	Vertical	Pass
3**	4301.500	36.48	-3.58	54.0	17.52	AV	342.00	150	Vertical	Pass
4	6687.000	53.03	0.11	74.0	20.97	Peak	36.00	150	Vertical	Pass
4**	6687.000	41.32	0.11	54.0	12.68	AV	36.00	150	Vertical	Pass
5	11742.500	48.47	-2.86	74.0	25.53	Peak	183.00	150	Vertical	Pass
5**	11742.500	36.55	-2.86	54.0	17.45	AV	183.00	150	Vertical	Pass
6	16458.000	49.40	-1.68	74.0	24.60	Peak	32.00	150	Vertical	Pass
6**	16458.000	38.25	-1.68	54.0	15.75	AV	32.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_11.54.25

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH6 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1292.500	39.36	-15.79	74.0	34.64	Peak	126.00	150	Horizontal	Pass
1**	1292.500	28.54	-15.79	54.0	25.46	AV	126.00	150	Horizontal	Pass
2	2439.500	104.76	-12.37	74.0	-30.76	Peak	246.00	150	Horizontal	N/A
2**	2439.500	96.41	-12.37	54.0	-42.41	AV	246.00	150	Horizontal	N/A
3	3913.500	46.36	-4.31	74.0	27.64	Peak	78.00	150	Horizontal	Pass
3**	3913.500	35.11	-4.31	54.0	18.89	AV	78.00	150	Horizontal	Pass
4	6732.500	53.01	0.69	74.0	20.99	Peak	343.00	150	Horizontal	Pass
4**	6732.500	41.54	0.69	54.0	12.46	AV	343.00	150	Horizontal	Pass
5	10761.500	46.90	-3.59	74.0	27.10	Peak	221.00	150	Horizontal	Pass
5**	10761.500	35.96	-3.59	54.0	18.04	AV	221.00	150	Horizontal	Pass
6	16178.000	49.16	-1.18	74.0	24.84	Peak	133.00	150	Horizontal	Pass
6**	16178.000	38.04	-1.18	54.0	15.96	AV	133.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.31.17

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal Linking(2.4G WIFI)


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.876	32.22	-26.28	40.0	7.78	Peak	162.00	100	Vertical	Pass
2	51.873	31.13	-24.69	40.0	8.87	Peak	19.00	100	Vertical	Pass
3	82.380	25.44	-30.51	40.0	14.56	Peak	268.00	200	Vertical	Pass
4	109.055	25.30	-26.52	43.5	18.20	Peak	78.00	200	Vertical	Pass
5	205.618	22.76	-26.31	43.5	20.74	Peak	168.00	200	Vertical	Pass
6	435.023	23.71	-19.71	46.0	22.29	Peak	360.00	100	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.34.00

EUT Name: Tablet

Temp.(°C): 23.3

Model Number: PN500CC

Humidity (%RH): 50

Sample Number: CC26090072-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal Linking(2.4G WIFI)


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A03

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.001	18.42	-24.60	40.0	21.58	Peak	0.00	200	Horizontal	Pass
2	109.686	26.43	-26.55	43.5	17.07	Peak	163.00	200	Horizontal	Pass
3	178.264	26.27	-27.97	43.5	17.23	Peak	237.00	100	Horizontal	Pass
4	205.716	26.55	-26.32	43.5	16.95	Peak	230.00	200	Horizontal	Pass
5	372.798	24.19	-21.32	46.0	21.81	Peak	237.00	100	Horizontal	Pass
6	871.378	31.01	-9.68	46.0	14.99	Peak	104.00	200	Horizontal	Pass