

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.08.38

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=20
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.99	-4.87	74.0	23.01	Peak	130.10	150	Vertical	Pass
1**	2390.000	40.74	-4.87	54.0	13.26	AV	130.10	150	Vertical	Pass
2	2372.800	52.48	-4.09	74.0	21.52	Peak	177.00	150	Vertical	Pass
2**	2372.800	40.88	-4.09	54.0	13.12	AV	177.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.10.42

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=20
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.92	-4.87	74.0	22.08	Peak	89.93	150	Horizontal	Pass
1**	2390.000	41.73	-4.87	54.0	12.27	AV	89.93	150	Horizontal	Pass
2	2387.600	53.06	-4.74	74.0	20.94	Peak	245.00	150	Horizontal	Pass
2**	2387.600	43.06	-4.74	54.0	10.94	AV	245.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-17_14.17.25

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=20
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.46	-3.78	74.0	21.54	Peak	23.00	150	Vertical	Pass
1**	2483.500	41.51	-3.78	54.0	12.49	AV	23.00	150	Vertical	Pass
2	2483.920	53.46	-3.78	74.0	20.54	Peak	112.00	150	Vertical	Pass
2**	2483.920	41.47	-3.78	54.0	12.53	AV	112.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-17_14.13.04

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=20
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.21	-3.78	74.0	19.79	Peak	250.00	150	Horizontal	Pass
1**	2483.500	43.82	-3.78	54.0	10.18	AV	250.00	150	Horizontal	Pass
2	2485.930	55.51	-3.78	74.0	18.49	Peak	246.00	150	Horizontal	Pass
2**	2485.930	45.18	-3.78	54.0	8.82	AV	246.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.03.52

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.87	-4.87	74.0	22.13	Peak	114.31	150	Vertical	Pass
1**	2390.000	40.91	-4.87	54.0	13.09	AV	114.31	150	Vertical	Pass
2	2369.800	52.37	-4.02	74.0	21.63	Peak	203.00	150	Vertical	Pass
2**	2369.800	41.17	-4.02	54.0	12.83	AV	203.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_14.02.17

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.33	-4.87	74.0	11.67	Peak	247.01	150	Horizontal	Pass
1**	2390.000	49.81	-4.87	54.0	4.19	AV	247.01	150	Horizontal	Pass
2	2389.500	64.10	-4.85	74.0	9.90	Peak	254.00	150	Horizontal	Pass
2**	2389.500	48.87	-4.85	54.0	5.13	AV	254.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.53.37

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.29	-3.78	74.0	22.71	Peak	209.00	150	Vertical	Pass
1**	2483.500	41.56	-3.78	54.0	12.44	AV	209.00	150	Vertical	Pass
2	2484.610	52.68	-3.78	74.0	21.32	Peak	0.00	150	Vertical	Pass
2**	2484.610	41.39	-3.78	54.0	12.61	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.52.12

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.95	-3.78	74.0	7.05	Peak	251.00	150	Horizontal	Pass
1**	2483.500	50.84	-3.78	54.0	3.16	AV	251.00	150	Horizontal	Pass
2	2484.670	64.53	-3.78	74.0	9.47	Peak	247.00	150	Horizontal	Pass
2**	2484.670	48.43	-3.78	54.0	5.57	AV	247.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.27.08

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.68	-4.87	74.0	23.32	Peak	124.00	150	Vertical	Pass
1**	2390.000	40.93	-4.87	54.0	13.07	AV	124.00	150	Vertical	Pass
2	2381.000	52.66	-4.36	74.0	21.34	Peak	309.00	150	Vertical	Pass
2**	2381.000	40.83	-4.36	54.0	13.17	AV	309.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.28.31

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.13	-4.87	74.0	10.87	Peak	250.00	150	Horizontal	Pass
1**	2390.000	50.20	-4.87	54.0	3.80	AV	250.00	150	Horizontal	Pass
2	2388.700	64.42	-4.80	74.0	9.58	Peak	257.00	150	Horizontal	Pass
2**	2388.700	47.93	-4.80	54.0	6.07	AV	257.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.43.58

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.30	-3.78	74.0	22.70	Peak	347.00	150	Vertical	Pass
1**	2483.500	42.03	-3.78	54.0	11.97	AV	347.00	150	Vertical	Pass
2	2487.250	53.49	-3.80	74.0	20.51	Peak	331.00	150	Vertical	Pass
2**	2487.250	41.53	-3.80	54.0	12.47	AV	331.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.42.24

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.89	-3.78	74.0	10.11	Peak	241.00	150	Horizontal	Pass
1**	2483.500	50.84	-3.78	54.0	3.16	AV	241.00	150	Horizontal	Pass
2	2483.950	65.29	-3.78	74.0	8.71	Peak	250.00	150	Horizontal	Pass
2**	2483.950	49.77	-3.78	54.0	4.23	AV	250.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.24.06

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.96	-4.87	74.0	23.04	Peak	131.07	150	Vertical	Pass
1**	2390.000	41.00	-4.87	54.0	13.00	AV	131.07	150	Vertical	Pass
2	2370.700	53.08	-4.02	74.0	20.92	Peak	219.00	150	Vertical	Pass
2**	2370.700	40.95	-4.02	54.0	13.05	AV	219.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.22.27

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.42	-4.87	74.0	12.58	Peak	254.00	150	Horizontal	Pass
1**	2390.000	51.00	-4.87	54.0	3.00	AV	254.00	150	Horizontal	Pass
2	2389.100	61.66	-4.82	74.0	12.34	Peak	254.00	150	Horizontal	Pass
2**	2389.100	50.19	-4.82	54.0	3.81	AV	254.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.13.40

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.00	-3.78	74.0	22.00	Peak	233.00	150	Vertical	Pass
1**	2483.500	41.64	-3.78	54.0	12.36	AV	233.00	150	Vertical	Pass
2	2483.740	53.03	-3.78	74.0	20.97	Peak	221.00	150	Vertical	Pass
2**	2483.740	41.49	-3.78	54.0	12.51	AV	221.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-17_13.11.42

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	PN500CC	Humidity (%RH):	50
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.10	-3.78	74.0	13.90	Peak	238.00	150	Horizontal	Pass
1**	2483.500	50.98	-3.78	54.0	3.02	AV	238.00	150	Horizontal	Pass
2	2484.370	62.24	-3.78	74.0	11.76	Peak	242.00	150	Horizontal	Pass
2**	2484.370	50.60	-3.78	54.0	3.40	AV	242.00	150	Horizontal	Pass