


Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_04.14.16

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.38	3.82	74.0	18.62	Peak	357.96	150	Vertical	Pass
1**	5150.000	44.45	3.82	54.0	9.55	AV	357.96	150	Vertical	Pass
2	4938.750	55.75	3.96	74.0	18.25	Peak	96.00	150	Vertical	Pass
2**	4938.750	43.84	3.96	54.0	10.16	AV	96.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_04.12.41

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.99	3.82	74.0	15.01	Peak	160.00	150	Horizontal	Pass
1**	5150.000	46.79	3.82	54.0	7.21	AV	160.00	150	Horizontal	Pass
2	5116.200	60.05	3.67	74.0	13.95	Peak	197.00	150	Horizontal	Pass
2**	5116.200	45.87	3.67	54.0	8.13	AV	197.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_04.02.24

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.16	4.04	74.0	19.84	Peak	306.00	150	Vertical	Pass
1**	5350.000	44.19	4.04	54.0	9.81	AV	306.00	150	Vertical	Pass
2	5353.630	55.64	4.11	74.0	18.36	Peak	0.00	150	Vertical	Pass
2**	5353.630	43.85	4.11	54.0	10.15	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_04.00.47

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.31	4.04	74.0	16.69	Peak	177.00	150	Horizontal	Pass
1**	5350.000	47.04	4.04	54.0	6.96	AV	177.00	150	Horizontal	Pass
2	5350.110	57.96	4.04	74.0	16.04	Peak	185.00	150	Horizontal	Pass
2**	5350.110	46.83	4.04	54.0	7.17	AV	185.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_04.20.13

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.88	3.82	74.0	19.12	Peak	359.93	150	Vertical	Pass
1**	5150.000	44.63	3.82	54.0	9.37	AV	359.93	150	Vertical	Pass
2	4966.050	55.50	3.93	74.0	18.50	Peak	130.00	150	Vertical	Pass
2**	4966.050	43.47	3.93	54.0	10.53	AV	130.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_04.22.25

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.34	3.82	74.0	15.66	Peak	207.99	150	Horizontal	Pass
1**	5150.000	47.62	3.82	54.0	6.38	AV	207.99	150	Horizontal	Pass
2	5148.050	62.45	3.87	74.0	11.55	Peak	183.00	150	Horizontal	Pass
2**	5148.050	47.22	3.87	54.0	6.78	AV	183.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_04.04.55

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.68	4.04	74.0	20.32	Peak	40.00	150	Vertical	Pass
1**	5350.000	43.94	4.04	54.0	10.06	AV	40.00	150	Vertical	Pass
2	5440.640	56.24	3.75	74.0	17.76	Peak	358.00	150	Vertical	Pass
2**	5440.640	43.86	3.75	54.0	10.14	AV	358.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_03.57.45

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.08	4.04	74.0	17.92	Peak	176.00	150	Horizontal	Pass
1**	5350.000	46.51	4.04	54.0	7.49	AV	176.00	150	Horizontal	Pass
2	5350.990	57.65	4.06	74.0	16.35	Peak	186.00	150	Horizontal	Pass
2**	5350.990	46.52	4.06	54.0	7.48	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_03.23.01

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.16	3.82	74.0	18.84	Peak	341.97	150	Vertical	Pass
1**	5150.000	45.16	3.82	54.0	8.84	AV	341.97	150	Vertical	Pass
2	5149.350	55.34	3.84	74.0	18.66	Peak	177.00	150	Vertical	Pass
2**	5149.350	44.68	3.84	54.0	9.32	AV	177.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_03.24.44

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.82	3.82	74.0	12.18	Peak	190.00	150	Horizontal	Pass
1**	5150.000	49.06	3.82	54.0	4.94	AV	190.00	150	Horizontal	Pass
2	5148.050	60.72	3.87	74.0	13.28	Peak	183.00	150	Horizontal	Pass
2**	5148.050	48.37	3.87	54.0	5.63	AV	183.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_03.51.49

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.31	4.04	74.0	19.69	Peak	344.00	150	Vertical	Pass
1**	5350.000	43.84	4.04	54.0	10.16	AV	344.00	150	Vertical	Pass
2	5422.820	55.81	3.73	74.0	18.19	Peak	260.00	150	Vertical	Pass
2**	5422.820	43.82	3.73	54.0	10.18	AV	260.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_03.47.25

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.25	4.04	74.0	18.75	Peak	182.00	150	Horizontal	Pass
1**	5350.000	45.52	4.04	54.0	8.48	AV	182.00	150	Horizontal	Pass
2	5359.680	56.99	4.24	74.0	17.01	Peak	210.00	150	Horizontal	Pass
2**	5359.680	45.44	4.24	54.0	8.56	AV	210.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_03.32.59

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.97	3.82	74.0	20.03	Peak	13.01	150	Vertical	Pass
1**	5150.000	45.06	3.82	54.0	8.94	AV	13.01	150	Vertical	Pass
2	5139.600	55.78	4.07	74.0	18.22	Peak	230.00	150	Vertical	Pass
2**	5139.600	44.33	4.07	54.0	9.67	AV	230.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_03.28.36

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.39	3.82	74.0	14.61	Peak	193.99	150	Horizontal	Pass
1**	5150.000	50.40	3.82	54.0	3.60	AV	193.99	150	Horizontal	Pass
2	5146.100	60.48	3.93	74.0	13.52	Peak	183.00	150	Horizontal	Pass
2**	5146.100	49.03	3.93	54.0	4.97	AV	183.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.55.23

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.75	3.82	74.0	20.25	Peak	316.01	150	Vertical	Pass
1**	5150.000	44.13	3.82	54.0	9.87	AV	316.01	150	Vertical	Pass
2	5143.500	55.59	4.01	74.0	18.41	Peak	39.00	150	Vertical	Pass
2**	5143.500	44.03	4.01	54.0	9.97	AV	39.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.58.14

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.56	3.82	74.0	19.44	Peak	198.00	150	Horizontal	Pass
1**	5150.000	45.33	3.82	54.0	8.67	AV	198.00	150	Horizontal	Pass
2	5135.050	56.02	3.97	74.0	17.98	Peak	130.00	150	Horizontal	Pass
2**	5135.050	45.01	3.97	54.0	8.99	AV	130.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.52.07

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.82	4.04	74.0	19.18	Peak	40.00	150	Vertical	Pass
1**	5350.000	44.79	4.04	54.0	9.21	AV	40.00	150	Vertical	Pass
2	5351.100	58.08	4.06	74.0	15.92	Peak	43.00	150	Vertical	Pass
2**	5351.100	44.41	4.06	54.0	9.59	AV	43.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.49.55

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.52	4.04	74.0	11.48	Peak	190.00	150	Horizontal	Pass
1**	5350.000	49.67	4.04	54.0	4.33	AV	190.00	150	Horizontal	Pass
2	5350.880	65.01	4.06	74.0	8.99	Peak	154.00	150	Horizontal	Pass
2**	5350.880	49.20	4.06	54.0	4.80	AV	154.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_06.01.24

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.14	3.82	74.0	19.86	Peak	42.06	150	Vertical	Pass
1**	5150.000	43.96	3.82	54.0	10.04	AV	42.06	150	Vertical	Pass
2	5112.950	55.62	3.62	74.0	18.38	Peak	141.00	150	Vertical	Pass
2**	5112.950	43.69	3.62	54.0	10.31	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.59.56

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.80	3.82	74.0	18.20	Peak	96.01	150	Horizontal	Pass
1**	5150.000	44.98	3.82	54.0	9.02	AV	96.01	150	Horizontal	Pass
2	5104.500	56.40	3.76	74.0	17.60	Peak	163.00	150	Horizontal	Pass
2**	5104.500	44.45	3.76	54.0	9.55	AV	163.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_05.43.08

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.37	4.04	74.0	19.63	Peak	298.00	150	Vertical	Pass
1**	5350.000	44.17	4.04	54.0	9.83	AV	298.00	150	Vertical	Pass
2	5404.670	56.07	3.93	74.0	17.93	Peak	353.00	150	Vertical	Pass
2**	5404.670	43.81	3.93	54.0	10.19	AV	353.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_05.41.24

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.35	4.04	74.0	13.65	Peak	184.00	150	Horizontal	Pass
1**	5350.000	48.82	4.04	54.0	5.18	AV	184.00	150	Horizontal	Pass
2	5350.440	62.97	4.05	74.0	11.03	Peak	143.00	150	Horizontal	Pass
2**	5350.440	48.70	4.05	54.0	5.30	AV	143.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_05.02.26

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.12	3.82	74.0	19.88	Peak	149.98	150	Vertical	Pass
1**	5150.000	43.83	3.82	54.0	10.17	AV	149.98	150	Vertical	Pass
2	5043.400	55.36	3.70	74.0	18.64	Peak	316.00	150	Vertical	Pass
2**	5043.400	43.52	3.70	54.0	10.48	AV	316.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.04.45

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.07	3.82	74.0	18.93	Peak	197.97	150	Horizontal	Pass
1**	5150.000	44.26	3.82	54.0	9.74	AV	197.97	150	Horizontal	Pass
2	5126.600	55.64	3.82	74.0	18.36	Peak	137.00	150	Horizontal	Pass
2**	5126.600	43.85	3.82	54.0	10.15	AV	137.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.37.03

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.55	4.04	74.0	19.45	Peak	66.00	150	Vertical	Pass
1**	5350.000	44.26	4.04	54.0	9.74	AV	66.00	150	Vertical	Pass
2	5366.170	56.44	4.07	74.0	17.56	Peak	193.00	150	Vertical	Pass
2**	5366.170	43.97	4.07	54.0	10.03	AV	193.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_05.38.43

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.62	4.04	74.0	9.38	Peak	179.00	150	Horizontal	Pass
1**	5350.000	50.34	4.04	54.0	3.66	AV	179.00	150	Horizontal	Pass
2	5351.100	66.75	4.06	74.0	7.25	Peak	183.00	150	Horizontal	Pass
2**	5351.100	50.24	4.06	54.0	3.76	AV	183.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_05.28.33

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.75	4.04	74.0	20.25	Peak	23.00	150	Vertical	Pass
1**	5350.000	44.25	4.04	54.0	9.75	AV	23.00	150	Vertical	Pass
2	5351.870	56.37	4.08	74.0	17.63	Peak	45.00	150	Vertical	Pass
2**	5351.870	43.92	4.08	54.0	10.08	AV	45.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_05.26.22

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.54	4.04	74.0	14.46	Peak	178.00	150	Horizontal	Pass
1**	5350.000	50.21	4.04	54.0	3.79	AV	178.00	150	Horizontal	Pass
2	5353.520	63.23	4.10	74.0	10.77	Peak	178.00	150	Horizontal	Pass
2**	5353.520	48.53	4.10	54.0	5.47	AV	178.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.51.18

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.03	3.78	68.2	14.17	Peak	145.94	150	Vertical	Pass
1**	5460.000	44.13	3.78	54.0	9.87	AV	145.94	150	Vertical	Pass
2	5468.440	56.34	4.05	68.2	11.86	Peak	162.00	150	Vertical	Pass
2**	5468.440	44.44	4.05	--	-44.44	AV	162.00	150	Vertical	N/A

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.49.53

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.74	3.78	68.2	12.46	Peak	164.66	150	Horizontal	Pass
1**	5460.000	47.00	3.78	54.0	7.00	AV	164.66	150	Horizontal	Pass
2	5468.800	64.28	4.06	68.2	3.92	Peak	172.00	150	Horizontal	Pass
2**	5468.800	47.44	4.06	--	-47.44	AV	172.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.41.11

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.55	4.31	68.2	8.65	Peak	169.00	150	Vertical	Pass
2	5725.500	61.48	4.29	68.2	6.72	Peak	201.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_09.39.27

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.00	4.31	68.2	3.20	Peak	168.00	150	Horizontal	Pass
2	5727.125	64.40	4.24	68.2	3.80	Peak	191.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.20.10

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.90	3.78	68.2	13.30	Peak	82.42	150	Vertical	Pass
1**	5460.000	43.93	3.78	54.0	10.07	AV	82.42	150	Vertical	Pass
2	5466.760	55.30	4.00	68.2	12.90	Peak	360.00	150	Vertical	Pass
2**	5466.760	44.27	4.00	--	-44.27	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.18.35

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.71	3.78	68.2	12.49	Peak	152.32	150	Horizontal	Pass
1**	5460.000	46.81	3.78	54.0	7.19	AV	152.32	150	Horizontal	Pass
2	5467.720	61.08	4.03	68.2	7.12	Peak	164.00	150	Horizontal	Pass
2**	5467.720	47.29	4.03	--	-47.29	AV	164.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_09.22.52

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.03	4.31	68.2	8.17	Peak	205.00	150	Vertical	Pass
2	5725.625	60.72	4.29	68.2	7.48	Peak	202.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.24.24

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.02	4.31	68.2	6.18	Peak	166.00	150	Horizontal	Pass
2	5725.625	63.69	4.29	68.2	4.51	Peak	168.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.13.27

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.05	3.78	68.2	14.15	Peak	77.70	150	Vertical	Pass
1**	5460.000	43.90	3.78	54.0	10.10	AV	77.70	150	Vertical	Pass
2	5465.560	55.34	3.96	68.2	12.86	Peak	169.00	150	Vertical	Pass
2**	5465.560	44.15	3.96	--	-44.15	AV	169.00	150	Vertical	N/A

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_09.14.54

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.24	3.78	68.2	10.96	Peak	178.00	150	Horizontal	Pass
1**	5460.000	46.31	3.78	54.0	7.69	AV	178.00	150	Horizontal	Pass
2	5469.400	59.57	4.08	68.2	8.63	Peak	177.00	150	Horizontal	Pass
2**	5469.400	48.50	4.08	--	-48.50	AV	177.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_09.06.30

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.94	4.31	68.2	12.26	Peak	360.00	150	Vertical	Pass
2	5751.500	57.60	4.23	68.2	10.60	Peak	71.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_09.03.53

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.32	4.31	68.2	11.88	Peak	40.00	150	Horizontal	Pass
2	5732.000	58.91	4.18	68.2	9.29	Peak	180.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_08.53.36

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.23	3.78	68.2	13.97	Peak	205.69	150	Vertical	Pass
1**	5460.000	44.06	3.78	54.0	9.94	AV	205.69	150	Vertical	Pass
2	5467.480	55.54	4.03	68.2	12.66	Peak	0.00	150	Vertical	Pass
2**	5467.480	44.71	4.03	--	-44.71	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_08.51.47

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.24	3.78	68.2	9.96	Peak	179.33	150	Horizontal	Pass
1**	5460.000	48.26	3.78	54.0	5.74	AV	179.33	150	Horizontal	Pass
2	5466.880	60.30	4.00	68.2	7.90	Peak	176.00	150	Horizontal	Pass
2**	5466.880	49.21	4.00	--	-49.21	AV	176.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_08.58.53

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.66	4.31	68.2	12.54	Peak	2.00	150	Vertical	Pass
2	5738.125	57.11	4.28	68.2	11.09	Peak	85.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_09.00.19

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.41	4.31	68.2	11.79	Peak	172.00	150	Horizontal	Pass
2	5835.750	57.74	5.35	68.2	10.46	Peak	204.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_13.00.08

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.58	3.81	68.2	12.62	Peak	0.31	150	Vertical	Pass
2	5609.875	56.51	3.59	68.2	11.69	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_12.58.18

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.37	3.81	68.2	12.83	Peak	70.98	150	Horizontal	Pass
2	5638.750	56.94	3.74	68.2	11.26	Peak	19.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_13.02.44

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.69	6.44	68.2	11.51	Peak	318.60	150	Vertical	Pass
2	5947.050	57.93	6.17	68.2	10.27	Peak	203.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_13.04.15

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.28	6.44	68.2	11.92	Peak	292.75	150	Horizontal	Pass
2	5953.800	58.38	6.17	68.2	9.82	Peak	130.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.49.39

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149
			P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.02	3.81	68.2	13.18	Peak	359.72	150	Vertical	Pass
2	5620.125	56.38	3.58	68.2	11.82	Peak	133.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.51.16

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149
			P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.61	3.81	68.2	13.59	Peak	290.80	150	Horizontal	Pass
2	5641.625	56.82	3.74	68.2	11.38	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.45.52

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.84	6.44	68.2	12.36	Peak	182.83	150	Vertical	Pass
2	5948.400	58.14	6.19	68.2	10.06	Peak	255.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.44.09

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.05	6.44	68.2	11.15	Peak	359.79	150	Horizontal	Pass
2	5934.900	58.52	6.18	68.2	9.68	Peak	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_10.52.09

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.37	3.81	68.2	12.83	Peak	239.76	150	Vertical	Pass
2	5618.625	56.38	3.58	68.2	11.82	Peak	319.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_10.53.48

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151
		P=16.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.83	3.81	68.2	12.37	Peak	27.21	150	Horizontal	Pass
2	5631.125	56.22	3.69	68.2	11.98	Peak	215.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_11.39.01

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH149
			P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.67	6.44	68.2	11.53	Peak	359.97	150	Vertical	Pass
2	5943.600	57.98	6.12	68.2	10.22	Peak	13.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.40.33

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH149
			P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.36	6.44	68.2	11.84	Peak	118.23	150	Horizontal	Pass
2	5955.600	57.94	6.14	68.2	10.26	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26090143

Test Time: 2026-09-16_11.00.11

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.06	3.81	68.2	13.14	Peak	28.22	150	Vertical	Pass
2	5619.875	56.41	3.58	68.2	11.79	Peak	79.00	150	Vertical	Pass

Test Result

Project Number: P-CC26090143
Test Time: 2026-09-16_10.58.39

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	PN500CC	Humidity (%RH):	51
Sample Number:	CC26090072-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A03



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.93	3.81	68.2	12.27	Peak	188.01	150	Horizontal	Pass
2	5624.500	56.05	3.63	68.2	12.15	Peak	141.00	150	Horizontal	Pass