

Frequency Stability

GSM

GSM 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-32.54	±2060.5	-8.46	±2091.5	-10.17	±2122	Pass
	-20	-82.72		-51.72		-60.05		
	-10	-68.09		-47.85		-40.1		
	0	-45.1		-49.85		-46.59		
	+10	-30.38		-38.61		-29.64		
	+20	-31.25		-35.16		-54.63		
	+25	-49.62		-26.54		-29.67		
	+30	-22.05		-19.24		-18.21		
	+40	-25.28		-20.44		-12.72		
	+50	-32.35		-18.95		-52.63		
	+55	-41.65		-38.42		-51.14		
4.4V	+25	-29.77	±2060.5	-30.99	±2091.5	-28.35	±2122	Pass
3.6V	+25	-11.46		-6.81		-19.57		

GSM 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880.0 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	15.38	±4625.5	18.49	±4700	15.89	±4774.5	Pass
	-20	21.48		17.79		22.11		
	-10	22.45		23.13		22.13		
	0	23.77		23.65		21.36		
	+10	26.55		24.19		18.34		
	+20	19.73		30.9		18.38		
	+25	26.92		22.23		19.52		
	+30	15.14		23.63		19.97		
	+40	26.17		24.83		18.97		
	+50	26.06		23.36		20.72		
	+55	27.66		22.17		24.98		
4.4V	+25	26.29		26.22		22.79		
3.6V	+25	28.74		23.23		19.78		

GPRS

GPRS 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-78.49	±2060.5	-68.32	±2091.5	-45.81	±2122	Pass
	-20	-31.61		-23.63		-22.66		
	-10	-31.22		-26.35		-19.08		
	0	5.52		-13.56		-17.79		
	+10	-22.86		-17.63		-11.43		
	+20	-23.73		-13.88		-20.5		
	+25	-34.97		-13.98		-13.2		
	+30	-28.64		-19.37		13.01		
	+40	-16.11		-43.68		-15.14		
	+50	-15.65		-16.82		-10.21		
	+55	-15.95		-16.89		-10.23		
4.4V	+25	-19.21	±2060.5	-10.69	±2091.5	-22.79	±2122	Pass
3.6V	+25	-61.8		-49.75		-40.49		

GPRS 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880.0 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	9.12	±4625.5	11.49	±4700	11.28	±4774.5	Pass
	-20	21.71		18.89		21.61		
	-10	23.73		22.65		26.15		
	0	23.59		22.83		25.31		
	+10	24.07		23.11		21.61		
	+20	21		20.86		22.26		
	+25	15.08		14.27		17.44		
	+30	19.7		20.77		19.19		
	+40	16.56		14.5		14.56		
	+50	13.86		19.07		15.96		
	+55	20.91		22.62		18.39		
4.4V	+25	17.76		18.12		21.33		
3.6V	+25	22.81		23.12		22.54		

EGPRS

EGPRS 850

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 824.2 MHz		MCH 836.6 MHz		HCH 848.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-66.57	±2060.5	-54.63	±2091.5	-25.22	±2122	Pass
	-20	-23.96		-28.7		-20.89		
	-10	-18.63		-17.31		-28.25		
	0	-30.48		-38.84		-18.08		
	+10	-25.34		-23.79		-14.82		
	+20	-23.12		-22.41		-15.56		
	+25	-13.72		16.76		-30.22		
	+30	-21.53		-13.95		-20.31		
	+40	-22.15		-37.35		-34.97		
	+50	-22.41		-22.18		-31.83		
	+55	-20.05		-18.24		-34.51		
4.4V	+25	-33.13		-26.57		-43.62		
3.6V	+25	-16.3		-34.29		-19.24		

EGPRS 1900

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880.0 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-21.44	±4625.5	-17.32	±4700	-19.77	±4774.5	Pass
	-20	19.44		5.17		10.76		
	-10	6.4		13.17		9.64		
	0	11.55		-13.19		4.66		
	+10	8		14.01		8.3		
	+20	12.92		19.1		-6.99		
	+25	7.88		-12.73		12.33		
	+30	6.73		8.42		12.26		
	+40	8.94		6.77		9.35		
	+50	7.81		6.93		-8.36		
	+55	-6.73		8.58		12.76		
4.4V	+25	13.29	±4625.5	-10.11	±4700	10.9	±4774.5	Pass
3.6V	+25	-7.18		9.91		10.18		

WCDMA

WCDMA Band 2

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1850.2 MHz		MCH 1880.0 MHz		HCH 1909.8 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-7.42	±4631	0.13	±4700	-8.96	±4769	Pass
	-20	-5.73		-8.48		-10.79		
	-10	-4.67		-9.16		-14.18		
	0	-3.57		-9.38		-13.26		
	+10	-3.1		-13.25		-15.57		
	+20	-5.97		-10.38		-12.7		
	+25	-4.59		-7.98		-8.36		
	+30	-2.84		-13.23		-10.1		
	+40	-6.78		-11.96		-8.38		
	+50	-6.23		-14.88		-13.92		
	+55	-12.23		-9.56		-10.32		
4.4V	+25	-8.48		-11.49		-15.68		
3.6V	+25	-12.82		-13.71		-18.17		

WCDMA Band 4

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 1712.4 MHz		MCH 1732.4 MHz		HCH 1752.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-19.17	±4281	-18.61	±4331	-17.2	±4381.5	Pass
	-20	-17.87		-16.45		-14.96		
	-10	-17.06		-13.1		-13.18		
	0	-15.17		-14.55		-12.15		
	+10	-12.37		-9.22		-10.56		
	+20	-15.31		-8.75		-14.26		
	+25	-12.83		-7.22		-11.93		
	+30	-12.95		-12.19		-13.98		
	+40	-4.89		-9.57		-9.41		
	+50	-8		-8.63		-15.12		
	+55	-9.36		-11.87		-13.63		
4.4V	+25	-8.23		-13.48		-11.49		
3.6V	+25	-14.97		-13.15		-13.11		

WCDMA Band B5

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	LCH 826.4 MHz		MCH 836.4 MHz		HCH 846.6 MHz		
		Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	Value (Hz)	Limits (Hz)	
3.85V	-30	-10.96	±2066	-15.03	±2091	-13.94	±2116.5	Pass
	-20	-13.8		-13.17		-13.51		
	-10	-9.91		-10.93		-10.97		
	0	-12.02		-9.88		-9.76		
	+10	-6.66		-9.23		-7.03		
	+20	-11.27		-16.67		-13.17		
	+25	-10.26		-12.88		-11.95		
	+30	-10.15		-13.53		-11.74		
	+40	-6.02		-9.38		-10.16		
	+50	-4.76		-13.09		-11.96		
	+55	-7.06		-9.69		-12.59		
4.4V	+25	-9.51		-11.32		-9.34		
3.6V	+25	-5.19		-9.89		-8.15		

LTE

LTE Band 2 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-10.57	±4700	Pass
	-20	-5.26		
	-10	-4.85		
	0	-0.31		
	+10	-4.11		
	+20	-4.32		
	+25	-10.29		
	+30	-1.92		
	+40	-9.88		
	+50	-2.29		
	+55	-2.76		
4.4V	+25	-2.86	±4700	Pass
3.6V	+25	-6.91		

LTE Band 2 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1880 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-11.52	±4700	Pass
	-20	-4.84		
	-10	0.76		
	0	-7.41		
	+10	-1.36		
	+20	-5.68		
	+25	1.39		
	+30	-9.44		
	+40	-5.24		
	+50	-4.29		
	+55	-7.65		
4.4V	+25	-1.6	±4700	Pass
3.6V	+25	-1.82		

LTE Band 4 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-8.21	±4331.25	Pass
	-20	-10		
	-10	-8.1		
	0	-5.26		
	+10	0.99		
	+20	-8.64		
	+25	-9.13		
	+30	-8.64		
	+40	0.97		
	+50	-5.49		
	+55	-6.54		
4.4V	+25	-2.03	±4331.25	Pass
3.6V	+25	-2.47		

LTE Band 4 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1732.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-11	±4331.25	Pass
	-20	-5.75		
	-10	-7.32		
	0	-5.32		
	+10	-4.18		
	+20	-4.31		
	+25	-4.95		
	+30	-1.02		
	+40	-1.95		
	+50	-5.69		
	+55	-3.53		
4.4V	+25	-6.74	±4331.25	Pass
3.6V	+25	1.57		

LTE Band 5 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-6.01	±2091.25	Pass
	-20	-5.74		
	-10	-6.55		
	0	-6.15		
	+10	-6.11		
	+20	-5.92		
	+25	-4.56		
	+30	-8.38		
	+40	-5.82		
	+50	-4.06		
	+55	-3.46		
4.4V	+25	-6.11		
3.6V	+25	-4.79		

LTE Band 5 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-10.57	±2091.25	Pass
	-20	-6.67		
	-10	-7.48		
	0	-7.54		
	+10	-5.38		
	+20	-5.31		
	+25	-6.62		
	+30	-5.64		
	+40	-3.69		
	+50	-6.45		
+55	-8.07			
4.4V	+25	-7.64		
3.6V	+25	-8.73		

LTE Band 12 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 707.5MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-3.18	±1768.75	Pass
	-20	-5.58		
	-10	-7.37		
	0	-6.57		
	+10	-8.87		
	+20	-3.55		
	+25	-10.34		
	+30	-3.16		
	+40	-4.91		
	+50	-7.41		
	+55	-1.97		
4.4V	+25	-4.31	±1768.75	Pass
3.6V	+25	-4.84		

LTE Band 12 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 707.5MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.74	±1768.75	Pass
	-20	-6.18		
	-10	-4.88		
	0	-4.09		
	+10	-3.88		
	+20	-5.39		
	+25	-7.47		
	+30	-4.05		
	+40	-6.38		
	+50	-14.86		
	+55	-1.72		
4.4V	+25	-2.2	±1768.75	Pass
3.6V	+25	-5.84		

LTE Band 13 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 782 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.08	±1955	Pass
	-20	-9.21		
	-10	-7.28		
	0	-6.97		
	+10	-8.4		
	+20	-5.79		
	+25	-5.18		
	+30	-5.81		
	+40	-8.57		
	+50	-6.87		
+55	-10.43			
4.4V	+25	-5.28		
3.6V	+25	-8.64		

LTE Band 13 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 782 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-8.43	±1955	Pass
	-20	-5.31		
	-10	-6.75		
	0	-9.1		
	+10	-6.49		
	+20	-4.48		
	+25	-7.18		
	+30	-9.47		
	+40	-6.35		
	+50	-3.85		
	+55	-5.05		
4.4V	+25	-9.27		
3.6V	+25	-5.64		

LTE Band 17 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 710 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.82	±1775	Pass
	-20	-9.68		
	-10	-8.58		
	0	-4.82		
	+10	-7.24		
	+20	-4.99		
	+25	-3.96		
	+30	-10.01		
	+40	-5.99		
	+50	-6.39		
	+55	-8.51		
4.4V	+25	-3.91		
3.6V	+25	-5.28		

LTE Band 17 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 710 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-6.97	±1775	Pass
	-20	-6.69		
	-10	-10.51		
	0	-3.99		
	+10	-4.89		
	+20	-2.17		
	+25	-7.27		
	+30	-4.29		
	+40	-2.73		
	+50	-5.49		
	+55	-10.46		
4.4V	+25	-6.29		
3.6V	+25	-5.12		

LTE Band 25 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1882.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.82	±1775	Pass
	-20	-9.68		
	-10	-8.58		
	0	-4.82		
	+10	-7.24		
	+20	-4.99		
	+25	-3.96		
	+30	-10.01		
	+40	-5.99		
	+50	-6.39		
	+55	-8.51		
4.4V	+25	-3.91		
3.6V	+25	-5.28		

LTE Band 25 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1882.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-6.97	±1775	Pass
	-20	-6.69		
	-10	-10.51		
	0	-3.99		
	+10	-4.89		
	+20	-2.17		
	+25	-7.27		
	+30	-4.29		
	+40	-2.73		
	+50	-5.49		
+55	-10.46			
4.4V	+25	-6.29		
3.6V	+25	-5.12		

LTE Band 26 (Part22) QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.47	±2091.25	Pass
	-20	-4.08		
	-10	-11.29		
	0	-3.28		
	+10	-6.78		
	+20	-6.48		
	+25	-3.43		
	+30	-6.78		
	+40	-4.12		
	+50	-5.55		
+55	-9.08			
4.4V	+25	-5.75	±2091.25	Pass
3.6V	+25	-5.48		

LTE Band 26 (Part22) 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 836.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-6.01	±2091.25	Pass
	-20	-6.32		
	-10	-10.06		
	0	-5.89		
	+10	-6.29		
	+20	-7.74		
	+25	-5.97		
	+30	-2.63		
	+40	-9.17		
	+50	-5.01		
+55	-3.93			
4.4V	+25	-2.83	±2091.25	Pass
3.6V	+25	-5.32		

LTE Band 26 (Part90) QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 819 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-5.38	±2047.5	Pass
	-20	-3.69		
	-10	-5.89		
	0	-5.42		
	+10	-6.28		
	+20	-6.38		
	+25	-2.26		
	+30	-6.38		
	+40	-8.27		
	+50	-4.33		
	+55	-9.1		
4.4V	+25	-1.65		
3.6V	+25	-5.26		

LTE Band 26 (Part90) 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 819 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.82	±2047.5	Pass
	-20	-5.06		
	-10	-11.14		
	0	-4.18		
	+10	-1.97		
	+20	-5.91		
	+25	-5.91		
	+30	-6.48		
	+40	-5.44		
	+50	-2.33		
+55	-3.59			
4.4V	+25	-5.71		
3.6V	+25	-8.33		

LTE Band 66 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1745 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-1.53	±4362.5	Pass
	-20	-2.1		
	-10	-3.69		
	0	-3.3		
	+10	-1.34		
	+20	-7.94		
	+25	-3.09		
	+30	-6.15		
	+40	3.88		
	+50	-3.52		
	+55	-0.29		
4.4V	+25	1.16		
3.6V	+25	0.41		

LTE Band 66 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 1745 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-1.4	±4362.5	Pass
	-20	-3.16		
	-10	-0.76		
	0	-0.4		
	+10	-8.63		
	+20	-1.3		
	+25	-4.78		
	+30	-4.55		
	+40	-6.47		
	+50	0.04		
	+55	-9.93		
4.4V	+25	-2.07		
3.6V	+25	-4.91		

LTE Band 71 QPSK 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 680.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-1.22	±1701.25	Pass
	-20	-6.09		
	-10	-6.54		
	0	-6.29		
	+10	-4.65		
	+20	-4.41		
	+25	-6.42		
	+30	-5.44		
	+40	-2.9		
	+50	-5.09		
	+55	-5.41		
4.4V	+25	-4.61		
3.6V	+25	-3.78		

LTE Band 71 16QAM 10 MHz

Test Conditions		Frequency Deviation		Verdict
Power (VDC)	Temperature (°C)	MCH 680.5 MHz		
		Value(Hz)	Limits (Hz)	
3.85V	-30	-7.98	±1701.25	Pass
	-20	-5.58		
	-10	-5.61		
	0	-2.85		
	+10	-4.13		
	+20	-5.16		
	+25	-10.51		
	+30	-3.13		
	+40	-7.9		
	+50	-9.93		
+55	-6.64			
4.4V	+25	-5.59		
3.6V	+25	-4.15		

1. GSM_PCS

1.1 GSM Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	15.38	-4625.5	4625.5	Pass
661	0	Static	18.49	-4700	4700	Pass
810	0	Static	15.89	-4774.5	4774.5	Pass

1.2 GSM Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	21.48	-4625.5	4625.5	Pass
661	0	Static	17.79	-4700	4700	Pass
810	0	Static	22.11	-4774.5	4774.5	Pass

1.3 GSM Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	22.45	-4625.5	4625.5	Pass
661	0	Static	23.13	-4700	4700	Pass
810	0	Static	22.13	-4774.5	4774.5	Pass

1.4 GSM Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	23.77	-4625.5	4625.5	Pass
661	0	Static	23.65	-4700	4700	Pass
810	0	Static	21.36	-4774.5	4774.5	Pass

1.5 GSM Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	26.55	-4625.5	4625.5	Pass
661	0	Static	24.19	-4700	4700	Pass
810	0	Static	18.34	-4774.5	4774.5	Pass

1.6 GSM Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	19.73	-4625.5	4625.5	Pass
661	0	Static	30.9	-4700	4700	Pass
810	0	Static	18.38	-4774.5	4774.5	Pass

1.7 GSM Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	26.92	-4625.5	4625.5	Pass
661	0	Static	22.23	-4700	4700	Pass
810	0	Static	19.52	-4774.5	4774.5	Pass

1.8 GSM Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	15.14	-4625.5	4625.5	Pass
661	0	Static	23.63	-4700	4700	Pass
810	0	Static	19.97	-4774.5	4774.5	Pass

1.9 GSM Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	26.17	-4625.5	4625.5	Pass
661	0	Static	24.83	-4700	4700	Pass
810	0	Static	18.97	-4774.5	4774.5	Pass

1.10 GSM Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	26.06	-4625.5	4625.5	Pass
661	0	Static	23.36	-4700	4700	Pass
810	0	Static	20.72	-4774.5	4774.5	Pass

1.11 GSM Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	27.66	-4625.5	4625.5	Pass
661	0	Static	22.17	-4700	4700	Pass
810	0	Static	24.98	-4774.5	4774.5	Pass

1.12 GSM Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	26.29	-4625.5	4625.5	Pass
661	0	Static	26.22	-4700	4700	Pass
810	0	Static	22.79	-4774.5	4774.5	Pass

1.13 GSM Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	28.74	-4625.5	4625.5	Pass
661	0	Static	23.23	-4700	4700	Pass
810	0	Static	19.78	-4774.5	4774.5	Pass

2. GSM_GSM850

2.3 GSM Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-32.54	-2060.5	2060.5	Pass
190	5	Static	-8.46	-2091.5	2091.5	Pass
251	5	Static	-10.17	-2122	2122	Pass

2.4 GSM Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-82.72	-2060.5	2060.5	Pass
190	5	Static	-51.72	-2091.5	2091.5	Pass
251	5	Static	-60.05	-2122	2122	Pass

2.5 GSM Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-68.09	-2060.5	2060.5	Pass
190	5	Static	-47.85	-2091.5	2091.5	Pass
251	5	Static	-40.1	-2122	2122	Pass

2.6 GSM Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-45.1	-2060.5	2060.5	Pass
190	5	Static	-49.85	-2091.5	2091.5	Pass
251	5	Static	-46.59	-2122	2122	Pass

2.7 GSM Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-30.38	-2060.5	2060.5	Pass
190	5	Static	-38.61	-2091.5	2091.5	Pass
251	5	Static	-29.64	-2122	2122	Pass

2.8 GSM Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-31.25	-2060.5	2060.5	Pass
190	5	Static	-35.16	-2091.5	2091.5	Pass
251	5	Static	-54.63	-2122	2122	Pass

2.9 GSM Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-49.62	-2060.5	2060.5	Pass
190	5	Static	-26.54	-2091.5	2091.5	Pass
251	5	Static	-29.67	-2122	2122	Pass

2.10 GSM Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-22.05	-2060.5	2060.5	Pass
190	5	Static	-19.24	-2091.5	2091.5	Pass
251	5	Static	-18.21	-2122	2122	Pass

2.11 GSM Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-25.28	-2060.5	2060.5	Pass
190	5	Static	-20.44	-2091.5	2091.5	Pass
251	5	Static	-12.72	-2122	2122	Pass

2.12 GSM Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-32.35	-2060.5	2060.5	Pass
190	5	Static	-18.95	-2091.5	2091.5	Pass
251	5	Static	-52.63	-2122	2122	Pass

2.13 GSM Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-41.65	-2060.5	2060.5	Pass
190	5	Static	-38.42	-2091.5	2091.5	Pass
251	5	Static	-51.14	-2122	2122	Pass

2.14 GSM Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-29.77	-2060.5	2060.5	Pass
190	5	Static	-30.99	-2091.5	2091.5	Pass
251	5	Static	-28.35	-2122	2122	Pass

2.15 GSM Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-11.46	-2060.5	2060.5	Pass
190	5	Static	-6.81	-2091.5	2091.5	Pass
251	5	Static	-19.57	-2122	2122	Pass

1. GPRS_PCS

1.1 GPRS Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	9.12	-4625.5	4625.5	Pass
661	0	Static	11.49	-4700	4700	Pass
810	0	Static	11.28	-4774.5	4774.5	Pass

1.2 GPRS Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	21.71	-4625.5	4625.5	Pass
661	0	Static	18.89	-4700	4700	Pass
810	0	Static	21.61	-4774.5	4774.5	Pass

1.3 GPRS Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	23.73	-4625.5	4625.5	Pass
661	0	Static	22.65	-4700	4700	Pass
810	0	Static	26.15	-4774.5	4774.5	Pass

1.4 GPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	23.59	-4625.5	4625.5	Pass
661	0	Static	22.83	-4700	4700	Pass
810	0	Static	25.31	-4774.5	4774.5	Pass

1.5 GPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	24.07	-4625.5	4625.5	Pass
661	0	Static	23.11	-4700	4700	Pass
810	0	Static	21.61	-4774.5	4774.5	Pass

1.6 GPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	21	-4625.5	4625.5	Pass
661	0	Static	20.86	-4700	4700	Pass
810	0	Static	22.26	-4774.5	4774.5	Pass

1.7 GPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	15.08	-4625.5	4625.5	Pass
661	0	Static	14.27	-4700	4700	Pass
810	0	Static	17.44	-4774.5	4774.5	Pass

1.8 GPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	19.7	-4625.5	4625.5	Pass
661	0	Static	20.77	-4700	4700	Pass
810	0	Static	19.19	-4774.5	4774.5	Pass

1.9 GPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	16.56	-4625.5	4625.5	Pass
661	0	Static	14.5	-4700	4700	Pass
810	0	Static	14.56	-4774.5	4774.5	Pass

1.10 GPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	13.86	-4625.5	4625.5	Pass
661	0	Static	19.07	-4700	4700	Pass
810	0	Static	15.96	-4774.5	4774.5	Pass

1.11 GPRS Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	20.91	-4625.5	4625.5	Pass
661	0	Static	22.62	-4700	4700	Pass
810	0	Static	18.39	-4774.5	4774.5	Pass

1.12 GPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	17.76	-4625.5	4625.5	Pass
661	0	Static	18.12	-4700	4700	Pass
810	0	Static	21.33	-4774.5	4774.5	Pass

1.13 GPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	0	Static	22.81	-4625.5	4625.5	Pass
661	0	Static	23.12	-4700	4700	Pass
810	0	Static	22.54	-4774.5	4774.5	Pass

2. GPRS_GSM850

2.1 GPRS Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-78.49	-2060.5	2060.5	Pass
190	5	Static	-68.32	-2091.5	2091.5	Pass
251	5	Static	-45.81	-2122	2122	Pass

2.2 GPRS Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-31.61	-2060.5	2060.5	Pass
190	5	Static	-23.63	-2091.5	2091.5	Pass
251	5	Static	-22.66	-2122	2122	Pass

2.3 GPRS Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-31.22	-2060.5	2060.5	Pass
190	5	Static	-26.35	-2091.5	2091.5	Pass
251	5	Static	-19.08	-2122	2122	Pass

2.4 GPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	5.52	-2060.5	2060.5	Pass
190	5	Static	-13.56	-2091.5	2091.5	Pass
251	5	Static	-17.79	-2122	2122	Pass

2.5 GPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-22.86	-2060.5	2060.5	Pass
190	5	Static	-17.63	-2091.5	2091.5	Pass
251	5	Static	-11.43	-2122	2122	Pass

2.6 GPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-23.73	-2060.5	2060.5	Pass
190	5	Static	-13.88	-2091.5	2091.5	Pass
251	5	Static	-20.5	-2122	2122	Pass

2.7 GPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-34.97	-2060.5	2060.5	Pass
190	5	Static	-13.98	-2091.5	2091.5	Pass
251	5	Static	-13.2	-2122	2122	Pass

2.8 GPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-28.64	-2060.5	2060.5	Pass
190	5	Static	-19.37	-2091.5	2091.5	Pass
251	5	Static	13.01	-2122	2122	Pass

2.9 GPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-16.11	-2060.5	2060.5	Pass
190	5	Static	-43.68	-2091.5	2091.5	Pass
251	5	Static	-15.14	-2122	2122	Pass

2.10 GPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-15.65	-2060.5	2060.5	Pass
190	5	Static	-16.82	-2091.5	2091.5	Pass
251	5	Static	-10.21	-2122	2122	Pass

2.11 GPRS Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-15.95	-2060.5	2060.5	Pass
190	5	Static	-16.89	-2091.5	2091.5	Pass
251	5	Static	-10.23	-2122	2122	Pass

2.12 GPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-19.21	-2060.5	2060.5	Pass
190	5	Static	-10.69	-2091.5	2091.5	Pass
251	5	Static	-22.79	-2122	2122	Pass

2.13 GPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	5	Static	-61.8	-2060.5	2060.5	Pass
190	5	Static	-49.75	-2091.5	2091.5	Pass
251	5	Static	-40.49	-2122	2122	Pass

1. EGPRS_PCS

1.1 EGPRS Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	-21.44	-4625.5	4625.5	Pass
661	2	Static	-17.32	-4700	4700	Pass
810	2	Static	-19.77	-4774.5	4774.5	Pass

1.2 EGPRS Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	19.44	-4625.5	4625.5	Pass
661	2	Static	5.17	-4700	4700	Pass
810	2	Static	10.76	-4774.5	4774.5	Pass

1.3 EGPRS Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	6.4	-4625.5	4625.5	Pass
661	2	Static	13.17	-4700	4700	Pass
810	2	Static	9.64	-4774.5	4774.5	Pass

1.4 EGPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	11.55	-4625.5	4625.5	Pass
661	2	Static	-13.19	-4700	4700	Pass
810	2	Static	4.66	-4774.5	4774.5	Pass

1.5 EGPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	8	-4625.5	4625.5	Pass
661	2	Static	14.01	-4700	4700	Pass
810	2	Static	8.3	-4774.5	4774.5	Pass

1.6 EGPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	12.92	-4625.5	4625.5	Pass
661	2	Static	19.1	-4700	4700	Pass
810	2	Static	-6.99	-4774.5	4774.5	Pass

1.7 EGPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	7.88	-4625.5	4625.5	Pass
661	2	Static	-12.73	-4700	4700	Pass
810	2	Static	12.33	-4774.5	4774.5	Pass

1.8 EGPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	6.73	-4625.5	4625.5	Pass
661	2	Static	8.42	-4700	4700	Pass
810	2	Static	12.26	-4774.5	4774.5	Pass

1.9 EGPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	8.94	-4625.5	4625.5	Pass
661	2	Static	6.77	-4700	4700	Pass
810	2	Static	9.35	-4774.5	4774.5	Pass

1.10 EGPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	7.81	-4625.5	4625.5	Pass
661	2	Static	6.93	-4700	4700	Pass
810	2	Static	-8.36	-4774.5	4774.5	Pass

1.11 EGPRS Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	-6.73	-4625.5	4625.5	Pass
661	2	Static	8.58	-4700	4700	Pass
810	2	Static	12.76	-4774.5	4774.5	Pass

1.13 EGPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	13.29	-4625.5	4625.5	Pass
661	2	Static	-10.11	-4700	4700	Pass
810	2	Static	10.9	-4774.5	4774.5	Pass

1.12 EGPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
512	2	Static	-7.18	-4625.5	4625.5	Pass
661	2	Static	9.91	-4700	4700	Pass
810	2	Static	10.18	-4774.5	4774.5	Pass

2. EGPRS_GSM850

2.1 EGPRS Frequency Stability_Part22-24(-30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-66.57	-2060.5	2060.5	Pass
190	8	Static	-54.63	-2091.5	2091.5	Pass
251	8	Static	-25.22	-2122	2122	Pass

2.2 EGPRS Frequency Stability_Part22-24(-20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-23.96	-2060.5	2060.5	Pass
190	8	Static	-28.7	-2091.5	2091.5	Pass
251	8	Static	-20.89	-2122	2122	Pass

2.3 EGPRS Frequency Stability_Part22-24(-10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-18.63	-2060.5	2060.5	Pass
190	8	Static	-17.31	-2091.5	2091.5	Pass
251	8	Static	-28.25	-2122	2122	Pass

2.4 EGPRS Frequency Stability_Part22-24(0 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-30.48	-2060.5	2060.5	Pass
190	8	Static	-38.84	-2091.5	2091.5	Pass
251	8	Static	-18.08	-2122	2122	Pass

2.5 EGPRS Frequency Stability_Part22-24(10 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-25.34	-2060.5	2060.5	Pass
190	8	Static	-23.79	-2091.5	2091.5	Pass
251	8	Static	-14.82	-2122	2122	Pass

2.6 EGPRS Frequency Stability_Part22-24(20 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-23.12	-2060.5	2060.5	Pass
190	8	Static	-22.41	-2091.5	2091.5	Pass
251	8	Static	-15.56	-2122	2122	Pass

2.7 EGPRS Frequency Stability_Part22-24(25 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-13.72	-2060.5	2060.5	Pass
190	8	Static	16.76	-2091.5	2091.5	Pass
251	8	Static	-30.22	-2122	2122	Pass

2.8 EGPRS Frequency Stability_Part22-24(30 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-21.53	-2060.5	2060.5	Pass
190	8	Static	-13.95	-2091.5	2091.5	Pass
251	8	Static	-20.31	-2122	2122	Pass

2.9 EGPRS Frequency Stability_Part22-24(40 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-22.15	-2060.5	2060.5	Pass
190	8	Static	-37.35	-2091.5	2091.5	Pass
251	8	Static	-34.97	-2122	2122	Pass

2.10 EGPRS Frequency Stability_Part22-24(50 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-22.41	-2060.5	2060.5	Pass
190	8	Static	-22.18	-2091.5	2091.5	Pass
251	8	Static	-31.83	-2122	2122	Pass

2.11 EGPRS Frequency Stability_Part22-24(55 Degree)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-20.05	-2060.5	2060.5	Pass
190	8	Static	-18.24	-2091.5	2091.5	Pass
251	8	Static	-34.51	-2122	2122	Pass

2.12 EGPRS Frequency Stability_Part22-24(NTLV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-33.13	-2060.5	2060.5	Pass
190	8	Static	-26.57	-2091.5	2091.5	Pass
251	8	Static	-43.62	-2122	2122	Pass

2.13 EGPRS Frequency Stability_Part22-24(NTHV)

UL Channel	PCL	Propagation Condition	Freq Error (Hz)	Lower Limit (Hz)	Upper Limit (Hz)	Verdict
128	8	Static	-16.3	-2060.5	2060.5	Pass
190	8	Static	-34.29	-2091.5	2091.5	Pass
251	8	Static	-19.24	-2122	2122	Pass

1. WCDMA_Band5

1.19 WCDMA Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-10.96	Pass
4182	-2091	2091	-15.03	Pass
4233	-2116.5	2116.5	-13.94	Pass

1.20 WCDMA Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-13.8	Pass
4182	-2091	2091	-13.17	Pass
4233	-2116.5	2116.5	-13.51	Pass

1.21 WCDMA Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-9.91	Pass
4182	-2091	2091	-10.93	Pass
4233	-2116.5	2116.5	-10.97	Pass

1.22 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-12.02	Pass
4182	-2091	2091	-9.88	Pass
4233	-2116.5	2116.5	-9.76	Pass

1.23 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-6.66	Pass
4182	-2091	2091	-9.23	Pass
4233	-2116.5	2116.5	-7.03	Pass

1.24 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-11.27	Pass
4182	-2091	2091	-16.67	Pass
4233	-2116.5	2116.5	-13.17	Pass

1.25 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-10.26	Pass
4182	-2091	2091	-12.88	Pass
4233	-2116.5	2116.5	-11.95	Pass

1.26 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-10.15	Pass
4182	-2091	2091	-13.53	Pass
4233	-2116.5	2116.5	-11.74	Pass

1.27 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-6.02	Pass
4182	-2091	2091	-9.38	Pass
4233	-2116.5	2116.5	-10.16	Pass

1.28 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-4.76	Pass
4182	-2091	2091	-13.09	Pass
4233	-2116.5	2116.5	-11.96	Pass

1.29 WCDMA Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-7.06	Pass
4182	-2091	2091	-9.69	Pass
4233	-2116.5	2116.5	-12.59	Pass

1.30 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-9.51	Pass
4182	-2091	2091	-11.32	Pass
4233	-2116.5	2116.5	-9.34	Pass

1.31 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
4132	-2066	2066	-5.19	Pass
4182	-2091	2091	-9.89	Pass
4233	-2116.5	2116.5	-8.15	Pass

2. WCDMA_Band2

2.1 WCDMA Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-7.42	Pass
9400	-4700	4700	0.13	Pass
9538	-4769	4769	-8.96	Pass

2.2 WCDMA Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-5.73	Pass
9400	-4700	4700	-8.48	Pass
9538	-4769	4769	-10.79	Pass

2.3 WCDMA Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-4.67	Pass
9400	-4700	4700	-9.16	Pass
9538	-4769	4769	-14.18	Pass

2.4 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-3.57	Pass
9400	-4700	4700	-9.38	Pass
9538	-4769	4769	-13.26	Pass

2.5 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-3.1	Pass
9400	-4700	4700	-13.25	Pass
9538	-4769	4769	-15.57	Pass

2.6 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-5.97	Pass
9400	-4700	4700	-10.38	Pass
9538	-4769	4769	-12.7	Pass

2.7 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-4.59	Pass
9400	-4700	4700	-7.98	Pass
9538	-4769	4769	-8.36	Pass

2.8 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-2.84	Pass
9400	-4700	4700	-13.23	Pass
9538	-4769	4769	-10.1	Pass

2.9 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-6.78	Pass
9400	-4700	4700	-11.96	Pass
9538	-4769	4769	-8.38	Pass

2.10 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-6.23	Pass
9400	-4700	4700	-14.88	Pass
9538	-4769	4769	-13.92	Pass

2.12 WCDMA Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-12.23	Pass
9400	-4700	4700	-9.56	Pass
9538	-4769	4769	-10.32	Pass

2.13 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-8.48	Pass
9400	-4700	4700	-11.49	Pass
9538	-4769	4769	-15.68	Pass

2.14 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
9262	-4631	4631	-12.82	Pass
9400	-4700	4700	-13.71	Pass
9538	-4769	4769	-18.17	Pass

3. WCDMA_Band4

3.16 WCDMA Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-19.17	Pass
1412	-4331	4331	-18.61	Pass
1513	-4381.5	4381.5	-17.2	Pass

3.17 WCDMA Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-17.87	Pass
1412	-4331	4331	-16.45	Pass
1513	-4381.5	4381.5	-14.96	Pass

3.18 WCDMA Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-17.06	Pass
1412	-4331	4331	-13.1	Pass
1513	-4381.5	4381.5	-13.18	Pass

3.19 WCDMA Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-15.17	Pass
1412	-4331	4331	-14.55	Pass
1513	-4381.5	4381.5	-12.15	Pass

3.20 WCDMA Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-12.37	Pass
1412	-4331	4331	-9.22	Pass
1513	-4381.5	4381.5	-10.56	Pass

3.21 WCDMA Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-15.31	Pass
1412	-4331	4331	-8.75	Pass
1513	-4381.5	4381.5	-14.26	Pass

3.22 WCDMA Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-12.83	Pass
1412	-4331	4331	-7.22	Pass
1513	-4381.5	4381.5	-11.93	Pass

3.23 WCDMA Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-12.95	Pass
1412	-4331	4331	-12.19	Pass
1513	-4381.5	4381.5	-13.98	Pass

3.24 WCDMA Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-4.89	Pass
1412	-4331	4331	-9.57	Pass
1513	-4381.5	4381.5	-9.41	Pass

3.25 WCDMA Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-8	Pass
1412	-4331	4331	-8.63	Pass
1513	-4381.5	4381.5	-15.12	Pass

3.26 WCDMA Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-9.36	Pass
1412	-4331	4331	-11.87	Pass
1513	-4381.5	4381.5	-13.63	Pass

3.27 WCDMA Frequency Stability_Part22-24-27(NTLV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-8.23	Pass
1412	-4331	4331	-13.48	Pass
1513	-4381.5	4381.5	-11.49	Pass

3.28 WCDMA Frequency Stability_Part22-24-27(NTHV)

UL Channel	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
1312	-4281	4281	-14.97	Pass
1412	-4331	4331	-13.15	Pass
1513	-4381.5	4381.5	-13.11	Pass

1. LTE_Band2

1.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-10.57	Pass
18900	10	16QAM	50	0	-4700	4700	-11.52	Pass

1.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-5.26	Pass
18900	10	16QAM	50	0	-4700	4700	-4.84	Pass

1.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-4.85	Pass
18900	10	16QAM	50	0	-4700	4700	0.76	Pass

1.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-0.31	Pass
18900	10	16QAM	50	0	-4700	4700	-7.41	Pass

1.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-4.11	Pass
18900	10	16QAM	50	0	-4700	4700	-1.36	Pass

1.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-4.32	Pass
18900	10	16QAM	50	0	-4700	4700	-5.68	Pass

1.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-10.29	Pass
18900	10	16QAM	50	0	-4700	4700	1.39	Pass

1.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-1.92	Pass
18900	10	16QAM	50	0	-4700	4700	-9.44	Pass

1.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-9.88	Pass
18900	10	16QAM	50	0	-4700	4700	-5.24	Pass

1.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-2.29	Pass
18900	10	16QAM	50	0	-4700	4700	-4.29	Pass

1.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-2.76	Pass
18900	10	16QAM	50	0	-4700	4700	-7.65	Pass

1.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-2.86	Pass
18900	10	16QAM	50	0	-4700	4700	-1.6	Pass

1.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
18900	10	QPSK	50	0	-4700	4700	-6.91	Pass
18900	10	16QAM	50	0	-4700	4700	-1.82	Pass

2. LTE_Band4

2.8 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-8.21	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-11	Pass

2.9 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-10	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-5.75	Pass

2.10 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-8.1	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-7.32	Pass

2.11 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-5.26	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-5.32	Pass

2.12 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	0.99	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-4.18	Pass

2.13 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-8.64	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-4.31	Pass

2.14 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-9.13	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-4.95	Pass

2.15 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-8.64	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-1.02	Pass

2.16 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	0.97	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-1.95	Pass

2.17 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-5.49	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-5.69	Pass

2.18 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-6.54	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-3.53	Pass

2.19 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-2.03	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	-6.74	Pass

2.20 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20175	10	QPSK	50	0	-4331.25	4331.25	-2.47	Pass
20175	10	16QAM	50	0	-4331.25	4331.25	1.57	Pass

3. LTE_Band25

3.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	1.53	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-12.43	Pass

3.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	4.28	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-6.44	Pass

3.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-2.79	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	1.83	Pass

3.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-9.11	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-6.85	Pass

3.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-2.95	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	1.66	Pass

3.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-2.45	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-11.97	Pass

3.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-3.78	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	0.44	Pass

3.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-10.11	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	4.35	Pass

3.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-2.02	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	1.89	Pass

3.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-0.9	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-5.24	Pass

3.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-7.27	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	-7.42	Pass

3.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-4.65	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	3.36	Pass

3.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26365	10	QPSK	50	0	-4706.25	4706.25	-8.07	Pass
26365	10	16QAM	50	0	-4706.25	4706.25	0.36	Pass

4. LTE_Band66

4.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-1.53	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-1.4	Pass

4.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-2.1	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-3.16	Pass

4.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-3.69	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-0.76	Pass

4.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-3.3	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-0.4	Pass

4.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-1.34	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-8.63	Pass

4.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-7.94	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-1.3	Pass

4.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-3.09	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-4.78	Pass

4.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-6.15	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-4.55	Pass

4.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	3.88	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-6.47	Pass

4.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-3.52	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	0.04	Pass

4.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	-0.29	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-9.93	Pass

4.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	1.16	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-2.07	Pass

4.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
132322	10	QPSK	50	0	-4362.5	4362.5	0.41	Pass
132322	10	16QAM	50	0	-4362.5	4362.5	-4.91	Pass

5. LTE_Band5

5.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-6.01	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-10.57	Pass

5.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-5.74	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-6.67	Pass

5.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-6.55	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-7.48	Pass

5.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-6.15	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-7.54	Pass

5.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-6.11	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-5.38	Pass

5.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-5.92	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-5.31	Pass

5.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-4.56	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-6.62	Pass

5.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-8.38	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-5.64	Pass

5.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-5.82	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-3.69	Pass

5.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-4.06	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-6.45	Pass

5.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-3.46	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-8.07	Pass

5.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-6.11	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-7.64	Pass

5.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
20525	10	QPSK	50	0	-2091.25	2091.25	-4.79	Pass
20525	10	16QAM	50	0	-2091.25	2091.25	-8.73	Pass

6. LTE_Band12

6.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-3.18	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-7.74	Pass

6.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-5.58	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-6.18	Pass

6.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-7.37	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-4.88	Pass

6.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-6.57	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-4.09	Pass

6.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-8.87	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-3.88	Pass

6.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-3.55	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-5.39	Pass

6.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-10.34	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-7.47	Pass

6.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-3.16	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-4.05	Pass

6.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-4.91	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-6.38	Pass

6.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-7.41	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-14.86	Pass

6.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-1.97	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-1.72	Pass

6.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-4.31	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-2.2	Pass

6.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23095	10	QPSK	50	0	-1768.75	1768.75	-4.84	Pass
23095	10	16QAM	50	0	-1768.75	1768.75	-5.84	Pass

7. LTE_Band13

7.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-7.08	Pass
23230	10	16QAM	50	0	-1955	1955	-8.43	Pass

7.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-9.21	Pass
23230	10	16QAM	50	0	-1955	1955	-5.31	Pass

7.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-7.28	Pass
23230	10	16QAM	50	0	-1955	1955	-6.75	Pass

7.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-6.97	Pass
23230	10	16QAM	50	0	-1955	1955	-9.1	Pass

7.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-8.4	Pass
23230	10	16QAM	50	0	-1955	1955	-6.49	Pass

7.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-5.79	Pass
23230	10	16QAM	50	0	-1955	1955	-4.48	Pass

7.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-5.18	Pass
23230	10	16QAM	50	0	-1955	1955	-7.18	Pass

7.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-5.81	Pass
23230	10	16QAM	50	0	-1955	1955	-9.47	Pass

7.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-8.57	Pass
23230	10	16QAM	50	0	-1955	1955	-6.35	Pass

7.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-6.87	Pass
23230	10	16QAM	50	0	-1955	1955	-3.85	Pass

7.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-10.43	Pass
23230	10	16QAM	50	0	-1955	1955	-5.05	Pass

7.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-5.28	Pass
23230	10	16QAM	50	0	-1955	1955	-9.27	Pass

7.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23230	10	QPSK	50	0	-1955	1955	-8.64	Pass
23230	10	16QAM	50	0	-1955	1955	-5.64	Pass

8. LTE_Band17

8.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-7.82	Pass
23790	10	16QAM	50	0	-1775	1775	-6.97	Pass

8.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-9.68	Pass
23790	10	16QAM	50	0	-1775	1775	-6.69	Pass

8.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-8.58	Pass
23790	10	16QAM	50	0	-1775	1775	-10.51	Pass

8.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-4.82	Pass
23790	10	16QAM	50	0	-1775	1775	-3.99	Pass

8.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-7.24	Pass
23790	10	16QAM	50	0	-1775	1775	-4.89	Pass

8.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-4.99	Pass
23790	10	16QAM	50	0	-1775	1775	-2.17	Pass

8.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-3.96	Pass
23790	10	16QAM	50	0	-1775	1775	-7.27	Pass

8.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-10.01	Pass
23790	10	16QAM	50	0	-1775	1775	-4.29	Pass

8.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-5.99	Pass
23790	10	16QAM	50	0	-1775	1775	-2.73	Pass

8.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-6.39	Pass
23790	10	16QAM	50	0	-1775	1775	-5.49	Pass

8.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-8.51	Pass
23790	10	16QAM	50	0	-1775	1775	-10.46	Pass

8.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-3.91	Pass
23790	10	16QAM	50	0	-1775	1775	-6.29	Pass

8.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
23790	10	QPSK	50	0	-1775	1775	-5.28	Pass
23790	10	16QAM	50	0	-1775	1775	-5.12	Pass

9. LTE_Band26(part22)

9.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-7.47	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-6.01	Pass

9.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-4.08	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-6.32	Pass

9.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-11.29	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-10.06	Pass

9.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-3.28	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-5.89	Pass

9.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-6.78	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-6.29	Pass

9.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-6.48	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-7.74	Pass

9.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-3.43	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-5.97	Pass

9.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-6.78	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-2.63	Pass

9.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-4.12	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-9.17	Pass

9.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-5.55	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-5.01	Pass

9.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-9.08	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-3.93	Pass

9.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-5.75	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-2.83	Pass

9.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26915	10	QPSK	50	0	-2091.25	2091.25	-5.48	Pass
26915	10	16QAM	50	0	-2091.25	2091.25	-5.32	Pass

10. LTE_Band71

10.1 LTE Frequency Stability_Part22-24-27(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-1.22	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-7.98	Pass

10.2 LTE Frequency Stability_Part22-24-27(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-6.09	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-5.58	Pass

10.3 LTE Frequency Stability_Part22-24-27(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-6.54	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-5.61	Pass

10.4 LTE Frequency Stability_Part22-24-27(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-6.29	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-2.85	Pass

10.5 LTE Frequency Stability_Part22-24-27(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-4.65	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-4.13	Pass

10.6 LTE Frequency Stability_Part22-24-27(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-4.41	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-5.16	Pass

10.7 LTE Frequency Stability_Part22-24-27(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-6.42	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-10.51	Pass

10.8 LTE Frequency Stability_Part22-24-27(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-5.44	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-3.13	Pass

10.9 LTE Frequency Stability_Part22-24-27(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-2.9	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-7.9	Pass

10.10 LTE Frequency Stability_Part22-24-27(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-5.09	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-9.93	Pass

10.11 LTE Frequency Stability_Part22-24-27(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-5.41	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-6.64	Pass

10.12 LTE Frequency Stability_Part22-24-27(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-4.61	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-5.59	Pass

10.13 LTE Frequency Stability_Part22-24-27(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
133297	10	QPSK	50	0	-1701.25	1701.25	-3.78	Pass
133297	10	16QAM	50	0	-1701.25	1701.25	-4.15	Pass

1. LTE_Band26(part90)

1.1 LTE Frequency Stability_Part90(-30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-5.38	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-7.82	Pass

1.2 LTE Frequency Stability_Part90(-20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-3.69	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-5.06	Pass

1.3 LTE Frequency Stability_Part90(-10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-5.89	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-11.14	Pass

1.4 LTE Frequency Stability_Part90(0 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-5.42	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-4.18	Pass

1.5 LTE Frequency Stability_Part90(10 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-6.28	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-1.97	Pass

1.6 LTE Frequency Stability_Part90(20 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-6.38	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-5.91	Pass

1.7 LTE Frequency Stability_Part90(25 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-2.26	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-5.91	Pass

1.8 LTE Frequency Stability_Part90(30 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-6.38	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-6.48	Pass

1.9 LTE Frequency Stability_Part90(40 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-8.27	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-5.44	Pass

1.10 LTE Frequency Stability_Part90(50 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-4.33	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-2.33	Pass

1.11 LTE Frequency Stability_Part90(55 Degree)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-9.1	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-3.59	Pass

1.12 LTE Frequency Stability_Part90(NTLV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-1.65	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-5.71	Pass

1.13 LTE Frequency Stability_Part90(NTHV)

UL Channel	Bandwidth (MHz)	UL Modulation	UL RB Number	UL RB Position	Lower Limit (Hz)	Upper Limit (Hz)	Measured (Hz)	Verdict
26740	10	QPSK	50	0	-2047.5	2047.5	-5.26	Pass
26740	10	16QAM	50	0	-2047.5	2047.5	-8.33	Pass