

Spurious Emission at Antenna Terminals


3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.21	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	851.802	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1881.65	19.77	60	40.23	Pass	101
1925	3000	1	RMS	2982	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13604	-39.9	-13	26.9	Pass	8001




**3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	60.93	Pass	141
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	839.1	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1913.1	21.78	60	38.22	Pass	101
1925	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	141
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	849.6	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1838	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1913.1	20.91	60	39.09	Pass	101
1925	3000	1	RMS	2987	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.24	-13	60.24	Pass	141
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	990.894	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1840	-53.15	-13	40.15	Pass	841
1840	1925	1	RMS	1849.35	21.72	60	38.28	Pass	101
1925	3000	1	RMS	2984	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11991	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	851.201	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.3	-13	40.3	Pass	841
1840	1925	1	RMS	1849.35	20.9	60	39.1	Pass	101
1925	3000	1	RMS	2990	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	854.203	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1880.8	21	60	39	Pass	101
1925	3000	1	RMS	2981	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	849.2	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1837	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1880.8	20.05	60	39.95	Pass	101
1925	3000	1	RMS	2995	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.77	-13	60.77	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	995.097	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1833	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1911.4	21.76	60	38.24	Pass	101
1925	3000	1	RMS	2974	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	852.002	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1911.4	20.88	60	39.12	Pass	101
1925	3000	1	RMS	2994	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11998	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.18	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	862.409	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.08	-13	40.08	Pass	841
1840	1925	1	RMS	1849.35	21.32	60	38.68	Pass	101
1925	3000	1	RMS	2986	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11861	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-13	61.04	Pass	141
0.15	30	0.01	RMS	0.18	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	957.772	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.35	-13	40.35	Pass	841
1840	1925	1	RMS	1849.35	20.41	60	39.59	Pass	101
1925	3000	1	RMS	2985	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11992	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	861.808	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1879.95	20.57	60	39.43	Pass	101
1925	3000	1	RMS	2990	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	60.46	Pass	141
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	877.219	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1838	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1879.95	19.68	60	40.32	Pass	101
1925	3000	1	RMS	2991	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	974.783	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1839	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1909.7	21.57	60	38.43	Pass	101
1925	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	845.8	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1835	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1909.7	20.76	60	39.24	Pass	101
1925	3000	1	RMS	2461	-51.09	-13	38.09	Pass	1076
3000	12000	1	RMS	11993	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	962.675	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1833	-48.69	-13	35.69	Pass	841
1840	1925	1	RMS	1850.2	20.68	60	39.32	Pass	101
1925	3000	1	RMS	2969	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	975.884	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1833	-50.41	-13	37.41	Pass	841
1840	1925	1	RMS	1850.2	19.72	60	40.28	Pass	101
1925	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13597	-39.77	-13	26.77	Pass	8001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.22	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	841.4	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1836	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1877.4	21.84	60	38.16	Pass	101
1925	3000	1	RMS	2984	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	141
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	964.276	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1839	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1877.4	20.95	60	39.05	Pass	101
1925	3000	1	RMS	2997	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	863.91	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-54	-13	41	Pass	841
1840	1925	1	RMS	1904.6	21.34	60	38.66	Pass	101
1925	3000	1	RMS	2997	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13606	-39.84	-13	26.84	Pass	8001




3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	870.114	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-54	-13	41	Pass	841
1840	1925	1	RMS	1904.6	20.54	60	39.46	Pass	101
1925	3000	1	RMS	2997	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




3.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	996.197	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-47.72	-13	34.72	Pass	841
1840	1925	1	RMS	1850.2	21.67	60	38.33	Pass	101
1925	3000	1	RMS	2979	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11996	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




3.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	866.211	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1838	-48.05	-13	35.05	Pass	841
1840	1925	1	RMS	1850.2	20.88	60	39.12	Pass	101
1925	3000	1	RMS	2967	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.85	-13	26.85	Pass	8001




3.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	980.687	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1874.85	21.39	60	38.61	Pass	101
1925	3000	1	RMS	2998	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




3.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	962.575	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1834	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1874.85	20.45	60	39.55	Pass	101
1925	3000	1	RMS	2988	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11879	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001




3.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	971.081	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1834	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1900.35	21.13	60	38.87	Pass	101
1925	3000	1	RMS	2944	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




3.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	927.052	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1820	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1900.35	20.3	60	39.7	Pass	101
1925	3000	1	RMS	2928	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




3.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	141
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	841.4	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-48.71	-13	35.71	Pass	841
1840	1925	1	RMS	1850.2	21.51	60	38.49	Pass	101
1925	3000	1	RMS	2994	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11990	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001




3.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	845.6	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	35.69	Pass	841
1840	1925	1	RMS	1850.2	20.71	60	39.29	Pass	101
1925	3000	1	RMS	2982	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.82	-13	26.82	Pass	8001




3.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	960.174	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1838	-45.96	-13	32.96	Pass	841
1840	1925	1	RMS	1873.15	20.71	60	39.29	Pass	101
1925	3000	1	RMS	2929	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




3.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	59.98	Pass	141
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	889.427	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1838	-48.99	-13	35.99	Pass	841
1840	1925	1	RMS	1873.15	19.78	60	40.22	Pass	101
1925	3000	1	RMS	2999	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.87	-13	26.87	Pass	8001




3.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.51	-13	60.51	Pass	141
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	977.985	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1895.25	21.62	60	38.38	Pass	101
1925	3000	1	RMS	2977	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001



3.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	141
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	842.2	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1895.25	20.69	60	39.31	Pass	101
1925	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11994	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001



4. LTE_Band66


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.25	-13	61.25	Pass	141
0.15	30	0.01	RMS	0.46	-73.35	-13	60.35	Pass	2986
30	1000	0.1	RMS	989.793	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1678	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1736	-14.54	60	74.54	Pass	101
1790	3000	1	RMS	3000	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11992	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.3	-73.1	-13	60.1	Pass	2986
30	1000	0.1	RMS	867.412	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1679	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1736	-14.83	60	74.83	Pass	101
1790	3000	1	RMS	2995	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	60.63	Pass	141
0.15	30	0.01	RMS	0.24	-73.06	-13	60.06	Pass	2986
30	1000	0.1	RMS	931.555	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1678	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1736	-14.88	60	74.88	Pass	101
1790	3000	1	RMS	2998	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11990	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.76	-13	26.76	Pass	8001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	60.78	Pass	141
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	978.886	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1671	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1736	-16.45	60	76.45	Pass	101
1790	3000	1	RMS	2998	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	824.6	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1703.6	-54.25	60	114.25	Pass	101
1790	3000	1	RMS	2992	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.96	-13	59.96	Pass	141
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	1000	0.1	RMS	983.989	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1677	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1736	-15.89	60	75.89	Pass	101
1790	3000	1	RMS	2999	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-13	59.75	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	849.1	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1680	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1703.6	-54.23	60	114.23	Pass	101
1790	3000	1	RMS	2988	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13605	-39.84	-13	26.84	Pass	8001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-13	60.91	Pass	141
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	956.871	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1736	-16.25	60	76.25	Pass	101
1790	3000	1	RMS	2977	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13605	-39.76	-13	26.76	Pass	8001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.17	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	941.161	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1736	-15.29	60	75.29	Pass	101
1790	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	993.596	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1678	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1736	-15.64	60	75.64	Pass	101
1790	3000	1	RMS	2990	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	831.3	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1669	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1736	-15.43	60	75.43	Pass	101
1790	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11989	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	985.39	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1736	-14.64	60	74.64	Pass	101
1790	3000	1	RMS	2981	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.19	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	878.419	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1735.1	-17.27	60	77.27	Pass	101
1790	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13597	-39.82	-13	26.82	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	837.4	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1681	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1724.3	-54.27	60	114.27	Pass	101
1790	3000	1	RMS	2988	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.16	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	865.511	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1680	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1735.1	-16.75	60	76.75	Pass	101
1790	3000	1	RMS	3000	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11992	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.96	-13	60.96	Pass	141
0.15	30	0.01	RMS	0.17	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	903.736	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1673	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1706.3	-54.27	60	114.27	Pass	101
1790	3000	1	RMS	2982	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.22	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	980.087	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1681	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1743.2	-54.27	60	114.27	Pass	101
1790	3000	1	RMS	2994	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	59.94	Pass	141
0.15	30	0.01	RMS	0.17	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	869.313	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1672	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1735.1	-18.12	60	78.12	Pass	101
1790	3000	1	RMS	2988	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	61.11	Pass	141
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	841.6	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1679	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1721.6	-54.29	60	114.29	Pass	101
1790	3000	1	RMS	2996	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	60.88	Pass	141
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	855.504	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1672	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1736	-17.37	60	77.37	Pass	101
1790	3000	1	RMS	2987	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11991	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.08	-13	61.08	Pass	141
0.15	30	0.01	RMS	0.2	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	829.7	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1679	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1727.9	-54.27	60	114.27	Pass	101
1790	3000	1	RMS	2998	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11997	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	867.312	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1682	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1736	-15.44	60	75.44	Pass	101
1790	3000	1	RMS	2988	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11890	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	854.103	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1680	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1736	-15.52	60	75.52	Pass	101
1790	3000	1	RMS	2990	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	982.388	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1678	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1736	-15.92	60	75.92	Pass	101
1790	3000	1	RMS	2983	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.79	-13	26.79	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	987.392	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1679	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1736	-14.25	60	74.25	Pass	101
1790	3000	1	RMS	2990	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13606	-39.8	-13	26.8	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.16	-73.11	-13	60.11	Pass	2986
30	1000	0.1	RMS	990.394	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1736	-15.45	60	75.45	Pass	101
1790	3000	1	RMS	2988	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11994	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.79	-13	60.79	Pass	141
0.15	30	0.01	RMS	0.17	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	929.653	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1672	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1723.4	-54.25	60	114.25	Pass	101
1790	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11996	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	141
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	980.487	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1678	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1736	-15.45	60	75.45	Pass	101
1790	3000	1	RMS	2992	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	847.6	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1681	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1704.5	-54.26	60	114.26	Pass	101
1790	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.69	-13	60.69	Pass	141
0.15	30	0.01	RMS	0.15	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	842.3	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1680	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1736	-14.24	60	74.24	Pass	101
1790	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.52	-13	60.52	Pass	141
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	816.7	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1681	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1733.3	-54.25	60	114.25	Pass	101
1790	3000	1	RMS	2991	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11992	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13606	-39.85	-13	26.85	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	60.84	Pass	141
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	959.673	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1681	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1736	-14.97	60	74.97	Pass	101
1790	3000	1	RMS	2936	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-13	60.96	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	978.085	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1679	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1736	-15.51	60	75.51	Pass	101
1790	3000	1	RMS	2950	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	141
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	840.8	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1674	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1748.6	-54.28	60	114.28	Pass	101
1790	3000	1	RMS	2997	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	141
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	934.757	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1679	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1736	-16.95	60	76.95	Pass	101
1790	3000	1	RMS	2987	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	982.789	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1679	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1736	-15.44	60	75.44	Pass	101
1790	3000	1	RMS	3000	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13606	-39.82	-13	26.82	Pass	8001



5. LTE_Band5


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.19	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.5	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	824.2	19.97	60	40.03	Pass	461
860	1000	0.1	RMS	867	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-46.48	-13	33.48	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001




**5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.94	-13	60.94	Pass	141
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.6	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	824.3	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	983	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




**5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.7	-61.81	-13	48.81	Pass	7841
814	860	0.1	RMS	836.1	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	895.4	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1672	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




**5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	60.6	Pass	141
0.15	30	0.01	RMS	0.17	-72.59	-13	59.59	Pass	2986
30	814	0.1	RMS	812.1	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	836.1	18.92	60	41.08	Pass	461
860	1000	0.1	RMS	869.3	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1672	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.2	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	811.4	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	847.9	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	880	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1695	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




**5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.22	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	811.4	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	847.9	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	867.8	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1695	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




**5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.8	-64.29	-13	51.29	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	873.1	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-46.35	-13	33.35	Pass	2001
3000	10000	1	RMS	6797	-45.66	-13	32.66	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.55	-13	60.55	Pass	141
0.15	30	0.01	RMS	0.16	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.6	-64.32	-13	51.32	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	870.4	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1648	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




**5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	141
0.15	30	0.01	RMS	0.16	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.7	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	835.2	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	982.5	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1670	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	809.8	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	835.2	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	942.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1670	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6797	-45.64	-13	32.64	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	809.1	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	846.2	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	949.8	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1692	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	141
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	812.1	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	846.2	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	950.7	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1692	-48.27	-13	35.27	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.6	-64.33	-13	51.33	Pass	7841
814	860	0.1	RMS	824.3	20.07	60	39.93	Pass	461
860	1000	0.1	RMS	870.7	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	813.6	-64.65	-13	51.65	Pass	7841
814	860	0.1	RMS	824.3	19.08	60	40.92	Pass	461
860	1000	0.1	RMS	999.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.17	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	809.9	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	834.3	20.15	60	39.85	Pass	461
860	1000	0.1	RMS	972.3	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	811.9	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	834.3	19.35	60	40.65	Pass	461
860	1000	0.1	RMS	952.1	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1668	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.4	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	844.3	20.2	60	39.8	Pass	461
860	1000	0.1	RMS	969.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1688	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.15	-72.9	-13	59.9	Pass	2986
30	814	0.1	RMS	809.6	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	844.3	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	865.4	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1688	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	807	-41.97	-13	28.97	Pass	7841
814	860	0.1	RMS	824.6	20.62	60	39.38	Pass	461
860	1000	0.1	RMS	932	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1649	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	807	-43.85	-13	30.85	Pass	7841
814	860	0.1	RMS	824.6	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	984.2	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1649	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	141
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	814	-50.65	-13	37.65	Pass	7841
814	860	0.1	RMS	832.1	20.71	60	39.29	Pass	461
860	1000	0.1	RMS	870.4	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1664	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	814	-52.28	-13	39.28	Pass	7841
814	860	0.1	RMS	832.1	19.66	60	40.34	Pass	461
860	1000	0.1	RMS	952.1	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1664	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	59.91	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	813.2	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	839.6	20.69	60	39.31	Pass	461
860	1000	0.1	RMS	996.2	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1679	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.23	-73.09	-13	60.09	Pass	2986
30	814	0.1	RMS	813.9	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	839.6	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	968.5	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1679	-47.86	-13	34.86	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



6. LTE_Band12


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	688.6	-65.61	-13	52.61	Pass	6591
689	726	0.1	RMS	699.3	19.87	60	40.13	Pass	371
726	1000	0.1	RMS	853.3	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1398	-46.33	-13	33.33	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	689	0.1	RMS	688.6	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	699.3	18.88	60	41.12	Pass	371
726	1000	0.1	RMS	861.1	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1398	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




**6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	689	0.1	RMS	501	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	707.1	19.92	60	40.08	Pass	371
726	1000	0.1	RMS	984.1	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1414	-50.14	-13	37.14	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.15	-73.04	-13	60.04	Pass	2986
30	689	0.1	RMS	475.4	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	707.1	18.92	60	41.08	Pass	371
726	1000	0.1	RMS	978.8	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1414	-51.18	-13	38.18	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




**6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.29	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	682.5	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	714.9	19.86	60	40.14	Pass	371
726	1000	0.1	RMS	960.3	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1429	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




**6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.21	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	515.4	-66	-13	53	Pass	6591
689	726	0.1	RMS	714.9	18.96	60	41.04	Pass	371
726	1000	0.1	RMS	830.5	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1429	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001




**6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.15	-72.84	-13	59.84	Pass	2986
30	689	0.1	RMS	688.5	-65.73	-13	52.73	Pass	6591
689	726	0.1	RMS	699.2	20.15	60	39.85	Pass	371
726	1000	0.1	RMS	846.7	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1398	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




**6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	689	0.1	RMS	688.5	-65.58	-13	52.58	Pass	6591
689	726	0.1	RMS	699.2	19.24	60	40.76	Pass	371
726	1000	0.1	RMS	952.6	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1398	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




**6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.03	-13	61.03	Pass	141
0.15	30	0.01	RMS	0.27	-72.79	-13	59.79	Pass	2986
30	689	0.1	RMS	607.8	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	706.2	20.22	60	39.78	Pass	371
726	1000	0.1	RMS	947	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1412	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	689	0.1	RMS	604.1	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	706.2	19.21	60	40.79	Pass	371
726	1000	0.1	RMS	828	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1412	-50.1	-13	37.1	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	689	0.1	RMS	488.4	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	713.2	20.29	60	39.71	Pass	371
726	1000	0.1	RMS	841.5	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1426	-46.44	-13	33.44	Pass	2001
3000	10000	1	RMS	6808	-45.66	-13	32.66	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.17	-71.72	-13	58.72	Pass	2986
30	689	0.1	RMS	609.4	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	713.2	19.29	60	40.71	Pass	371
726	1000	0.1	RMS	943.9	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1426	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6796	-45.61	-13	32.61	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	60.7	Pass	141
0.15	30	0.01	RMS	0.22	-72.68	-13	59.68	Pass	2986
30	689	0.1	RMS	688.7	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	699.3	20.07	60	39.93	Pass	371
726	1000	0.1	RMS	841.9	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1398	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	689	0.1	RMS	688.6	-65.82	-13	52.82	Pass	6591
689	726	0.1	RMS	699.3	19.05	60	40.95	Pass	371
726	1000	0.1	RMS	958.7	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1398	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	498.7	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	705.3	20.06	60	39.94	Pass	371
726	1000	0.1	RMS	859.4	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1410	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.2	-72.62	-13	59.62	Pass	2986
30	689	0.1	RMS	489.2	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	705.3	19.33	60	40.67	Pass	371
726	1000	0.1	RMS	821.1	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1410	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001



6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	141
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	689	0.1	RMS	496.6	-66.09	-13	53.09	Pass	6591
689	726	0.1	RMS	711.3	20.17	60	39.83	Pass	371
726	1000	0.1	RMS	859.2	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1422	-47.1	-13	34.1	Pass	2001
3000	10000	1	RMS	6803	-45.63	-13	32.63	Pass	7001

