


Meas.1 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
25	285	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.25	1.21



Meas.2 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
29	327	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.58	1.62



Meas.3 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
102	656	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.41	0.97



Meas.4 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
136	645	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.51	1.19



Meas.5 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
136	651	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4183	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.65	1.11



Meas.6 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
100	613	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.71	0.32



Meas.7 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
127	608	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.18	0.8



Meas.8 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
128	605	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.14	1.27



Meas.9 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
131	605	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.28	0.61



Meas.10 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
132	603	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.05	0.96



Meas.11 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
126	621	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 17	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23790	710.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.64	1.44



Meas.12 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
128	629	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26365	1882.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.59	1.23



Meas.13 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
127	619	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.03	0.99



Meas.14 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
128	625	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.81	1.41



Meas.15 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
128	625	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.44	1.38



**Meas.16 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
29	315	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.91	1.44



**Meas.17 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
30	327	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.66	1.66



**Meas.18 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
136	649	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.74	1.27



**Meas.19 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
137	644	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.8	1.03



**Meas.20 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
137	640	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4183	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.85	1.25



Meas.21 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	603	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.49	1.07



Meas.22 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
126	601	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.43	0.85



Meas.23 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
133	611	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.12	1.2



Meas.24 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
130	605	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.49	0.89



Meas.25 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
144	653	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.59	1.73



Meas.26 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
126	618	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 17	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23790	710.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.68	1.39



Meas.27 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
127	619	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26365	1882.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.68	1.39



**Meas.28 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
128	625	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.66	1.43



Meas.29 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
130	627	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.72	1.28



Meas.30 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
130	624	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1710	January 12, 2026

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.0	1.1

