

Appendix E

Conducted RF Output Power

Measurement of RF Conducted Power
1. Conducted Power of WCDMA
2. Conducted Power of LTE
3. Conducted Power of LTE UL_CA
4. Conducted Power of LTE DL_CA
5. Conducted Power of 5G NR
6. Conducted Power of WIFI2.4G
7. Conducted Power of WIFI5G
8. Conducted Power of Bluetooth

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 2 of 156

Note:

State:	Trigger Conditions	Antenna No.
State0	Receiver off + Sensor off	All WWAN Ant
State1	Receiver off + Sensor on	All WWAN Ant
State3	Receiver on + Sensor off	All WWAN Ant
State4	Hotspot on	All WWAN Ant



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 3 of 156

1. Conducted Power of WCDMA

Ant0:

WCDMA Band V State0&1&3&4					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	23.89	23.93	23.89	24.50
	12.2kbps AMR	23.91	23.87	23.86	24.50
HSDPA	Subtest 1	22.89	22.80	23.03	23.50
	Subtest 2	22.90	22.86	22.89	23.50
	Subtest 3	22.28	22.25	22.38	23.00
	Subtest 4	22.43	22.30	22.45	23.00
HSUPA	Subtest 1	20.76	20.67	20.92	21.50
	Subtest 2	20.84	20.98	20.75	21.50
	Subtest 3	21.92	22.00	22.03	22.50
	Subtest 4	20.50	20.51	20.23	21.00
	Subtest 5	21.88	21.83	21.97	22.50
DC-HSDPA	Subtest 1	22.80	23.04	22.85	23.50
	Subtest 2	22.91	22.69	22.84	23.50
	Subtest 3	22.24	22.28	22.49	23.00
	Subtest 4	22.33	22.53	22.24	23.00
HSPA+	16QAM	20.69	20.77	20.91	21.50

Ant3:

WCDMA Band II State0					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.05	23.08	23.02	24.50
	12.2kbps AMR	23.04	22.98	23.01	24.50
HSDPA	Subtest 1	21.94	22.01	22.02	23.50
	Subtest 2	22.11	21.98	22.06	23.50
	Subtest 3	21.47	21.45	21.52	23.00
	Subtest 4	21.64	21.55	21.61	23.00
HSUPA	Subtest 1	19.93	20.13	20.09	21.50
	Subtest 2	20.04	20.06	20.15	21.50
	Subtest 3	21.08	21.00	21.01	22.50
	Subtest 4	19.58	19.57	19.55	21.00
	Subtest 5	21.03	21.14	20.95	22.50
DC-HSDPA	Subtest 1	22.12	22.08	22.14	23.50
	Subtest 2	22.13	22.07	21.94	23.50
	Subtest 3	21.44	21.50	21.58	23.00
	Subtest 4	21.60	21.59	21.45	23.00
HSPA+	16QAM	20.08	20.10	20.09	21.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 4 of 156

WCDMA Band II State3					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	15.32	15.36	15.29	16.50
	12.2kbps AMR	15.31	15.24	15.27	16.50
HSDPA	Subtest 1	14.17	14.28	14.32	15.50
	Subtest 2	14.39	14.19	14.28	15.50
	Subtest 3	13.74	13.67	13.81	15.00
	Subtest 4	13.86	13.75	13.87	15.00
HSUPA	Subtest 1	12.20	12.42	12.34	13.50
	Subtest 2	12.27	12.27	12.36	13.50
	Subtest 3	13.35	13.26	13.28	14.50
	Subtest 4	11.80	11.86	11.80	13.00
	Subtest 5	13.31	13.35	13.22	14.50
DC-HSDPA	Subtest 1	14.41	14.36	14.36	15.50
	Subtest 2	14.41	14.35	14.17	15.50
	Subtest 3	13.68	13.74	13.83	15.00
	Subtest 4	13.82	13.87	13.65	15.00
HSPA+	16QAM	12.31	12.35	12.32	13.50

WCDMA Band II State1&4					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	19.33	19.38	19.25	20.50
	12.2kbps AMR	19.30	19.27	19.24	20.50
HSDPA	Subtest 1	18.20	18.28	18.22	19.50
	Subtest 2	18.35	18.26	18.32	19.50
	Subtest 3	17.70	17.69	17.74	19.00
	Subtest 4	17.86	17.84	17.82	19.00
HSUPA	Subtest 1	16.17	16.36	16.34	17.50
	Subtest 2	16.31	16.30	16.39	17.50
	Subtest 3	17.32	17.23	17.21	18.50
	Subtest 4	15.83	15.83	15.81	17.00
	Subtest 5	17.30	17.39	17.24	18.50
DC-HSDPA	Subtest 1	18.33	18.34	18.39	19.50
	Subtest 2	18.37	18.28	18.18	19.50
	Subtest 3	17.69	17.70	17.82	19.00
	Subtest 4	17.89	17.82	17.70	19.00
HSPA+	16QAM	16.35	16.39	16.29	17.50

WCDMA Band IV State0					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	23.14	23.17	23.15	24.50
	12.2kbps AMR	23.04	22.97	23.11	24.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 5 of 156

HSDPA	Subtest 1	22.00	22.09	22.12	23.50
	Subtest 2	21.97	22.08	22.09	23.50
	Subtest 3	21.44	21.47	21.58	23.00
	Subtest 4	21.63	21.52	21.64	23.00
HSUPA	Subtest 1	20.07	19.99	20.09	21.50
	Subtest 2	20.10	19.96	20.12	21.50
	Subtest 3	21.10	21.10	20.94	22.50
	Subtest 4	19.62	19.57	19.56	21.00
	Subtest 5	20.98	21.13	20.99	22.50
DC-HSDPA	Subtest 1	21.99	22.02	21.98	23.50
	Subtest 2	22.11	22.11	22.12	23.50
	Subtest 3	21.57	21.63	21.64	23.00
	Subtest 4	21.46	21.53	21.51	23.00
HSPA+	16QAM	20.02	20.05	20.05	21.50

WCDMA Band IV State3					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	17.21	17.25	17.22	18.00
	12.2kbps AMR	17.12	17.03	17.18	18.00
HSDPA	Subtest 1	16.08	16.14	16.18	17.00
	Subtest 2	16.05	16.10	16.14	17.00
	Subtest 3	15.46	15.51	15.67	16.50
	Subtest 4	15.67	15.57	15.67	16.50
HSUPA	Subtest 1	14.10	14	14.13	15.00
	Subtest 2	14.15	13.97	14.15	15.00
	Subtest 3	15.15	15.12	14.98	16.00
	Subtest 4	13.71	13.63	13.66	14.50
	Subtest 5	15.00	15.22	15.00	16.00
DC-HSDPA	Subtest 1	16.01	16.11	16.00	17.00
	Subtest 2	16.15	16.18	16.18	17.00
	Subtest 3	15.64	15.72	15.64	16.50
	Subtest 4	15.52	15.59	15.53	16.50
HSPA+	16QAM	14.06	14.08	14.09	15.00

WCDMA Band IV State1&4					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	22.12	22.14	22.08	23.00
	12.2kbps AMR	22.04	21.88	22.09	23.00
HSDPA	Subtest 1	20.90	21.04	21.03	22.00
	Subtest 2	20.93	21.01	21.03	22.00
	Subtest 3	20.39	20.44	20.56	21.50
	Subtest 4	20.62	20.49	20.64	21.50
HSUPA	Subtest 1	19.01	18.98	19.00	20.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 6 of 156

	Subtest 2	19.01	18.91	19.06	20.00
	Subtest 3	20.01	20.08	19.85	21.00
	Subtest 4	18.55	18.52	18.48	19.50
	Subtest 5	19.88	20.04	19.90	21.00
DC-HSDPA	Subtest 1	20.92	20.98	20.94	22.00
	Subtest 2	21.10	21.03	21.12	22.00
	Subtest 3	20.57	20.59	20.56	21.50
	Subtest 4	20.46	20.45	20.44	21.50
HSPA+	16QAM	18.98	19.02	19.02	20.00

2. Conducted Power of LTE

Ant0:

LTE Band 5 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	23.67	23.78	23.68	25.00
		1	2	23.77	23.63	23.79	25.00
		1	5	23.76	23.85	23.64	25.00
		3	0	23.69	23.82	23.82	25.00
		3	2	23.73	23.71	23.83	25.00
		3	3	23.66	23.63	23.75	25.00
		6	0	22.68	22.74	22.65	24.00
	16QAM	1	0	22.75	22.81	22.77	24.00
		1	2	22.82	22.81	22.77	24.00
		1	5	22.64	22.71	22.77	24.00
		3	0	22.65	22.82	22.77	24.00
		3	2	22.80	22.83	22.84	24.00
		3	3	22.71	22.76	22.63	24.00
		6	0	21.71	21.66	21.75	23.00
	64QAM	1	0	21.68	21.74	21.66	23.00
		1	2	21.65	21.84	21.78	23.00
		1	5	21.81	21.65	21.77	23.00
		3	0	21.75	21.82	21.85	23.00
		3	2	21.80	21.82	21.70	23.00
		3	3	21.64	21.73	21.74	23.00
		6	0	20.78	20.84	20.69	22.00
	256QAM	1	0	20.71	20.84	20.67	22.00
		1	2	20.69	20.74	20.76	22.00
		1	5	20.66	20.79	20.68	22.00
		3	0	20.84	20.71	20.85	22.00
		3	2	20.75	20.75	20.70	22.00
		3	3	20.67	20.81	20.84	22.00
		6	0	19.70	19.76	19.84	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 7 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20415	20525	20635	
3MHz	QPSK	1	0	24.04	23.97	23.98	25.00
		1	7	23.86	24.15	24.11	25.00
		1	14	24.12	24.01	24.13	25.00
		8	0	22.98	22.98	22.97	24.00
		8	4	23.02	22.87	23.04	24.00
		8	7	22.82	22.90	22.99	24.00
		15	0	23.00	23.01	22.94	24.00
	16QAM	1	0	22.99	22.91	22.92	24.00
		1	7	22.90	22.90	23.11	24.00
		1	14	23.02	22.99	22.91	24.00
		8	0	21.95	22.16	22.11	23.00
		8	4	21.83	22.05	21.96	23.00
		8	7	21.81	22.06	21.99	23.00
		15	0	22.10	21.83	22.10	23.00
	64QAM	1	0	21.93	21.99	21.92	23.00
		1	7	21.94	21.93	22.07	23.00
		1	14	21.94	22.03	21.98	23.00
		8	0	20.87	20.85	21.04	22.00
		8	4	21.02	20.80	21.02	22.00
		8	7	21.07	20.91	20.98	22.00
		15	0	21.10	20.93	20.98	22.00
	256QAM	1	0	20.92	20.88	21.00	22.00
		1	7	21.07	20.82	21.07	22.00
		1	14	21.07	21.07	21.02	22.00
		8	0	19.93	19.81	20.02	21.00
		8	4	19.99	19.90	20.00	21.00
		8	7	19.96	19.82	20.04	21.00
		15	0	20.04	19.80	20.02	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
5MHz	QPSK	1	0	24.10	23.97	23.92	25.00
		1	13	24.03	24.01	23.94	25.00
		1	24	24.12	24.03	24.10	25.00
		12	0	22.89	23.00	22.93	24.00
		12	6	22.98	22.96	23.00	24.00
		12	13	22.78	22.81	22.99	24.00
		25	0	23.01	23.00	22.92	24.00
	16QAM	1	0	22.81	22.93	22.91	24.00
		1	13	22.98	22.89	23.04	24.00
		1	24	23.10	22.95	22.91	24.00
		12	0	21.91	22.03	22.10	23.00
		12	6	21.91	22.06	21.83	23.00
		12	13	21.83	21.93	22.02	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 8 of 156

	64QAM	25	0	21.91	21.82	21.97	23.00
		1	0	22.05	22.05	21.85	23.00
		1	13	21.97	21.95	21.97	23.00
		1	24	21.90	21.92	21.99	23.00
		12	0	20.98	20.88	21.06	22.00
		12	6	20.93	20.83	21.03	22.00
		12	13	21.01	21.09	20.89	22.00
		25	0	21.09	20.86	21.12	22.00
	256QAM	1	0	20.94	21.00	21.02	22.00
		1	13	21.08	20.93	21.05	22.00
		1	24	21.03	21.00	21.00	22.00
		12	0	20.00	19.82	20.14	21.00
		12	6	19.90	19.92	20.04	21.00
		12	13	20.01	19.98	19.98	21.00
		25	0	20.03	19.80	20.14	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20525	/	
10MHz	QPSK	1	0	/	24.26	/	25.00
		1	25	/	24.16	/	25.00
		1	49	/	24.00	/	25.00
		25	0	/	22.85	/	24.00
		25	13	/	22.82	/	24.00
		25	25	/	22.78	/	24.00
		50	0	/	23.01	/	24.00
	16QAM	1	0	/	22.87	/	24.00
		1	25	/	22.86	/	24.00
		1	49	/	22.99	/	24.00
		25	0	/	22.10	/	23.00
		25	13	/	21.98	/	23.00
		25	25	/	21.98	/	23.00
		50	0	/	21.97	/	23.00
	64QAM	1	0	/	22.12	/	23.00
		1	25	/	21.94	/	23.00
		1	49	/	22.08	/	23.00
		25	0	/	20.90	/	22.00
		25	13	/	20.85	/	22.00
		25	25	/	20.96	/	22.00
		50	0	/	20.85	/	22.00
	256QAM	1	0	/	20.90	/	22.00
		1	25	/	20.79	/	22.00
		1	49	/	21.09	/	22.00
		25	0	/	19.99	/	21.00
		25	13	/	19.76	/	21.00
		25	25	/	19.91	/	21.00
		50	0	/	19.99	/	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 9 of 156

LTE FDD Band 12 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23017	23095	23173	
1.4MHz	QPSK	1	0	23.70	23.72	23.70	25.00
		1	2	23.65	23.76	23.68	25.00
		1	5	23.76	23.77	23.68	25.00
		3	0	23.82	23.82	23.75	25.00
		3	2	23.73	23.78	23.81	25.00
		3	3	23.85	23.75	23.83	25.00
		6	0	22.68	22.80	22.85	24.00
	16QAM	1	0	22.84	22.72	22.85	24.00
		1	2	22.77	22.63	22.83	24.00
		1	5	22.74	22.74	22.67	24.00
		3	0	22.74	22.71	22.66	24.00
		3	2	22.82	22.69	22.68	24.00
		3	3	22.63	22.72	22.72	24.00
		6	0	21.78	21.76	21.66	23.00
	64QAM	1	0	21.78	21.73	21.79	23.00
		1	2	21.84	21.74	21.68	23.00
		1	5	21.85	21.64	21.74	23.00
		3	0	21.80	21.74	21.70	23.00
		3	2	21.65	21.82	21.69	23.00
		3	3	21.65	21.67	21.76	23.00
		6	0	20.68	20.64	20.79	22.00
	256QAM	1	0	20.74	20.77	20.77	22.00
		1	2	20.68	20.80	20.69	22.00
		1	5	20.77	20.71	20.67	22.00
		3	0	20.66	20.76	20.83	22.00
		3	2	20.79	20.63	20.76	22.00
		3	3	20.67	20.81	20.72	22.00
		6	0	19.74	19.63	19.70	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23025	23095	23165	
3MHz	QPSK	1	0	23.99	24.08	23.79	25.00
		1	7	23.89	24.06	23.85	25.00
		1	14	24.00	23.90	23.97	25.00
		8	0	22.81	22.87	22.89	24.00
		8	4	22.97	22.89	22.87	24.00
		8	7	22.76	22.76	22.94	24.00
		15	0	22.96	22.81	22.78	24.00
	16QAM	1	0	22.76	22.77	22.82	24.00
		1	7	22.96	22.81	22.93	24.00
		1	14	23.03	22.94	22.99	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 10 of 156

		8	0	21.89	21.90	22.06	23.00
		8	4	21.73	21.92	21.81	23.00
		8	7	21.79	21.94	22.04	23.00
		15	0	21.84	21.79	21.86	23.00
	64QAM	1	0	21.86	21.99	21.91	23.00
		1	7	21.89	21.94	22.04	23.00
		1	14	21.86	21.98	21.88	23.00
		8	0	20.92	20.82	21.03	22.00
		8	4	20.93	20.86	20.94	22.00
		8	7	20.88	20.91	20.91	22.00
		15	0	20.92	20.81	20.98	22.00
	256QAM	1	0	20.86	20.94	20.90	22.00
		1	7	21.01	20.90	20.91	22.00
		1	14	20.89	21.07	20.81	22.00
		8	0	19.90	19.92	19.91	21.00
		8	4	19.95	19.86	19.92	21.00
		8	7	20.00	19.85	19.97	21.00
		15	0	19.95	19.77	19.91	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23035	23095	23155	
5MHz	QPSK	1	0	24.02	23.94	23.80	25.00
		1	13	23.77	24.09	23.97	25.00
		1	24	24.07	23.94	24.02	25.00
		12	0	22.85	22.95	22.96	24.00
		12	6	22.85	22.80	22.92	24.00
		12	13	22.79	22.78	22.81	24.00
		25	0	22.87	22.80	22.94	24.00
	16QAM	1	0	22.89	22.81	22.97	24.00
		1	13	22.83	22.95	22.98	24.00
		1	24	22.97	22.89	23.05	24.00
		12	0	21.74	22.06	21.96	23.00
		12	6	21.78	21.95	21.96	23.00
		12	13	21.78	21.92	22.07	23.00
		25	0	22.06	21.80	22.07	23.00
	64QAM	1	0	21.84	22.04	21.79	23.00
		1	13	21.90	21.93	21.96	23.00
		1	24	21.92	21.88	22.04	23.00
		12	0	20.80	20.77	20.91	22.00
		12	6	20.80	20.81	20.92	22.00
		12	13	20.95	20.95	20.90	22.00
		25	0	20.94	20.83	21.04	22.00
	256QAM	1	0	20.94	20.92	20.85	22.00
		1	13	20.91	20.87	20.93	22.00
		1	24	21.05	20.93	20.90	22.00
		12	0	19.81	19.87	20.01	21.00

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 11 of 156

		12	6	19.83	19.77	19.94	21.00
		12	13	19.92	19.82	19.81	21.00
		25	0	20.07	19.88	19.93	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23095	/	
10MHz	QPSK	1	0	/	24.11	/	25.00
		1	25	/	24.04	/	25.00
		1	49	/	23.97	/	25.00
		25	0	/	23.02	/	24.00
		25	13	/	22.91	/	24.00
		25	25	/	22.85	/	24.00
		50	0	/	22.93	/	24.00
	16QAM	1	0	/	22.89	/	24.00
		1	25	/	22.76	/	24.00
		1	49	/	22.90	/	24.00
		25	0	/	22.02	/	23.00
		25	13	/	21.86	/	23.00
		25	25	/	21.87	/	23.00
		50	0	/	21.92	/	23.00
	64QAM	1	0	/	22.02	/	23.00
		1	25	/	22.00	/	23.00
		1	49	/	21.94	/	23.00
		25	0	/	20.78	/	22.00
		25	13	/	20.75	/	22.00
		25	25	/	20.97	/	22.00
		50	0	/	20.89	/	22.00
	256QAM	1	0	/	20.80	/	22.00
		1	25	/	20.75	/	22.00
		1	49	/	20.93	/	22.00
		25	0	/	19.85	/	21.00
		25	13	/	19.80	/	21.00
		25	25	/	19.80	/	21.00
		50	0	/	19.94	/	21.00

LTE FDD Band 14 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23330	/	
5MHz	QPSK	1	0	/	23.98	/	25.00
		1	13	/	24.09	/	25.00
		1	24	/	24.02	/	25.00
		12	0	/	23.01	/	24.00
		12	6	/	22.92	/	24.00
		12	13	/	22.90	/	24.00
		25	0	/	22.87	/	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 12 of 156

	16QAM	1	0	/	22.81	/	24.00
		1	13	/	22.84	/	24.00
		1	24	/	22.95	/	24.00
		12	0	/	22.05	/	23.00
		12	6	/	22.01	/	23.00
		12	13	/	22.06	/	23.00
		25	0	/	21.88	/	23.00
	64QAM	1	0	/	21.96	/	23.00
		1	13	/	22.03	/	23.00
		1	24	/	22.04	/	23.00
		12	0	/	20.95	/	22.00
		12	6	/	20.92	/	22.00
		12	13	/	20.98	/	22.00
		25	0	/	20.97	/	22.00
	256QAM	1	0	/	20.87	/	22.00
		1	13	/	20.97	/	22.00
		1	24	/	20.98	/	22.00
		12	0	/	19.83	/	21.00
		12	6	/	19.77	/	21.00
		12	13	/	19.82	/	21.00
		25	0	/	19.91	/	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23330	/	
10MHz	QPSK	1	0	/	24.15	/	25.00
		1	25	/	24.11	/	25.00
		1	49	/	23.85	/	25.00
		25	0	/	23.02	/	24.00
		25	13	/	22.98	/	24.00
		25	25	/	22.97	/	24.00
		50	0	/	22.98	/	24.00
	16QAM	1	0	/	22.8	/	24.00
		1	25	/	22.95	/	24.00
		1	49	/	22.99	/	24.00
		25	0	/	22	/	23.00
		25	13	/	21.91	/	23.00
		25	25	/	22	/	23.00
		50	0	/	21.95	/	23.00
	64QAM	1	0	/	22.15	/	23.00
		1	25	/	21.92	/	23.00
		1	49	/	22.01	/	23.00
		25	0	/	20.96	/	22.00
		25	13	/	20.79	/	22.00
		25	25	/	20.98	/	22.00
		50	0	/	20.97	/	22.00
	256QAM	1	0	/	21.03	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 13 of 156

		1	25	/	20.81	/	22.00
		1	49	/	20.93	/	22.00
		25	0	/	19.92	/	21.00
		25	13	/	19.92	/	21.00
		25	25	/	19.96	/	21.00
		50	0	/	19.94	/	21.00

LTE FDD Band 17 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
5MHz	QPSK	1	0	/	23.93	/	25.00
		1	13	/	24.08	/	25.00
		1	24	/	23.97	/	25.00
		12	0	/	22.87	/	24.00
		12	6	/	22.83	/	24.00
		12	13	/	22.71	/	24.00
		25	0	/	22.93	/	24.00
	16QAM	1	0	/	22.92	/	24.00
		1	13	/	22.88	/	24.00
		1	24	/	22.87	/	24.00
		12	0	/	21.94	/	23.00
		12	6	/	21.84	/	23.00
		12	13	/	21.81	/	23.00
		25	0	/	21.83	/	23.00
	64QAM	1	0	/	21.94	/	23.00
		1	13	/	22.02	/	23.00
		1	24	/	22.04	/	23.00
		12	0	/	20.90	/	22.00
		12	6	/	20.91	/	22.00
		12	13	/	20.96	/	22.00
		25	0	/	20.78	/	22.00
	256QAM	1	0	/	20.83	/	22.00
		1	13	/	20.88	/	22.00
		1	24	/	21.08	/	22.00
		12	0	/	19.80	/	21.00
		12	6	/	19.88	/	21.00
		12	13	/	19.84	/	21.00
		25	0	/	19.89	/	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	23790	/	
10MHz	QPSK	1	0	/	24.16	/	25.00
		1	25	/	24.02	/	25.00
		1	49	/	23.86	/	25.00
		25	0	/	23.06	/	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
 Rev.: 01
 Page: 14 of 156

		25	13	/	22.94	/	24.00
		25	25	/	22.80	/	24.00
		50	0	/	22.94	/	24.00
	16QAM	1	0	/	22.75	/	24.00
		1	25	/	22.91	/	24.00
		1	49	/	22.87	/	24.00
		25	0	/	21.99	/	23.00
		25	13	/	21.96	/	23.00
		25	25	/	22.00	/	23.00
		50	0	/	21.90	/	23.00
	64QAM	1	0	/	22.02	/	23.00
		1	25	/	21.90	/	23.00
		1	49	/	21.94	/	23.00
		25	0	/	20.93	/	22.00
		25	13	/	20.86	/	22.00
		25	25	/	21.02	/	22.00
		50	0	/	20.80	/	22.00
	256QAM	1	0	/	20.85	/	22.00
		1	25	/	20.85	/	22.00
		1	49	/	20.99	/	22.00
		25	0	/	19.84	/	21.00
		25	13	/	19.77	/	21.00
		25	25	/	19.73	/	21.00
		50	0	/	19.82	/	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 15 of 156

Ant1:

LTE Band 2 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	23.35	23.33	23.27	25.00
		1	2	23.43	23.27	23.36	25.00
		1	5	23.36	23.26	23.38	25.00
		3	0	23.25	23.32	23.41	25.00
		3	2	23.38	23.42	23.42	25.00
		3	3	23.39	23.40	23.34	25.00
		6	0	22.29	22.35	22.27	24.00
	16QAM	1	0	22.40	22.32	22.31	24.00
		1	2	22.37	22.35	22.45	24.00
		1	5	22.37	22.26	22.27	24.00
		3	0	22.36	22.32	22.38	24.00
		3	2	22.35	22.39	22.35	24.00
		3	3	22.36	22.26	22.32	24.00
		6	0	21.30	21.44	21.44	23.00
	64QAM	1	0	21.43	21.40	21.25	23.00
		1	2	21.38	21.37	21.28	23.00
		1	5	21.24	21.42	21.35	23.00
		3	0	21.36	21.28	21.41	23.00
		3	2	21.29	21.31	21.44	23.00
		3	3	21.25	21.34	21.24	23.00
		6	0	20.23	20.28	20.43	22.00
	256QAM	1	0	20.25	20.40	20.39	22.00
		1	2	20.38	20.37	20.41	22.00
		1	5	20.33	20.36	20.41	22.00
		3	0	20.24	20.28	20.41	22.00
		3	2	20.23	20.26	20.40	22.00
		3	3	20.40	20.37	20.30	22.00
		6	0	19.27	19.37	19.27	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	23.70	23.63	23.42	25.00
		1	7	23.51	23.65	23.43	25.00
		1	14	23.65	23.48	23.55	25.00
		8	0	22.41	22.59	22.52	24.00
		8	4	22.42	22.45	22.59	24.00
		8	7	22.48	22.47	22.44	24.00
		15	0	22.66	22.40	22.37	24.00
	16QAM	1	0	22.41	22.53	22.49	24.00
		1	7	22.48	22.41	22.53	24.00
		1	14	22.69	22.63	22.47	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 16 of 156

		8	0	21.51	21.57	21.46	23.00
		8	4	21.40	21.47	21.40	23.00
		8	7	21.37	21.59	21.57	23.00
		15	0	21.61	21.51	21.55	23.00
	64QAM	1	0	21.53	21.50	21.33	23.00
		1	7	21.57	21.53	21.57	23.00
		1	14	21.48	21.59	21.45	23.00
		8	0	20.44	20.40	20.46	22.00
		8	4	20.54	20.44	20.60	22.00
		8	7	20.56	20.59	20.42	22.00
		15	0	20.62	20.40	20.57	22.00
	256QAM	1	0	20.46	20.51	20.49	22.00
		1	7	20.62	20.39	20.57	22.00
		1	14	20.63	20.68	20.41	22.00
		8	0	19.48	19.48	19.64	21.00
		8	4	19.44	19.38	19.66	21.00
		8	7	19.43	19.47	19.45	21.00
		15	0	19.52	19.51	19.54	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	23.55	23.54	23.34	25.00
		1	13	23.52	23.54	23.63	25.00
		1	24	23.54	23.52	23.54	25.00
		12	0	22.53	22.38	22.45	24.00
		12	6	22.54	22.47	22.51	24.00
		12	13	22.32	22.32	22.53	24.00
		25	0	22.63	22.45	22.50	24.00
	16QAM	1	0	22.49	22.53	22.52	24.00
		1	13	22.55	22.40	22.61	24.00
		1	24	22.69	22.54	22.51	24.00
		12	0	21.39	21.59	21.53	23.00
		12	6	21.33	21.45	21.42	23.00
		12	13	21.40	21.42	21.62	23.00
		25	0	21.63	21.47	21.65	23.00
	64QAM	1	0	21.49	21.49	21.44	23.00
		1	13	21.52	21.52	21.55	23.00
		1	24	21.40	21.50	21.61	23.00
		12	0	20.47	20.49	20.45	22.00
		12	6	20.41	20.52	20.48	22.00
		12	13	20.49	20.62	20.57	22.00
		25	0	20.62	20.38	20.54	22.00
	256QAM	1	0	20.51	20.47	20.53	22.00
		1	13	20.56	20.53	20.44	22.00
		1	24	20.58	20.67	20.55	22.00
		12	0	19.40	19.33	19.50	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 17 of 156

		12	6	19.50	19.49	19.51	21.00
		12	13	19.41	19.46	19.45	21.00
		25	0	19.50	19.37	19.60	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	23.57	23.53	23.52	25.00
		1	25	23.36	23.66	23.59	25.00
		1	49	23.64	23.41	23.63	25.00
		25	0	22.45	22.47	22.55	24.00
		25	13	22.46	22.52	22.60	24.00
		25	25	22.52	22.46	22.56	24.00
		50	0	22.56	22.52	22.36	24.00
	16QAM	1	0	22.48	22.54	22.43	24.00
		1	25	22.37	22.47	22.50	24.00
		1	49	22.51	22.50	22.47	24.00
		25	0	21.48	21.55	21.46	23.00
		25	13	21.35	21.51	21.46	23.00
		25	25	21.51	21.56	21.53	23.00
		50	0	21.47	21.30	21.57	23.00
	64QAM	1	0	21.55	21.61	21.49	23.00
		1	25	21.64	21.42	21.71	23.00
		1	49	21.39	21.50	21.55	23.00
		25	0	20.32	20.53	20.56	22.00
		25	13	20.46	20.41	20.63	22.00
		25	25	20.50	20.59	20.49	22.00
		50	0	20.59	20.46	20.49	22.00
	256QAM	1	0	20.52	20.47	20.52	22.00
		1	25	20.53	20.39	20.42	22.00
		1	49	20.68	20.66	20.38	22.00
		25	0	19.51	19.35	19.57	21.00
		25	13	19.35	19.46	19.51	21.00
		25	25	19.41	19.54	19.59	21.00
		50	0	19.58	19.45	19.67	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	23.52	23.66	23.51	25.00
		1	38	23.54	23.66	23.50	25.00
		1	74	23.54	23.40	23.64	25.00
		36	0	22.49	22.57	22.63	24.00
		36	18	22.43	22.49	22.52	24.00
		36	39	22.31	22.32	22.58	24.00
		75	0	22.62	22.52	22.46	24.00
	16QAM	1	0	22.42	22.47	22.50	24.00
		1	38	22.40	22.49	22.64	24.00
		1	74	22.50	22.47	22.46	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 18 of 156

		36	0	21.48	21.50	21.49	23.00
		36	18	21.31	21.52	21.56	23.00
		36	39	21.53	21.51	21.51	23.00
		75	0	21.60	21.50	21.62	23.00
	64QAM	1	0	21.60	21.57	21.48	23.00
		1	38	21.48	21.41	21.60	23.00
		1	74	21.58	21.58	21.55	23.00
		36	0	20.52	20.50	20.49	22.00
		36	18	20.41	20.37	20.59	22.00
		36	39	20.55	20.41	20.38	22.00
		75	0	20.64	20.34	20.48	22.00
	256QAM	1	0	20.50	20.43	20.43	22.00
		1	38	20.53	20.41	20.55	22.00
		1	74	20.57	20.61	20.52	22.00
		36	0	19.61	19.49	19.53	21.00
		36	18	19.54	19.40	19.71	21.00
		36	39	19.53	19.40	19.47	21.00
		75	0	19.54	19.47	19.58	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	23.53	23.72	23.68	25.00
		1	50	23.40	23.53	23.43	25.00
		1	99	23.47	23.43	23.63	25.00
		50	0	22.56	22.55	22.57	24.00
		50	25	22.45	22.51	22.55	24.00
		50	50	22.45	22.36	22.53	24.00
		100	0	22.49	22.52	22.47	24.00
	16QAM	1	0	22.38	22.36	22.42	24.00
		1	50	22.56	22.53	22.55	24.00
		1	99	22.54	22.47	22.48	24.00
		50	0	21.39	21.66	21.51	23.00
		50	25	21.33	21.52	21.47	23.00
		50	50	21.51	21.55	21.63	23.00
		100	0	21.64	21.33	21.60	23.00
	64QAM	1	0	21.54	21.48	21.51	23.00
		1	50	21.61	21.53	21.64	23.00
		1	99	21.59	21.56	21.53	23.00
		50	0	20.45	20.41	20.53	22.00
		50	25	20.54	20.33	20.54	22.00
		50	50	20.63	20.51	20.46	22.00
		100	0	20.65	20.38	20.63	22.00
	256QAM	1	0	20.53	20.41	20.52	22.00
		1	50	20.53	20.35	20.41	22.00
		1	99	20.66	20.61	20.48	22.00
		50	0	19.44	19.37	19.52	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 19 of 156

		50	25	19.46	19.48	19.50	21.00
		50	50	19.47	19.35	19.41	21.00
		100	0	19.56	19.37	19.54	21.00

LTE FDD Band 30 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	23.09	/	24.50
		1	13	/	23.13	/	24.50
		1	24	/	22.86	/	24.50
		12	0	/	21.95	/	23.50
		12	6	/	21.91	/	23.50
		12	13	/	21.92	/	23.50
		25	0	/	21.98	/	23.50
	16QAM	1	0	/	21.84	/	23.50
		1	13	/	21.98	/	23.50
		1	24	/	21.97	/	23.50
		12	0	/	21.00	/	22.50
		12	6	/	21.13	/	22.50
		12	13	/	20.91	/	22.50
		25	0	/	20.90	/	22.50
	64QAM	1	0	/	20.98	/	22.50
		1	13	/	20.92	/	22.50
		1	24	/	21.05	/	22.50
		12	0	/	19.98	/	21.50
		12	6	/	19.97	/	21.50
		12	13	/	19.92	/	21.50
		25	0	/	19.87	/	21.50
	256QAM	1	0	/	20.06	/	21.50
		1	13	/	19.82	/	21.50
		1	24	/	19.99	/	21.50
		12	0	/	18.87	/	20.50
		12	6	/	18.87	/	20.50
		12	13	/	19.01	/	20.50
		25	0	/	18.88	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	23.19	/	24.50
		1	25	/	23.17	/	24.50
		1	49	/	22.95	/	24.50
		25	0	/	22.07	/	23.50
		25	13	/	22.03	/	23.50
		25	25	/	21.87	/	23.50
		50	0	/	22.06	/	23.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 20 of 156

	16QAM	1	0	/	22.01	/	23.50
		1	25	/	21.91	/	23.50
		1	49	/	22.08	/	23.50
		25	0	/	21.19	/	22.50
		25	13	/	21.09	/	22.50
		25	25	/	21.09	/	22.50
		50	0	/	20.94	/	22.50
	64QAM	1	0	/	21.00	/	22.50
		1	25	/	21.02	/	22.50
		1	49	/	20.99	/	22.50
		25	0	/	20.06	/	21.50
		25	13	/	19.98	/	21.50
		25	25	/	19.99	/	21.50
		50	0	/	20.00	/	21.50
	256QAM	1	0	/	20.06	/	21.50
		1	25	/	19.99	/	21.50
		1	49	/	20.10	/	21.50
		25	0	/	19.00	/	20.50
		25	13	/	18.99	/	20.50
		25	25	/	18.91	/	20.50
		50	0	/	18.83	/	20.50

LTE Band 66 State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	23.32	23.34	23.26	25.00
		1	2	23.33	23.41	23.28	25.00
		1	5	23.40	23.43	23.24	25.00
		3	0	23.32	23.32	23.30	25.00
		3	1	23.31	23.24	23.44	25.00
		3	3	23.24	23.37	23.30	25.00
		6	0	22.44	22.38	22.44	24.00
	16QAM	1	0	22.25	22.41	22.26	24.00
		1	2	22.29	22.25	22.45	24.00
		1	5	22.35	22.42	22.33	24.00
		3	0	22.25	22.32	22.30	24.00
		3	1	22.33	22.41	22.26	24.00
		3	3	22.27	22.39	22.26	24.00
		6	0	21.31	21.39	21.39	23.00
	64QAM	1	0	21.43	21.33	21.29	23.00
		1	2	21.42	21.42	21.38	23.00
		1	5	21.33	21.44	21.29	23.00
		3	0	21.30	21.24	21.29	23.00
		3	1	21.41	21.39	21.25	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 21 of 156

		3	3	21.33	21.32	21.28	23.00
		6	0	20.44	20.39	20.42	22.00
	256QAM	1	0	20.38	20.29	20.37	22.00
		1	2	20.39	20.32	20.33	22.00
		1	5	20.26	20.40	20.36	22.00
		3	0	20.33	20.34	20.27	22.00
		3	1	20.31	20.40	20.45	22.00
		3	3	20.42	20.30	20.26	22.00
		6	0	19.24	19.37	19.41	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	23.59	23.52	23.45	25.00
		1	7	23.38	23.55	23.59	25.00
		1	14	23.61	23.56	23.54	25.00
		8	0	22.41	22.53	22.62	24.00
		8	4	22.44	22.43	22.49	24.00
		8	7	22.41	22.38	22.58	24.00
		15	0	22.48	22.45	22.48	24.00
	16QAM	1	0	22.46	22.33	22.41	24.00
		1	7	22.38	22.47	22.59	24.00
		1	14	22.57	22.52	22.57	24.00
		8	0	21.53	21.63	21.62	23.00
		8	4	21.52	21.65	21.46	23.00
		8	7	21.34	21.55	21.56	23.00
		15	0	21.64	21.49	21.63	23.00
	64QAM	1	0	21.47	21.67	21.49	23.00
		1	7	21.55	21.54	21.56	23.00
		1	14	21.42	21.64	21.63	23.00
		8	0	20.40	20.50	20.62	22.00
		8	4	20.58	20.32	20.49	22.00
		8	7	20.51	20.52	20.46	22.00
		15	0	20.54	20.44	20.58	22.00
	256QAM	1	0	20.62	20.57	20.58	22.00
		1	7	20.47	20.53	20.63	22.00
		1	14	20.48	20.70	20.51	22.00
		8	0	19.49	19.41	19.56	21.00
		8	4	19.35	19.49	19.58	21.00
		8	7	19.47	19.47	19.44	21.00
		15	0	19.53	19.33	19.56	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	23.52	23.64	23.46	25.00
		1	13	23.49	23.70	23.56	25.00
		1	24	23.51	23.35	23.65	25.00
		12	0	22.52	22.50	22.45	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 22 of 156

		12	6	22.50	22.47	22.62	24.00
		12	13	22.49	22.31	22.58	24.00
		25	0	22.48	22.44	22.43	24.00
	16QAM	1	0	22.41	22.42	22.55	24.00
		1	13	22.44	22.43	22.59	24.00
		1	24	22.63	22.66	22.48	24.00
		12	0	21.54	21.50	21.54	23.00
		12	6	21.46	21.46	21.35	23.00
		12	13	21.46	21.46	21.64	23.00
		25	0	21.45	21.45	21.47	23.00
	64QAM	1	0	21.43	21.67	21.50	23.00
		1	13	21.57	21.43	21.64	23.00
		1	24	21.47	21.59	21.62	23.00
		12	0	20.42	20.50	20.50	22.00
		12	6	20.39	20.38	20.48	22.00
		12	13	20.59	20.53	20.41	22.00
		25	0	20.55	20.38	20.60	22.00
	256QAM	1	0	20.62	20.60	20.53	22.00
		1	13	20.50	20.44	20.41	22.00
		1	24	20.66	20.48	20.54	22.00
		12	0	19.60	19.30	19.49	21.00
		12	6	19.39	19.41	19.51	21.00
		12	13	19.42	19.49	19.49	21.00
		25	0	19.61	19.46	19.51	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	23.54	23.69	23.49	25.00
		1	25	23.45	23.52	23.60	25.00
		1	49	23.59	23.38	23.61	25.00
		25	0	22.47	22.46	22.48	24.00
		25	13	22.45	22.53	22.63	24.00
		25	25	22.46	22.39	22.57	24.00
		50	0	22.59	22.42	22.53	24.00
	16QAM	1	0	22.42	22.32	22.55	24.00
		1	25	22.49	22.36	22.50	24.00
		1	49	22.57	22.64	22.48	24.00
		25	0	21.35	21.52	21.57	23.00
		25	13	21.35	21.58	21.46	23.00
		25	25	21.40	21.57	21.61	23.00
		50	0	21.60	21.46	21.60	23.00
	64QAM	1	0	21.60	21.58	21.49	23.00
		1	25	21.52	21.47	21.61	23.00
		1	49	21.50	21.56	21.56	23.00
		25	0	20.52	20.45	20.59	22.00
		25	13	20.57	20.43	20.56	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 23 of 156

		25	25	20.61	20.44	20.40	22.00
		50	0	20.58	20.36	20.46	22.00
	256QAM	1	0	20.56	20.41	20.49	22.00
		1	25	20.60	20.47	20.45	22.00
		1	49	20.47	20.70	20.59	22.00
		25	0	19.51	19.35	19.48	21.00
		25	13	19.39	19.38	19.67	21.00
		25	25	19.60	19.41	19.60	21.00
		50	0	19.62	19.36	19.66	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	23.59	23.68	23.38	25.00
		1	38	23.43	23.50	23.52	25.00
		1	74	23.62	23.37	23.53	25.00
		36	0	22.50	22.42	22.62	24.00
		36	18	22.54	22.39	22.61	24.00
		36	39	22.38	22.37	22.42	24.00
		75	0	22.50	22.49	22.54	24.00
	16QAM	1	0	22.39	22.41	22.39	24.00
		1	38	22.54	22.45	22.50	24.00
		1	74	22.49	22.50	22.52	24.00
		36	0	21.54	21.56	21.61	23.00
		36	18	21.43	21.57	21.55	23.00
		36	39	21.34	21.49	21.62	23.00
		75	0	21.63	21.41	21.49	23.00
	64QAM	1	0	21.55	21.68	21.42	23.00
		1	38	21.63	21.43	21.62	23.00
		1	74	21.47	21.61	21.55	23.00
		36	0	20.43	20.47	20.50	22.00
		36	18	20.54	20.34	20.63	22.00
		36	39	20.63	20.42	20.52	22.00
		75	0	20.71	20.48	20.47	22.00
	256QAM	1	0	20.44	20.53	20.50	22.00
		1	38	20.63	20.40	20.47	22.00
		1	74	20.62	20.68	20.52	22.00
		36	0	19.55	19.31	19.69	21.00
		36	18	19.46	19.39	19.52	21.00
		36	39	19.58	19.44	19.49	21.00
		75	0	19.64	19.40	19.68	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	23.70	23.73	23.65	25.00
		1	50	23.36	23.59	23.58	25.00
		1	99	23.57	23.37	23.50	25.00
		50	0	22.49	22.55	22.54	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
 Rev.: 01
 Page: 24 of 156

		50	25	22.46	22.42	22.51	24.00
		50	50	22.31	22.46	22.44	24.00
		100	0	22.44	22.46	22.43	24.00
	16QAM	1	0	22.54	22.34	22.55	24.00
		1	50	22.49	22.41	22.44	24.00
		1	99	22.59	22.49	22.44	24.00
		50	0	21.49	21.49	21.61	23.00
		50	25	21.51	21.45	21.39	23.00
		50	50	21.40	21.56	21.46	23.00
		100	0	21.45	21.39	21.64	23.00
	64QAM	1	0	21.62	21.62	21.39	23.00
		1	50	21.49	21.61	21.69	23.00
		1	99	21.54	21.52	21.44	23.00
		50	0	20.36	20.49	20.44	22.00
		50	25	20.56	20.52	20.62	22.00
		50	50	20.62	20.51	20.59	22.00
		100	0	20.63	20.34	20.51	22.00
	256QAM	1	0	20.51	20.58	20.49	22.00
		1	50	20.48	20.50	20.57	22.00
		1	99	20.62	20.67	20.53	22.00
		50	0	19.44	19.40	19.49	21.00
		50	25	19.53	19.39	19.60	21.00
		50	50	19.44	19.47	19.55	21.00
		100	0	19.62	19.36	19.70	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 25 of 156

Ant3:

LTE Band 2 State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	23.35	23.32	23.33	25.00
		1	2	23.42	23.43	23.45	25.00
		1	5	23.38	23.45	23.45	25.00
		3	0	23.35	23.38	23.27	25.00
		3	2	23.26	23.36	23.38	25.00
		3	3	23.36	23.38	23.28	25.00
		6	0	22.38	22.25	22.42	24.00
	16QAM	1	0	22.41	22.38	22.32	24.00
		1	2	22.45	22.37	22.34	24.00
		1	5	22.31	22.41	22.27	24.00
		3	0	22.34	22.42	22.27	24.00
		3	2	22.33	22.36	22.38	24.00
		3	3	22.43	22.26	22.38	24.00
		6	0	21.28	21.36	21.45	23.00
	64QAM	1	0	21.33	21.35	21.41	23.00
		1	2	21.28	21.33	21.38	23.00
		1	5	21.35	21.38	21.34	23.00
		3	0	21.23	21.24	21.42	23.00
		3	2	21.25	21.28	21.39	23.00
		3	3	21.37	21.24	21.23	23.00
		6	0	20.26	20.28	20.29	22.00
	256QAM	1	0	20.27	20.35	20.28	22.00
		1	2	20.27	20.28	20.42	22.00
		1	5	20.37	20.40	20.35	22.00
		3	0	20.36	20.29	20.31	22.00
		3	2	20.41	20.35	20.32	22.00
		3	3	20.34	20.30	20.24	22.00
		6	0	19.38	19.43	19.30	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	23.44	23.48	23.27	25.00
		1	7	23.24	23.44	23.26	25.00
		1	14	23.31	23.24	23.41	25.00
		8	0	22.27	22.28	22.43	24.00
		8	4	22.26	22.22	22.37	24.00
		8	7	22.31	22.22	22.38	24.00
		15	0	22.41	22.24	22.22	24.00
	16QAM	1	0	22.32	22.31	22.35	24.00
		1	7	22.15	22.36	22.23	24.00
		1	14	22.45	22.36	22.27	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 26 of 156

		8	0	21.29	21.40	21.39	23.00
		8	4	21.26	21.26	21.34	23.00
		8	7	21.14	21.28	21.28	23.00
		15	0	21.26	21.20	21.40	23.00
	64QAM	1	0	21.27	21.28	21.28	23.00
		1	7	21.37	21.33	21.42	23.00
		1	14	21.28	21.37	21.45	23.00
		8	0	20.16	20.29	20.27	22.00
		8	4	20.32	20.21	20.29	22.00
		8	7	20.27	20.33	20.33	22.00
		15	0	20.35	20.26	20.37	22.00
	256QAM	1	0	20.35	20.32	20.40	22.00
		1	7	20.31	20.23	20.23	22.00
		1	14	20.41	20.35	20.21	22.00
		8	0	19.35	19.28	19.28	21.00
		8	4	19.35	19.20	19.38	21.00
		8	7	19.20	19.17	19.37	21.00
		15	0	19.38	19.33	19.45	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	23.31	23.45	23.31	25.00
		1	13	23.17	23.33	23.23	25.00
		1	24	23.43	23.36	23.36	25.00
		12	0	22.29	22.38	22.31	24.00
		12	6	22.35	22.33	22.33	24.00
		12	13	22.21	22.19	22.28	24.00
		25	0	22.25	22.18	22.17	24.00
	16QAM	1	0	22.26	22.23	22.32	24.00
		1	13	22.23	22.36	22.43	24.00
		1	24	22.46	22.27	22.39	24.00
		12	0	21.29	21.45	21.35	23.00
		12	6	21.20	21.39	21.31	23.00
		12	13	21.32	21.30	21.37	23.00
		25	0	21.39	21.29	21.28	23.00
	64QAM	1	0	21.42	21.32	21.22	23.00
		1	13	21.37	21.25	21.38	23.00
		1	24	21.39	21.45	21.40	23.00
		12	0	20.16	20.24	20.36	22.00
		12	6	20.20	20.23	20.34	22.00
		12	13	20.25	20.32	20.36	22.00
		25	0	20.29	20.33	20.38	22.00
	256QAM	1	0	20.32	20.21	20.36	22.00
		1	13	20.34	20.20	20.40	22.00
		1	24	20.49	20.35	20.21	22.00
		12	0	19.27	19.13	19.38	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 27 of 156

		12	6	19.18	19.22	19.52	21.00
		12	13	19.32	19.26	19.41	21.00
		25	0	19.34	19.27	19.45	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	23.43	23.48	23.20	25.00
		1	25	23.34	23.41	23.24	25.00
		1	49	23.29	23.21	23.42	25.00
		25	0	22.22	22.38	22.27	24.00
		25	13	22.20	22.28	22.27	24.00
		25	25	22.15	22.27	22.21	24.00
		50	0	22.42	22.23	22.16	24.00
	16QAM	1	0	22.34	22.22	22.22	24.00
		1	25	22.25	22.21	22.42	24.00
		1	49	22.35	22.45	22.36	24.00
		25	0	21.13	21.39	21.41	23.00
		25	13	21.31	21.24	21.21	23.00
		25	25	21.30	21.31	21.38	23.00
		50	0	21.35	21.29	21.40	23.00
	64QAM	1	0	21.23	21.37	21.33	23.00
		1	25	21.32	21.31	21.30	23.00
		1	49	21.30	21.45	21.40	23.00
		25	0	20.20	20.31	20.32	22.00
		25	13	20.31	20.32	20.33	22.00
		25	25	20.38	20.33	20.26	22.00
		50	0	20.44	20.23	20.35	22.00
	256QAM	1	0	20.32	20.27	20.38	22.00
		1	25	20.38	20.31	20.40	22.00
		1	49	20.47	20.30	20.29	22.00
		25	0	19.33	19.14	19.38	21.00
		25	13	19.24	19.22	19.46	21.00
		25	25	19.33	19.23	19.30	21.00
		50	0	19.31	19.32	19.40	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	23.30	23.47	23.30	25.00
		1	38	23.22	23.49	23.32	25.00
		1	74	23.45	23.34	23.31	25.00
		36	0	22.32	22.29	22.29	24.00
		36	18	22.37	22.36	22.23	24.00
		36	39	22.23	22.11	22.33	24.00
		75	0	22.45	22.26	22.33	24.00
	16QAM	1	0	22.32	22.32	22.27	24.00
		1	38	22.25	22.23	22.39	24.00
		1	74	22.48	22.45	22.29	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 28 of 156

		36	0	21.14	21.44	21.26	23.00
		36	18	21.20	21.27	21.35	23.00
		36	39	21.23	21.32	21.36	23.00
		75	0	21.43	21.17	21.43	23.00
	64QAM	1	0	21.34	21.37	21.32	23.00
		1	38	21.41	21.43	21.40	23.00
		1	74	21.28	21.32	21.32	23.00
		36	0	20.18	20.23	20.42	22.00
		36	18	20.36	20.16	20.49	22.00
		36	39	20.30	20.37	20.36	22.00
		75	0	20.37	20.30	20.39	22.00
	256QAM	1	0	20.30	20.32	20.37	22.00
		1	38	20.32	20.18	20.35	22.00
		1	74	20.31	20.36	20.30	22.00
		36	0	19.25	19.14	19.38	21.00
		36	18	19.21	19.29	19.44	21.00
		36	39	19.32	19.29	19.36	21.00
		75	0	19.50	19.21	19.37	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	23.40	23.58	23.53	25.00
		1	50	23.26	23.45	23.40	25.00
		1	99	23.31	23.32	23.51	25.00
		50	0	22.30	22.21	22.38	24.00
		50	25	22.36	22.20	22.23	24.00
		50	50	22.19	22.15	22.27	24.00
		100	0	22.40	22.32	22.18	24.00
	16QAM	1	0	22.18	22.27	22.23	24.00
		1	50	22.22	22.30	22.42	24.00
		1	99	22.32	22.45	22.24	24.00
		50	0	21.33	21.31	21.42	23.00
		50	25	21.31	21.29	21.31	23.00
		50	50	21.30	21.28	21.27	23.00
		100	0	21.43	21.31	21.31	23.00
	64QAM	1	0	21.38	21.32	21.35	23.00
		1	50	21.47	21.41	21.47	23.00
		1	99	21.28	21.37	21.24	23.00
		50	0	20.33	20.29	20.33	22.00
		50	25	20.36	20.25	20.31	22.00
		50	50	20.34	20.37	20.35	22.00
		100	0	20.42	20.31	20.37	22.00
	256QAM	1	0	20.34	20.29	20.39	22.00
		1	50	20.39	20.14	20.24	22.00
		1	99	20.44	20.39	20.19	22.00
		50	0	19.36	19.21	19.40	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 29 of 156

		50	25	19.17	19.20	19.43	21.00
		50	50	19.33	19.32	19.22	21.00
		100	0	19.36	19.16	19.51	21.00

LTE Band 2 State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	15.61	15.54	15.61	17.00
		1	2	15.62	15.65	15.72	17.00
		1	5	15.66	15.72	15.71	17.00
		3	0	15.65	15.58	15.49	17.00
		3	2	15.46	15.61	15.62	17.00
		3	3	15.62	15.60	15.56	17.00
		6	0	15.63	15.53	15.67	17.00
	16QAM	1	0	15.70	15.62	15.54	17.00
		1	2	15.65	15.63	15.61	17.00
		1	5	15.53	15.67	15.49	17.00
		3	0	15.55	15.65	15.54	17.00
		3	2	15.56	15.65	15.61	17.00
		3	3	15.70	15.47	15.59	17.00
		6	0	15.51	15.59	15.67	17.00
	64QAM	1	0	15.62	15.57	15.70	17.00
		1	2	15.55	15.59	15.62	17.00
		1	5	15.57	15.59	15.61	17.00
		3	0	15.45	15.48	15.67	17.00
		3	2	15.52	15.52	15.60	17.00
		3	3	15.62	15.44	15.43	17.00
		6	0	15.55	15.52	15.59	17.00
	256QAM	1	0	15.50	15.59	15.57	17.00
		1	2	15.50	15.55	15.66	17.00
		1	5	15.66	15.65	15.63	17.00
		3	0	15.56	15.53	15.52	17.00
		3	2	15.69	15.62	15.62	17.00
		3	3	15.57	15.57	15.53	17.00
		6	0	15.62	15.67	15.52	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	15.68	15.70	15.47	17.00
		1	7	15.46	15.65	15.52	17.00
		1	14	15.53	15.47	15.66	17.00
		8	0	15.51	15.53	15.71	17.00
		8	4	15.52	15.46	15.66	17.00
		8	7	15.60	15.49	15.63	17.00
		15	0	15.66	15.45	15.49	17.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 30 of 156

	16QAM	1	0	15.58	15.60	15.63	17.00
		1	7	15.43	15.59	15.49	17.00
		1	14	15.67	15.59	15.48	17.00
		8	0	15.59	15.63	15.61	17.00
		8	4	15.47	15.55	15.60	17.00
		8	7	15.35	15.49	15.48	17.00
		15	0	15.49	15.50	15.64	17.00
	64QAM	1	0	15.56	15.56	15.52	17.00
		1	7	15.65	15.61	15.65	17.00
		1	14	15.56	15.62	15.73	17.00
		8	0	15.44	15.55	15.55	17.00
		8	4	15.54	15.50	15.59	17.00
		8	7	15.48	15.54	15.60	17.00
		15	0	15.62	15.54	15.66	17.00
	256QAM	1	0	15.58	15.56	15.63	17.00
		1	7	15.60	15.52	15.50	17.00
		1	14	15.62	15.63	15.44	17.00
		8	0	15.57	15.57	15.58	17.00
		8	4	15.57	15.44	15.58	17.00
		8	7	15.44	15.46	15.62	17.00
		15	0	15.64	15.56	15.66	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	15.57	15.69	15.56	17.00
		1	13	15.44	15.61	15.43	17.00
		1	24	15.68	15.64	15.64	17.00
		12	0	15.50	15.64	15.57	17.00
		12	6	15.63	15.54	15.56	17.00
		12	13	15.41	15.47	15.51	17.00
		25	0	15.50	15.46	15.40	17.00
	16QAM	1	0	15.53	15.45	15.52	17.00
		1	13	15.43	15.58	15.70	17.00
		1	24	15.76	15.47	15.63	17.00
		12	0	15.52	15.75	15.59	17.00
		12	6	15.41	15.69	15.57	17.00
		12	13	15.60	15.57	15.66	17.00
		25	0	15.61	15.55	15.50	17.00
	64QAM	1	0	15.72	15.61	15.51	17.00
		1	13	15.64	15.51	15.66	17.00
		1	24	15.69	15.69	15.65	17.00
		12	0	15.40	15.44	15.64	17.00
		12	6	15.50	15.45	15.58	17.00
		12	13	15.46	15.52	15.60	17.00
		25	0	15.50	15.54	15.59	17.00
	256QAM	1	0	15.53	15.44	15.65	17.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 31 of 156

		1	13	15.59	15.45	15.64	17.00
		1	24	15.78	15.55	15.48	17.00
		12	0	15.57	15.40	15.62	17.00
		12	6	15.44	15.50	15.74	17.00
		12	13	15.56	15.47	15.69	17.00
		25	0	15.58	15.48	15.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	15.73	15.68	15.46	17.00
		1	25	15.63	15.70	15.53	17.00
		1	49	15.56	15.45	15.69	17.00
		25	0	15.49	15.68	15.48	17.00
		25	13	15.49	15.50	15.56	17.00
		25	25	15.42	15.56	15.47	17.00
		50	0	15.70	15.48	15.37	17.00
	16QAM	1	0	15.56	15.49	15.43	17.00
		1	25	15.49	15.49	15.71	17.00
		1	49	15.61	15.66	15.65	17.00
		25	0	15.35	15.68	15.66	17.00
		25	13	15.58	15.50	15.46	17.00
		25	25	15.51	15.52	15.67	17.00
		50	0	15.58	15.53	15.63	17.00
	64QAM	1	0	15.53	15.62	15.57	17.00
		1	25	15.61	15.52	15.60	17.00
		1	49	15.56	15.74	15.65	17.00
		25	0	15.42	15.53	15.58	17.00
		25	13	15.54	15.54	15.55	17.00
		25	25	15.59	15.55	15.48	17.00
		50	0	15.72	15.45	15.64	17.00
	256QAM	1	0	15.52	15.55	15.61	17.00
		1	25	15.61	15.59	15.66	17.00
		1	49	15.67	15.55	15.53	17.00
		25	0	15.55	15.39	15.63	17.00
		25	13	15.48	15.50	15.69	17.00
		25	25	15.58	15.51	15.56	17.00
		50	0	15.52	15.61	15.69	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	15.50	15.70	15.52	17.00
		1	38	15.42	15.72	15.58	17.00
		1	74	15.70	15.64	15.56	17.00
		36	0	15.57	15.52	15.59	17.00
		36	18	15.64	15.62	15.47	17.00
		36	39	15.43	15.33	15.53	17.00
		75	0	15.73	15.49	15.57	17.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 32 of 156

	16QAM	1	0	15.55	15.56	15.54	17.00
		1	38	15.48	15.45	15.60	17.00
		1	74	15.72	15.66	15.54	17.00
		36	0	15.41	15.73	15.48	17.00
		36	18	15.47	15.49	15.56	17.00
		36	39	15.51	15.58	15.58	17.00
		75	0	15.70	15.41	15.70	17.00
	64QAM	1	0	15.55	15.62	15.58	17.00
		1	38	15.66	15.66	15.61	17.00
		1	74	15.49	15.56	15.60	17.00
		36	0	15.47	15.48	15.71	17.00
		36	18	15.57	15.44	15.70	17.00
		36	39	15.57	15.59	15.58	17.00
		75	0	15.59	15.52	15.59	17.00
	256QAM	1	0	15.56	15.58	15.58	17.00
		1	38	15.61	15.45	15.58	17.00
		1	74	15.55	15.57	15.58	17.00
		36	0	15.52	15.43	15.65	17.00
		36	18	15.43	15.56	15.66	17.00
		36	39	15.57	15.55	15.65	17.00
		75	0	15.77	15.49	15.64	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	15.65	15.81	15.75	17.00
		1	50	15.54	15.68	15.69	17.00
		1	99	15.60	15.54	15.68	17.00
		50	0	15.56	15.62	15.54	17.00
		50	25	15.49	15.48	15.49	17.00
		50	50	15.46	15.41	15.53	17.00
		100	0	15.48	15.54	15.41	17.00
	16QAM	1	0	15.43	15.57	15.53	17.00
		1	50	15.47	15.51	15.69	17.00
		1	99	15.54	15.66	15.52	17.00
		50	0	15.62	15.53	15.64	17.00
		50	25	15.54	15.58	15.58	17.00
		50	50	15.51	15.48	15.54	17.00
		100	0	15.70	15.52	15.53	17.00
	64QAM	1	0	15.64	15.56	15.63	17.00
		1	50	15.72	15.65	15.71	17.00
		1	99	15.57	15.61	15.45	17.00
		50	0	15.62	15.51	15.63	17.00
		50	25	15.56	15.46	15.52	17.00
		50	50	15.58	15.57	15.62	17.00
		100	0	15.66	15.59	15.64	17.00
	256QAM	1	0	15.58	15.59	15.65	17.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 33 of 156

		1	50	15.67	15.34	15.53	17.00
		1	99	15.73	15.59	15.41	17.00
		50	0	15.65	15.47	15.63	17.00
		50	25	15.39	15.42	15.72	17.00
		50	50	15.58	15.52	15.49	17.00
		100	0	15.65	15.38	15.78	17.00

LTE Band 2 State3 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	12.13	12.10	12.20	13.50
		1	2	12.20	12.22	12.25	13.50
		1	5	12.16	12.27	12.23	13.50
		3	0	12.19	12.17	12.05	13.50
		3	2	11.99	12.16	12.17	13.50
		3	3	12.22	12.11	12.11	13.50
		6	0	12.15	12.07	12.22	13.50
	16QAM	1	0	12.26	12.14	12.10	13.50
		1	2	12.17	12.23	12.12	13.50
		1	5	12.12	12.24	12.00	13.50
		3	0	12.08	12.19	12.06	13.50
		3	2	12.08	12.24	12.15	13.50
		3	3	12.23	12.00	12.18	13.50
		6	0	12.03	12.17	12.25	13.50
	64QAM	1	0	12.16	12.08	12.27	13.50
		1	2	12.07	12.10	12.17	13.50
		1	5	12.13	12.14	12.12	13.50
		3	0	11.95	12.04	12.18	13.50
		3	2	12.04	12.06	12.18	13.50
		3	3	12.13	12.01	11.96	13.50
		6	0	12.12	12.11	12.13	13.50
	256QAM	1	0	12.01	12.15	12.07	13.50
		1	2	12.04	12.11	12.26	13.50
		1	5	12.23	12.18	12.14	13.50
		3	0	12.10	12.09	12.03	13.50
		3	2	12.23	12.15	12.18	13.50
		3	3	12.13	12.10	12.06	13.50
		6	0	12.13	12.17	12.10	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	12.25	12.21	12.02	13.50
		1	7	12.00	12.21	12.04	13.50
		1	14	12.12	12.00	12.19	13.50
		8	0	12.09	12.12	12.24	13.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 34 of 156

		8	4	12.07	11.96	12.22	13.50
		8	7	12.17	12.00	12.13	13.50
		15	0	12.25	12.05	12.03	13.50
	16QAM	1	0	12.12	12.17	12.22	13.50
		1	7	11.98	12.10	12.01	13.50
		1	14	12.18	12.16	12.05	13.50
		8	0	12.09	12.21	12.18	13.50
		8	4	12.07	12.14	12.10	13.50
		8	7	11.91	12.06	12.02	13.50
		15	0	12.03	12.09	12.14	13.50
	64QAM	1	0	12.15	12.10	12.12	13.50
		1	7	12.16	12.18	12.22	13.50
		1	14	12.13	12.18	12.33	13.50
		8	0	12.01	12.10	12.14	13.50
		8	4	12.11	12.08	12.11	13.50
		8	7	12.03	12.12	12.11	13.50
		15	0	12.14	12.07	12.19	13.50
	256QAM	1	0	12.11	12.10	12.15	13.50
		1	7	12.20	12.08	12.00	13.50
		1	14	12.16	12.20	12.02	13.50
		8	0	12.10	12.15	12.14	13.50
		8	4	12.15	11.96	12.14	13.50
		8	7	11.99	12.06	12.14	13.50
		15	0	12.23	12.08	12.24	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	12.17	12.22	12.14	13.50
		1	13	11.96	12.16	12.01	13.50
		1	24	12.26	12.23	12.15	13.50
		12	0	12.02	12.22	12.14	13.50
		12	6	12.16	12.07	12.15	13.50
		12	13	11.99	12.05	12.05	13.50
		25	0	12.01	11.99	11.96	13.50
	16QAM	1	0	12.03	11.95	12.08	13.50
		1	13	11.95	12.12	12.20	13.50
		1	24	12.35	12.03	12.21	13.50
		12	0	12.09	12.28	12.18	13.50
		12	6	11.92	12.27	12.09	13.50
		12	13	12.13	12.14	12.17	13.50
		25	0	12.15	12.06	12.09	13.50
	64QAM	1	0	12.24	12.13	12.06	13.50
		1	13	12.18	12.02	12.21	13.50
		1	24	12.28	12.28	12.18	13.50
		12	0	11.93	12.03	12.24	13.50
		12	6	12.05	12.00	12.09	13.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 35 of 156

		12	13	12.00	12.11	12.14	13.50
		25	0	12.00	12.07	12.09	13.50
	256QAM	1	0	12.04	12.00	12.20	13.50
		1	13	12.13	12.01	12.15	13.50
		1	24	12.30	12.13	12.06	13.50
		12	0	12.15	11.93	12.15	13.50
		12	6	12.00	12.08	12.26	13.50
		12	13	12.14	11.99	12.28	13.50
		25	0	12.14	12.02	12.25	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	12.25	12.27	12.02	13.50
		1	25	12.19	12.24	12.12	13.50
		1	49	12.15	11.95	12.26	13.50
		25	0	12.04	12.19	12.01	13.50
		25	13	12.09	12.04	12.12	13.50
		25	25	12.00	12.15	12.00	13.50
		50	0	12.24	11.99	11.91	13.50
	16QAM	1	0	12.13	12.09	11.95	13.50
		1	25	12.04	12.07	12.22	13.50
		1	49	12.19	12.24	12.22	13.50
		25	0	11.88	12.23	12.24	13.50
		25	13	12.16	12.08	11.98	13.50
		25	25	12.03	12.02	12.21	13.50
		50	0	12.16	12.09	12.14	13.50
	64QAM	1	0	12.12	12.13	12.16	13.50
		1	25	12.13	12.04	12.12	13.50
		1	49	12.13	12.25	12.16	13.50
		25	0	11.95	12.11	12.13	13.50
		25	13	12.11	12.14	12.08	13.50
		25	25	12.10	12.08	12.07	13.50
		50	0	12.29	11.98	12.18	13.50
	256QAM	1	0	12.07	12.11	12.21	13.50
		1	25	12.12	12.19	12.25	13.50
		1	49	12.18	12.10	12.08	13.50
		25	0	12.09	11.90	12.19	13.50
		25	13	12.02	12.04	12.23	13.50
		25	25	12.11	12.06	12.11	13.50
		50	0	12.06	12.21	12.27	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	12.01	12.30	12.09	13.50
		1	38	11.96	12.23	12.15	13.50
		1	74	12.21	12.18	12.10	13.50
		36	0	12.16	12.03	12.10	13.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 36 of 156

		36	18	12.24	12.17	11.98	13.50
		36	39	12.02	11.88	12.04	13.50
		75	0	12.25	12.07	12.13	13.50
	16QAM	1	0	12.09	12.16	12.09	13.50
		1	38	11.99	11.96	12.16	13.50
		1	74	12.26	12.17	12.11	13.50
		36	0	12.00	12.32	12.02	13.50
		36	18	12.06	12.08	12.09	13.50
		36	39	12.05	12.13	12.16	13.50
		75	0	12.24	11.92	12.28	13.50
	64QAM	1	0	12.09	12.21	12.16	13.50
		1	38	12.24	12.16	12.21	13.50
		1	74	12.06	12.06	12.14	13.50
		36	0	11.98	12.07	12.28	13.50
		36	18	12.13	11.99	12.29	13.50
		36	39	12.11	12.13	12.14	13.50
		75	0	12.09	12.08	12.13	13.50
	256QAM	1	0	12.11	12.16	12.08	13.50
		1	38	12.15	12.04	12.18	13.50
		1	74	12.10	12.16	12.08	13.50
		36	0	12.07	11.97	12.22	13.50
		36	18	12.00	12.13	12.25	13.50
		36	39	12.09	12.07	12.22	13.50
		75	0	12.36	12.01	12.16	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	12.23	12.33	12.30	13.50
		1	50	12.04	12.25	12.20	13.50
		1	99	12.16	12.06	12.25	13.50
		50	0	12.10	12.14	12.12	13.50
		50	25	12.07	12.04	12.03	13.50
		50	50	12.02	11.94	12.08	13.50
		100	0	12.05	12.10	11.93	13.50
	16QAM	1	0	11.97	12.09	12.07	13.50
		1	50	12.00	12.05	12.23	13.50
		1	99	12.08	12.26	12.07	13.50
		50	0	12.21	12.10	12.21	13.50
		50	25	12.09	12.13	12.15	13.50
		50	50	12.07	12.04	12.12	13.50
		100	0	12.28	12.03	12.09	13.50
	64QAM	1	0	12.15	12.10	12.17	13.50
		1	50	12.30	12.19	12.26	13.50
		1	99	12.07	12.20	12.00	13.50
		50	0	12.21	12.01	12.16	13.50
		50	25	12.11	12.00	12.08	13.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 37 of 156

		50	50	12.15	12.16	12.22	13.50
		100	0	12.19	12.09	12.18	13.50
	256QAM	1	0	12.14	12.15	12.20	13.50
		1	50	12.17	11.85	12.07	13.50
		1	99	12.27	12.18	11.93	13.50
		50	0	12.17	11.98	12.22	13.50
		50	25	11.96	11.96	12.30	13.50
		50	50	12.10	12.05	12.03	13.50
		100	0	12.19	11.96	12.32	13.50

LTE Band 2 State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	20.32	20.29	20.30	22.00
		1	2	20.41	20.39	20.41	22.00
		1	5	20.37	20.43	20.43	22.00
		3	0	20.32	20.37	20.22	22.00
		3	2	20.23	20.31	20.35	22.00
		3	3	20.34	20.34	20.25	22.00
		6	0	20.34	20.22	20.40	22.00
	16QAM	1	0	20.40	20.35	20.30	22.00
		1	2	20.42	20.36	20.32	22.00
		1	5	20.30	20.36	20.26	22.00
		3	0	20.33	20.40	20.27	22.00
		3	2	20.32	20.32	20.36	22.00
		3	3	20.38	20.26	20.37	22.00
		6	0	20.25	20.35	20.44	22.00
	64QAM	1	0	20.30	20.34	20.40	22.00
		1	2	20.26	20.29	20.35	22.00
		1	5	20.31	20.33	20.29	22.00
		3	0	20.21	20.19	20.41	22.00
		3	2	20.21	20.26	20.38	22.00
		3	3	20.36	20.23	20.20	22.00
		6	0	20.25	20.26	20.28	22.00
	256QAM	1	0	20.26	20.35	20.23	22.00
		1	2	20.23	20.23	20.40	22.00
		1	5	20.34	20.35	20.32	22.00
		3	0	20.34	20.25	20.29	22.00
		3	2	20.38	20.35	20.28	22.00
		3	3	20.30	20.28	20.24	22.00
		6	0	19.34	19.38	19.30	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
3MHz	QPSK	1	0	18615	18900	19185	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 38 of 156

		1	7	20.20	20.41	20.23	22.00
		1	14	20.27	20.22	20.41	22.00
		8	0	20.27	20.27	20.42	22.00
		8	4	20.23	20.18	20.35	22.00
		8	7	20.26	20.19	20.36	22.00
		15	0	20.41	20.21	20.19	22.00
	16QAM	1	0	20.31	20.28	20.33	22.00
		1	7	20.10	20.35	20.18	22.00
		1	14	20.44	20.35	20.22	22.00
		8	0	20.29	20.39	20.36	22.00
		8	4	20.24	20.23	20.33	22.00
		8	7	20.12	20.27	20.25	22.00
		15	0	20.23	20.17	20.40	22.00
	64QAM	1	0	20.23	20.26	20.23	22.00
		1	7	20.32	20.31	20.38	22.00
		1	14	20.25	20.33	20.42	22.00
		8	0	20.15	20.24	20.26	22.00
		8	4	20.28	20.20	20.26	22.00
		8	7	20.24	20.32	20.30	22.00
	256QAM	15	0	20.32	20.22	20.35	22.00
		1	0	20.32	20.28	20.35	22.00
		1	7	20.30	20.22	20.19	22.00
		1	14	20.37	20.31	20.21	22.00
		8	0	19.34	19.27	19.26	21.00
		8	4	19.33	19.15	19.33	21.00
		8	7	19.19	19.13	19.35	21.00
		15	0	19.37	19.29	19.43	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	20.26	20.42	20.28	22.00
		1	13	20.12	20.29	20.22	22.00
		1	24	20.40	20.32	20.32	22.00
		12	0	20.24	20.36	20.28	22.00
		12	6	20.34	20.31	20.30	22.00
		12	13	20.18	20.15	20.27	22.00
		25	0	20.23	20.18	20.17	22.00
	16QAM	1	0	20.23	20.19	20.31	22.00
		1	13	20.23	20.35	20.39	22.00
		1	24	20.41	20.24	20.37	22.00
		12	0	20.29	20.40	20.34	22.00
		12	6	20.16	20.38	20.30	22.00
		12	13	20.32	20.28	20.33	22.00
		25	0	20.35	20.25	20.28	22.00
	64QAM	1	0	20.39	20.31	20.21	22.00
		1	13	20.36	20.24	20.35	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 39 of 156

		1	24	20.35	20.44	20.38	22.00
		12	0	20.16	20.23	20.31	22.00
		12	6	20.16	20.23	20.30	22.00
		12	13	20.24	20.29	20.33	22.00
		25	0	20.28	20.30	20.36	22.00
	256QAM	1	0	20.30	20.18	20.33	22.00
		1	13	20.32	20.18	20.35	22.00
		1	24	20.45	20.32	20.16	22.00
		12	0	19.26	19.12	19.34	21.00
		12	6	19.16	19.22	19.48	21.00
		12	13	19.29	19.22	19.41	21.00
		25	0	19.33	19.27	19.42	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	20.39	20.44	20.16	22.00
		1	25	20.34	20.39	20.19	22.00
		1	49	20.26	20.21	20.37	22.00
		25	0	20.19	20.37	20.23	22.00
		25	13	20.17	20.25	20.25	22.00
		25	25	20.13	20.25	20.17	22.00
		50	0	20.39	20.20	20.15	22.00
	16QAM	1	0	20.30	20.19	20.21	22.00
		1	25	20.24	20.20	20.37	22.00
		1	49	20.31	20.40	20.35	22.00
		25	0	20.12	20.36	20.40	22.00
		25	13	20.29	20.23	20.17	22.00
		25	25	20.26	20.28	20.36	22.00
		50	0	20.35	20.25	20.39	22.00
	64QAM	1	0	20.22	20.34	20.31	22.00
		1	25	20.29	20.28	20.28	22.00
		1	49	20.27	20.43	20.35	22.00
		25	0	20.16	20.30	20.29	22.00
		25	13	20.29	20.29	20.32	22.00
		25	25	20.37	20.32	20.23	22.00
		50	0	20.43	20.21	20.33	22.00
	256QAM	1	0	20.29	20.22	20.36	22.00
		1	25	20.36	20.29	20.39	22.00
		1	49	20.44	20.30	20.25	22.00
		25	0	19.33	19.11	19.33	21.00
		25	13	19.23	19.19	19.41	21.00
		25	25	19.32	19.19	19.30	21.00
		50	0	19.31	19.27	19.36	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	20.29	20.44	20.29	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 40 of 156

		1	38	20.20	20.48	20.29	22.00
		1	74	20.42	20.32	20.28	22.00
		36	0	20.32	20.27	20.28	22.00
		36	18	20.35	20.35	20.22	22.00
		36	39	20.22	20.10	20.30	22.00
		75	0	20.42	20.22	20.33	22.00
	16QAM	1	0	20.30	20.30	20.25	22.00
		1	38	20.22	20.20	20.38	22.00
		1	74	20.47	20.44	20.26	22.00
		36	0	20.11	20.41	20.26	22.00
		36	18	20.18	20.23	20.33	22.00
		36	39	20.18	20.28	20.34	22.00
		75	0	20.40	20.13	20.41	22.00
	64QAM	1	0	20.31	20.35	20.31	22.00
		1	38	20.37	20.39	20.38	22.00
		1	74	20.26	20.32	20.29	22.00
		36	0	20.15	20.22	20.41	22.00
		36	18	20.33	20.15	20.47	22.00
		36	39	20.28	20.33	20.34	22.00
		75	0	20.36	20.26	20.36	22.00
	256QAM	1	0	20.27	20.29	20.34	22.00
		1	38	20.29	20.17	20.31	22.00
		1	74	20.28	20.33	20.27	22.00
		36	0	19.24	19.10	19.36	21.00
		36	18	19.20	19.28	19.41	21.00
		36	39	19.32	19.26	19.32	21.00
		75	0	19.48	19.21	19.35	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	20.64	20.68	20.59	22.00
		1	50	20.52	20.61	20.48	22.00
		1	99	20.56	20.63	20.50	22.00
		50	0	20.43	20.53	20.47	22.00
		50	25	20.42	20.47	20.33	22.00
		50	50	20.39	20.41	20.22	22.00
		100	0	20.31	20.41	20.35	22.00
	16QAM	1	0	20.14	20.25	20.23	22.00
		1	50	20.19	20.28	20.38	22.00
		1	99	20.31	20.42	20.23	22.00
		50	0	20.32	20.28	20.40	22.00
		50	25	20.30	20.27	20.28	22.00
		50	50	20.26	20.23	20.26	22.00
		100	0	20.40	20.26	20.30	22.00
	64QAM	1	0	20.34	20.30	20.35	22.00
		1	50	20.47	20.39	20.43	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 41 of 156

		1	99	20.24	20.32	20.23	22.00
		50	0	20.31	20.27	20.30	22.00
		50	25	20.34	20.23	20.31	22.00
		50	50	20.30	20.33	20.35	22.00
		100	0	20.39	20.31	20.33	22.00
	256QAM	1	0	20.33	20.28	20.35	22.00
		1	50	20.38	20.11	20.19	22.00
		1	99	20.42	20.38	20.16	22.00
		50	0	19.33	19.19	19.37	21.00
		50	25	19.14	19.16	19.39	21.00
		50	50	19.29	19.31	19.21	21.00
		100	0	19.35	19.14	19.49	21.00

LTE Band 2 State4 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	17.34	17.34	17.32	19.00
		1	2	17.49	17.41	17.50	19.00
		1	5	17.41	17.45	17.45	19.00
		3	0	17.33	17.39	17.32	19.00
		3	2	17.30	17.38	17.45	19.00
		3	3	17.41	17.39	17.35	19.00
		6	0	17.39	17.29	17.48	19.00
	16QAM	1	0	17.43	17.36	17.32	19.00
		1	2	17.51	17.37	17.39	19.00
		1	5	17.32	17.36	17.26	19.00
		3	0	17.36	17.42	17.37	19.00
		3	2	17.38	17.33	17.37	19.00
		3	3	17.45	17.27	17.40	19.00
		6	0	17.26	17.45	17.48	19.00
	64QAM	1	0	17.32	17.43	17.47	19.00
		1	2	17.28	17.32	17.37	19.00
		1	5	17.31	17.38	17.35	19.00
		3	0	17.30	17.21	17.48	19.00
		3	2	17.21	17.30	17.45	19.00
		3	3	17.40	17.23	17.28	19.00
		6	0	17.33	17.28	17.35	19.00
	256QAM	1	0	17.26	17.39	17.28	19.00
		1	2	17.24	17.25	17.46	19.00
		1	5	17.41	17.41	17.37	19.00
		3	0	17.41	17.30	17.38	19.00
		3	2	17.39	17.44	17.30	19.00
		3	3	17.39	17.32	17.30	19.00
		6	0	17.37	17.39	17.40	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 42 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	17.50	17.57	17.28	19.00
		1	7	17.23	17.44	17.26	19.00
		1	14	17.30	17.29	17.47	19.00
		8	0	17.29	17.33	17.46	19.00
		8	4	17.32	17.21	17.44	19.00
		8	7	17.31	17.27	17.42	19.00
		15	0	17.45	17.30	17.27	19.00
	16QAM	1	0	17.35	17.36	17.40	19.00
		1	7	17.10	17.37	17.25	19.00
		1	14	17.51	17.44	17.29	19.00
		8	0	17.29	17.43	17.45	19.00
		8	4	17.24	17.24	17.38	19.00
		8	7	17.16	17.34	17.34	19.00
		15	0	17.31	17.22	17.43	19.00
	64QAM	1	0	17.33	17.33	17.28	19.00
		1	7	17.37	17.38	17.42	19.00
		1	14	17.33	17.37	17.50	19.00
		8	0	17.22	17.29	17.36	19.00
		8	4	17.31	17.25	17.35	19.00
		8	7	17.32	17.41	17.36	19.00
		15	0	17.39	17.25	17.37	19.00
	256QAM	1	0	17.34	17.30	17.44	19.00
		1	7	17.38	17.26	17.24	19.00
		1	14	17.46	17.39	17.28	19.00
		8	0	17.36	17.31	17.31	19.00
		8	4	17.36	17.17	17.41	19.00
		8	7	17.29	17.19	17.38	19.00
		15	0	17.42	17.38	17.44	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	17.34	17.45	17.36	19.00
		1	13	17.16	17.36	17.27	19.00
		1	24	17.43	17.34	17.32	19.00
		12	0	17.32	17.37	17.29	19.00
		12	6	17.36	17.35	17.37	19.00
		12	13	17.22	17.19	17.34	19.00
		25	0	17.26	17.26	17.19	19.00
	16QAM	1	0	17.24	17.23	17.35	19.00
		1	13	17.27	17.39	17.42	19.00
		1	24	17.43	17.32	17.41	19.00
		12	0	17.38	17.41	17.42	19.00
		12	6	17.24	17.41	17.30	19.00
		12	13	17.39	17.37	17.40	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 43 of 156

		25	0	17.40	17.27	17.28	19.00
	64QAM	1	0	17.45	17.32	17.30	19.00
		1	13	17.37	17.25	17.42	19.00
		1	24	17.43	17.53	17.43	19.00
		12	0	17.23	17.29	17.33	19.00
		12	6	17.18	17.31	17.33	19.00
		12	13	17.30	17.38	17.35	19.00
		25	0	17.30	17.36	17.40	19.00
	256QAM	1	0	17.37	17.28	17.34	19.00
		1	13	17.38	17.23	17.36	19.00
		1	24	17.52	17.39	17.25	19.00
		12	0	17.33	17.18	17.44	19.00
		12	6	17.20	17.23	17.52	19.00
		12	13	17.35	17.27	17.45	19.00
		25	0	17.38	17.33	17.44	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	17.46	17.48	17.19	19.00
		1	25	17.43	17.47	17.25	19.00
		1	49	17.32	17.30	17.43	19.00
		25	0	17.25	17.39	17.24	19.00
		25	13	17.20	17.32	17.33	19.00
		25	25	17.23	17.32	17.22	19.00
		50	0	17.49	17.26	17.16	19.00
	16QAM	1	0	17.37	17.25	17.27	19.00
		1	25	17.28	17.30	17.41	19.00
		1	49	17.35	17.41	17.44	19.00
		25	0	17.17	17.39	17.44	19.00
		25	13	17.39	17.32	17.19	19.00
		25	25	17.27	17.32	17.43	19.00
		50	0	17.38	17.31	17.44	19.00
	64QAM	1	0	17.24	17.42	17.36	19.00
		1	25	17.32	17.32	17.31	19.00
		1	49	17.31	17.49	17.40	19.00
		25	0	17.20	17.40	17.37	19.00
		25	13	17.37	17.37	17.42	19.00
		25	25	17.40	17.39	17.29	19.00
		50	0	17.50	17.25	17.37	19.00
	256QAM	1	0	17.32	17.22	17.39	19.00
		1	25	17.36	17.38	17.39	19.00
		1	49	17.50	17.36	17.33	19.00
		25	0	17.40	17.18	17.40	19.00
		25	13	17.31	17.28	17.50	19.00
		25	25	17.34	17.26	17.30	19.00
		50	0	17.36	17.28	17.42	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 44 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	17.30	17.46	17.34	19.00
		1	38	17.21	17.54	17.32	19.00
		1	74	17.45	17.39	17.30	19.00
		36	0	17.33	17.31	17.37	19.00
		36	18	17.43	17.36	17.24	19.00
		36	39	17.24	17.18	17.36	19.00
		75	0	17.51	17.25	17.34	19.00
	16QAM	1	0	17.34	17.35	17.33	19.00
		1	38	17.31	17.23	17.44	19.00
		1	74	17.50	17.49	17.36	19.00
		36	0	17.15	17.46	17.35	19.00
		36	18	17.25	17.25	17.43	19.00
		36	39	17.23	17.35	17.36	19.00
		75	0	17.48	17.20	17.50	19.00
	64QAM	1	0	17.32	17.44	17.39	19.00
		1	38	17.43	17.41	17.39	19.00
		1	74	17.34	17.32	17.38	19.00
		36	0	17.19	17.29	17.46	19.00
		36	18	17.36	17.24	17.52	19.00
		36	39	17.31	17.40	17.35	19.00
		75	0	17.37	17.34	17.40	19.00
	256QAM	1	0	17.35	17.32	17.40	19.00
		1	38	17.33	17.25	17.39	19.00
		1	74	17.32	17.40	17.32	19.00
		36	0	17.30	17.15	17.39	19.00
		36	18	17.26	17.29	17.41	19.00
		36	39	17.33	17.33	17.34	19.00
		75	0	17.56	17.25	17.40	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	17.68	17.69	17.62	19.00
		1	50	17.55	17.69	17.54	19.00
		1	99	17.58	17.71	17.55	19.00
		50	0	17.47	17.54	17.48	19.00
		50	25	17.46	17.56	17.36	19.00
		50	50	17.46	17.45	17.29	19.00
		100	0	17.35	17.44	17.41	19.00
	16QAM	1	0	17.22	17.27	17.25	19.00
		1	50	17.19	17.29	17.46	19.00
		1	99	17.36	17.43	17.29	19.00
		50	0	17.40	17.33	17.49	19.00
		50	25	17.34	17.34	17.29	19.00
		50	50	17.30	17.24	17.30	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 45 of 156

	64QAM	100	0	17.42	17.35	17.33	19.00
		1	0	17.41	17.39	17.35	19.00
		1	50	17.50	17.41	17.51	19.00
		1	99	17.24	17.35	17.29	19.00
		50	0	17.36	17.28	17.32	19.00
		50	25	17.41	17.24	17.38	19.00
		50	50	17.40	17.41	17.39	19.00
		100	0	17.47	17.39	17.43	19.00
	256QAM	1	0	17.40	17.36	17.42	19.00
		1	50	17.42	17.14	17.25	19.00
		1	99	17.49	17.42	17.20	19.00
		50	0	17.37	17.22	17.47	19.00
		50	25	17.14	17.25	17.48	19.00
		50	50	17.29	17.38	17.30	19.00
		100	0	17.36	17.14	17.58	19.00

LTE Band 4 State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	23.57	23.61	23.53	25.00
		1	2	23.72	23.72	23.74	25.00
		1	5	23.64	23.74	23.60	25.00
		3	0	23.71	23.60	23.75	25.00
		3	2	23.59	23.68	23.57	25.00
		3	3	23.70	23.57	23.65	25.00
		6	0	22.57	22.60	22.57	24.00
	16QAM	1	0	22.74	22.70	22.54	24.00
		1	2	22.60	22.74	22.66	24.00
		1	5	22.67	22.53	22.58	24.00
		3	0	22.65	22.63	22.58	24.00
		3	2	22.72	22.60	22.56	24.00
		3	3	22.64	22.60	22.67	24.00
		6	0	21.74	21.60	21.58	23.00
	64QAM	1	0	21.71	21.59	21.68	23.00
		1	2	21.55	21.66	21.73	23.00
		1	5	21.64	21.63	21.55	23.00
		3	0	21.64	21.65	21.74	23.00
		3	2	21.69	21.65	21.55	23.00
		3	3	21.63	21.65	21.56	23.00
		6	0	20.53	20.55	20.57	22.00
	256QAM	1	0	20.55	20.56	20.74	22.00
		1	2	20.65	20.54	20.58	22.00
		1	5	20.58	20.62	20.66	22.00
		3	0	20.59	20.69	20.64	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 46 of 156

		3	2	20.63	20.63	20.70	22.00
		3	3	20.69	20.61	20.72	22.00
		6	0	19.74	19.69	19.55	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	23.73	23.86	23.64	25.00
		1	7	23.69	23.73	23.69	25.00
		1	14	23.73	23.71	23.70	25.00
		8	0	22.59	22.74	22.69	24.00
		8	4	22.56	22.67	22.76	24.00
		8	7	22.57	22.63	22.64	24.00
		15	0	22.63	22.57	22.59	24.00
	16QAM	1	0	22.72	22.55	22.65	24.00
		1	7	22.65	22.69	22.78	24.00
		1	14	22.74	22.69	22.72	24.00
		8	0	21.70	21.83	21.81	23.00
		8	4	21.59	21.68	21.56	23.00
		8	7	21.72	21.61	21.80	23.00
		15	0	21.81	21.68	21.73	23.00
	64QAM	1	0	21.75	21.83	21.64	23.00
		1	7	21.76	21.62	21.85	23.00
		1	14	21.55	21.77	21.78	23.00
		8	0	20.62	20.58	20.79	22.00
		8	4	20.66	20.56	20.70	22.00
		8	7	20.61	20.77	20.72	22.00
		15	0	20.66	20.53	20.65	22.00
	256QAM	1	0	20.63	20.67	20.76	22.00
		1	7	20.70	20.53	20.80	22.00
		1	14	20.82	20.87	20.72	22.00
		8	0	19.77	19.53	19.76	21.00
		8	4	19.69	19.65	19.77	21.00
		8	7	19.70	19.51	19.75	21.00
		15	0	19.72	19.65	19.74	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	23.77	23.77	23.55	25.00
		1	13	23.58	23.79	23.79	25.00
		1	24	23.86	23.65	23.83	25.00
		12	0	22.69	22.67	22.64	24.00
		12	6	22.65	22.58	22.73	24.00
		12	13	22.54	22.52	22.59	24.00
		25	0	22.69	22.73	22.58	24.00
	16QAM	1	0	22.66	22.55	22.75	24.00
		1	13	22.56	22.67	22.70	24.00
		1	24	22.78	22.77	22.67	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 47 of 156

		12	0	21.60	21.85	21.71	23.00
		12	6	21.54	21.79	21.70	23.00
		12	13	21.68	21.77	21.78	23.00
		25	0	21.76	21.65	21.76	23.00
	64QAM	1	0	21.66	21.84	21.54	23.00
		1	13	21.70	21.74	21.86	23.00
		1	24	21.58	21.66	21.70	23.00
		12	0	20.62	20.56	20.78	22.00
		12	6	20.64	20.67	20.65	22.00
		12	13	20.67	20.69	20.67	22.00
		25	0	20.84	20.52	20.74	22.00
		25	0	20.84	20.52	20.74	22.00
	256QAM	1	0	20.67	20.76	20.64	22.00
		1	13	20.75	20.60	20.67	22.00
		1	24	20.76	20.79	20.66	22.00
		12	0	19.60	19.53	19.77	21.00
		12	6	19.64	19.51	19.80	21.00
		12	13	19.58	19.50	19.79	21.00
		25	0	19.76	19.67	19.70	21.00
		25	0	19.76	19.67	19.70	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	23.70	23.80	23.50	25.00
		1	25	23.73	23.89	23.61	25.00
		1	49	23.77	23.73	23.71	25.00
		25	0	22.77	22.58	22.63	24.00
		25	13	22.67	22.64	22.81	24.00
		25	25	22.59	22.64	22.64	24.00
		50	0	22.78	22.63	22.56	24.00
	16QAM	1	0	22.52	22.51	22.72	24.00
		1	25	22.54	22.62	22.73	24.00
		1	49	22.73	22.68	22.63	24.00
		25	0	21.63	21.74	21.80	23.00
		25	13	21.66	21.68	21.67	23.00
		25	25	21.65	21.65	21.71	23.00
		50	0	21.77	21.61	21.67	23.00
	64QAM	1	0	21.64	21.80	21.51	23.00
		1	25	21.79	21.66	21.80	23.00
		1	49	21.62	21.78	21.77	23.00
		25	0	20.53	20.56	20.77	22.00
		25	13	20.69	20.54	20.84	22.00
		25	25	20.76	20.78	20.67	22.00
		50	0	20.70	20.49	20.73	22.00
	256QAM	1	0	20.62	20.60	20.72	22.00
		1	25	20.63	20.58	20.77	22.00
		1	49	20.83	20.84	20.77	22.00
		25	0	19.69	19.63	19.74	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 48 of 156

		25	13	19.59	19.61	19.69	21.00
		25	25	19.75	19.69	19.71	21.00
		50	0	19.72	19.68	19.88	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	23.85	23.87	23.64	25.00
		1	38	23.68	23.86	23.79	25.00
		1	74	23.71	23.68	23.73	25.00
		36	0	22.78	22.60	22.64	24.00
		36	18	22.68	22.58	22.67	24.00
		36	39	22.68	22.48	22.67	24.00
		75	0	22.66	22.56	22.54	24.00
	16QAM	1	0	22.62	22.52	22.63	24.00
		1	38	22.72	22.61	22.80	24.00
		1	74	22.76	22.77	22.69	24.00
		36	0	21.53	21.70	21.77	23.00
		36	18	21.47	21.75	21.66	23.00
		36	39	21.52	21.67	21.74	23.00
		75	0	21.70	21.56	21.66	23.00
	64QAM	1	0	21.73	21.68	21.61	23.00
		1	38	21.81	21.72	21.79	23.00
		1	74	21.72	21.72	21.71	23.00
		36	0	20.62	20.64	20.67	22.00
		36	18	20.67	20.68	20.77	22.00
		36	39	20.71	20.64	20.65	22.00
		75	0	20.80	20.68	20.77	22.00
	256QAM	1	0	20.60	20.68	20.56	22.00
		1	38	20.73	20.57	20.63	22.00
		1	74	20.84	20.86	20.60	22.00
		36	0	19.58	19.68	19.79	21.00
		36	18	19.65	19.63	19.80	21.00
		36	39	19.70	19.70	19.67	21.00
		75	0	19.80	19.62	19.80	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	23.93	/	25.00
		1	50	/	23.82	/	25.00
		1	99	/	23.54	/	25.00
		50	0	/	22.61	/	24.00
		50	25	/	22.58	/	24.00
		50	50	/	22.61	/	24.00
		100	0	/	22.59	/	24.00
	16QAM	1	0	/	22.52	/	24.00
		1	50	/	22.53	/	24.00
		1	99	/	22.74	/	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 49 of 156

		50	0	/	21.79	/	23.00
		50	25	/	21.73	/	23.00
		50	50	/	21.60	/	23.00
		100	0	/	21.62	/	23.00
	64QAM	1	0	/	21.75	/	23.00
		1	50	/	21.60	/	23.00
		1	99	/	21.79	/	23.00
		50	0	/	20.63	/	22.00
		50	25	/	20.65	/	22.00
		50	50	/	20.70	/	22.00
		100	0	/	20.59	/	22.00
	256QAM	1	0	/	20.59	/	22.00
		1	50	/	20.54	/	22.00
		1	99	/	20.68	/	22.00
		50	0	/	19.65	/	21.00
		50	25	/	19.55	/	21.00
		50	50	/	19.58	/	21.00
		100	0	/	19.61	/	21.00

LTE Band 4 State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	16.20	16.30	16.14	17.50
		1	2	16.41	16.35	16.34	17.50
		1	5	16.27	16.39	16.25	17.50
		3	0	16.38	16.24	16.42	17.50
		3	2	16.28	16.28	16.20	17.50
		3	3	16.37	16.19	16.30	17.50
		6	0	16.18	16.28	16.25	17.50
	16QAM	1	0	16.41	16.32	16.18	17.50
		1	2	16.23	16.41	16.34	17.50
		1	5	16.27	16.13	16.27	17.50
		3	0	16.33	16.23	16.27	17.50
		3	2	16.42	16.21	16.17	17.50
		3	3	16.32	16.24	16.32	17.50
		6	0	16.36	16.26	16.28	17.50
	64QAM	1	0	16.33	16.26	16.38	17.50
		1	2	16.17	16.31	16.41	17.50
		1	5	16.32	16.33	16.15	17.50
		3	0	16.30	16.33	16.42	17.50
		3	2	16.38	16.35	16.19	17.50
		3	3	16.24	16.29	16.26	17.50
		6	0	16.23	16.16	16.19	17.50
	256QAM	1	0	16.19	16.17	16.43	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 50 of 156

		1	2	16.34	16.21	16.23	17.50
		1	5	16.18	16.23	16.35	17.50
		3	0	16.25	16.32	16.30	17.50
		3	2	16.24	16.31	16.40	17.50
		3	3	16.30	16.29	16.37	17.50
		6	0	16.39	16.33	16.20	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	16.41	16.53	16.24	17.50
		1	7	16.32	16.33	16.32	17.50
		1	14	16.42	16.35	16.32	17.50
		8	0	16.28	16.37	16.32	17.50
		8	4	16.21	16.33	16.41	17.50
		8	7	16.20	16.25	16.34	17.50
		15	0	16.24	16.26	16.24	17.50
	16QAM	1	0	16.41	16.25	16.25	17.50
		1	7	16.25	16.29	16.44	17.50
		1	14	16.43	16.33	16.41	17.50
		8	0	16.36	16.47	16.42	17.50
		8	4	16.29	16.30	16.23	17.50
		8	7	16.41	16.25	16.46	17.50
		15	0	16.48	16.31	16.40	17.50
	64QAM	1	0	16.42	16.45	16.26	17.50
		1	7	16.37	16.28	16.51	17.50
		1	14	16.24	16.44	16.46	17.50
		8	0	16.28	16.21	16.46	17.50
		8	4	16.26	16.16	16.31	17.50
		8	7	16.26	16.42	16.33	17.50
		15	0	16.34	16.13	16.28	17.50
	256QAM	1	0	16.33	16.28	16.42	17.50
		1	7	16.31	16.16	16.40	17.50
		1	14	16.49	16.52	16.40	17.50
		8	0	16.39	16.22	16.38	17.50
		8	4	16.37	16.34	16.41	17.50
		8	7	16.31	16.14	16.44	17.50
		15	0	16.38	16.25	16.40	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	16.45	16.46	16.16	17.50
		1	13	16.20	16.42	16.42	17.50
		1	24	16.43	16.27	16.44	17.50
		12	0	16.36	16.36	16.31	17.50
		12	6	16.35	16.22	16.36	17.50
		12	13	16.17	16.14	16.25	17.50
		25	0	16.38	16.35	16.21	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 51 of 156

	16QAM	1	0	16.35	16.18	16.44	17.50
		1	13	16.18	16.37	16.36	17.50
		1	24	16.40	16.38	16.29	17.50
		12	0	16.28	16.45	16.36	17.50
		12	6	16.16	16.44	16.39	17.50
		12	13	16.34	16.44	16.41	17.50
		25	0	16.37	16.34	16.42	17.50
	64QAM	1	0	16.31	16.49	16.22	17.50
		1	13	16.33	16.43	16.54	17.50
		1	24	16.20	16.31	16.32	17.50
		12	0	16.25	16.21	16.43	17.50
		12	6	16.32	16.31	16.34	17.50
		12	13	16.33	16.37	16.37	17.50
		25	0	16.50	16.12	16.36	17.50
	256QAM	1	0	16.27	16.39	16.29	17.50
		1	13	16.44	16.29	16.35	17.50
		1	24	16.41	16.44	16.35	17.50
		12	0	16.30	16.18	16.43	17.50
		12	6	16.34	16.11	16.43	17.50
		12	13	16.26	16.16	16.44	17.50
		25	0	16.37	16.36	16.34	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	16.33	16.40	16.19	17.50
		1	25	16.37	16.50	16.27	17.50
		1	49	16.46	16.38	16.40	17.50
		25	0	16.40	16.24	16.27	17.50
		25	13	16.34	16.25	16.41	17.50
		25	25	16.26	16.26	16.26	17.50
		50	0	16.39	16.32	16.24	17.50
	16QAM	1	0	16.17	16.13	16.35	17.50
		1	25	16.24	16.29	16.35	17.50
		1	49	16.37	16.37	16.30	17.50
		25	0	16.31	16.39	16.44	17.50
		25	13	16.27	16.30	16.32	17.50
		25	25	16.31	16.27	16.35	17.50
		50	0	16.42	16.24	16.34	17.50
	64QAM	1	0	16.28	16.43	16.14	17.50
		1	25	16.39	16.36	16.40	17.50
		1	49	16.24	16.46	16.43	17.50
		25	0	16.23	16.20	16.39	17.50
		25	13	16.32	16.15	16.54	17.50
		25	25	16.44	16.45	16.34	17.50
		50	0	16.38	16.11	16.37	17.50
	256QAM	1	0	16.26	16.26	16.36	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 52 of 156

		1	25	16.29	16.19	16.45	17.50
		1	49	16.51	16.45	16.40	17.50
		25	0	16.35	16.25	16.42	17.50
		25	13	16.22	16.26	16.38	17.50
		25	25	16.41	16.32	16.34	17.50
		50	0	16.34	16.31	16.54	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	16.54	16.48	16.33	17.50
		1	38	16.36	16.50	16.44	17.50
		1	74	16.34	16.37	16.37	17.50
		36	0	16.48	16.22	16.24	17.50
		36	18	16.29	16.25	16.28	17.50
		36	39	16.31	16.11	16.29	17.50
		75	0	16.34	16.17	16.20	17.50
	16QAM	1	0	16.31	16.15	16.29	17.50
		1	38	16.39	16.26	16.46	17.50
		1	74	16.37	16.43	16.36	17.50
		36	0	16.21	16.38	16.41	17.50
		36	18	16.15	16.37	16.34	17.50
		36	39	16.14	16.35	16.37	17.50
		75	0	16.38	16.21	16.30	17.50
	64QAM	1	0	16.36	16.32	16.31	17.50
		1	38	16.47	16.41	16.47	17.50
		1	74	16.36	16.37	16.34	17.50
		36	0	16.24	16.28	16.28	17.50
		36	18	16.35	16.34	16.46	17.50
		36	39	16.41	16.31	16.27	17.50
		75	0	16.49	16.30	16.40	17.50
	256QAM	1	0	16.25	16.32	16.21	17.50
		1	38	16.36	16.22	16.27	17.50
		1	74	16.44	16.53	16.23	17.50
		36	0	16.27	16.33	16.39	17.50
		36	18	16.26	16.24	16.46	17.50
		36	39	16.30	16.38	16.28	17.50
		75	0	16.44	16.27	16.41	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	16.61	/	17.50
		1	50	/	16.47	/	17.50
		1	99	/	16.18	/	17.50
		50	0	/	16.34	/	17.50
		50	25	/	16.23	/	17.50
		50	50	/	16.29	/	17.50
		100	0	/	16.27	/	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 53 of 156

	16QAM	1	0	/	16.21	/	17.50
		1	50	/	16.20	/	17.50
		1	99	/	16.40	/	17.50
		50	0	/	16.47	/	17.50
		50	25	/	16.35	/	17.50
		50	50	/	16.22	/	17.50
		100	0	/	16.25	/	17.50
	64QAM	1	0	/	16.36	/	17.50
		1	50	/	16.23	/	17.50
		1	99	/	16.49	/	17.50
		50	0	/	16.29	/	17.50
		50	25	/	16.28	/	17.50
		50	50	/	16.39	/	17.50
		100	0	/	16.26	/	17.50
	256QAM	1	0	/	16.20	/	17.50
		1	50	/	16.17	/	17.50
		1	99	/	16.35	/	17.50
		50	0	/	16.34	/	17.50
		50	25	/	16.24	/	17.50
		50	50	/	16.20	/	17.50
		100	0	/	16.27	/	17.50

LTE Band 4 State3 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	13.26	13.38	13.16	14.50
		1	2	13.47	13.37	13.35	14.50
		1	5	13.33	13.42	13.34	14.50
		3	0	13.45	13.25	13.47	14.50
		3	2	13.37	13.38	13.28	14.50
		3	3	13.40	13.25	13.34	14.50
		6	0	13.18	13.36	13.34	14.50
	16QAM	1	0	13.49	13.39	13.20	14.50
		1	2	13.29	13.48	13.38	14.50
		1	5	13.33	13.16	13.37	14.50
		3	0	13.36	13.23	13.35	14.50
		3	2	13.50	13.30	13.17	14.50
		3	3	13.36	13.29	13.39	14.50
		6	0	13.41	13.31	13.32	14.50
	64QAM	1	0	13.35	13.32	13.42	14.50
		1	2	13.17	13.37	13.45	14.50
		1	5	13.36	13.39	13.16	14.50
		3	0	13.37	13.35	13.47	14.50
		3	2	13.40	13.42	13.24	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 54 of 156

		3	3	13.27	13.37	13.33	14.50
		6	0	13.24	13.18	13.23	14.50
	256QAM	1	0	13.25	13.26	13.50	14.50
		1	2	13.42	13.22	13.25	14.50
		1	5	13.19	13.24	13.39	14.50
		3	0	13.33	13.41	13.36	14.50
		3	2	13.25	13.32	13.41	14.50
		3	3	13.35	13.33	13.37	14.50
		6	0	13.46	13.37	13.22	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	13.44	13.54	13.31	14.50
		1	7	13.32	13.41	13.37	14.50
		1	14	13.52	13.44	13.42	14.50
		8	0	13.32	13.45	13.41	14.50
		8	4	13.23	13.42	13.49	14.50
		8	7	13.27	13.33	13.40	14.50
		15	0	13.31	13.32	13.31	14.50
	16QAM	1	0	13.45	13.30	13.27	14.50
		1	7	13.34	13.37	13.50	14.50
		1	14	13.53	13.36	13.44	14.50
		8	0	13.44	13.51	13.44	14.50
		8	4	13.37	13.31	13.28	14.50
		8	7	13.42	13.34	13.46	14.50
		15	0	13.53	13.36	13.43	14.50
	64QAM	1	0	13.42	13.47	13.28	14.50
		1	7	13.40	13.32	13.52	14.50
		1	14	13.32	13.45	13.50	14.50
		8	0	13.37	13.21	13.50	14.50
		8	4	13.34	13.18	13.41	14.50
		8	7	13.32	13.48	13.38	14.50
		15	0	13.42	13.22	13.34	14.50
	256QAM	1	0	13.34	13.34	13.48	14.50
		1	7	13.37	13.24	13.44	14.50
		1	14	13.59	13.60	13.40	14.50
		8	0	13.42	13.26	13.44	14.50
		8	4	13.44	13.39	13.48	14.50
		8	7	13.32	13.18	13.47	14.50
		15	0	13.45	13.26	13.40	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	13.52	13.53	13.18	14.50
		1	13	13.23	13.47	13.50	14.50
		1	24	13.46	13.34	13.52	14.50
		12	0	13.41	13.39	13.38	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 55 of 156

		12	6	13.38	13.29	13.41	14.50
		12	13	13.26	13.16	13.26	14.50
		25	0	13.44	13.41	13.21	14.50
	16QAM	1	0	13.40	13.19	13.51	14.50
		1	13	13.20	13.46	13.42	14.50
		1	24	13.45	13.39	13.30	14.50
		12	0	13.30	13.55	13.38	14.50
		12	6	13.23	13.52	13.47	14.50
		12	13	13.36	13.54	13.44	14.50
		25	0	13.43	13.34	13.51	14.50
	64QAM	1	0	13.39	13.55	13.24	14.50
		1	13	13.38	13.50	13.60	14.50
		1	24	13.21	13.34	13.41	14.50
		12	0	13.29	13.25	13.46	14.50
		12	6	13.37	13.37	13.40	14.50
		12	13	13.36	13.40	13.41	14.50
		25	0	13.58	13.22	13.37	14.50
	256QAM	1	0	13.27	13.48	13.32	14.50
		1	13	13.51	13.32	13.44	14.50
		1	24	13.51	13.45	13.45	14.50
		12	0	13.30	13.25	13.46	14.50
		12	6	13.44	13.16	13.52	14.50
		12	13	13.26	13.17	13.51	14.50
		25	0	13.47	13.38	13.41	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	13.37	13.46	13.25	14.50
		1	25	13.45	13.59	13.28	14.50
		1	49	13.47	13.39	13.47	14.50
		25	0	13.45	13.32	13.34	14.50
		25	13	13.38	13.27	13.49	14.50
		25	25	13.28	13.27	13.28	14.50
		50	0	13.41	13.35	13.26	14.50
	16QAM	1	0	13.20	13.16	13.36	14.50
		1	25	13.30	13.33	13.37	14.50
		1	49	13.42	13.37	13.30	14.50
		25	0	13.41	13.48	13.50	14.50
		25	13	13.35	13.34	13.37	14.50
		25	25	13.37	13.28	13.44	14.50
		50	0	13.46	13.29	13.39	14.50
	64QAM	1	0	13.38	13.50	13.18	14.50
		1	25	13.43	13.46	13.40	14.50
		1	49	13.31	13.47	13.49	14.50
		25	0	13.29	13.27	13.48	14.50
		25	13	13.33	13.18	13.59	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 56 of 156

		25	25	13.53	13.49	13.38	14.50
		50	0	13.46	13.15	13.38	14.50
	256QAM	1	0	13.27	13.33	13.38	14.50
		1	25	13.35	13.19	13.52	14.50
		1	49	13.56	13.45	13.41	14.50
		25	0	13.44	13.33	13.48	14.50
		25	13	13.30	13.35	13.48	14.50
		25	25	13.43	13.40	13.44	14.50
		50	0	13.37	13.33	13.58	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	13.56	13.57	13.38	14.50
		1	38	13.45	13.54	13.49	14.50
		1	74	13.42	13.46	13.38	14.50
		36	0	13.51	13.32	13.25	14.50
		36	18	13.36	13.26	13.32	14.50
		36	39	13.37	13.15	13.32	14.50
		75	0	13.41	13.20	13.28	14.50
	16QAM	1	0	13.35	13.16	13.37	14.50
		1	38	13.41	13.30	13.50	14.50
		1	74	13.47	13.45	13.38	14.50
		36	0	13.24	13.38	13.45	14.50
		36	18	13.23	13.43	13.41	14.50
		36	39	13.18	13.35	13.40	14.50
		75	0	13.48	13.26	13.39	14.50
	64QAM	1	0	13.40	13.33	13.36	14.50
		1	38	13.56	13.46	13.53	14.50
		1	74	13.36	13.45	13.42	14.50
		36	0	13.26	13.36	13.36	14.50
		36	18	13.44	13.42	13.47	14.50
		36	39	13.50	13.35	13.35	14.50
		75	0	13.57	13.32	13.44	14.50
	256QAM	1	0	13.26	13.36	13.29	14.50
		1	38	13.46	13.28	13.33	14.50
		1	74	13.49	13.59	13.29	14.50
		36	0	13.35	13.41	13.42	14.50
		36	18	13.29	13.34	13.50	14.50
		36	39	13.33	13.39	13.32	14.50
		75	0	13.44	13.35	13.42	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	13.66	/	14.50
		1	50	/	13.53	/	14.50
		1	99	/	13.22	/	14.50
		50	0	/	13.40	/	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 57 of 156

		50	25	/	13.31	/	14.50
		50	50	/	13.37	/	14.50
		100	0	/	13.34	/	14.50
	16QAM	1	0	/	13.30	/	14.50
		1	50	/	13.22	/	14.50
		1	99	/	13.43	/	14.50
		50	0	/	13.53	/	14.50
		50	25	/	13.44	/	14.50
		50	50	/	13.29	/	14.50
		100	0	/	13.31	/	14.50
	64QAM	1	0	/	13.39	/	14.50
		1	50	/	13.23	/	14.50
		1	99	/	13.57	/	14.50
		50	0	/	13.33	/	14.50
		50	25	/	13.38	/	14.50
		50	50	/	13.41	/	14.50
		100	0	/	13.31	/	14.50
	256QAM	1	0	/	13.25	/	14.50
		1	50	/	13.18	/	14.50
		1	99	/	13.35	/	14.50
		50	0	/	13.36	/	14.50
		50	25	/	13.29	/	14.50
		50	50	/	13.22	/	14.50
		100	0	/	13.28	/	14.50

LTE Band 4 State1				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	21.49	21.54	21.44	23.00
		1	2	21.62	21.68	21.70	23.00
		1	5	21.54	21.66	21.52	23.00
		3	0	21.66	21.53	21.66	23.00
		3	2	21.58	21.60	21.56	23.00
		3	3	21.66	21.54	21.59	23.00
		6	0	21.56	21.52	21.54	23.00
	16QAM	1	0	21.74	21.68	21.49	23.00
		1	2	21.51	21.66	21.63	23.00
		1	5	21.61	21.44	21.50	23.00
		3	0	21.58	21.54	21.53	23.00
		3	2	21.71	21.60	21.52	23.00
		3	3	21.62	21.55	21.62	23.00
		6	0	21.68	21.50	21.51	23.00
	64QAM	1	0	21.69	21.51	21.62	23.00
		1	2	21.49	21.65	21.70	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 58 of 156

		1	5	21.59	21.61	21.51	23.00
		3	0	21.54	21.57	21.69	23.00
		3	2	21.65	21.63	21.47	23.00
		3	3	21.57	21.64	21.52	23.00
		6	0	20.45	20.50	20.48	22.00
	256QAM	1	0	20.54	20.52	20.69	22.00
		1	2	20.61	20.53	20.52	22.00
		1	5	20.55	20.56	20.65	22.00
		3	0	20.51	20.60	20.57	22.00
		3	2	20.61	20.62	20.66	22.00
		3	3	20.61	20.52	20.70	22.00
		6	0	19.71	19.67	19.46	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	21.68	21.84	21.55	23.00
		1	7	21.67	21.67	21.65	23.00
		1	14	21.69	21.71	21.69	23.00
		8	0	21.52	21.69	21.64	23.00
		8	4	21.50	21.65	21.67	23.00
		8	7	21.57	21.56	21.57	23.00
		15	0	21.60	21.53	21.59	23.00
	16QAM	1	0	21.66	21.53	21.58	23.00
		1	7	21.56	21.68	21.73	23.00
		1	14	21.71	21.61	21.65	23.00
		8	0	21.67	21.77	21.78	23.00
		8	4	21.54	21.59	21.47	23.00
		8	7	21.66	21.59	21.80	23.00
		15	0	21.73	21.58	21.69	23.00
	64QAM	1	0	21.73	21.76	21.61	23.00
		1	7	21.76	21.57	21.84	23.00
		1	14	21.49	21.73	21.78	23.00
		8	0	20.56	20.58	20.71	22.00
		8	4	20.59	20.53	20.61	22.00
		8	7	20.52	20.69	20.63	22.00
		15	0	20.62	20.44	20.59	22.00
	256QAM	1	0	20.54	20.60	20.75	22.00
		1	7	20.65	20.53	20.73	22.00
		1	14	20.82	20.84	20.63	22.00
		8	0	19.68	19.51	19.66	21.00
		8	4	19.67	19.60	19.76	21.00
		8	7	19.67	19.49	19.69	21.00
		15	0	19.69	19.60	19.69	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	21.70	21.77	21.50	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 59 of 156

		1	13	21.51	21.70	21.70	23.00
		1	24	21.55	21.60	21.59	23.00
		12	0	21.67	21.59	21.55	23.00
		12	6	21.58	21.58	21.70	23.00
		12	13	21.46	21.52	21.52	23.00
		25	0	21.61	21.68	21.57	23.00
	16QAM	1	0	21.65	21.55	21.67	23.00
		1	13	21.53	21.62	21.62	23.00
		1	24	21.72	21.73	21.63	23.00
		12	0	21.53	21.68	21.64	23.00
		12	6	21.51	21.71	21.70	23.00
		12	13	21.64	21.68	21.73	23.00
		25	0	21.70	21.62	21.76	23.00
	64QAM	1	0	21.58	21.78	21.45	23.00
		1	13	21.61	21.70	21.85	23.00
		1	24	21.54	21.65	21.67	23.00
		12	0	20.54	20.49	20.76	22.00
		12	6	20.62	20.58	20.64	22.00
		12	13	20.58	20.59	20.60	22.00
		25	0	20.80	20.44	20.68	22.00
	256QAM	1	0	20.60	20.71	20.62	22.00
		1	13	20.74	20.54	20.66	22.00
		1	24	20.67	20.78	20.61	22.00
		12	0	19.60	19.44	19.70	21.00
		12	6	19.60	19.47	19.78	21.00
		12	13	19.54	19.50	19.71	21.00
		25	0	19.70	19.66	19.66	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	21.66	21.78	21.48	23.00
		1	25	21.70	21.84	21.53	23.00
		1	49	21.73	21.68	21.70	23.00
		25	0	21.73	21.54	21.54	23.00
		25	13	21.64	21.61	21.75	23.00
		25	25	21.55	21.57	21.61	23.00
		50	0	21.72	21.53	21.55	23.00
	16QAM	1	0	21.52	21.49	21.71	23.00
		1	25	21.49	21.62	21.73	23.00
		1	49	21.65	21.65	21.62	23.00
		25	0	21.55	21.65	21.72	23.00
		25	13	21.59	21.65	21.66	23.00
		25	25	21.61	21.59	21.65	23.00
		50	0	21.69	21.59	21.60	23.00
	64QAM	1	0	21.62	21.72	21.50	23.00
		1	25	21.70	21.65	21.75	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 60 of 156

		1	49	21.57	21.74	21.72	23.00
		25	0	20.49	20.53	20.77	22.00
		25	13	20.59	20.46	20.83	22.00
		25	25	20.71	20.75	20.60	22.00
		50	0	20.67	20.44	20.68	22.00
	256QAM	1	0	20.60	20.59	20.64	22.00
		1	25	20.59	20.49	20.75	22.00
		1	49	20.75	20.77	20.73	22.00
		25	0	19.60	19.55	19.64	21.00
		25	13	19.49	19.52	19.69	21.00
		25	25	19.66	19.68	19.68	21.00
		50	0	19.72	19.68	19.88	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	21.75	21.84	21.59	23.00
		1	38	21.59	21.82	21.71	23.00
		1	74	21.64	21.58	21.67	23.00
		36	0	21.77	21.54	21.62	23.00
		36	18	21.65	21.51	21.60	23.00
		36	39	21.67	21.43	21.65	23.00
		75	0	21.64	21.49	21.51	23.00
	16QAM	1	0	21.57	21.47	21.55	23.00
		1	38	21.68	21.59	21.74	23.00
		1	74	21.70	21.68	21.67	23.00
		36	0	21.52	21.64	21.70	23.00
		36	18	21.38	21.72	21.66	23.00
		36	39	21.44	21.60	21.65	23.00
		75	0	21.70	21.50	21.65	23.00
	64QAM	1	0	21.69	21.61	21.56	23.00
		1	38	21.72	21.71	21.79	23.00
		1	74	21.67	21.64	21.66	23.00
		36	0	20.60	20.60	20.65	22.00
		36	18	20.65	20.62	20.68	22.00
		36	39	20.68	20.55	20.62	22.00
		75	0	20.80	20.66	20.71	22.00
	256QAM	1	0	20.56	20.61	20.54	22.00
		1	38	20.69	20.56	20.54	22.00
		1	74	20.78	20.77	20.50	22.00
		36	0	19.58	19.59	19.71	21.00
		36	18	19.55	19.62	19.79	21.00
		36	39	19.66	19.64	19.60	21.00
		75	0	19.74	19.52	19.74	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	21.88	/	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 61 of 156

		1	50	/	21.75	/	23.00
		1	99	/	21.53	/	23.00
		50	0	/	21.63	/	23.00
		50	25	/	21.56	/	23.00
		50	50	/	21.51	/	23.00
		100	0	/	21.53	/	23.00
	16QAM	1	0	/	21.47	/	23.00
		1	50	/	21.46	/	23.00
		1	99	/	21.73	/	23.00
		50	0	/	21.76	/	23.00
		50	25	/	21.67	/	23.00
		50	50	/	21.56	/	23.00
	64QAM	100	0	/	21.54	/	23.00
		1	0	/	21.70	/	23.00
		1	50	/	21.56	/	23.00
		1	99	/	21.74	/	23.00
		50	0	/	20.56	/	22.00
		50	25	/	20.61	/	22.00
	256QAM	50	50	/	20.66	/	22.00
		100	0	/	20.50	/	22.00
		1	0	/	20.55	/	22.00
		1	50	/	20.49	/	22.00
		1	99	/	20.64	/	22.00
		50	0	/	19.63	/	21.00
		50	25	/	19.52	/	21.00
		50	50	/	19.50	/	21.00
		100	0	/	19.55	/	21.00

LTE Band 4 State4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	20.47	20.52	20.51	22.00
		1	2	20.67	20.70	20.73	22.00
		1	5	20.54	20.64	20.57	22.00
		3	0	20.68	20.52	20.68	22.00
		3	2	20.54	20.65	20.48	22.00
		3	3	20.63	20.54	20.62	22.00
	16QAM	6	0	20.51	20.58	20.56	22.00
		1	0	20.64	20.68	20.52	22.00
		1	2	20.55	20.72	20.62	22.00
		1	5	20.66	20.52	20.58	22.00
		3	0	20.61	20.61	20.52	22.00
		3	2	20.71	20.56	20.51	22.00
		3	3	20.61	20.58	20.61	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 62 of 156

	64QAM	6	0	20.69	20.58	20.57	22.00
		1	0	20.67	20.57	20.64	22.00
		1	2	20.53	20.60	20.68	22.00
		1	5	20.55	20.60	20.47	22.00
		3	0	20.56	20.59	20.65	22.00
		3	2	20.68	20.59	20.46	22.00
		3	3	20.59	20.58	20.54	22.00
		6	0	20.52	20.50	20.49	22.00
	256QAM	1	0	20.47	20.55	20.68	22.00
		1	2	20.61	20.44	20.49	22.00
		1	5	20.49	20.54	20.59	22.00
		3	0	20.49	20.60	20.56	22.00
		3	2	20.55	20.55	20.69	22.00
		3	3	20.62	20.55	20.69	22.00
		6	0	19.73	19.66	19.55	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	20.69	20.85	20.57	22.00
		1	7	20.61	20.68	20.60	22.00
		1	14	20.71	20.61	20.65	22.00
		8	0	20.53	20.72	20.61	22.00
		8	4	20.47	20.60	20.73	22.00
		8	7	20.52	20.59	20.61	22.00
		15	0	20.60	20.52	20.52	22.00
	16QAM	1	0	20.69	20.50	20.65	22.00
		1	7	20.58	20.59	20.70	22.00
		1	14	20.64	20.68	20.64	22.00
		8	0	20.63	20.78	20.74	22.00
		8	4	20.57	20.58	20.52	22.00
		8	7	20.67	20.56	20.79	22.00
		15	0	20.75	20.63	20.70	22.00
	64QAM	1	0	20.65	20.74	20.58	22.00
		1	7	20.67	20.61	20.78	22.00
		1	14	20.51	20.67	20.75	22.00
		8	0	20.56	20.49	20.79	22.00
		8	4	20.58	20.56	20.62	22.00
		8	7	20.56	20.77	20.67	22.00
		15	0	20.58	20.50	20.60	22.00
	256QAM	1	0	20.57	20.60	20.66	22.00
		1	7	20.66	20.47	20.79	22.00
		1	14	20.78	20.85	20.71	22.00
		8	0	19.74	19.46	19.68	21.00
		8	4	19.65	19.60	19.75	21.00
		8	7	19.67	19.49	19.66	21.00
		15	0	19.70	19.59	19.71	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 63 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	20.70	20.70	20.50	22.00
		1	13	20.54	20.72	20.71	22.00
		1	24	20.86	20.58	20.73	22.00
		12	0	20.68	20.58	20.60	22.00
		12	6	20.61	20.58	20.64	22.00
		12	13	20.46	20.47	20.49	22.00
		25	0	20.67	20.65	20.57	22.00
	16QAM	1	0	20.59	20.45	20.73	22.00
		1	13	20.50	20.61	20.67	22.00
		1	24	20.73	20.71	20.67	22.00
		12	0	20.60	20.83	20.69	22.00
		12	6	20.52	20.76	20.69	22.00
		12	13	20.62	20.76	20.78	22.00
		25	0	20.76	20.60	20.67	22.00
	64QAM	1	0	20.58	20.75	20.53	22.00
		1	13	20.64	20.64	20.81	22.00
		1	24	20.58	20.62	20.65	22.00
		12	0	20.54	20.48	20.78	22.00
		12	6	20.64	20.59	20.56	22.00
		12	13	20.64	20.65	20.60	22.00
		25	0	20.77	20.46	20.73	22.00
	256QAM	1	0	20.63	20.67	20.58	22.00
		1	13	20.75	20.51	20.61	22.00
		1	24	20.73	20.79	20.59	22.00
		12	0	19.60	19.45	19.74	21.00
		12	6	19.55	19.48	19.70	21.00
		12	13	19.55	19.43	19.71	21.00
		25	0	19.70	19.58	19.68	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	20.68	20.70	20.45	22.00
		1	25	20.68	20.80	20.54	22.00
		1	49	20.75	20.64	20.66	22.00
		25	0	20.68	20.54	20.55	22.00
		25	13	20.65	20.59	20.71	22.00
		25	25	20.49	20.64	20.56	22.00
		50	0	20.75	20.58	20.50	22.00
	16QAM	1	0	20.43	20.48	20.66	22.00
		1	25	20.48	20.53	20.70	22.00
		1	49	20.68	20.63	20.53	22.00
		25	0	20.60	20.67	20.75	22.00
		25	13	20.60	20.64	20.67	22.00
		25	25	20.60	20.58	20.67	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 64 of 156

	64QAM	50	0	20.75	20.60	20.61	22.00
		1	0	20.58	20.71	20.50	22.00
		1	25	20.72	20.64	20.73	22.00
		1	49	20.55	20.70	20.72	22.00
		25	0	20.46	20.46	20.76	22.00
		25	13	20.62	20.49	20.78	22.00
		25	25	20.75	20.75	20.64	22.00
		50	0	20.69	20.45	20.66	22.00
	256QAM	1	0	20.54	20.52	20.70	22.00
		1	25	20.60	20.52	20.70	22.00
		1	49	20.76	20.75	20.76	22.00
		25	0	19.68	19.60	19.65	21.00
		25	13	19.52	19.51	19.66	21.00
		25	25	19.65	19.65	19.61	21.00
		50	0	19.70	19.65	19.81	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	20.80	20.84	20.60	22.00
		1	38	20.59	20.81	20.74	22.00
		1	74	20.65	20.67	20.73	22.00
		36	0	20.75	20.60	20.59	22.00
		36	18	20.62	20.52	20.64	22.00
		36	39	20.59	20.46	20.62	22.00
		75	0	20.65	20.46	20.45	22.00
	16QAM	1	0	20.60	20.48	20.62	22.00
		1	38	20.65	20.58	20.79	22.00
		1	74	20.75	20.70	20.65	22.00
		36	0	20.43	20.64	20.70	22.00
		36	18	20.44	20.68	20.58	22.00
		36	39	20.48	20.63	20.71	22.00
		75	0	20.67	20.47	20.65	22.00
	64QAM	1	0	20.66	20.62	20.59	22.00
		1	38	20.80	20.66	20.75	22.00
		1	74	20.69	20.68	20.63	22.00
		36	0	20.58	20.55	20.66	22.00
		36	18	20.60	20.61	20.69	22.00
		36	39	20.70	20.62	20.61	22.00
		75	0	20.78	20.59	20.75	22.00
	256QAM	1	0	20.59	20.62	20.52	22.00
		1	38	20.65	20.51	20.56	22.00
		1	74	20.78	20.77	20.59	22.00
		36	0	19.57	19.67	19.75	21.00
		36	18	19.55	19.63	19.75	21.00
		36	39	19.61	19.67	19.58	21.00
		75	0	19.74	19.61	19.78	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 65 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	20.87	/	22.00
		1	50	/	20.74	/	22.00
		1	99	/	20.52	/	22.00
		50	0	/	20.60	/	22.00
		50	25	/	20.50	/	22.00
		50	50	/	20.52	/	22.00
		100	0	/	20.51	/	22.00
	16QAM	1	0	/	20.49	/	22.00
		1	50	/	20.52	/	22.00
		1	99	/	20.71	/	22.00
		50	0	/	20.79	/	22.00
		50	25	/	20.67	/	22.00
		50	50	/	20.57	/	22.00
		100	0	/	20.55	/	22.00
	64QAM	1	0	/	20.69	/	22.00
		1	50	/	20.51	/	22.00
		1	99	/	20.76	/	22.00
		50	0	/	20.56	/	22.00
		50	25	/	20.63	/	22.00
		50	50	/	20.65	/	22.00
		100	0	/	20.51	/	22.00
	256QAM	1	0	/	20.59	/	22.00
		1	50	/	20.45	/	22.00
		1	99	/	20.60	/	22.00
		50	0	/	19.61	/	21.00
		50	25	/	19.52	/	21.00
		50	50	/	19.53	/	21.00
		100	0	/	19.57	/	21.00

LTE Band 4 State4 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	17.56	17.52	17.59	19.00
		1	2	17.76	17.79	17.80	19.00
		1	5	17.57	17.73	17.60	19.00
		3	0	17.75	17.57	17.69	19.00
		3	2	17.61	17.68	17.51	19.00
		3	3	17.65	17.58	17.66	19.00
		6	0	17.55	17.65	17.62	19.00
	16QAM	1	0	17.70	17.76	17.52	19.00
		1	2	17.57	17.74	17.67	19.00
		1	5	17.76	17.61	17.67	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 66 of 156

		3	0	17.65	17.66	17.54	19.00
		3	2	17.72	17.57	17.58	19.00
		3	3	17.61	17.67	17.64	19.00
		6	0	17.76	17.59	17.60	19.00
	64QAM	1	0	17.75	17.57	17.66	19.00
		1	2	17.56	17.70	17.69	19.00
		1	5	17.55	17.63	17.56	19.00
		3	0	17.65	17.61	17.69	19.00
		3	2	17.72	17.66	17.49	19.00
		3	3	17.67	17.58	17.63	19.00
		6	0	17.58	17.57	17.59	19.00
		1	0	17.51	17.56	17.71	19.00
	256QAM	1	2	17.64	17.51	17.57	19.00
		1	5	17.56	17.57	17.68	19.00
		3	0	17.50	17.62	17.57	19.00
		3	2	17.60	17.64	17.70	19.00
		3	3	17.62	17.57	17.73	19.00
		6	0	17.75	17.71	17.58	19.00
		1	0	17.77	17.87	17.64	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	17.77	17.87	17.64	19.00
		1	7	17.65	17.71	17.66	19.00
		1	14	17.76	17.62	17.67	19.00
		8	0	17.55	17.75	17.69	19.00
		8	4	17.57	17.68	17.80	19.00
		8	7	17.59	17.65	17.64	19.00
		15	0	17.65	17.57	17.58	19.00
	16QAM	1	0	17.77	17.53	17.74	19.00
		1	7	17.59	17.65	17.78	19.00
		1	14	17.65	17.77	17.69	19.00
		8	0	17.73	17.86	17.78	19.00
		8	4	17.60	17.60	17.60	19.00
		8	7	17.70	17.59	17.86	19.00
		15	0	17.79	17.64	17.73	19.00
	64QAM	1	0	17.68	17.74	17.61	19.00
		1	7	17.75	17.69	17.80	19.00
		1	14	17.60	17.68	17.80	19.00
		8	0	17.56	17.50	17.83	19.00
		8	4	17.62	17.61	17.66	19.00
		8	7	17.62	17.80	17.71	19.00
		15	0	17.66	17.50	17.67	19.00
	256QAM	1	0	17.60	17.70	17.74	19.00
		1	7	17.68	17.52	17.86	19.00
		1	14	17.82	17.87	17.76	19.00
		8	0	17.83	17.49	17.71	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 67 of 156

		8	4	17.65	17.66	17.84	19.00
		8	7	17.73	17.58	17.73	19.00
		15	0	17.79	17.66	17.78	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	17.78	17.74	17.51	19.00
		1	13	17.58	17.80	17.75	19.00
		1	24	17.88	17.60	17.82	19.00
		12	0	17.72	17.66	17.68	19.00
		12	6	17.62	17.67	17.67	19.00
		12	13	17.49	17.48	17.51	19.00
		25	0	17.69	17.73	17.64	19.00
	16QAM	1	0	17.65	17.46	17.78	19.00
		1	13	17.50	17.69	17.70	19.00
		1	24	17.80	17.79	17.76	19.00
		12	0	17.62	17.92	17.78	19.00
		12	6	17.53	17.85	17.77	19.00
		12	13	17.64	17.77	17.85	19.00
		25	0	17.78	17.69	17.70	19.00
	64QAM	1	0	17.65	17.81	17.63	19.00
		1	13	17.65	17.64	17.84	19.00
		1	24	17.66	17.72	17.66	19.00
		12	0	17.60	17.57	17.87	19.00
		12	6	17.70	17.69	17.65	19.00
		12	13	17.64	17.68	17.67	19.00
		25	0	17.80	17.49	17.83	19.00
	256QAM	1	0	17.63	17.77	17.59	19.00
		1	13	17.79	17.60	17.62	19.00
		1	24	17.78	17.83	17.66	19.00
		12	0	17.67	17.46	17.83	19.00
		12	6	17.58	17.51	17.80	19.00
		12	13	17.58	17.44	17.75	19.00
		25	0	17.79	17.58	17.73	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	17.71	17.76	17.53	19.00
		1	25	17.76	17.88	17.57	19.00
		1	49	17.76	17.66	17.73	19.00
		25	0	17.72	17.63	17.65	19.00
		25	13	17.66	17.63	17.80	19.00
		25	25	17.54	17.71	17.62	19.00
		50	0	17.84	17.63	17.55	19.00
	16QAM	1	0	17.46	17.52	17.74	19.00
		1	25	17.52	17.58	17.74	19.00
		1	49	17.75	17.72	17.63	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 68 of 156

		25	0	17.69	17.76	17.76	19.00
		25	13	17.63	17.68	17.71	19.00
		25	25	17.66	17.68	17.72	19.00
		50	0	17.78	17.62	17.70	19.00
	64QAM	1	0	17.68	17.76	17.60	19.00
		1	25	17.77	17.73	17.82	19.00
		1	49	17.63	17.73	17.79	19.00
		25	0	17.51	17.47	17.81	19.00
		25	13	17.65	17.53	17.83	19.00
		25	25	17.81	17.78	17.64	19.00
		50	0	17.71	17.53	17.74	19.00
		50	0	17.71	17.53	17.74	19.00
	256QAM	1	0	17.61	17.52	17.74	19.00
		1	25	17.61	17.58	17.78	19.00
		1	49	17.77	17.82	17.85	19.00
		25	0	17.75	17.64	17.74	19.00
		25	13	17.59	17.55	17.67	19.00
		25	25	17.69	17.71	17.65	19.00
		50	0	17.74	17.70	17.85	19.00
		50	0	17.74	17.70	17.85	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	17.90	17.85	17.67	19.00
		1	38	17.62	17.88	17.76	19.00
		1	74	17.65	17.68	17.73	19.00
		36	0	17.76	17.65	17.65	19.00
		36	18	17.63	17.58	17.72	19.00
		36	39	17.69	17.54	17.71	19.00
		75	0	17.72	17.51	17.55	19.00
	16QAM	1	0	17.62	17.51	17.70	19.00
		1	38	17.68	17.62	17.85	19.00
		1	74	17.82	17.73	17.70	19.00
		36	0	17.49	17.68	17.77	19.00
		36	18	17.50	17.71	17.59	19.00
		36	39	17.50	17.64	17.79	19.00
		75	0	17.76	17.49	17.75	19.00
	64QAM	1	0	17.70	17.65	17.62	19.00
		1	38	17.85	17.75	17.77	19.00
		1	74	17.73	17.76	17.69	19.00
		36	0	17.64	17.61	17.68	19.00
		36	18	17.65	17.68	17.72	19.00
		36	39	17.73	17.63	17.61	19.00
		75	0	17.79	17.64	17.75	19.00
	256QAM	1	0	17.59	17.68	17.56	19.00
		1	38	17.71	17.53	17.61	19.00
		1	74	17.88	17.86	17.66	19.00
		36	0	17.66	17.77	17.79	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 69 of 156

		36	18	17.63	17.66	17.82	19.00
		36	39	17.64	17.69	17.67	19.00
		75	0	17.76	17.64	17.81	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	20175	/	
20MHz	QPSK	1	0	/	17.95	/	19.00
		1	50	/	17.77	/	19.00
		1	99	/	17.56	/	19.00
		50	0	/	17.66	/	19.00
		50	25	/	17.53	/	19.00
		50	50	/	17.57	/	19.00
		100	0	/	17.51	/	19.00
	16QAM	1	0	/	17.58	/	19.00
		1	50	/	17.55	/	19.00
		1	99	/	17.73	/	19.00
		50	0	/	17.88	/	19.00
		50	25	/	17.68	/	19.00
		50	50	/	17.61	/	19.00
		100	0	/	17.60	/	19.00
	64QAM	1	0	/	17.76	/	19.00
		1	50	/	17.56	/	19.00
		1	99	/	17.84	/	19.00
		50	0	/	17.59	/	19.00
		50	25	/	17.71	/	19.00
		50	50	/	17.69	/	19.00
		100	0	/	17.60	/	19.00
	256QAM	1	0	/	17.69	/	19.00
		1	50	/	17.53	/	19.00
		1	99	/	17.63	/	19.00
		50	0	/	17.69	/	19.00
		50	25	/	17.53	/	19.00
		50	50	/	17.63	/	19.00
		100	0	/	17.66	/	19.00

LTE Band 7 State0&1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	23.31	23.21	23.04	25.00
		1	13	23.09	23.25	23.25	25.00
		1	24	23.19	23.14	23.36	25.00
		12	0	22.17	22.21	22.12	24.00
		12	6	22.23	22.23	22.21	24.00
		12	13	22.10	22.12	22.26	24.00
		25	0	22.28	22.17	22.08	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 70 of 156

	16QAM	1	0	22.09	22.02	22.06	24.00
		1	13	22.23	22.20	22.18	24.00
		1	24	22.27	22.24	22.29	24.00
		12	0	21.01	21.20	21.11	23.00
		12	6	21.14	21.32	21.14	23.00
		12	13	21.13	21.22	21.30	23.00
		25	0	21.18	21.13	21.32	23.00
	64QAM	1	0	21.12	21.35	21.17	23.00
		1	13	21.23	21.16	21.21	23.00
		1	24	21.19	21.12	21.14	23.00
		12	0	20.04	20.11	20.11	22.00
		12	6	20.17	20.08	20.32	22.00
		12	13	20.13	20.09	20.25	22.00
		25	0	20.34	20.17	20.20	22.00
	256QAM	1	0	20.16	20.14	20.20	22.00
		1	13	20.27	20.10	20.11	22.00
		1	24	20.30	20.18	20.08	22.00
		12	0	19.14	19.02	19.25	21.00
		12	6	19.15	19.17	19.32	21.00
		12	13	19.08	19.18	19.21	21.00
		25	0	19.24	19.05	19.19	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	23.23	23.32	23.21	25.00
		1	25	23.22	23.26	23.09	25.00
		1	49	23.26	23.17	23.35	25.00
		25	0	22.13	22.12	22.30	24.00
		25	13	22.16	22.10	22.13	24.00
		25	25	22.08	22.01	22.16	24.00
		50	0	22.21	22.16	22.17	24.00
	16QAM	1	0	22.01	22.10	22.10	24.00
		1	25	22.02	22.24	22.10	24.00
		1	49	22.34	22.29	22.15	24.00
		25	0	21.01	21.29	21.32	23.00
		25	13	21.02	21.31	21.15	23.00
		25	25	21.05	21.14	21.16	23.00
		50	0	21.18	21.17	21.30	23.00
	64QAM	1	0	21.28	21.26	21.13	23.00
		1	25	21.16	21.14	21.18	23.00
		1	49	21.15	21.14	21.21	23.00
		25	0	20.03	20.15	20.24	22.00
		25	13	20.05	20.20	20.26	22.00
		25	25	20.13	20.15	20.20	22.00
		50	0	20.23	20.07	20.20	22.00
	256QAM	1	0	20.10	20.08	20.20	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 71 of 156

		1	25	20.23	20.02	20.12	22.00
		1	49	20.27	20.21	20.18	22.00
		25	0	19.18	19.04	19.29	21.00
		25	13	19.14	19.01	19.19	21.00
		25	25	19.26	19.12	19.08	21.00
		50	0	19.26	19.07	19.38	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	23.25	23.29	23.21	25.00
		1	38	23.23	23.25	23.27	25.00
		1	74	23.29	23.09	23.31	25.00
		36	0	22.22	22.20	22.25	24.00
		36	18	22.16	22.07	22.17	24.00
		36	39	22.13	22.14	22.23	24.00
		75	0	22.34	22.05	22.13	24.00
	16QAM	1	0	22.06	22.18	22.25	24.00
		1	38	22.04	22.19	22.25	24.00
		1	74	22.16	22.19	22.31	24.00
		36	0	21.16	21.27	21.16	23.00
		36	18	21.05	21.26	21.16	23.00
		36	39	21.03	21.17	21.18	23.00
		75	0	21.12	21.16	21.14	23.00
	64QAM	1	0	21.24	21.20	21.11	23.00
		1	38	21.17	21.10	21.18	23.00
		1	74	21.15	21.15	21.17	23.00
		36	0	20.16	20.19	20.28	22.00
		36	18	20.18	20.12	20.33	22.00
		36	39	20.29	20.25	20.21	22.00
		75	0	20.30	20.16	20.26	22.00
	256QAM	1	0	20.27	20.25	20.27	22.00
		1	38	20.29	20.01	20.27	22.00
		1	74	20.34	20.19	20.18	22.00
		36	0	19.17	19.17	19.24	21.00
		36	18	19.05	19.17	19.33	21.00
		36	39	19.10	19.20	19.24	21.00
		75	0	19.37	19.14	19.35	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	23.32	23.52	23.31	25.00
		1	50	23.02	23.17	23.26	25.00
		1	99	23.17	23.03	23.21	25.00
		50	0	22.25	22.51	22.26	24.00
		50	25	22.06	22.10	22.13	24.00
		50	50	22.09	22.02	22.26	24.00
		100	0	22.21	22.31	22.23	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 72 of 156

	16QAM	1	0	22.15	22.01	22.24	24.00
		1	50	22.17	22.19	22.24	24.00
		1	99	22.25	22.16	22.20	24.00
		50	0	21.06	21.36	21.14	23.00
		50	25	21.09	21.17	21.18	23.00
		50	50	21.06	21.22	21.31	23.00
		100	0	21.18	21.09	21.20	23.00
	64QAM	1	0	21.26	21.23	21.16	23.00
		1	50	21.33	21.08	21.37	23.00
		1	99	21.15	21.19	21.32	23.00
		50	0	20.11	20.18	20.24	22.00
		50	25	20.22	20.00	20.22	22.00
		50	50	20.12	20.25	20.13	22.00
		100	0	20.28	20.00	20.29	22.00
	256QAM	1	0	20.10	20.19	20.26	22.00
		1	50	20.25	20.01	20.15	22.00
		1	99	20.29	20.16	20.24	22.00
		50	0	19.12	19.01	19.22	21.00
		50	25	19.12	19.05	19.37	21.00
		50	50	19.26	19.05	19.27	21.00
		100	0	19.17	19.19	19.30	21.00

LTE Band 7 State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	21.50	21.36	21.15	23.00
		1	13	21.19	21.40	21.41	23.00
		1	24	21.37	21.27	21.47	23.00
		12	0	21.30	21.31	21.29	23.00
		12	6	21.38	21.39	21.37	23.00
		12	13	21.28	21.22	21.46	23.00
		25	0	21.43	21.35	21.23	23.00
	16QAM	1	0	21.25	21.20	21.19	23.00
		1	13	21.41	21.30	21.34	23.00
		1	24	21.37	21.42	21.45	23.00
		12	0	21.13	21.31	21.30	23.00
		12	6	21.24	21.47	21.31	23.00
		12	13	21.29	21.35	21.49	23.00
		25	0	21.33	21.30	21.49	23.00
	64QAM	1	0	21.27	21.45	21.34	23.00
		1	13	21.41	21.28	21.33	23.00
		1	24	21.35	21.25	21.26	23.00
		12	0	20.15	20.27	20.22	22.00
		12	6	20.32	20.21	20.44	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 73 of 156

		12	13	20.27	20.21	20.39	22.00
		25	0	20.53	20.32	20.35	22.00
	256QAM	1	0	20.34	20.34	20.35	22.00
		1	13	20.38	20.28	20.28	22.00
		1	24	20.42	20.32	20.26	22.00
		12	0	19.24	19.22	19.40	21.00
		12	6	19.25	19.35	19.43	21.00
		12	13	19.19	19.36	19.31	21.00
		25	0	19.37	19.24	19.34	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	21.35	21.51	21.32	23.00
		1	25	21.34	21.45	21.28	23.00
		1	49	21.44	21.28	21.50	23.00
		25	0	21.31	21.29	21.41	23.00
		25	13	21.31	21.25	21.25	23.00
		25	25	21.23	21.18	21.29	23.00
		50	0	21.40	21.27	21.33	23.00
	16QAM	1	0	21.12	21.22	21.27	23.00
		1	25	21.13	21.39	21.20	23.00
		1	49	21.48	21.48	21.30	23.00
		25	0	21.17	21.42	21.49	23.00
		25	13	21.15	21.42	21.32	23.00
		25	25	21.19	21.34	21.34	23.00
		50	0	21.29	21.37	21.46	23.00
	64QAM	1	0	21.46	21.43	21.24	23.00
		1	25	21.31	21.25	21.35	23.00
		1	49	21.33	21.34	21.37	23.00
		25	0	20.15	20.27	20.38	22.00
		25	13	20.16	20.31	20.42	22.00
		25	25	20.32	20.27	20.40	22.00
		50	0	20.40	20.24	20.36	22.00
	256QAM	1	0	20.29	20.19	20.36	22.00
		1	25	20.39	20.17	20.28	22.00
		1	49	20.47	20.35	20.36	22.00
		25	0	19.29	19.20	19.42	21.00
		25	13	19.32	19.12	19.30	21.00
		25	25	19.43	19.27	19.24	21.00
		50	0	19.39	19.23	19.50	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20825	21100	21375	
15MHz	QPSK	1	0	21.43	21.48	21.31	23.00
		1	38	21.38	21.40	21.38	23.00
		1	74	21.47	21.23	21.41	23.00
		36	0	21.32	21.34	21.45	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 74 of 156

		36	18	21.36	21.18	21.28	23.00
		36	39	21.27	21.31	21.39	23.00
		75	0	21.46	21.21	21.28	23.00
	16QAM	1	0	21.23	21.32	21.43	23.00
		1	38	21.22	21.34	21.41	23.00
		1	74	21.29	21.36	21.46	23.00
		36	0	21.31	21.37	21.31	23.00
		36	18	21.17	21.37	21.32	23.00
		36	39	21.22	21.29	21.35	23.00
		75	0	21.24	21.31	21.32	23.00
	64QAM	1	0	21.34	21.38	21.30	23.00
		1	38	21.32	21.24	21.30	23.00
		1	74	21.28	21.32	21.34	23.00
		36	0	20.30	20.36	20.48	22.00
		36	18	20.34	20.29	20.53	22.00
		36	39	20.39	20.36	20.33	22.00
		75	0	20.42	20.28	20.42	22.00
	256QAM	1	0	20.46	20.41	20.45	22.00
		1	38	20.47	20.18	20.40	22.00
		1	74	20.51	20.37	20.30	22.00
		36	0	19.32	19.32	19.41	21.00
		36	18	19.20	19.32	19.49	21.00
		36	39	19.21	19.34	19.43	21.00
		75	0	19.54	19.30	19.51	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	21.51	21.65	21.53	23.00
		1	50	21.48	21.59	21.43	23.00
		1	99	21.48	21.57	21.38	23.00
		50	0	21.53	21.61	21.44	23.00
		50	25	21.20	21.27	21.31	23.00
		50	50	21.26	21.17	21.37	23.00
		100	0	21.41	21.46	21.36	23.00
	16QAM	1	0	21.27	21.19	21.43	23.00
		1	50	21.34	21.36	21.42	23.00
		1	99	21.45	21.26	21.33	23.00
		50	0	21.23	21.54	21.25	23.00
		50	25	21.21	21.36	21.33	23.00
		50	50	21.16	21.37	21.45	23.00
		100	0	21.29	21.22	21.39	23.00
	64QAM	1	0	21.39	21.35	21.34	23.00
		1	50	21.45	21.26	21.52	23.00
		1	99	21.32	21.34	21.44	23.00
		50	0	20.22	20.36	20.35	22.00
		50	25	20.32	20.16	20.33	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 75 of 156

		50	50	20.31	20.44	20.25	22.00
		100	0	20.46	20.14	20.45	22.00
	256QAM	1	0	20.21	20.33	20.42	22.00
		1	50	20.37	20.15	20.32	22.00
		1	99	20.46	20.31	20.36	22.00
		50	0	19.24	19.13	19.37	21.00
		50	25	19.28	19.19	19.56	21.00
		50	50	19.45	19.22	19.46	21.00
		100	0	19.34	19.32	19.46	21.00

LTE FDD Band 30 State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	23.75	/	24.50
		1	13	/	23.69	/	24.50
		1	24	/	23.63	/	24.50
		12	0	/	22.83	/	23.50
		12	6	/	22.49	/	23.50
		12	13	/	22.66	/	23.50
		25	0	/	22.52	/	23.50
	16QAM	1	0	/	22.72	/	23.50
		1	13	/	22.48	/	23.50
		1	24	/	22.81	/	23.50
		12	0	/	21.72	/	22.50
		12	6	/	21.50	/	22.50
		12	13	/	21.75	/	22.50
		25	0	/	21.71	/	22.50
	64QAM	1	0	/	21.63	/	22.50
		1	13	/	21.62	/	22.50
		1	24	/	21.79	/	22.50
		12	0	/	20.62	/	21.50
		12	6	/	20.65	/	21.50
		12	13	/	20.75	/	21.50
		25	0	/	20.45	/	21.50
	256QAM	1	0	/	20.60	/	21.50
		1	13	/	20.62	/	21.50
		1	24	/	20.86	/	21.50
		12	0	/	19.60	/	20.50
		12	6	/	19.61	/	20.50
		12	13	/	19.63	/	20.50
		25	0	/	19.59	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	/	23.83	/	24.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 76 of 156

		1	25	/	23.75	/	24.50
		1	49	/	23.65	/	24.50
		25	0	/	22.68	/	23.50
		25	13	/	22.48	/	23.50
		25	25	/	22.71	/	23.50
		50	0	/	22.47	/	23.50
	16QAM	1	0	/	22.76	/	23.50
		1	25	/	22.62	/	23.50
		1	49	/	22.79	/	23.50
		25	0	/	21.63	/	22.50
		25	13	/	21.55	/	22.50
		25	25	/	21.65	/	22.50
	64QAM	50	0	/	21.61	/	22.50
		1	0	/	21.59	/	22.50
		1	25	/	21.71	/	22.50
		1	49	/	21.70	/	22.50
		25	0	/	20.47	/	21.50
		25	13	/	20.59	/	21.50
	256QAM	25	25	/	20.68	/	21.50
		50	0	/	20.60	/	21.50
		1	0	/	20.65	/	21.50
		1	25	/	20.46	/	21.50
		1	49	/	20.75	/	21.50
		25	0	/	19.55	/	20.50
		25	13	/	19.59	/	20.50
		25	25	/	19.56	/	20.50
		50	0	/	19.69	/	20.50

LTE FDD Band 30 State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	16.86	/	17.50
		1	13	/	16.89	/	17.50
		1	24	/	16.76	/	17.50
		12	0	/	17.00	/	17.50
		12	6	/	16.66	/	17.50
		12	13	/	16.80	/	17.50
		25	0	/	16.67	/	17.50
	16QAM	1	0	/	16.85	/	17.50
		1	13	/	16.61	/	17.50
		1	24	/	16.98	/	17.50
		12	0	/	16.88	/	17.50
		12	6	/	16.63	/	17.50
		12	13	/	16.90	/	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 77 of 156

	64QAM	25	0	/	16.89	/	17.50
		1	0	/	16.75	/	17.50
		1	13	/	16.75	/	17.50
		1	24	/	16.92	/	17.50
		12	0	/	16.81	/	17.50
		12	6	/	16.81	/	17.50
		12	13	/	16.91	/	17.50
		25	0	/	16.65	/	17.50
	256QAM	1	0	/	16.79	/	17.50
		1	13	/	16.75	/	17.50
		1	24	/	16.96	/	17.50
		12	0	/	16.78	/	17.50
		12	6	/	16.81	/	17.50
		12	13	/	16.76	/	17.50
		25	0	/	16.71	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	16.97	/	17.50
		1	25	/	16.88	/	17.50
		1	49	/	16.82	/	17.50
		25	0	/	16.82	/	17.50
		25	13	/	16.65	/	17.50
		25	25	/	16.80	/	17.50
		50	0	/	16.75	/	17.50
	16QAM	1	0	/	16.92	/	17.50
		1	25	/	16.76	/	17.50
		1	49	/	16.93	/	17.50
		25	0	/	16.80	/	17.50
		25	13	/	16.68	/	17.50
		25	25	/	16.83	/	17.50
		50	0	/	16.80	/	17.50
	64QAM	1	0	/	16.77	/	17.50
		1	25	/	16.86	/	17.50
		1	49	/	16.87	/	17.50
		25	0	/	16.62	/	17.50
		25	13	/	16.78	/	17.50
		25	25	/	16.88	/	17.50
		50	0	/	16.71	/	17.50
	256QAM	1	0	/	16.76	/	17.50
		1	25	/	16.56	/	17.50
		1	49	/	16.95	/	17.50
		25	0	/	16.72	/	17.50
		25	13	/	16.77	/	17.50
		25	25	/	16.69	/	17.50
		50	0	/	16.83	/	17.50

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 78 of 156

LTE FDD Band 30 State3 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	13.86	/	14.50
		1	13	/	13.84	/	14.50
		1	24	/	13.70	/	14.50
		12	0	/	14.00	/	14.50
		12	6	/	13.59	/	14.50
		12	13	/	13.80	/	14.50
		25	0	/	13.62	/	14.50
	16QAM	1	0	/	13.79	/	14.50
		1	13	/	13.54	/	14.50
		1	24	/	13.93	/	14.50
		12	0	/	13.85	/	14.50
		12	6	/	13.56	/	14.50
		12	13	/	13.86	/	14.50
		25	0	/	13.82	/	14.50
	64QAM	1	0	/	13.74	/	14.50
		1	13	/	13.75	/	14.50
		1	24	/	13.86	/	14.50
		12	0	/	13.76	/	14.50
		12	6	/	13.76	/	14.50
		12	13	/	13.88	/	14.50
		25	0	/	13.57	/	14.50
	256QAM	1	0	/	13.71	/	14.50
		1	13	/	13.74	/	14.50
		1	24	/	13.91	/	14.50
		12	0	/	13.69	/	14.50
		12	6	/	13.78	/	14.50
		12	13	/	13.70	/	14.50
		25	0	/	13.64	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	13.94	/	14.50
		1	25	/	13.79	/	14.50
		1	49	/	13.75	/	14.50
		25	0	/	13.80	/	14.50
		25	13	/	13.56	/	14.50
		25	25	/	13.79	/	14.50
		50	0	/	13.68	/	14.50
	16QAM	1	0	/	13.90	/	14.50
		1	25	/	13.68	/	14.50
		1	49	/	13.91	/	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 79 of 156

		25	0	/	13.72	/	14.50
		25	13	/	13.63	/	14.50
		25	25	/	13.78	/	14.50
		50	0	/	13.76	/	14.50
	64QAM	1	0	/	13.72	/	14.50
		1	25	/	13.77	/	14.50
		1	49	/	13.84	/	14.50
		25	0	/	13.62	/	14.50
		25	13	/	13.72	/	14.50
		25	25	/	13.79	/	14.50
		50	0	/	13.69	/	14.50
		1	0	/	13.70	/	14.50
	256QAM	1	25	/	13.46	/	14.50
		1	49	/	13.91	/	14.50
		25	0	/	13.64	/	14.50
		25	13	/	13.71	/	14.50
		25	25	/	13.64	/	14.50
		50	0	/	13.74	/	14.50

LTE FDD Band 30 State1				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	21.16	/	22.00
		1	13	/	21.11	/	22.00
		1	24	/	21.05	/	22.00
		12	0	/	21.27	/	22.00
		12	6	/	20.94	/	22.00
		12	13	/	21.13	/	22.00
		25	0	/	20.93	/	22.00
	16QAM	1	0	/	21.15	/	22.00
		1	13	/	20.90	/	22.00
		1	24	/	21.22	/	22.00
		12	0	/	21.21	/	22.00
		12	6	/	20.91	/	22.00
		12	13	/	21.16	/	22.00
		25	0	/	21.20	/	22.00
	64QAM	1	0	/	21.09	/	22.00
		1	13	/	21.04	/	22.00
		1	24	/	21.28	/	22.00
		12	0	/	20.54	/	21.50
		12	6	/	20.56	/	21.50
		12	13	/	20.68	/	21.50
		25	0	/	20.41	/	21.50
	256QAM	1	0	/	20.52	/	21.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 80 of 156

		1	13	/	20.61	/	21.50
		1	24	/	20.80	/	21.50
		12	0	/	19.58	/	20.50
		12	6	/	19.61	/	20.50
		12	13	/	19.57	/	20.50
		25	0	/	19.49	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	21.28	/	22.00
		1	25	/	21.24	/	22.00
		1	49	/	21.07	/	22.00
		25	0	/	21.14	/	22.00
		25	13	/	20.97	/	22.00
		25	25	/	21.19	/	22.00
		50	0	/	20.90	/	22.00
	16QAM	1	0	/	21.24	/	22.00
		1	25	/	21.08	/	22.00
		1	49	/	21.21	/	22.00
		25	0	/	21.07	/	22.00
		25	13	/	21.02	/	22.00
		25	25	/	21.12	/	22.00
		50	0	/	21.08	/	22.00
	64QAM	1	0	/	21.09	/	22.00
		1	25	/	21.20	/	22.00
		1	49	/	21.14	/	22.00
		25	0	/	20.44	/	21.50
		25	13	/	20.53	/	21.50
		25	25	/	20.64	/	21.50
		50	0	/	20.59	/	21.50
	256QAM	1	0	/	20.62	/	21.50
		1	25	/	20.37	/	21.50
		1	49	/	20.69	/	21.50
		25	0	/	19.53	/	20.50
		25	13	/	19.58	/	20.50
		25	25	/	19.48	/	20.50
		50	0	/	19.63	/	20.50

LTE FDD Band 30 State1 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	18.63	/	19.50
		1	13	/	18.56	/	19.50
		1	24	/	18.49	/	19.50
		12	0	/	18.68	/	19.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 81 of 156

		12	6	/	18.34	/	19.50
		12	13	/	18.60	/	19.50
		25	0	/	18.37	/	19.50
	16QAM	1	0	/	18.63	/	19.50
		1	13	/	18.34	/	19.50
		1	24	/	18.68	/	19.50
		12	0	/	18.67	/	19.50
		12	6	/	18.36	/	19.50
		12	13	/	18.65	/	19.50
		25	0	/	18.63	/	19.50
	64QAM	1	0	/	18.56	/	19.50
		1	13	/	18.52	/	19.50
		1	24	/	18.75	/	19.50
		12	0	/	18.52	/	19.50
		12	6	/	18.48	/	19.50
		12	13	/	18.64	/	19.50
		25	0	/	18.33	/	19.50
	256QAM	1	0	/	18.43	/	19.50
		1	13	/	18.59	/	19.50
		1	24	/	18.73	/	19.50
		12	0	/	18.49	/	19.50
		12	6	/	18.58	/	19.50
		12	13	/	18.49	/	19.50
		25	0	/	18.48	/	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
10MHz	QPSK	1	0	/	18.77	/	19.50
		1	25	/	18.70	/	19.50
		1	49	/	18.49	/	19.50
		25	0	/	18.60	/	19.50
		25	13	/	18.40	/	19.50
		25	25	/	18.67	/	19.50
		50	0	/	18.40	/	19.50
	16QAM	1	0	/	18.70	/	19.50
		1	25	/	18.55	/	19.50
		1	49	/	18.69	/	19.50
		25	0	/	18.54	/	19.50
		25	13	/	18.51	/	19.50
		25	25	/	18.55	/	19.50
		50	0	/	18.56	/	19.50
	64QAM	1	0	/	18.49	/	19.50
		1	25	/	18.68	/	19.50
		1	49	/	18.55	/	19.50
		25	0	/	18.37	/	19.50
		25	13	/	18.47	/	19.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 82 of 156

		25	25	/	18.57	/	19.50
		50	0	/	18.50	/	19.50
	256QAM	1	0	/	18.59	/	19.50
		1	25	/	18.34	/	19.50
		1	49	/	18.66	/	19.50
		25	0	/	18.45	/	19.50
		25	13	/	18.54	/	19.50
		25	25	/	18.42	/	19.50
		50	0	/	18.61	/	19.50

LTE FDD Band 30 State4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	27710	/	
5MHz	QPSK	1	0	/	19.78	/	20.50
		1	13	/	19.68	/	20.50
		1	24	/	19.62	/	20.50
		12	0	/	19.77	/	20.50
		12	6	/	19.41	/	20.50
		12	13	/	19.64	/	20.50
		25	0	/	19.43	/	20.50
	16QAM	1	0	/	19.71	/	20.50
		1	13	/	19.41	/	20.50
		1	24	/	19.73	/	20.50
		12	0	/	19.63	/	20.50
		12	6	/	19.48	/	20.50
		12	13	/	19.66	/	20.50
		25	0	/	19.69	/	20.50
	64QAM	1	0	/	19.62	/	20.50
		1	13	/	19.59	/	20.50
		1	24	/	19.77	/	20.50
		12	0	/	19.57	/	20.50
		12	6	/	19.60	/	20.50
		12	13	/	19.67	/	20.50
		25	0	/	19.38	/	20.50
	256QAM	1	0	/	19.53	/	20.50
		1	13	/	19.56	/	20.50
		1	24	/	19.80	/	20.50
		12	0	/	19.59	/	20.50
		12	6	/	19.54	/	20.50
		12	13	/	19.53	/	20.50
		25	0	/	19.55	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	/	19.79	/	20.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 83 of 156

		1	25	/	19.73	/	20.50
		1	49	/	19.58	/	20.50
		25	0	/	19.65	/	20.50
		25	13	/	19.45	/	20.50
		25	25	/	19.63	/	20.50
		50	0	/	19.59	/	20.50
	16QAM	1	0	/	19.75	/	20.50
		1	25	/	19.57	/	20.50
		1	49	/	19.69	/	20.50
		25	0	/	19.60	/	20.50
		25	13	/	19.48	/	20.50
		25	25	/	19.58	/	20.50
	64QAM	50	0	/	19.54	/	20.50
		1	0	/	19.50	/	20.50
		1	25	/	19.63	/	20.50
		1	49	/	19.69	/	20.50
		25	0	/	19.42	/	20.50
		25	13	/	19.53	/	20.50
	256QAM	25	25	/	19.66	/	20.50
		50	0	/	19.59	/	20.50
		1	0	/	19.56	/	20.50
		1	25	/	19.41	/	20.50
		1	49	/	19.73	/	20.50
		25	0	/	19.53	/	20.50
		25	13	/	19.58	/	20.50
		25	25	/	19.55	/	20.50
		50	0	/	19.64	/	20.50

LTE Band 66 State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	23.40	23.41	23.39	25.00
		1	2	23.29	23.28	23.40	25.00
		1	5	23.29	23.34	23.26	25.00
		3	0	23.24	23.23	23.28	25.00
		3	1	23.23	23.40	23.43	25.00
		3	3	23.39	23.33	23.27	25.00
		6	0	22.29	22.35	22.30	24.00
	16QAM	1	0	22.34	22.35	22.40	24.00
		1	2	22.35	22.34	22.45	24.00
		1	5	22.35	22.36	22.27	24.00
		3	0	22.33	22.42	22.34	24.00
		3	1	22.42	22.36	22.40	24.00
		3	3	22.24	22.31	22.34	24.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 84 of 156

	64QAM	6	0	21.32	21.24	21.34	23.00
		1	0	21.33	21.43	21.25	23.00
		1	2	21.35	21.37	21.28	23.00
		1	5	21.44	21.39	21.36	23.00
		3	0	21.32	21.35	21.28	23.00
		3	1	21.30	21.29	21.43	23.00
		3	3	21.41	21.26	21.29	23.00
		6	0	20.41	20.26	20.26	22.00
	256QAM	1	0	20.31	20.32	20.28	22.00
		1	2	20.29	20.26	20.27	22.00
		1	5	20.33	20.38	20.30	22.00
		3	0	20.33	20.42	20.41	22.00
		3	1	20.45	20.37	20.28	22.00
		3	3	20.43	20.27	20.24	22.00
		6	0	19.33	19.30	19.33	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	23.62	23.50	23.48	25.00
		1	7	23.45	23.71	23.45	25.00
		1	14	23.57	23.52	23.57	25.00
		8	0	22.49	22.54	22.50	24.00
		8	4	22.47	22.44	22.57	24.00
		8	7	22.42	22.37	22.63	24.00
		15	0	22.55	22.49	22.47	24.00
	16QAM	1	0	22.49	22.44	22.59	24.00
		1	7	22.54	22.49	22.47	24.00
		1	14	22.60	22.54	22.47	24.00
		8	0	21.43	21.53	21.49	23.00
		8	4	21.45	21.59	21.45	23.00
		8	7	21.39	21.58	21.61	23.00
		15	0	21.63	21.49	21.64	23.00
	64QAM	1	0	21.63	21.59	21.50	23.00
		1	7	21.63	21.47	21.50	23.00
		1	14	21.40	21.52	21.49	23.00
		8	0	20.40	20.44	20.46	22.00
		8	4	20.57	20.49	20.51	22.00
		8	7	20.61	20.59	20.40	22.00
		15	0	20.65	20.39	20.62	22.00
	256QAM	1	0	20.41	20.58	20.40	22.00
		1	7	20.66	20.32	20.57	22.00
		1	14	20.62	20.66	20.54	22.00
		8	0	19.40	19.40	19.59	21.00
		8	4	19.45	19.30	19.62	21.00
		8	7	19.56	19.53	19.53	21.00
		15	0	19.62	19.47	19.69	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 85 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	23.63	23.65	23.49	25.00
		1	13	23.38	23.71	23.54	25.00
		1	24	23.56	23.49	23.51	25.00
		12	0	22.59	22.37	22.44	24.00
		12	6	22.55	22.41	22.53	24.00
		12	13	22.48	22.36	22.45	24.00
		25	0	22.49	22.55	22.43	24.00
	16QAM	1	0	22.54	22.35	22.45	24.00
		1	13	22.38	22.50	22.61	24.00
		1	24	22.57	22.65	22.52	24.00
		12	0	21.48	21.54	21.59	23.00
		12	6	21.35	21.59	21.40	23.00
		12	13	21.43	21.60	21.50	23.00
		25	0	21.58	21.45	21.60	23.00
	64QAM	1	0	21.62	21.61	21.44	23.00
		1	13	21.62	21.59	21.57	23.00
		1	24	21.37	21.65	21.52	23.00
		12	0	20.38	20.43	20.61	22.00
		12	6	20.46	20.39	20.62	22.00
		12	13	20.63	20.56	20.40	22.00
		25	0	20.62	20.49	20.64	22.00
	256QAM	1	0	20.50	20.41	20.55	22.00
		1	13	20.46	20.44	20.49	22.00
		1	24	20.54	20.61	20.49	22.00
		12	0	19.56	19.39	19.48	21.00
		12	6	19.48	19.31	19.56	21.00
		12	13	19.58	19.43	19.49	21.00
		25	0	19.71	19.53	19.60	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	23.68	23.57	23.44	25.00
		1	25	23.45	23.69	23.51	25.00
		1	49	23.69	23.50	23.54	25.00
		25	0	22.49	22.54	22.45	24.00
		25	13	22.50	22.40	22.62	24.00
		25	25	22.35	22.31	22.54	24.00
		50	0	22.56	22.39	22.45	24.00
	16QAM	1	0	22.42	22.37	22.43	24.00
		1	25	22.47	22.55	22.47	24.00
		1	49	22.68	22.55	22.51	24.00
		25	0	21.38	21.54	21.45	23.00
		25	13	21.39	21.53	21.55	23.00
		25	25	21.42	21.60	21.47	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 86 of 156

	64QAM	50	0	21.45	21.31	21.47	23.00
		1	0	21.43	21.54	21.42	23.00
		1	25	21.51	21.43	21.59	23.00
		1	49	21.50	21.55	21.60	23.00
		25	0	20.38	20.36	20.46	22.00
		25	13	20.55	20.50	20.53	22.00
		25	25	20.53	20.44	20.51	22.00
		50	0	20.60	20.46	20.47	22.00
	256QAM	1	0	20.49	20.59	20.61	22.00
		1	25	20.66	20.51	20.52	22.00
		1	49	20.47	20.61	20.56	22.00
		25	0	19.56	19.42	19.62	21.00
		25	13	19.55	19.35	19.63	21.00
		25	25	19.58	19.44	19.48	21.00
		50	0	19.58	19.50	19.58	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	23.69	23.49	23.39	25.00
		1	38	23.37	23.56	23.44	25.00
		1	74	23.55	23.42	23.63	25.00
		36	0	22.53	22.48	22.63	24.00
		36	18	22.47	22.44	22.63	24.00
		36	39	22.52	22.40	22.59	24.00
		75	0	22.55	22.54	22.52	24.00
	16QAM	1	0	22.50	22.49	22.54	24.00
		1	38	22.38	22.56	22.48	24.00
		1	74	22.55	22.56	22.53	24.00
		36	0	21.41	21.67	21.55	23.00
		36	18	21.35	21.60	21.44	23.00
		36	39	21.47	21.60	21.56	23.00
		75	0	21.46	21.46	21.50	23.00
	64QAM	1	0	21.50	21.70	21.35	23.00
		1	38	21.59	21.49	21.55	23.00
		1	74	21.52	21.47	21.46	23.00
		36	0	20.48	20.48	20.65	22.00
		36	18	20.52	20.47	20.51	22.00
		36	39	20.47	20.43	20.50	22.00
		75	0	20.70	20.42	20.62	22.00
	256QAM	1	0	20.45	20.45	20.49	22.00
		1	38	20.47	20.40	20.44	22.00
		1	74	20.48	20.67	20.53	22.00
		36	0	19.53	19.34	19.48	21.00
		36	18	19.45	19.38	19.54	21.00
		36	39	19.48	19.52	19.47	21.00
		75	0	19.55	19.46	19.53	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 87 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	23.70	23.74	23.55	25.00
		1	50	23.36	23.59	23.48	25.00
		1	99	23.59	23.56	23.46	25.00
		50	0	22.54	22.58	22.55	24.00
		50	25	22.38	22.60	22.53	24.00
		50	50	22.51	22.40	22.46	24.00
		100	0	22.36	22.42	22.39	24.00
	16QAM	1	0	22.41	22.42	22.54	24.00
		1	50	22.46	22.52	22.62	24.00
		1	99	22.64	22.52	22.56	24.00
		50	0	21.45	21.52	21.60	23.00
		50	25	21.32	21.53	21.47	23.00
		50	50	21.43	21.53	21.50	23.00
		100	0	21.48	21.34	21.64	23.00
	64QAM	1	0	21.53	21.66	21.34	23.00
		1	50	21.49	21.61	21.66	23.00
		1	99	21.43	21.60	21.63	23.00
		50	0	20.45	20.54	20.57	22.00
		50	25	20.38	20.51	20.63	22.00
		50	50	20.48	20.56	20.48	22.00
		100	0	20.54	20.45	20.47	22.00
	256QAM	1	0	20.48	20.53	20.50	22.00
		1	50	20.56	20.52	20.58	22.00
		1	99	20.65	20.64	20.56	22.00
		50	0	19.61	19.39	19.68	21.00
		50	25	19.45	19.50	19.60	21.00
		50	50	19.47	19.51	19.56	21.00
		100	0	19.67	19.44	19.71	21.00

LTE Band 66 State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	16.09	16.08	16.08	17.50
		1	2	15.94	15.95	16.02	17.50
		1	5	15.96	15.96	15.94	17.50
		3	0	15.86	15.84	15.97	17.50
		3	1	15.90	16.00	16.04	17.50
		3	3	16.07	15.97	15.95	17.50
		6	0	15.96	15.98	15.92	17.50
	16QAM	1	0	16.03	16.03	16.08	17.50
		1	2	15.99	16.04	16.07	17.50
		1	5	16.01	16.02	15.96	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 88 of 156

		3	0	15.98	16.12	16.01	17.50
		3	1	16.11	16.05	16.08	17.50
		3	3	15.94	15.94	15.94	17.50
		6	0	15.94	15.86	15.94	17.50
	64QAM	1	0	15.97	16.11	15.85	17.50
		1	2	15.97	16.05	15.91	17.50
		1	5	16.11	16.07	16.06	17.50
		3	0	15.96	16.00	15.98	17.50
		3	1	15.91	15.96	16.09	17.50
		3	3	16.08	15.91	15.95	17.50
		6	0	16.10	15.88	15.88	17.50
	256QAM	1	0	15.95	15.94	15.93	17.50
		1	2	15.91	15.96	15.93	17.50
		1	5	16.01	16.02	15.91	17.50
		3	0	15.98	16.03	16.11	17.50
		3	1	16.13	16.02	15.96	17.50
		3	3	16.12	15.91	15.85	17.50
		6	0	15.98	15.98	16.00	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	16.32	16.11	16.12	17.50
		1	7	16.06	16.37	16.06	17.50
		1	14	16.21	16.15	16.24	17.50
		8	0	16.13	16.21	16.15	17.50
		8	4	16.14	16.07	16.20	17.50
		8	7	16.07	15.99	16.30	17.50
		15	0	16.16	16.11	16.14	17.50
	16QAM	1	0	16.09	16.13	16.22	17.50
		1	7	16.22	16.16	16.15	17.50
		1	14	16.23	16.18	16.16	17.50
		8	0	16.11	16.21	16.10	17.50
		8	4	16.13	16.24	16.07	17.50
		8	7	16.06	16.23	16.31	17.50
		15	0	16.31	16.15	16.27	17.50
	64QAM	1	0	16.26	16.24	16.17	17.50
		1	7	16.27	16.08	16.19	17.50
		1	14	16.07	16.19	16.11	17.50
		8	0	16.08	16.07	16.07	17.50
		8	4	16.19	16.12	16.15	17.50
		8	7	16.27	16.26	16.04	17.50
		15	0	16.34	16.03	16.25	17.50
	256QAM	1	0	16.11	16.24	16.01	17.50
		1	7	16.29	15.92	16.22	17.50
		1	14	16.29	16.33	16.22	17.50
		8	0	16.05	16.00	16.22	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 89 of 156

		8	4	16.08	15.93	16.24	17.50
		8	7	16.19	16.13	16.16	17.50
		15	0	16.26	16.13	16.38	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	16.27	16.35	16.11	17.50
		1	13	16.07	16.35	16.23	17.50
		1	24	16.26	16.14	16.20	17.50
		12	0	16.29	16.04	16.11	17.50
		12	6	16.20	16.08	16.22	17.50
		12	13	16.17	15.98	16.06	17.50
		25	0	16.19	16.19	16.06	17.50
	16QAM	1	0	16.16	16.02	16.06	17.50
		1	13	15.99	16.15	16.28	17.50
		1	24	16.17	16.32	16.21	17.50
		12	0	16.16	16.19	16.29	17.50
		12	6	15.98	16.25	16.01	17.50
		12	13	16.08	16.28	16.15	17.50
		25	0	16.24	16.14	16.28	17.50
	64QAM	1	0	16.23	16.30	16.10	17.50
		1	13	16.27	16.20	16.20	17.50
		1	24	16.05	16.29	16.14	17.50
		12	0	16.04	16.09	16.25	17.50
		12	6	16.11	16.00	16.31	17.50
		12	13	16.33	16.24	16.03	17.50
		25	0	16.22	16.12	16.31	17.50
	256QAM	1	0	16.11	16.09	16.19	17.50
		1	13	16.11	16.14	16.17	17.50
		1	24	16.20	16.25	16.12	17.50
		12	0	16.22	16.01	16.17	17.50
		12	6	16.17	16.00	16.23	17.50
		12	13	16.19	16.09	16.15	17.50
		25	0	16.34	16.19	16.22	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	16.36	16.24	16.06	17.50
		1	25	16.08	16.33	16.19	17.50
		1	49	16.35	16.13	16.19	17.50
		25	0	16.09	16.23	16.11	17.50
		25	13	16.20	16.02	16.30	17.50
		25	25	16.05	15.97	16.15	17.50
		50	0	16.16	16.06	16.15	17.50
	16QAM	1	0	16.03	16.03	16.03	17.50
		1	25	16.07	16.15	16.08	17.50
		1	49	16.34	16.21	16.19	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 90 of 156

		25	0	16.07	16.22	16.11	17.50
		25	13	16.00	16.16	16.17	17.50
		25	25	16.10	16.24	16.08	17.50
		50	0	16.14	15.96	16.11	17.50
	64QAM	1	0	16.06	16.16	16.08	17.50
		1	25	16.20	16.08	16.21	17.50
		1	49	16.15	16.25	16.26	17.50
		25	0	16.01	16.03	16.14	17.50
		25	13	16.15	16.16	16.13	17.50
		25	25	16.14	16.08	16.17	17.50
		50	0	16.21	16.11	16.17	17.50
	256QAM	1	0	16.15	16.28	16.29	17.50
		1	25	16.29	16.18	16.17	17.50
		1	49	16.10	16.27	16.25	17.50
		25	0	16.18	16.03	16.30	17.50
		25	13	16.23	16.04	16.28	17.50
		25	25	16.21	16.10	16.12	17.50
		50	0	16.21	16.11	16.21	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	16.35	16.10	16.09	17.50
		1	38	16.00	16.24	16.06	17.50
		1	74	16.23	16.07	16.24	17.50
		36	0	16.19	16.14	16.27	17.50
		36	18	16.11	16.08	16.29	17.50
		36	39	16.14	16.07	16.22	17.50
		75	0	16.21	16.20	16.15	17.50
	16QAM	1	0	16.13	16.10	16.14	17.50
		1	38	16.07	16.16	16.11	17.50
		1	74	16.21	16.20	16.18	17.50
		36	0	16.09	16.30	16.21	17.50
		36	18	16.01	16.22	16.14	17.50
		36	39	16.07	16.25	16.21	17.50
		75	0	16.15	16.08	16.13	17.50
	64QAM	1	0	16.14	16.36	15.99	17.50
		1	38	16.25	16.16	16.23	17.50
		1	74	16.15	16.07	16.15	17.50
		36	0	16.12	16.10	16.26	17.50
		36	18	16.20	16.16	16.20	17.50
		36	39	16.14	16.04	16.12	17.50
		75	0	16.33	16.07	16.23	17.50
	256QAM	1	0	16.08	16.08	16.17	17.50
		1	38	16.14	16.10	16.07	17.50
		1	74	16.10	16.27	16.19	17.50
		36	0	16.18	15.98	16.13	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 91 of 156

		36	18	16.09	15.99	16.21	17.50
		36	39	16.10	16.17	16.15	17.50
		75	0	16.23	16.16	16.19	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	16.35	16.40	16.25	17.50
		1	50	16.02	16.20	16.15	17.50
		1	99	16.25	16.26	16.09	17.50
		50	0	16.18	16.26	16.18	17.50
		50	25	16.05	16.21	16.12	17.50
		50	50	16.17	16.01	16.11	17.50
		100	0	16.00	16.08	16.04	17.50
	16QAM	1	0	16.01	16.08	16.19	17.50
		1	50	16.11	16.15	16.23	17.50
		1	99	16.33	16.12	16.19	17.50
		50	0	16.06	16.18	16.23	17.50
		50	25	15.95	16.22	16.10	17.50
		50	50	16.04	16.17	16.11	17.50
		100	0	16.11	15.96	16.28	17.50
	64QAM	1	0	16.15	16.34	16.01	17.50
		1	50	16.10	16.30	16.35	17.50
		1	99	16.08	16.25	16.29	17.50
		50	0	16.06	16.16	16.18	17.50
		50	25	16.06	16.13	16.29	17.50
		50	50	16.10	16.22	16.16	17.50
		100	0	16.15	16.14	16.13	17.50
	256QAM	1	0	16.10	16.21	16.14	17.50
		1	50	16.19	16.21	16.24	17.50
		1	99	16.31	16.30	16.24	17.50
		50	0	16.23	16.05	16.31	17.50
		50	25	16.12	16.14	16.27	17.50
		50	50	16.17	16.19	16.26	17.50
		100	0	16.29	16.13	16.40	17.50

LTE Band 66 State3 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	13.07	13.06	13.04	14.50
		1	2	12.92	12.91	12.93	14.50
		1	5	12.95	12.93	12.89	14.50
		3	0	12.77	12.78	12.95	14.50
		3	1	12.82	12.95	13.04	14.50
		3	3	13.03	12.88	12.91	14.50
		6	0	12.86	12.93	12.92	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 92 of 156

	16QAM	1	0	12.93	13.02	13.06	14.50
		1	2	12.99	12.99	13.05	14.50
		1	5	12.98	12.97	12.92	14.50
		3	0	12.94	13.04	12.97	14.50
		3	1	13.03	12.99	13.08	14.50
		3	3	12.91	12.84	12.85	14.50
		6	0	12.84	12.78	12.86	14.50
	64QAM	1	0	12.90	13.09	12.83	14.50
		1	2	12.88	13.00	12.90	14.50
		1	5	13.09	13.01	12.98	14.50
		3	0	12.95	12.96	12.89	14.50
		3	1	12.82	12.94	12.99	14.50
		3	3	12.99	12.82	12.93	14.50
		6	0	13.01	12.84	12.87	14.50
	256QAM	1	0	12.88	12.85	12.92	14.50
		1	2	12.90	12.89	12.87	14.50
		1	5	12.97	12.98	12.91	14.50
		3	0	12.91	12.93	13.02	14.50
		3	1	13.04	12.94	12.87	14.50
		3	3	13.10	12.89	12.78	14.50
		6	0	12.97	12.93	12.94	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	13.31	13.08	13.12	14.50
		1	7	12.98	13.31	12.97	14.50
		1	14	13.11	13.13	13.20	14.50
		8	0	13.05	13.14	13.09	14.50
		8	4	13.08	13.02	13.12	14.50
		8	7	13.03	12.94	13.20	14.50
		15	0	13.08	13.04	13.08	14.50
	16QAM	1	0	13.07	13.11	13.16	14.50
		1	7	13.13	13.06	13.14	14.50
		1	14	13.20	13.12	13.13	14.50
		8	0	13.07	13.13	13.02	14.50
		8	4	13.03	13.14	13.04	14.50
		8	7	12.99	13.18	13.22	14.50
		15	0	13.30	13.08	13.18	14.50
	64QAM	1	0	13.25	13.21	13.07	14.50
		1	7	13.21	13.04	13.18	14.50
		1	14	12.98	13.13	13.07	14.50
		8	0	13.03	12.98	13.06	14.50
		8	4	13.12	13.09	13.14	14.50
		8	7	13.17	13.17	13.02	14.50
		15	0	13.33	13.01	13.23	14.50
	256QAM	1	0	13.07	13.20	12.92	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 93 of 156

		1	7	13.24	12.91	13.21	14.50
		1	14	13.20	13.32	13.18	14.50
		8	0	12.98	12.93	13.19	14.50
		8	4	13.04	12.86	13.23	14.50
		8	7	13.13	13.13	13.15	14.50
		15	0	13.21	13.04	13.36	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	13.18	13.35	13.06	14.50
		1	13	12.98	13.32	13.13	14.50
		1	24	13.22	13.09	13.13	14.50
		12	0	13.27	12.98	13.01	14.50
		12	6	13.18	13.07	13.13	14.50
		12	13	13.08	12.98	13.00	14.50
		25	0	13.14	13.14	12.96	14.50
	16QAM	1	0	13.14	13.00	13.00	14.50
		1	13	12.95	13.06	13.27	14.50
		1	24	13.16	13.29	13.13	14.50
		12	0	13.16	13.17	13.25	14.50
		12	6	12.97	13.20	12.94	14.50
		12	13	13.05	13.26	13.10	14.50
		25	0	13.17	13.05	13.25	14.50
	64QAM	1	0	13.20	13.20	13.07	14.50
		1	13	13.17	13.12	13.15	14.50
		1	24	13.04	13.23	13.06	14.50
		12	0	13.01	13.09	13.22	14.50
		12	6	13.05	12.93	13.22	14.50
		12	13	13.29	13.19	12.93	14.50
		25	0	13.17	13.02	13.22	14.50
	256QAM	1	0	13.08	13.01	13.13	14.50
		1	13	13.10	13.09	13.09	14.50
		1	24	13.14	13.17	13.04	14.50
		12	0	13.14	12.94	13.08	14.50
		12	6	13.11	12.98	13.22	14.50
		12	13	13.09	13.07	13.07	14.50
		25	0	13.31	13.11	13.15	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	13.36	13.15	13.02	14.50
		1	25	13.03	13.23	13.16	14.50
		1	49	13.33	13.12	13.10	14.50
		25	0	13.00	13.18	13.05	14.50
		25	13	13.13	12.93	13.23	14.50
		25	25	13.05	12.92	13.13	14.50
		50	0	13.14	13.04	13.12	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 94 of 156

	16QAM	1	0	13.02	12.96	12.96	14.50
		1	25	12.99	13.05	12.99	14.50
		1	49	13.28	13.17	13.12	14.50
		25	0	13.01	13.15	13.08	14.50
		25	13	12.91	13.16	13.09	14.50
		25	25	13.09	13.23	13.05	14.50
		50	0	13.12	12.90	13.09	14.50
	64QAM	1	0	13.03	13.10	13.07	14.50
		1	25	13.17	13.04	13.12	14.50
		1	49	13.08	13.19	13.24	14.50
		25	0	12.95	13.00	13.07	14.50
		25	13	13.13	13.12	13.12	14.50
		25	25	13.07	13.07	13.08	14.50
		50	0	13.20	13.02	13.08	14.50
	256QAM	1	0	13.15	13.20	13.28	14.50
		1	25	13.21	13.13	13.11	14.50
		1	49	13.09	13.26	13.17	14.50
		25	0	13.15	13.00	13.22	14.50
		25	13	13.19	12.97	13.19	14.50
		25	25	13.13	13.02	13.03	14.50
		50	0	13.19	13.09	13.17	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	13.26	13.06	13.08	14.50
		1	38	12.95	13.19	12.97	14.50
		1	74	13.23	12.97	13.23	14.50
		36	0	13.17	13.13	13.18	14.50
		36	18	13.06	13.01	13.21	14.50
		36	39	13.10	12.97	13.19	14.50
		75	0	13.16	13.17	13.13	14.50
	16QAM	1	0	13.07	13.07	13.08	14.50
		1	38	13.02	13.10	13.05	14.50
		1	74	13.19	13.16	13.18	14.50
		36	0	13.08	13.30	13.13	14.50
		36	18	12.99	13.14	13.08	14.50
		36	39	12.99	13.16	13.12	14.50
		75	0	13.05	13.08	13.05	14.50
	64QAM	1	0	13.06	13.31	12.93	14.50
		1	38	13.15	13.11	13.18	14.50
		1	74	13.15	13.01	13.06	14.50
		36	0	13.05	13.03	13.17	14.50
		36	18	13.19	13.10	13.13	14.50
		36	39	13.12	12.96	13.10	14.50
		75	0	13.32	13.06	13.23	14.50
	256QAM	1	0	13.03	13.04	13.10	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 95 of 156

		1	38	13.10	13.08	13.05	14.50
		1	74	13.02	13.17	13.13	14.50
		36	0	13.10	12.94	13.11	14.50
		36	18	13.03	12.95	13.20	14.50
		36	39	13.02	13.08	13.14	14.50
		75	0	13.22	13.11	13.12	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	13.27	13.32	13.17	14.50
		1	50	12.93	13.12	13.13	14.50
		1	99	13.23	13.23	13.01	14.50
		50	0	13.15	13.23	13.12	14.50
		50	25	12.99	13.16	13.08	14.50
		50	50	13.10	12.93	13.10	14.50
		100	0	12.95	13.00	13.02	14.50
	16QAM	1	0	12.96	13.06	13.14	14.50
		1	50	13.05	13.06	13.18	14.50
		1	99	13.30	13.04	13.13	14.50
		50	0	13.01	13.13	13.21	14.50
		50	25	12.95	13.18	13.03	14.50
		50	50	13.02	13.13	13.04	14.50
		100	0	13.04	12.95	13.22	14.50
	64QAM	1	0	13.14	13.26	12.98	14.50
		1	50	13.10	13.25	13.25	14.50
		1	99	13.02	13.22	13.20	14.50
		50	0	13.00	13.13	13.13	14.50
		50	25	13.00	13.04	13.28	14.50
		50	50	13.04	13.15	13.14	14.50
		100	0	13.08	13.05	13.09	14.50
	256QAM	1	0	13.00	13.17	13.13	14.50
		1	50	13.18	13.15	13.17	14.50
		1	99	13.25	13.30	13.22	14.50
		50	0	13.14	13.01	13.27	14.50
		50	25	13.05	13.05	13.17	14.50
		50	50	13.10	13.17	13.26	14.50
		100	0	13.27	13.05	13.35	14.50

LTE Band 66 State1				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	21.88	21.90	21.88	23.00
		1	2	21.75	21.74	21.89	23.00
		1	5	21.69	21.82	21.72	23.00
		3	0	21.71	21.69	21.71	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 96 of 156

		3	1	21.72	21.83	21.84	23.00
		3	3	21.81	21.81	21.74	23.00
		6	0	21.78	21.79	21.78	23.00
	16QAM	1	0	21.74	21.83	21.81	23.00
		1	2	21.82	21.83	21.94	23.00
		1	5	21.83	21.85	21.75	23.00
		3	0	21.75	21.84	21.78	23.00
		3	1	21.85	21.83	21.82	23.00
		3	3	21.71	21.73	21.76	23.00
		6	0	21.81	21.65	21.82	23.00
	64QAM	1	0	21.80	21.90	21.69	23.00
		1	2	21.75	21.79	21.73	23.00
		1	5	21.89	21.84	21.76	23.00
		3	0	21.80	21.81	21.73	23.00
		3	1	21.77	21.71	21.92	23.00
		3	3	21.84	21.68	21.78	23.00
		6	0	20.88	20.69	20.66	22.00
	256QAM	1	0	20.80	20.77	20.71	22.00
		1	2	20.74	20.75	20.69	22.00
		1	5	20.81	20.78	20.76	22.00
		3	0	20.80	20.90	20.86	22.00
		3	1	20.93	20.86	20.75	22.00
		3	3	20.86	20.70	20.68	22.00
		6	0	19.79	19.73	19.83	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	22.10	21.95	21.90	23.00
		1	7	21.91	22.16	21.92	23.00
		1	14	21.99	21.99	21.99	23.00
		8	0	21.90	22.02	21.93	23.00
		8	4	21.94	21.88	22.06	23.00
		8	7	21.90	21.84	22.05	23.00
		15	0	22.04	21.94	21.88	23.00
	16QAM	1	0	21.92	21.90	22.04	23.00
		1	7	21.95	21.98	21.91	23.00
		1	14	22.01	21.98	21.90	23.00
		8	0	21.88	21.94	21.92	23.00
		8	4	21.85	22.00	21.92	23.00
		8	7	21.84	22.04	22.09	23.00
		15	0	22.09	21.92	22.09	23.00
	64QAM	1	0	22.10	22.00	21.98	23.00
		1	7	22.10	21.96	21.91	23.00
		1	14	21.81	21.95	21.90	23.00
		8	0	20.85	20.86	20.93	22.00
		8	4	21.07	20.97	20.92	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 97 of 156

		8	7	21.08	21.03	20.85	22.00
		15	0	21.11	20.86	21.02	22.00
	256QAM	1	0	20.86	20.99	20.89	22.00
		1	7	21.07	20.73	21.06	22.00
		1	14	21.07	21.14	20.96	22.00
		8	0	19.80	19.89	20.01	21.00
		8	4	19.93	19.71	20.05	21.00
		8	7	19.96	19.97	20.00	21.00
		15	0	20.08	19.93	20.15	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	22.08	22.12	21.91	23.00
		1	13	21.79	22.15	21.99	23.00
		1	24	22.00	21.89	21.93	23.00
		12	0	22.04	21.84	21.84	23.00
		12	6	22.02	21.87	21.97	23.00
		12	13	21.95	21.84	21.88	23.00
		25	0	21.93	21.96	21.88	23.00
	16QAM	1	0	21.97	21.76	21.89	23.00
		1	13	21.83	21.92	22.05	23.00
		1	24	22.05	22.13	21.97	23.00
		12	0	21.96	22.03	22.07	23.00
		12	6	21.82	22.05	21.82	23.00
		12	13	21.92	22.10	21.94	23.00
		25	0	22.06	21.88	22.09	23.00
	64QAM	1	0	22.02	22.05	21.91	23.00
		1	13	22.10	22.06	22.06	23.00
		1	24	21.86	22.10	21.96	23.00
		12	0	20.86	20.92	21.08	22.00
		12	6	20.88	20.81	21.11	22.00
		12	13	21.06	20.97	20.86	22.00
		25	0	21.03	20.94	21.13	22.00
	256QAM	1	0	20.94	20.88	21.00	22.00
		1	13	20.87	20.90	20.89	22.00
		1	24	21.03	21.10	20.91	22.00
		12	0	20.02	19.85	19.92	21.00
		12	6	19.97	19.78	19.97	21.00
		12	13	20.03	19.89	19.99	21.00
		25	0	20.14	19.97	20.08	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	22.11	22.07	21.87	23.00
		1	25	21.93	22.16	21.98	23.00
		1	49	22.12	21.96	21.97	23.00
		25	0	21.95	21.97	21.94	23.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 98 of 156

		25	13	21.99	21.81	22.10	23.00
		25	25	21.79	21.72	21.97	23.00
		50	0	22.01	21.82	21.92	23.00
	16QAM	1	0	21.82	21.81	21.89	23.00
		1	25	21.96	21.96	21.95	23.00
		1	49	22.12	22.00	21.95	23.00
		25	0	21.81	21.97	21.91	23.00
		25	13	21.87	22.01	22.04	23.00
		25	25	21.92	22.04	21.88	23.00
		50	0	21.87	21.75	21.92	23.00
	64QAM	1	0	21.86	22.01	21.89	23.00
		1	25	21.95	21.89	22.08	23.00
		1	49	21.97	21.97	22.09	23.00
		25	0	20.79	20.83	20.93	22.00
		25	13	21.00	20.99	20.97	22.00
		25	25	20.94	20.87	20.98	22.00
		50	0	21.04	20.93	20.90	22.00
	256QAM	1	0	20.99	21.04	21.05	22.00
		1	25	21.12	20.96	20.97	22.00
		1	49	20.97	21.10	20.99	22.00
		25	0	19.98	19.83	20.12	21.00
		25	13	20.04	19.78	20.09	21.00
		25	25	19.98	19.87	19.97	21.00
		50	0	20.04	19.90	20.01	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	22.17	21.98	21.85	23.00
		1	38	21.83	21.96	21.93	23.00
		1	74	21.98	21.86	22.05	23.00
		36	0	22.00	21.95	22.09	23.00
		36	18	21.95	21.84	22.12	23.00
		36	39	21.97	21.86	22.06	23.00
		75	0	22.04	22.04	22.02	23.00
	16QAM	1	0	21.93	21.98	21.96	23.00
		1	38	21.83	22.05	21.95	23.00
		1	74	22.03	21.99	21.95	23.00
		36	0	21.88	22.12	21.98	23.00
		36	18	21.85	22.00	21.88	23.00
		36	39	21.88	22.03	21.98	23.00
		75	0	21.94	21.90	21.90	23.00
	64QAM	1	0	21.98	22.16	21.82	23.00
		1	38	22.03	21.96	22.04	23.00
		1	74	21.98	21.87	21.95	23.00
		36	0	20.91	20.91	21.10	22.00
		36	18	21.01	20.95	20.93	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 99 of 156

		36	39	20.95	20.88	20.98	22.00
		75	0	21.11	20.82	21.06	22.00
	256QAM	1	0	20.90	20.93	20.93	22.00
		1	38	20.95	20.84	20.93	22.00
		1	74	20.93	21.08	21.02	22.00
		36	0	19.99	19.80	19.92	21.00
		36	18	19.90	19.82	19.97	21.00
		36	39	19.89	19.98	19.92	21.00
		75	0	20.04	19.88	19.95	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	22.11	22.18	22.06	23.00
		1	50	22.06	22.03	21.98	23.00
		1	99	22.00	21.99	21.94	23.00
		50	0	21.97	22.12	22.04	23.00
		50	25	21.85	22.03	22.02	23.00
		50	50	21.93	21.81	21.94	23.00
		100	0	21.78	21.87	21.82	23.00
	16QAM	1	0	21.82	21.83	22.01	23.00
		1	50	21.94	21.97	22.08	23.00
		1	99	22.12	21.94	22.03	23.00
		50	0	21.92	21.93	22.07	23.00
		50	25	21.80	21.99	21.90	23.00
		50	50	21.84	22.00	21.94	23.00
		100	0	21.90	21.79	22.05	23.00
	64QAM	1	0	22.02	22.15	21.82	23.00
		1	50	21.91	22.10	22.14	23.00
		1	99	21.92	22.02	22.07	23.00
		50	0	20.87	21.00	21.03	22.00
		50	25	20.85	21.00	21.10	22.00
		50	50	20.94	21.01	20.89	22.00
		100	0	20.99	20.90	20.95	22.00
	256QAM	1	0	20.95	20.98	20.95	22.00
		1	50	20.97	21.02	21.05	22.00
		1	99	21.13	21.13	20.97	22.00
		50	0	20.08	19.84	20.16	21.00
		50	25	19.91	19.94	20.06	21.00
		50	50	19.96	19.93	20.02	21.00
		100	0	20.13	19.86	20.12	21.00

LTE Band 66 State4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	20.42	20.51	20.49	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 100 of 156

		1	2	20.38	20.37	20.49	22.00
		1	5	20.33	20.38	20.26	22.00
		3	0	20.27	20.24	20.33	22.00
		3	1	20.29	20.44	20.50	22.00
		3	3	20.40	20.37	20.31	22.00
		6	0	20.36	20.38	20.34	22.00
	16QAM	1	0	20.42	20.37	20.50	22.00
		1	2	20.44	20.40	20.52	22.00
		1	5	20.39	20.37	20.30	22.00
		3	0	20.40	20.49	20.37	22.00
		3	1	20.48	20.37	20.43	22.00
		3	3	20.29	20.39	20.43	22.00
		6	0	20.36	20.25	20.38	22.00
	64QAM	1	0	20.43	20.52	20.30	22.00
		1	2	20.41	20.45	20.33	22.00
		1	5	20.46	20.45	20.40	22.00
		3	0	20.41	20.39	20.28	22.00
		3	1	20.36	20.31	20.46	22.00
		3	3	20.42	20.35	20.37	22.00
		6	0	20.49	20.34	20.35	22.00
	256QAM	1	0	20.32	20.38	20.32	22.00
		1	2	20.35	20.26	20.35	22.00
		1	5	20.41	20.48	20.40	22.00
		3	0	20.40	20.47	20.42	22.00
		3	1	20.52	20.45	20.35	22.00
		3	3	20.50	20.33	20.26	22.00
		6	0	19.42	19.35	19.37	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	20.68	20.57	20.53	22.00
		1	7	20.50	20.79	20.46	22.00
		1	14	20.61	20.57	20.64	22.00
		8	0	20.52	20.61	20.50	22.00
		8	4	20.51	20.54	20.60	22.00
		8	7	20.49	20.42	20.73	22.00
		15	0	20.61	20.56	20.57	22.00
	16QAM	1	0	20.54	20.52	20.62	22.00
		1	7	20.57	20.56	20.50	22.00
		1	14	20.66	20.61	20.50	22.00
		8	0	20.45	20.59	20.54	22.00
		8	4	20.49	20.66	20.53	22.00
		8	7	20.48	20.67	20.65	22.00
		15	0	20.65	20.59	20.65	22.00
	64QAM	1	0	20.64	20.65	20.53	22.00
		1	7	20.68	20.51	20.54	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 101 of 156

		1	14	20.41	20.54	20.55	22.00
		8	0	20.45	20.44	20.47	22.00
		8	4	20.60	20.56	20.56	22.00
		8	7	20.66	20.62	20.46	22.00
		15	0	20.73	20.41	20.71	22.00
	256QAM	1	0	20.48	20.61	20.50	22.00
		1	7	20.67	20.33	20.67	22.00
		1	14	20.69	20.72	20.58	22.00
		8	0	19.42	19.49	19.65	21.00
		8	4	19.49	19.30	19.68	21.00
		8	7	19.62	19.55	19.57	21.00
		15	0	19.66	19.52	19.74	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	20.72	20.71	20.52	22.00
		1	13	20.42	20.80	20.60	22.00
		1	24	20.58	20.53	20.56	22.00
		12	0	20.59	20.42	20.52	22.00
		12	6	20.55	20.50	20.56	22.00
		12	13	20.48	20.42	20.47	22.00
		25	0	20.52	20.60	20.47	22.00
	16QAM	1	0	20.56	20.39	20.51	22.00
		1	13	20.39	20.57	20.68	22.00
		1	24	20.65	20.69	20.59	22.00
		12	0	20.48	20.62	20.61	22.00
		12	6	20.40	20.63	20.47	22.00
		12	13	20.52	20.69	20.53	22.00
		25	0	20.62	20.53	20.63	22.00
	64QAM	1	0	20.71	20.70	20.53	22.00
		1	13	20.64	20.63	20.58	22.00
		1	24	20.43	20.72	20.60	22.00
		12	0	20.42	20.52	20.66	22.00
		12	6	20.50	20.48	20.64	22.00
		12	13	20.71	20.61	20.43	22.00
		25	0	20.66	20.52	20.71	22.00
	256QAM	1	0	20.50	20.47	20.60	22.00
		1	13	20.56	20.53	20.54	22.00
		1	24	20.59	20.63	20.59	22.00
		12	0	19.56	19.40	19.48	21.00
		12	6	19.56	19.37	19.64	21.00
		12	13	19.63	19.47	19.53	21.00
		25	0	19.75	19.63	19.63	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	20.70	20.65	20.50	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 102 of 156

			1	25	20.48	20.76	20.54	22.00
			1	49	20.74	20.52	20.55	22.00
			25	0	20.57	20.62	20.49	22.00
			25	13	20.58	20.49	20.67	22.00
			25	25	20.42	20.39	20.56	22.00
			50	0	20.64	20.40	20.50	22.00
		16QAM	1	0	20.49	20.44	20.49	22.00
			1	25	20.51	20.65	20.48	22.00
			1	49	20.72	20.63	20.57	22.00
			25	0	20.44	20.64	20.53	22.00
			25	13	20.46	20.60	20.57	22.00
			25	25	20.48	20.65	20.55	22.00
		50	0	20.48	20.38	20.49	22.00	
		64QAM	1	0	20.50	20.55	20.45	22.00
			1	25	20.55	20.51	20.66	22.00
			1	49	20.52	20.64	20.60	22.00
			25	0	20.45	20.41	20.49	22.00
			25	13	20.64	20.52	20.60	22.00
	25		25	20.57	20.47	20.56	22.00	
	50	0	20.69	20.48	20.56	22.00		
	256QAM	1	0	20.55	20.65	20.63	22.00	
		1	25	20.70	20.54	20.58	22.00	
		1	49	20.49	20.69	20.61	22.00	
		25	0	19.56	19.49	19.67	21.00	
		25	13	19.55	19.43	19.68	21.00	
		25	25	19.65	19.44	19.55	21.00	
	50	0	19.63	19.53	19.61	21.00		
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
132047					132322	132597		
15MHz	QPSK	1	0	20.69	20.52	20.41	22.00	
		1	38	20.38	20.63	20.51	22.00	
		1	74	20.57	20.47	20.70	22.00	
		36	0	20.63	20.51	20.68	22.00	
		36	18	20.53	20.44	20.68	22.00	
		36	39	20.53	20.40	20.68	22.00	
		75	0	20.62	20.56	20.53	22.00	
	16QAM	1	0	20.53	20.57	20.57	22.00	
		1	38	20.39	20.65	20.57	22.00	
		1	74	20.56	20.61	20.58	22.00	
		36	0	20.43	20.76	20.60	22.00	
		36	18	20.37	20.64	20.53	22.00	
		36	39	20.49	20.61	20.63	22.00	
		75	0	20.50	20.49	20.57	22.00	
	64QAM	1	0	20.52	20.73	20.40	22.00	
		1	38	20.63	20.55	20.60	22.00	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 103 of 156

		1	74	20.57	20.56	20.54	22.00
		36	0	20.49	20.53	20.73	22.00
		36	18	20.61	20.52	20.60	22.00
		36	39	20.48	20.47	20.58	22.00
		75	0	20.71	20.44	20.64	22.00
	256QAM	1	0	20.50	20.45	20.56	22.00
		1	38	20.54	20.44	20.53	22.00
		1	74	20.54	20.75	20.57	22.00
		36	0	19.63	19.36	19.52	21.00
		36	18	19.48	19.42	19.58	21.00
		36	39	19.50	19.61	19.48	21.00
		75	0	19.61	19.52	19.60	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	20.72	20.81	20.77	22.00
		1	50	20.69	20.65	20.69	22.00
		1	99	20.64	20.65	20.62	22.00
		50	0	20.57	20.58	20.57	22.00
		50	25	20.40	20.54	20.52	22.00
		50	50	20.53	20.42	20.53	22.00
		100	0	20.46	20.53	20.47	22.00
	16QAM	1	0	20.47	20.43	20.56	22.00
		1	50	20.53	20.54	20.66	22.00
		1	99	20.70	20.61	20.63	22.00
		50	0	20.47	20.61	20.65	22.00
		50	25	20.41	20.57	20.57	22.00
		50	50	20.45	20.61	20.53	22.00
		100	0	20.53	20.43	20.71	22.00
	64QAM	1	0	20.59	20.68	20.37	22.00
		1	50	20.57	20.65	20.70	22.00
		1	99	20.47	20.69	20.73	22.00
		50	0	20.50	20.57	20.63	22.00
		50	25	20.42	20.55	20.68	22.00
		50	50	20.52	20.62	20.57	22.00
		100	0	20.61	20.52	20.51	22.00
	256QAM	1	0	20.49	20.55	20.50	22.00
		1	50	20.60	20.59	20.62	22.00
		1	99	20.66	20.66	20.63	22.00
		50	0	19.65	19.46	19.74	21.00
		50	25	19.55	19.56	19.61	21.00
		50	50	19.52	19.54	19.57	21.00
		100	0	19.77	19.50	19.75	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 104 of 156

LTE Band 66 State4 (UL CA & ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	17.41	17.49	17.43	19.00
		1	2	17.33	17.37	17.45	19.00
		1	5	17.31	17.31	17.22	19.00
		3	0	17.20	17.17	17.26	19.00
		3	1	17.28	17.42	17.45	19.00
		3	3	17.31	17.33	17.21	19.00
		6	0	17.30	17.34	17.29	19.00
	16QAM	1	0	17.41	17.29	17.46	19.00
		1	2	17.36	17.32	17.43	19.00
		1	5	17.38	17.34	17.23	19.00
		3	0	17.35	17.39	17.28	19.00
		3	1	17.46	17.35	17.42	19.00
		3	3	17.25	17.35	17.39	19.00
		6	0	17.35	17.15	17.34	19.00
	64QAM	1	0	17.37	17.50	17.28	19.00
		1	2	17.36	17.38	17.27	19.00
		1	5	17.38	17.37	17.37	19.00
		3	0	17.36	17.34	17.19	19.00
		3	1	17.31	17.31	17.36	19.00
		3	3	17.40	17.29	17.34	19.00
		6	0	17.45	17.24	17.25	19.00
	256QAM	1	0	17.31	17.37	17.27	19.00
		1	2	17.34	17.24	17.30	19.00
		1	5	17.37	17.39	17.35	19.00
		3	0	17.38	17.39	17.41	19.00
		3	1	17.51	17.39	17.29	19.00
		3	3	17.46	17.27	17.24	19.00
		6	0	17.33	17.31	17.33	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	17.65	17.52	17.50	19.00
		1	7	17.46	17.73	17.44	19.00
		1	14	17.58	17.50	17.63	19.00
		8	0	17.50	17.57	17.45	19.00
		8	4	17.45	17.46	17.56	19.00
		8	7	17.45	17.36	17.68	19.00
		15	0	17.55	17.49	17.56	19.00
	16QAM	1	0	17.45	17.48	17.55	19.00
		1	7	17.54	17.55	17.44	19.00
		1	14	17.63	17.56	17.44	19.00
		8	0	17.43	17.52	17.49	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 105 of 156

		8	4	17.42	17.60	17.48	19.00
		8	7	17.46	17.59	17.61	19.00
		15	0	17.56	17.56	17.65	19.00
	64QAM	1	0	17.57	17.57	17.48	19.00
		1	7	17.63	17.42	17.49	19.00
		1	14	17.40	17.53	17.51	19.00
		8	0	17.41	17.40	17.40	19.00
		8	4	17.58	17.47	17.55	19.00
		8	7	17.57	17.60	17.38	19.00
		15	0	17.68	17.40	17.69	19.00
	256QAM	1	0	17.46	17.61	17.47	19.00
		1	7	17.63	17.30	17.58	19.00
		1	14	17.64	17.70	17.55	19.00
		8	0	17.36	17.41	17.60	19.00
		8	4	17.42	17.23	17.68	19.00
		8	7	17.55	17.52	17.51	19.00
		15	0	17.62	17.46	17.64	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	17.63	17.69	17.42	19.00
		1	13	17.41	17.76	17.55	19.00
		1	24	17.51	17.48	17.49	19.00
		12	0	17.50	17.33	17.45	19.00
		12	6	17.54	17.46	17.56	19.00
		12	13	17.46	17.35	17.46	19.00
		25	0	17.46	17.60	17.41	19.00
	16QAM	1	0	17.53	17.31	17.42	19.00
		1	13	17.32	17.56	17.61	19.00
		1	24	17.62	17.60	17.49	19.00
		12	0	17.45	17.53	17.58	19.00
		12	6	17.32	17.53	17.44	19.00
		12	13	17.46	17.69	17.48	19.00
		25	0	17.61	17.45	17.54	19.00
	64QAM	1	0	17.62	17.61	17.46	19.00
		1	13	17.63	17.60	17.51	19.00
		1	24	17.38	17.70	17.60	19.00
		12	0	17.37	17.42	17.60	19.00
		12	6	17.41	17.48	17.58	19.00
		12	13	17.67	17.53	17.43	19.00
		25	0	17.59	17.46	17.68	19.00
	256QAM	1	0	17.43	17.43	17.55	19.00
		1	13	17.53	17.47	17.52	19.00
		1	24	17.53	17.60	17.54	19.00
		12	0	17.49	17.32	17.46	19.00
		12	6	17.48	17.29	17.61	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 106 of 156

		12	13	17.56	17.38	17.51	19.00
		25	0	17.67	17.55	17.61	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	17.60	17.55	17.45	19.00
		1	25	17.40	17.68	17.50	19.00
		1	49	17.70	17.47	17.52	19.00
		25	0	17.53	17.53	17.49	19.00
		25	13	17.56	17.43	17.59	19.00
		25	25	17.35	17.35	17.52	19.00
		50	0	17.55	17.31	17.40	19.00
	16QAM	1	0	17.41	17.38	17.40	19.00
		1	25	17.44	17.62	17.43	19.00
		1	49	17.72	17.59	17.49	19.00
		25	0	17.40	17.54	17.47	19.00
		25	13	17.44	17.52	17.56	19.00
		25	25	17.38	17.57	17.50	19.00
		50	0	17.38	17.31	17.45	19.00
	64QAM	1	0	17.49	17.51	17.42	19.00
		1	25	17.49	17.46	17.64	19.00
		1	49	17.48	17.62	17.57	19.00
		25	0	17.36	17.33	17.41	19.00
		25	13	17.56	17.46	17.53	19.00
		25	25	17.53	17.44	17.52	19.00
		50	0	17.65	17.43	17.49	19.00
	256QAM	1	0	17.50	17.61	17.63	19.00
		1	25	17.70	17.48	17.57	19.00
		1	49	17.42	17.60	17.59	19.00
		25	0	17.49	17.40	17.59	19.00
		25	13	17.51	17.41	17.58	19.00
		25	25	17.64	17.35	17.47	19.00
		50	0	17.53	17.48	17.58	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	17.66	17.51	17.34	19.00
		1	38	17.31	17.53	17.47	19.00
		1	74	17.54	17.47	17.66	19.00
		36	0	17.58	17.48	17.66	19.00
		36	18	17.45	17.36	17.58	19.00
		36	39	17.46	17.39	17.66	19.00
		75	0	17.58	17.51	17.46	19.00
	16QAM	1	0	17.47	17.51	17.56	19.00
		1	38	17.32	17.59	17.55	19.00
		1	74	17.51	17.59	17.57	19.00
		36	0	17.42	17.71	17.56	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 107 of 156

		36	18	17.30	17.63	17.46	19.00
		36	39	17.46	17.56	17.60	19.00
		75	0	17.46	17.43	17.51	19.00
	64QAM	1	0	17.51	17.67	17.39	19.00
		1	38	17.61	17.55	17.53	19.00
		1	74	17.56	17.49	17.48	19.00
		36	0	17.43	17.43	17.70	19.00
		36	18	17.61	17.44	17.53	19.00
		36	39	17.48	17.46	17.52	19.00
		75	0	17.64	17.40	17.63	19.00
		1	0	17.46	17.38	17.56	19.00
	256QAM	1	38	17.50	17.36	17.46	19.00
		1	74	17.54	17.67	17.50	19.00
		36	0	17.54	17.35	17.51	19.00
		36	18	17.48	17.35	17.51	19.00
		36	39	17.45	17.55	17.48	19.00
		75	0	17.59	17.49	17.59	19.00
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
					132072	132322	132572
	20MHz	QPSK	RB size	RB offset	Channel	Channel	Channel
			1	0	17.70	17.77	17.74
			1	50	17.61	17.63	17.61
			1	99	17.56	17.62	17.55
			50	0	17.54	17.50	17.53
			50	25	17.38	17.50	17.44
			50	50	17.44	17.38	17.53
			100	0	17.44	17.48	17.46
		16QAM	RB size	RB offset	Channel	Channel	Channel
			1	0	17.42	17.42	17.54
			1	50	17.48	17.47	17.62
			1	99	17.66	17.59	17.63
			50	0	17.39	17.59	17.62
			50	25	17.35	17.47	17.52
			50	50	17.43	17.56	17.52
			100	0	17.47	17.39	17.65
		64QAM	RB size	RB offset	Channel	Channel	Channel
			1	0	17.55	17.61	17.32
			1	50	17.52	17.62	17.69
			1	99	17.46	17.61	17.71
			50	0	17.50	17.49	17.60
			50	25	17.41	17.49	17.67
			50	50	17.49	17.52	17.50
			100	0	17.59	17.52	17.51
		256QAM	RB size	RB offset	Channel	Channel	Channel
			1	0	17.41	17.47	17.40
			1	50	17.58	17.50	17.61
			1	99	17.66	17.56	17.61
			50	0	17.65	17.37	17.73
			50	25	17.53	17.52	17.59



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
Rev.: 01
Page: 108 of 156

		50	50	17.44	17.48	17.50	19.00
		100	0	17.74	17.40	17.67	19.00

3. Conducted Power of LTE UL_CA

CA_5B Ant0 State0&1&3&4										
Combination 10MHz+10MHz (50RB+50RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20501	20600	QPSK	1	0	1	49	2	0	24.23	25.00

CA_66C Ant3 State0										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	99	1	0	2	0	23.62	25.00
132322	132124	QPSK	1	0	1	99	2	0	23.68	25.00
132572	132374	QPSK	1	0	1	99	2	0	23.51	25.00

CA_66B Ant3 State0										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132165	QPSK	1	74	1	0	2	0	23.63	25.00
132322	132229	QPSK	1	0	1	74	2	0	23.68	25.00
132572	132479	QPSK	1	0	1	74	2	0	23.49	25.00

CA_66C Ant3 State3										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	99	1	0	2	0	16.17	17.50
132322	132124	QPSK	1	0	1	99	2	0	16.26	17.50
132572	132374	QPSK	1	0	1	99	2	0	16.07	17.50

CA_66B Ant3 State3										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132165	QPSK	1	74	1	0	2	0	16.15	17.50

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 110 of 156

132322	132229	QPSK	1	74	1	0	2	0	16.25	17.50
132572	132479	QPSK	1	0	1	24	2	0	16.09	17.50

CA_66C Ant3 State1										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	99	1	0	2	0	21.95	23.00
132322	132124	QPSK	1	0	1	99	2	0	22.01	23.00
132572	132374	QPSK	1	0	1	99	2	0	21.89	23.00

CA_66B Ant3 State1										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132165	QPSK	1	74	1	0	2	0	21.91	23.00
132322	132229	QPSK	1	0	1	74	2	0	22.03	23.00
132572	132479	QPSK	1	0	1	24	2	0	21.89	23.00

CA_66C Ant3 State4										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	99	1	0	2	0	20.65	22.00
132322	132124	QPSK	1	0	1	99	2	0	20.79	22.00
132572	132374	QPSK	1	0	1	99	2	0	20.69	22.00

CA_66B Ant3 State4										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132165	QPSK	1	74	1	0	2	0	20.64	22.00
132322	132229	QPSK	1	0	1	74	2	0	20.79	22.00
132572	132479	QPSK	1	0	1	74	2	0	20.65	22.00

4. Conducted Power of LTE DL_CA

CA List	PCC								SCC1				Power	
	LTE	Ant	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	With CA	Without CA
	Band		(MHz)	Freq. (MHz)	Channel		RB	RB Offset	Band	(MHz)	Freq. (MHz)	Channel	Tx. Power (dBm)	Tx. Power (dBm)
CA_2A-5A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	23.52	23.58
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	24.21	24.26
CA_2A-12A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 12	10M	737.5	5095	23.38	23.58
	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 2	20M	1960	900	24.06	24.11
CA_2A-14A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 14	10M	763	5330	23.49	23.58
	Band 14	0	10M	793	23230	QPSK	1	0	Band 2	20M	1960	900	24.12	24.15
CA_2A-17A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 17	10M	740	5790	23.48	23.58
	Band 17	0	10M	710	23790	QPSK	1	0	Band 2	20M	1960	900	24.05	24.16
CA_2A-30A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 30	10M	2355	9820	23.54	23.58
	Band 30	3	10M	2310	27710	QPSK	1	0	Band 2	20M	1960	900	23.76	23.83
CA_2A-66A	Band 2	3	20M	1880	18900	QPSK	1	0	Band 66	20M	2145	66786	23.52	23.58
	Band 66	3	20M	1745	132322	QPSK	1	0	Band 2	20M	1960	900	23.53	23.74
CA_4A-5A	Band 4	3	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	23.70	23.93
	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 4	20M	2132.5	2175	24.15	24.26
CA_4A-12A	Band 4	3	20M	1732.5	20175	QPSK	1	0	Band 12	10M	737.5	5095	23.73	23.93
	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 4	20M	2132.5	2175	24.01	24.11
CA_4A-17A	Band 4	3	20M	1732.5	20175	QPSK	1	0	Band 17	10M	740	5790	23.78	23.93
	Band 17	0	10M	710	23790	QPSK	1	0	Band 4	20M	2132.5	2175	24.06	24.16
CA_4A-30A	Band 4	3	20M	1732.5	20175	QPSK	1	0	Band 30	10M	2355	9820	23.74	23.93
	Band 30	3	10M	2310	27710	QPSK	1	0	Band 4	20M	2132.5	2175	23.72	23.83
CA_5B	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 5	5M	891.5	2625	24.22	24.26
CA_5A-30A	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 30	10M	2355	9820	24.16	24.26
	Band 30	3	10M	2310	27710	QPSK	1	0	Band 5	5M	891.5	2625	23.72	23.83
CA_5A-66A	Band 5	0	10M	836.5	20525	QPSK	1	0	Band 66	20M	2145	66786	24.23	24.26
	Band 66	3	20M	1745	132322	QPSK	1	0	Band 5	10M	881.5	2525	23.66	23.74
CA_12A-30A	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 30	10M	2355	9820	23.93	24.11
	Band 30	3	10M	2310	27710	QPSK	1	0	Band 12	5M	743.5	5155	23.63	23.83
CA_12A-66A	Band 12	0	10M	707.5	23095	QPSK	1	0	Band 66	20M	2145	66786	23.96	24.11
	Band 66	3	20M	1745	132322	QPSK	1	0	Band 12	10M	737.5	5095	23.55	23.74
CA_14A-30A	Band 14	0	10M	793	23230	QPSK	1	0	Band 30	10M	2355	9820	23.98	24.15
	Band 30	3	10M	2310	27710	QPSK	1	0	Band 14	10M	763	5330	23.64	23.83
CA_14A-66A	Band 14	0	10M	793	23230	QPSK	1	0	Band 66	20M	2145	66786	23.92	24.15
	Band 66	3	20M	1745	132322	QPSK	1	0	Band 14	10M	763	5330	23.59	23.74
CA_30A-66A	Band 30	3	10M	2310	27710	QPSK	1	0	Band 66	20M	2145	66786	23.78	23.83
	Band 66	3	20M	1745	132322	QPSK	1	0	Band 30	10M	2355	9820	23.55	23.74
CA_66B	Band 66	3	15M	1745	132322	QPSK	1	0	Band 66	5M	2164.3	66979	23.53	23.74
CA_66C	Band 66	3	20M	1745	132322	QPSK	1	0	Band 66	20M	2164.8	66984	23.67	23.74



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
Rev.: 01
Page: 112 of 156

CA_66A-66A	Band 66	3	20M	1745	132322	QPSK	1	0	Band 66	5M	2177.5	67111	23.58	23.74
------------	---------	---	-----	------	--------	------	---	---	---------	----	--------	-------	-------	-------



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 113 of 156

5. Conducted Power of 5G NR

Ant0:

N5_15kHz State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
20MHz	DFT-s-OFDM QPSK	1	1	/	24.14	/	25.00
		1	53	/	24.00	/	25.00
		1	104	/	24.01	/	25.00
		50	0	/	23.12	/	24.00
		50	28	/	24.11	/	25.00
		50	56	/	23.06	/	24.00
		100	0	/	23.00	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	22.59	/	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
20MHz	CP-OFDM QPSK	1	1	/	22.53	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
15MHz	DFT-s-OFDM QPSK	1	1	/	24.01	/	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
10MHz	DFT-s-OFDM QPSK	1	1	23.96	24.05	24.11	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	23.99	24.12	24.15	25.00

N5_15kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
20MHz	DFT-s-OFDM QPSK	1	1	/	23.09	/	24.00
		1	53	/	22.90	/	24.00
		1	104	/	22.93	/	24.00
		50	0	/	23.05	/	24.00
		50	28	/	23.01	/	24.00
		50	56	/	22.98	/	24.00
		100	0	/	22.97	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	22.52	/	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
20MHz	CP-OFDM QPSK	1	1	/	21.44	/	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
15MHz	DFT-s-OFDM QPSK	1	1	/	22.92	/	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	167300	/	
10MHz	DFT-s-OFDM QPSK	1	1	22.91	22.95	23.09	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
Rev.: 01
Page: 114 of 156

				165300	167300	169300	
5MHz	DFT-s-OFDM QPSK	1	1	22.96	23.12	23.14	24.00

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 115 of 156

Ant1:

N2_15kHz State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	23.85	23.88	23.83	25.00
		1	53	23.75	23.84	23.83	25.00
		1	104	23.81	23.78	23.82	25.00
		50	0	22.88	22.87	22.95	24.00
		50	28	23.70	23.74	23.69	25.00
		50	56	22.90	22.81	22.81	24.00
		100	0	22.74	22.78	22.69	24.00
	DFT-s-OFDM 16QAM	1	1	22.52	22.34	22.34	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	22.78	22.67	22.58	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	23.47	23.57	23.59	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	23.48	23.59	23.53	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	23.66	23.64	23.56	25.00

N66_15kHz State0&1&3&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	24.18	/	25.00
		1	108	/	23.83	/	25.00
		1	214	/	23.85	/	25.00
		108	0	/	23.01	/	24.00
		108	54	/	24.11	/	25.00
		108	108	/	22.85	/	24.00
		216	0	/	22.77	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	22.46	/	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	22.32	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	23.84	23.89	23.88	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	23.88	23.84	23.71	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
Rev.: 01
Page: 116 of 156

10MHz	DFT-s-OFDM QPSK	1	1	23.82	23.82	23.80	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	23.86	23.92	23.81	25.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 117 of 156

Ant3:

N2_15kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	23.64	23.82	23.72	25.00
		1	53	23.55	23.63	23.61	25.00
		1	104	23.62	23.62	23.54	25.00
		50	0	22.74	22.68	22.53	24.00
		50	28	23.77	23.79	23.62	25.00
		50	56	22.67	22.63	22.57	24.00
		100	0	22.43	22.63	22.61	24.00
	DFT-s-OFDM 16QAM	1	1	22.51	22.45	22.41	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	22.53	22.48	22.64	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	23.81	23.64	23.64	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	23.71	23.66	23.70	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	23.65	23.75	23.66	25.00

N2_15kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	15.60	15.82	15.65	17.00
		1	53	15.48	15.60	15.51	17.00
		1	104	15.56	15.53	15.53	17.00
		50	0	15.68	15.65	15.49	17.00
		50	28	15.68	15.70	15.56	17.00
		50	56	15.66	15.56	15.56	17.00
		100	0	15.37	15.62	15.54	17.00
	DFT-s-OFDM 16QAM	1	1	15.41	15.36	15.36	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	14.44	14.45	14.55	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	15.80	15.58	15.63	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 118 of 156

10MHz	DFT-s-OFDM QPSK	1	1	15.67	15.66	15.65	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	15.59	15.69	15.57	17.00

N2_15kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	12.59	12.79	12.62	14.00
		1	53	12.45	12.57	12.48	14.00
		1	104	12.53	12.44	12.44	14.00
		50	0	12.66	12.65	12.49	14.00
		50	28	12.64	12.66	12.49	14.00
		50	56	12.56	12.55	12.54	14.00
		100	0	12.30	12.59	12.45	14.00
	DFT-s-OFDM 16QAM	1	1	12.60	12.52	12.52	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	11.37	11.43	11.45	12.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	12.80	12.49	12.55	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	12.59	12.60	12.57	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	12.52	12.61	12.54	14.00

N2_15kHz State1				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	21.13	21.29	21.17	22.50
		1	53	21.01	21.04	21.02	22.50
		1	104	21.02	21.05	21.04	22.50
		50	0	21.15	21.14	20.96	22.50
		50	28	21.18	21.25	21.03	22.50
		50	56	21.13	21.09	21.00	22.50
		100	0	20.88	21.10	21.03	22.50
	DFT-s-OFDM 16QAM	1	1	20.95	20.87	20.83	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	19.97	19.89	20.12	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 119 of 156

				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	21.28	21.11	21.08	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	21.15	21.11	21.15	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	21.14	21.16	21.08	22.50

N2_15kHz State1 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	18.06	18.21	18.13	19.50
		1	53	17.96	18.02	17.94	19.50
		1	104	18.02	18.01	17.98	19.50
		50	0	18.10	18.10	17.88	19.50
		50	28	18.17	18.20	18.02	19.50
		50	56	18.07	18.03	17.96	19.50
		100	0	17.83	18.04	17.96	19.50
	DFT-s-OFDM 16QAM	1	1	17.85	17.80	17.78	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	38000	
20MHz	CP-OFDM QPSK	1	1	16.92	16.84	17.07	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	18.04	18.15	18.01	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	18.11	18.09	18.03	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	18.13	18.15	18.06	19.50

N2_15kHz State4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	20.26	20.28	20.23	21.50
		1	53	20.00	20.11	20.07	21.50
		1	104	20.09	20.02	19.95	21.50
		50	0	19.22	19.09	18.93	20.50
		50	28	20.18	20.23	20.21	21.50
		50	56	19.07	19.05	19.06	20.50
		100	0	18.93	19.08	19.05	20.50
	DFT-s-OFDM 16QAM	1	1	18.97	18.89	18.87	20.50

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 120 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	18.93	18.96	19.10	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	20.25	20.04	20.10	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	20.16	20.13	20.19	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	20.09	20.23	20.15	21.50

N2_15kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	DFT-s-OFDM QPSK	1	1	16.67	16.73	16.69	18.00
		1	53	16.42	16.58	16.52	18.00
		1	104	16.52	16.49	16.40	18.00
		50	0	16.64	16.50	16.35	18.00
		50	28	16.67	16.70	16.65	18.00
		50	56	16.56	16.51	16.52	18.00
		100	0	16.40	16.48	16.52	18.00
	DFT-s-OFDM 16QAM	1	1	16.38	16.36	16.29	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				372000	376000	380000	
20MHz	CP-OFDM QPSK	1	1	15.42	15.45	15.59	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371500	376000	380500	
15MHz	DFT-s-OFDM QPSK	1	1	16.73	16.52	16.55	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				371000	376000	381000	
10MHz	DFT-s-OFDM QPSK	1	1	16.60	16.55	16.67	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				370500	376000	381500	
5MHz	DFT-s-OFDM QPSK	1	1	16.50	16.70	16.62	18.00

N30_15kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	23.58	/	24.50
		1	26	/	23.43	/	24.50
		1	50	/	23.53	/	24.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 121 of 156

		25	0	/	22.51	/	23.50
		25	14	/	23.56	/	24.50
		25	27	/	22.49	/	23.50
		50	0	/	22.35	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	22.07	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	22.01	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	23.37	23.48	23.43	24.50

N30_15kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	16.99	/	18.00
		1	26	/	16.93	/	18.00
		1	50	/	16.93	/	18.00
		25	0	/	16.93	/	18.00
		25	14	/	16.97	/	18.00
		25	27	/	16.91	/	18.00
		50	0	/	16.82	/	18.00
	DFT-s-OFDM 16QAM	1	1	/	16.47	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	15.48	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	16.87	16.91	16.74	18.00

N30_15kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	13.97	/	15.00
		1	26	/	13.89	/	15.00
		1	50	/	13.89	/	15.00
		25	0	/	13.93	/	15.00
		25	14	/	13.93	/	15.00
		25	27	/	13.91	/	15.00
		50	0	/	13.72	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	13.41	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	12.39	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 122 of 156

5MHz	DFT-s-OFDM QPSK	1	1	16.87	13.86	16.74	15.00
------	--------------------	---	---	-------	-------	-------	-------

N30_15kHz State1				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	20.56	/	21.50
		1	26	/	20.34	/	21.50
		1	50	/	20.50	/	21.50
		25	0	/	20.42	/	21.50
		25	14	/	20.51	/	21.50
		25	27	/	20.43	/	21.50
		50	0	/	20.33	/	21.50
	DFT-s-OFDM 16QAM	1	1	/	20.04	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	18.94	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	20.32	20.47	20.37	21.50

N30_15kHz State1 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	18.02	/	19.00
		1	26	/	17.78	/	19.00
		1	50	/	17.90	/	19.00
		25	0	/	17.84	/	19.00
		25	14	/	17.94	/	19.00
		25	27	/	17.92	/	19.00
		50	0	/	17.81	/	19.00
	DFT-s-OFDM 16QAM	1	1	/	17.47	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	16.39	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	20.32	17.87	20.37	19.00

N30_15kHz State4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	19.98	/	21.00
		1	26	/	19.76	/	21.00
		1	50	/	19.92	/	21.00
		25	0	/	19.87	/	21.00
		25	14	/	19.92	/	21.00
		25	27	/	19.88	/	21.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 123 of 156

		50	0	/	19.82	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.54	/	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	18.44	/	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	19.73	19.95	19.80	21.00

N30_15kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	462000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	16.96	/	18.00
		1	26	/	16.73	/	18.00
		1	50	/	16.84	/	18.00
		25	0	/	16.78	/	18.00
		25	14	/	16.87	/	18.00
		25	27	/	16.78	/	18.00
		50	0	/	16.81	/	18.00
	DFT-s-OFDM 16QAM	1	1	/	16.54	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	376000	/	
10MHz	DFT-s-OFDM QPSK	1	1	/	15.37	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				461500	462000	462500	
5MHz	DFT-s-OFDM QPSK	1	1	19.73	16.86	19.80	18.00

N66_15kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	23.94	/	25.00
		1	108	/	23.56	/	25.00
		1	214	/	23.63	/	25.00
		108	0	/	22.85	/	24.00
		108	54	/	23.92	/	25.00
		108	108	/	22.79	/	24.00
		216	0	/	22.60	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	22.30	/	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	22.51	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	23.81	23.93	23.77	25.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 124 of 156

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	23.77	23.92	23.70	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	23.78	23.85	23.87	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	23.75	23.92	23.90	25.00

N66_15kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	17.64	/	18.50
		1	108	/	17.18	/	18.50
		1	214	/	17.32	/	18.50
		108	0	/	17.45	/	18.50
		108	54	/	17.62	/	18.50
		108	108	/	17.46	/	18.50
		216	0	/	17.27	/	18.50
	DFT-s-OFDM 16QAM	1	1	/	16.96	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	16.15	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	17.45	17.56	17.41	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	17.44	17.60	17.35	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	17.46	17.53	17.52	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	17.40	17.56	17.58	18.50

N66_15kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	14.60	/	15.50
		1	108	/	14.14	/	15.50
		1	214	/	14.29	/	15.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 125 of 156

		108	0	/	14.44	/	15.50
		108	54	/	14.56	/	15.50
		108	108	/	14.46	/	15.50
		216	0	/	14.21	/	15.50
	DFT-s-OFDM 16QAM	1	1	/	13.89	/	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	13.11	/	14.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	14.39	14.51	14.38	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	14.44	14.53	14.34	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	14.44	14.52	14.48	15.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	14.37	14.50	14.51	15.50

N66_15kHz State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	22.93	/	24.00
		1	108	/	22.48	/	24.00
		1	214	/	22.58	/	24.00
		108	0	/	21.76	/	23.00
		108	54	/	22.90	/	24.00
		108	108	/	21.74	/	23.00
		216	0	/	21.58	/	23.00
	DFT-s-OFDM 16QAM	1	1	/	21.27	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	21.43	/	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	22.79	22.91	22.72	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	22.72	22.83	22.63	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 126 of 156

				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	22.69	22.76	22.80	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	22.67	22.84	22.89	24.00

N66_15kHz State1&4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	19.41	/	20.50
		1	108	/	18.88	/	20.50
		1	214	/	19.07	/	20.50
		108	0	/	19.18	/	20.50
		108	54	/	19.36	/	20.50
		108	108	/	19.23	/	20.50
		216	0	/	19.04	/	20.50
	DFT-s-OFDM 16QAM	1	1	/	18.77	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	349000	/	
40MHz	CP-OFDM QPSK	1	1	/	18.88	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	DFT-s-OFDM QPSK	1	1	19.20	19.41	19.17	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	19.19	19.32	19.10	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	19.19	19.22	19.27	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	19.07	19.33	19.35	20.50

Ant4:

N77 PC2_30kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	26.44	/	27.50
		1	137	/	26.34	/	27.50
		1	271	/	26.43	/	27.50
		135	0	/	23.01	/	24.00
		135	69	/	26.42	/	27.50
		135	138	/	23.03	/	24.00
		270	0	/	25.47	/	26.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 127 of 156

	DFT-s-OFDM 16QAM	1	1	/	25.05	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	24.82	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
90MHz	DFT-s-OFDM QPSK	1	1	/	26.05	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	26.17	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
60MHz	DFT-s-OFDM QPSK	1	1	/	26.08	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	DFT-s-OFDM QPSK	1	1	/	26.24	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	26.15	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	25.90	26.20	25.88	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	25.86	26.16	25.86	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	25.84	26.16	25.84	27.50

N77 PC2_30kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	16.93	/	18.00
		1	137	/	16.78	/	18.00
		1	271	/	16.90	/	18.00
		135	0	/	16.82	/	18.00
		135	69	/	16.90	/	18.00
		135	138	/	16.85	/	18.00
		270	0	/	16.91	/	18.00
	DFT-s-OFDM 16QAM	1	1	/	16.54	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	15.29	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 128 of 156

90MHz	DFT-s-OFDM QPSK	1	1	/	16.54	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	16.67	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
60MHz	DFT-s-OFDM QPSK	1	1	/	16.51	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	DFT-s-OFDM QPSK	1	1	/	16.68	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	16.59	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	16.37	16.69	16.32	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	16.27	16.59	16.27	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	16.24	16.61	16.31	18.00

N77 PC2_30kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	13.91	/	15.00
		1	137	/	13.76	/	15.00
		1	271	/	13.81	/	15.00
		135	0	/	13.73	/	15.00
		135	69	/	13.88	/	15.00
		135	138	/	13.82	/	15.00
		270	0	/	13.82	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	13.48	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	12.21	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
90MHz	DFT-s-OFDM QPSK	1	1	/	13.45	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	13.59	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 129 of 156

60MHz	DFT-s-OFDM QPSK	1	1	/	13.48	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	DFT-s-OFDM QPSK	1	1	/	13.66	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	13.58	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.36	13.61	13.25	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	13.19	13.53	13.23	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	13.17	13.52	13.31	15.00

N77 PC2_30kHz State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	20.89	/	22.00
		1	137	/	20.82	/	22.00
		1	271	/	20.84	/	22.00
		135	0	/	20.67	/	22.00
		135	69	/	20.82	/	22.00
		135	138	/	20.75	/	22.00
		270	0	/	20.72	/	22.00
	DFT-s-OFDM 16QAM	1	1	/	20.53	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	19.23	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
90MHz	DFT-s-OFDM QPSK	1	1	/	20.49	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	20.62	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
60MHz	DFT-s-OFDM QPSK	1	1	/	20.55	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	DFT-s-OFDM QPSK	1	1	/	20.69	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 130 of 156

40MHz	DFT-s-OFDM QPSK	1	1	/	20.60	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	20.35	20.62	20.34	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 630501	Channel 633334	Channel 636167	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	20.31	20.65	20.35	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 630334	Channel 633334	Channel 636334	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	20.29	20.61	20.34	22.00

N77 PC2_30kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	DFT-s-OFDM QPSK	1	1	/	17.84	/	19.00
		1	137	/	17.79	/	19.00
		1	271	/	17.77	/	19.00
		135	0	/	17.67	/	19.00
		135	69	/	17.79	/	19.00
		135	138	/	17.74	/	19.00
		270	0	/	17.65	/	19.00
	DFT-s-OFDM 16QAM	1	1	/	17.49	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	16.15	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	/	17.46	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	/	17.54	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
60MHz	DFT-s-OFDM QPSK	1	1	/	17.55	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	/	17.64	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	17.56	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	17.34	17.56	17.26	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 630501	Channel 633334	Channel 636167	Tune up

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 131 of 156

15MHz	DFT-s-OFDM QPSK	1	1	17.31	17.64	17.26	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 630334	Channel 633334	Channel 636334	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	17.28	17.52	17.32	19.00

N77 PC2_15kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	/	633334	/	27.50
		1	135	/	26.42	/	27.50
		1	268	/	26.32	/	27.50
		135	0	/	26.41	/	27.50
		135	67	/	23.00	/	24.00
		135	135	/	26.41	/	27.50
		135	270	/	23.02	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	25.45	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
50MHz	CP-OFDM QPSK	1	1	/	633334	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	633334	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	630668	633334	636000	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	630501	633334	636167	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	630334	633334	636334	27.50

N77 PC2_15kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	/	633334	/	18.00
		1	135	/	16.87	/	18.00
		1	268	/	16.82	/	18.00
		135	0	/	16.85	/	18.00
		135	67	/	16.79	/	18.00
		135	135	/	16.82	/	18.00
		135	270	/	16.72	/	18.00
	DFT-s-OFDM 16QAM	1	1	/	16.78	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
50MHz	CP-OFDM QPSK	1	1	/	633334	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 132 of 156

40MHz	DFT-s-OFDM QPSK	1	1	/	16.83	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	16.34	16.59	16.28	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 630501	Channel 633334	Channel 636167	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	16.27	16.58	16.30	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 630334	Channel 633334	Channel 636334	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	16.30	16.57	16.23	18.00

N77 PC2_15kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	/	13.85	/	15.00
		1	135	/	13.76	/	15.00
		1	268	/	13.79	/	15.00
		135	0	/	13.71	/	15.00
		135	67	/	13.82	/	15.00
		135	135	/	13.67	/	15.00
		270	0	/	13.70	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	13.34	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
50MHz	CP-OFDM QPSK	1	1	/	12.16	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	13.78	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	13.31	13.55	13.26	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 630501	Channel 633334	Channel 636167	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	13.21	13.53	13.20	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 630334	Channel 633334	Channel 636334	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	13.27	13.53	13.14	15.00

N77 PC2_15kHz State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	/	20.90	/	22.00
		1	135	/	20.78	/	22.00
		1	268	/	20.71	/	22.00
		135	0	/	20.68	/	22.00
		135	67	/	20.85	/	22.00
		135	135	/	20.73	/	22.00
		270	0	/	20.72	/	22.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 133 of 156

	DFT-s-OFDM 16QAM	1	1	/	20.44	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	CP-OFDM QPSK	1	1	/	19.28	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	20.85	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	20.29	20.62	20.31	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	20.27	20.55	20.33	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	20.25	20.60	20.26	22.00

N77 PC2_15kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	DFT-s-OFDM QPSK	1	1	/	17.85	/	19.00
		1	135	/	17.71	/	19.00
		1	268	/	17.62	/	19.00
		135	0	/	17.59	/	19.00
		135	67	/	17.77	/	19.00
		135	135	/	17.70	/	19.00
		270	0	/	17.70	/	19.00
	DFT-s-OFDM 16QAM	1	1	/	17.37	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
50MHz	CP-OFDM QPSK	1	1	/	16.25	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	17.76	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	17.21	17.53	17.22	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630501	633334	636167	
15MHz	DFT-s-OFDM QPSK	1	1	17.21	17.46	17.27	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630334	633334	636334	
10MHz	DFT-s-OFDM QPSK	1	1	17.21	17.55	17.20	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 134 of 156

N77 PC2_30kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	26.58	/	27.50
		1	137	/	26.24	/	27.50
		1	271	/	26.17	/	27.50
		135	0	/	23.08	/	24.00
		135	69	/	26.52	/	27.50
		135	138	/	23.01	/	24.00
	DFT-s-OFDM 16QAM	270	0	/	25.19	/	26.50
		1	1	/	24.89	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	CP-OFDM QPSK	1	1	/	24.82	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	656000	662332	
90MHz	DFT-s-OFDM QPSK	1	1	26.27	26.20	26.15	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	656000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	26.17	26.17	26.18	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	656000	663332	
60MHz	DFT-s-OFDM QPSK	1	1	26.31	26.29	26.21	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	DFT-s-OFDM QPSK	1	1	26.31	26.25	26.17	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	26.15	26.15	26.11	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664666	
20MHz	DFT-s-OFDM QPSK	1	1	26.28	26.28	26.12	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647168	656000	664832	
15MHz	DFT-s-OFDM QPSK	1	1	26.33	26.30	26.27	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	656000	665000	
10MHz	DFT-s-OFDM QPSK	1	1	26.30	26.25	26.28	27.50

N77 PC2_30kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	17.00	/	18.00
		1	137	/	16.67	/	18.00
		1	271	/	16.64	/	18.00
		135	0	/	16.81	/	18.00
		135	69	/	16.98	/	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 135 of 156

		135	138	/	16.93	/	18.00
		270	0	/	16.59	/	18.00
	DFT-s-OFDM 16QAM	1	1	/	16.35	/	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.24	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	656000	662332	
90MHz	DFT-s-OFDM QPSK	1	1	16.73	16.64	16.59	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	656000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	16.67	16.60	16.62	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	656000	663332	
60MHz	DFT-s-OFDM QPSK	1	1	16.76	16.73	16.64	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	DFT-s-OFDM QPSK	1	1	16.75	16.70	16.62	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	16.60	16.63	16.59	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664666	
20MHz	DFT-s-OFDM QPSK	1	1	16.71	16.71	16.61	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647168	656000	664832	
15MHz	DFT-s-OFDM QPSK	1	1	16.80	16.75	16.77	18.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	656000	665000	
10MHz	DFT-s-OFDM QPSK	1	1	16.74	16.72	16.76	18.00

N77 PC2_30kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	13.98	/	15.00
		1	137	/	13.67	/	15.00
		1	271	/	13.60	/	15.00
		135	0	/	13.73	/	15.00
		135	69	/	13.91	/	15.00
		135	138	/	13.88	/	15.00
		270	0	/	13.55	/	15.00
	DFT-s-OFDM 16QAM	1	1	/	13.30	/	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	CP-OFDM QPSK	1	1	/	12.21	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 136 of 156

				649668	656000	662332	
90MHz	DFT-s-OFDM QPSK	1	1	13.65	13.58	13.56	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	656000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	13.64	13.58	13.61	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	656000	663332	
60MHz	DFT-s-OFDM QPSK	1	1	13.74	13.72	13.60	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	DFT-s-OFDM QPSK	1	1	13.71	13.65	13.60	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.52	13.59	13.56	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664666	
20MHz	DFT-s-OFDM QPSK	1	1	13.65	13.64	13.57	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647168	656000	664832	
15MHz	DFT-s-OFDM QPSK	1	1	13.79	13.71	13.70	15.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	656000	665000	
10MHz	DFT-s-OFDM QPSK	1	1	13.64	13.69	13.71	15.00

N77 PC2_30kHz State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	20.99	/	22.00
		1	137	/	20.68	/	22.00
		1	271	/	20.60	/	22.00
		135	0	/	20.86	/	22.00
		135	69	/	20.95	/	22.00
		135	138	/	20.94	/	22.00
		270	0	/	20.76	/	22.00
	DFT-s-OFDM 16QAM	1	1	/	20.36	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	CP-OFDM QPSK	1	1	/	19.31	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	656000	662332	
90MHz	DFT-s-OFDM QPSK	1	1	20.70	20.62	20.60	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	656000	662666	
80MHz	DFT-s-OFDM QPSK	1	1	20.62	20.63	20.61	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	656000	663332	



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 137 of 156

60MHz	DFT-s-OFDM QPSK	1	1	20.80	20.79	20.65	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	20.75	20.75	20.64	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	20.60	20.62	20.60	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664666	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	20.77	20.71	20.53	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 647168	Channel 656000	Channel 664832	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	20.81	20.80	20.76	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	20.79	20.74	20.74	22.00

N77 PC2_30kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	656000	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	17.90	/	19.00
		1	137	/	17.66	/	22.00
		1	271	/	17.55	/	22.00
		135	0	/	17.79	/	22.00
		135	69	/	17.88	/	22.00
		135	138	/	17.89	/	22.00
		270	0	/	17.69	/	22.00
	DFT-s-OFDM 16QAM	1	1	/	17.34	/	22.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 656000	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	16.29	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel 649668	Channel 656000	Channel 662332	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	17.68	17.54	17.58	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 649334	Channel 656000	Channel 662666	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	17.58	17.55	17.58	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 648668	Channel 656000	Channel 663332	Tune up
60MHz	DFT-s-OFDM QPSK	1	1	17.72	17.79	17.57	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	17.70	17.70	17.63	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 138 of 156

40MHz	DFT-s-OFDM QPSK	1	1	17.57	17.62	17.59	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664666	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	17.73	17.68	17.51	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 647168	Channel 656000	Channel 664832	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	17.76	17.78	17.71	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	17.73	17.69	17.73	19.00

N77 PC2_15kHz State0				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	26.23	26.44	26.39	27.50
		1	137	26.13	26.15	26.13	27.50
		1	271	26.05	26.03	26.07	27.50
		135	0	22.96	22.97	22.95	24.00
		135	69	26.24	26.37	26.34	27.50
		135	138	22.88	22.91	22.91	24.00
		270	0	25.14	25.15	25.15	26.50
	DFT-s-OFDM 16QAM	1	1	24.77	24.79	24.80	26.50
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	CP-OFDM QPSK	1	1	24.82	24.81	24.81	26.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	26.50	26.50	26.52	27.50
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664666	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	26.47	26.46	26.45	27.50
Bandwidth	Modulation	RB size	RB offset	Channel 647168	Channel 656000	Channel 664832	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	26.45	26.41	26.43	27.50
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	26.42	26.40	26.42	27.50

N77 PC2_15kHz State3				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	16.68	16.85	16.82	18.00
		1	137	16.58	16.63	16.61	18.00
		1	271	16.47	16.45	16.47	18.00
		135	0	16.48	16.56	16.58	18.00
		135	69	16.70	16.82	16.83	18.00
		135	138	16.62	16.66	16.63	18.00
		270	0	16.57	16.60	16.60	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 139 of 156

	DFT-s-OFDM 16QAM	1	1	16.19	16.19	16.23	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	CP-OFDM QPSK	1	1	15.25	15.24	15.24	16.50
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	16.96	16.99	16.96	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664666	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	16.90	16.92	16.86	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 647168	Channel 656000	Channel 664832	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	16.93	16.85	16.84	18.00
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	16.92	16.87	16.84	18.00

N77 PC2_15kHz State3 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	13.65	13.84	13.77	15.00
		1	137	13.54	13.60	13.53	15.00
		1	271	13.44	13.37	13.43	15.00
		135	0	13.46	13.50	13.49	15.00
		135	69	13.69	13.77	13.74	15.00
		135	138	13.62	13.60	13.54	15.00
		270	0	13.50	13.60	13.58	15.00
	DFT-s-OFDM 16QAM	1	1	13.13	13.13	13.22	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663666	Tune up
50MHz	CP-OFDM QPSK	1	1	12.17	12.24	12.22	13.50
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	13.90	13.99	13.94	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664666	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	13.88	13.84	13.80	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 647168	Channel 656000	Channel 664832	Tune up
15MHz	DFT-s-OFDM QPSK	1	1	13.87	13.84	13.80	15.00
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	13.83	13.84	13.77	15.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 140 of 156

N77 PC2_15kHz State1&4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	DFT-s-OFDM QPSK	1	1	20.69	20.92	20.83	22.00
		1	137	20.61	20.58	20.59	22.00
		1	271	20.50	20.49	20.50	22.00
		135	0	20.63	20.69	20.65	22.00
		135	69	20.68	20.83	20.78	22.00
		135	138	20.64	20.68	20.67	22.00
		270	0	20.62	20.62	20.59	22.00
	DFT-s-OFDM 16QAM	1	1	20.22	20.22	20.21	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	CP-OFDM QPSK	1	1	19.29	19.25	19.28	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	20.98	20.92	20.96	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664666	
20MHz	DFT-s-OFDM QPSK	1	1	20.88	20.87	20.90	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647168	656000	664832	
15MHz	DFT-s-OFDM QPSK	1	1	20.92	20.88	20.89	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647000	656000	665000	
10MHz	DFT-s-OFDM QPSK	1	1	20.92	20.90	20.85	22.00

N77 PC2_15kHz State4 (ENDC)				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	DFT-s-OFDM QPSK	1	1	17.61	17.91	17.80	19.00
		1	137	17.52	17.53	17.50	19.00
		1	271	17.48	17.45	17.41	19.00
		135	0	17.59	17.60	17.55	19.00
		135	69	17.59	17.80	17.74	19.00
		135	138	17.61	17.59	17.60	19.00
		270	0	17.55	17.53	17.53	19.00
	DFT-s-OFDM 16QAM	1	1	17.16	17.20	17.20	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663666	
50MHz	CP-OFDM QPSK	1	1	16.20	16.21	16.23	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	17.97	17.85	17.87	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664666	
20MHz	DFT-s-OFDM QPSK	1	1	17.84	17.77	17.80	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011
Rev.: 01
Page: 141 of 156

				647168	656000	664832	
15MHz	DFT-s-OFDM QPSK	1	1	17.86	17.79	17.81	19.00
Bandwidth	Modulation	RB size	RB offset	Channel 647000	Channel 656000	Channel 665000	Tune up
10MHz	DFT-s-OFDM QPSK	1	1	17.88	17.82	17.81	19.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 142 of 156

6. Conducted Power of WIFI2.4G

WIFI 2.4G Ant5 Head Standalone Body-worn Standalone					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	18.12	19.50
	6	2437		18.26	19.50
	11	2462		18.23	19.50
802.11g	1	2412	6	16.89	18.50
	6	2437		16.94	18.50
	11	2462		17.02	18.50
802.11n HT20	1	2412	6.5	16.68	18.50
	6	2437		16.83	18.50
	11	2462		16.90	18.50

WIFI 2.4G Ant5 Head Simultaneous					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	17.05	18.50
	6	2437		17.27	18.50
	11	2462		17.25	18.50
802.11g	1	2412	6	16.89	18.50
	6	2437		16.94	18.50
	11	2462		17.02	18.50
802.11n HT20	1	2412	6.5	16.68	18.50
	6	2437		16.83	18.50
	11	2462		16.90	18.50

WIFI 2.4G Ant5 Head Simultaneous					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	16.57	18.00
	6	2437		16.79	18.00
	11	2462		16.79	18.00
802.11g	1	2412	6	16.41	18.00
	6	2437		16.52	18.00
	11	2462		16.60	18.00
802.11n HT20	1	2412	6.5	16.27	18.00
	6	2437		16.42	18.00
	11	2462		16.46	18.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 143 of 156

7. Conducted Power of WIFI5G

WIFI 5G Ant5 Full Power					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	18.06	19.50
		40	5200	18.03	19.50
		44	5220	18.17	19.50
		48	5240	18.31	19.50
	802.11n HT20	36	5180	16.26	17.50
		40	5200	16.16	17.50
		44	5220	16.26	17.50
		48	5240	16.38	17.50
	802.11n HT40	38	5190	15.17	16.50
		46	5230	15.38	16.50
	802.11ac VHT20	36	5180	16.39	17.50
		40	5200	16.27	17.50
		44	5220	16.36	17.50
		48	5240	16.53	17.50
	802.11ac VHT40	38	5190	15.29	16.50
		46	5230	15.53	16.50
	802.11ac VHT80	42	5210	15.24	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	18.41	19.50
		56	5280	18.27	19.50
		60	5300	18.21	19.50
		64	5320	18.58	19.50
	802.11n HT20	52	5260	16.41	17.50
		56	5280	16.36	17.50
		60	5300	16.39	17.50
		64	5320	16.49	17.50
	802.11n HT40	54	5270	15.20	16.50
		62	5310	15.34	16.50
	802.11ac VHT20	52	5260	16.51	17.50
		56	5280	16.48	17.50
		60	5300	16.49	17.50
		64	5320	16.62	17.50
	802.11ac VHT40	54	5270	15.35	16.50
		62	5310	15.47	16.50
	802.11ac VHT80	58	5290	14.67	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 144 of 156

5GHz UNII-2C	802.11a	100	5500	17.98	19.50
		104	5520	18.09	19.50
		108	5540	18.05	19.50
		112	5560	18.06	19.50
		116	5580	18.22	19.50
		132	5660	18.11	19.50
		136	5680	18.09	19.50
		140	5700	18.02	19.50
	802.11n HT20	100	5500	16.18	17.50
		104	5520	16.20	17.50
		108	5540	16.17	17.50
		112	5560	16.20	17.50
		116	5580	16.23	17.50
		132	5660	16.18	17.50
		136	5680	16.21	17.50
		140	5700	16.23	17.50
	802.11n HT40	102	5510	15.70	16.50
		110	5550	15.31	16.50
		118	5590	15.55	16.50
		134	5670	15.83	16.50
	802.11ac VHT20	100	5500	16.29	17.50
		104	5520	16.28	17.50
		108	5540	16.28	17.50
		112	5560	16.31	17.50
		116	5580	16.37	17.50
		132	5660	16.36	17.50
		136	5680	16.34	17.50
		140	5700	16.38	17.50
	802.11ac VHT40	102	5510	16.09	16.50
		110	5550	15.42	16.50
		118	5590	15.66	16.50
		134	5670	15.98	16.50
	802.11ac VHT80	106	5530	15.83	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	18.18	19.50
		153	5765	18.32	19.50
		157	5785	18.51	19.50
		161	5805	18.17	19.50
		165	5825	17.89	19.50
	802.11n HT20	149	5745	15.93	17.50
		153	5765	16.03	17.50
		157	5785	16.21	17.50
		161	5805	15.92	17.50
		165	5825	15.64	17.50
	802.11n HT40	151	5755	15.03	16.50
		159	5795	14.94	16.50
	802.11ac	149	5745	16.04	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 145 of 156

	VHT20	153	5765	16.18	17.50
		157	5785	16.34	17.50
		161	5805	16.02	17.50
		165	5825	15.76	17.50
	802.11ac VHT40	151	5755	15.17	16.50
		159	5795	15.08	16.50
	802.11ac VHT80	155	5775	15.19	16.50

WIFI 5G Ant5 Head Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	16.34	17.50
		40	5200	16.30	17.50
		44	5220	16.46	17.50
		48	5240	16.61	17.50
	802.11n HT20	36	5180	16.26	17.50
		40	5200	16.16	17.50
		44	5220	16.26	17.50
		48	5240	16.38	17.50
	802.11n HT40	38	5190	15.17	16.50
		46	5230	15.38	16.50
	802.11ac VHT20	36	5180	16.39	17.50
		40	5200	16.27	17.50
		44	5220	16.36	17.50
		48	5240	16.53	17.50
	802.11ac VHT40	38	5190	15.29	16.50
		46	5230	15.53	16.50
	802.11ac VHT80	42	5210	15.24	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	16.71	17.50
		56	5280	16.55	17.50
		60	5300	16.51	17.50
		64	5320	16.87	17.50
	802.11n HT20	52	5260	16.41	17.50
		56	5280	16.36	17.50
		60	5300	16.39	17.50
		64	5320	16.49	17.50
	802.11n HT40	54	5270	15.20	16.50
		62	5310	15.34	16.50
	802.11ac VHT20	52	5260	16.51	17.50
		56	5280	16.48	17.50
		60	5300	16.49	17.50
		64	5320	16.62	17.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 146 of 156

	802.11ac VHT40	54	5270	15.35	16.50
		62	5310	15.47	16.50
	802.11ac VHT80	58	5290	14.67	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	15.67	16.50
		104	5520	15.60	16.50
		108	5540	15.54	16.50
		112	5560	15.58	16.50
		116	5580	15.71	16.50
		132	5660	15.61	16.50
		136	5680	15.61	16.50
		140	5700	15.62	16.50
	802.11n HT20	100	5500	15.47	16.50
		104	5520	15.49	16.50
		108	5540	15.46	16.50
		112	5560	15.50	16.50
		116	5580	15.51	16.50
		132	5660	15.48	16.50
		136	5680	15.50	16.50
		140	5700	15.52	16.50
	802.11n HT40	102	5510	15.70	16.50
		110	5550	15.31	16.50
		118	5590	15.55	16.50
		134	5670	15.83	16.50
	802.11ac VHT20	100	5500	15.57	16.50
		104	5520	15.57	16.50
		108	5540	15.56	16.50
		112	5560	15.59	16.50
		116	5580	15.67	16.50
		132	5660	15.66	16.50
		136	5680	15.63	16.50
		140	5700	15.66	16.50
	802.11ac VHT40	102	5510	16.09	16.50
		110	5550	15.42	16.50
		118	5590	15.66	16.50
		134	5670	15.98	16.50
	802.11ac VHT80	106	5530	15.83	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	15.46	16.50
		153	5765	15.62	16.50
		157	5785	15.79	16.50
		161	5805	15.46	16.50
		165	5825	15.16	16.50
	802.11n HT20	149	5745	15.21	16.50
		153	5765	15.31	16.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 147 of 156

		157	5785	15.49	16.50
		161	5805	15.20	16.50
		165	5825	14.91	16.50
	802.11n HT40	151	5755	15.03	16.50
		159	5795	14.94	16.50
	802.11ac VHT20	149	5745	15.33	16.50
		153	5765	15.47	16.50
		157	5785	15.63	16.50
		161	5805	15.29	16.50
		165	5825	15.06	16.50
	802.11ac VHT40	151	5755	15.17	16.50
		159	5795	15.08	16.50
	802.11ac VHT80	155	5775	15.19	16.50

WIFI 5G Ant5 Head Simultaneous					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	11.81	13.00
		40	5200	11.70	13.00
		44	5220	11.93	13.00
		48	5240	12.04	13.00
	802.11n HT20	36	5180	11.70	13.00
		40	5200	11.64	13.00
		44	5220	11.67	13.00
		48	5240	11.79	13.00
	802.11n HT40	38	5190	11.67	13.00
		46	5230	11.83	13.00
	802.11ac VHT20	36	5180	11.83	13.00
		40	5200	11.70	13.00
		44	5220	11.83	13.00
		48	5240	12.01	13.00
	802.11ac VHT40	38	5190	11.77	13.00
		46	5230	11.94	13.00
	802.11ac VHT80	42	5210	11.70	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	13
5GHz U-NII-2A	802.11a	52	5260	12.12	13.00
		56	5280	12.04	13.00
		60	5300	11.92	13.00
		64	5320	12.28	13.00
	802.11n HT20	52	5260	11.81	13.00
		56	5280	11.85	13.00
		60	5300	11.89	13.00
		64	5320	11.98	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 148 of 156

	802.11n HT40	54	5270	11.70	13.00
		62	5310	11.76	13.00
	802.11ac VHT20	52	5260	11.98	13.00
		56	5280	11.97	13.00
		60	5300	11.99	13.00
		64	5320	12.08	13.00
	802.11ac VHT40	54	5270	11.79	13.00
		62	5310	11.89	13.00
	802.11ac VHT80	58	5290	11.16	13.00
	5GHz		Channel	Frequency(MHz)	Average Power (dBm)
5GHz UNII-2C	802.11a	100	5500	11.58	12.50
		104	5520	11.58	12.50
		108	5540	11.51	12.50
		112	5560	11.57	12.50
		116	5580	11.63	12.50
		132	5660	11.58	12.50
		136	5680	11.57	12.50
		140	5700	11.56	12.50
	802.11n HT20	100	5500	11.43	12.50
		104	5520	11.42	12.50
		108	5540	11.40	12.50
		112	5560	11.46	12.50
		116	5580	11.48	12.50
		132	5660	11.44	12.50
		136	5680	11.43	12.50
		140	5700	11.49	12.50
	802.11n HT40	102	5510	11.61	12.50
		110	5550	11.28	12.50
		118	5590	11.52	12.50
		134	5670	11.81	12.50
	802.11ac VHT20	100	5500	11.49	12.50
		104	5520	11.51	12.50
		108	5540	11.51	12.50
		112	5560	11.54	12.50
		116	5580	11.65	12.50
		132	5660	11.61	12.50
		136	5680	11.61	12.50
		140	5700	11.57	12.50
	802.11ac VHT40	102	5510	12.06	12.50
		110	5550	11.41	12.50
		118	5590	11.57	12.50
		134	5670	11.89	12.50
	802.11ac VHT80	106	5530	11.82	12.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	11.42	12.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 149 of 156

		153	5765	11.56	12.50
		157	5785	11.73	12.50
		161	5805	11.38	12.50
		165	5825	11.15	12.50
	802.11n HT20	149	5745	11.13	12.50
		153	5765	11.26	12.50
		157	5785	11.40	12.50
		161	5805	11.17	12.50
		165	5825	10.83	12.50
	802.11n HT40	151	5755	10.98	12.50
		159	5795	10.87	12.50
	802.11ac VHT20	149	5745	11.27	12.50
		153	5765	11.43	12.50
		157	5785	11.60	12.50
		161	5805	11.24	12.50
		165	5825	11.00	12.50
	802.11ac VHT40	151	5755	11.11	12.50
		159	5795	10.99	12.50
	802.11ac VHT80	155	5775	11.16	12.50

WIFI 5G Ant5 Body&Extremity Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	16.96	18.50
		40	5200	16.98	18.50
		44	5220	17.10	18.50
		48	5240	17.28	18.50
	802.11n HT20	36	5180	16.26	17.50
		40	5200	16.16	17.50
		44	5220	16.26	17.50
		48	5240	16.38	17.50
	802.11n HT40	38	5190	15.17	16.50
		46	5230	15.38	16.50
	802.11ac VHT20	36	5180	16.39	17.50
		40	5200	16.27	17.50
		44	5220	16.36	17.50
		48	5240	16.53	17.50
	802.11ac VHT40	38	5190	15.29	16.50
		46	5230	15.53	16.50
	802.11ac VHT80	42	5210	15.24	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52	5260	17.03	18.50
		56	5280	16.99	18.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 150 of 156

		60	5300	17.12	18.50
		64	5320	17.24	18.50
	802.11n HT20	52	5260	16.41	17.50
		56	5280	16.36	17.50
		60	5300	16.39	17.50
		64	5320	16.49	17.50
	802.11n HT40	54	5270	15.20	16.50
		62	5310	15.34	16.50
	802.11ac VHT20	52	5260	16.51	17.50
		56	5280	16.48	17.50
		60	5300	16.49	17.50
		64	5320	16.62	17.50
	802.11ac VHT40	54	5270	15.35	16.50
		62	5310	15.47	16.50
	802.11ac VHT80	58	5290	14.67	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	17.98	19.50
		104	5520	18.09	19.50
		108	5540	18.05	19.50
		112	5560	18.06	19.50
		116	5580	18.22	19.50
		132	5660	18.11	19.50
		136	5680	18.09	19.50
		140	5700	18.02	19.50
	802.11n HT20	100	5500	16.18	17.50
		104	5520	16.20	17.50
		108	5540	16.17	17.50
		112	5560	16.20	17.50
		116	5580	16.23	17.50
		132	5660	16.18	17.50
		136	5680	16.21	17.50
		140	5700	16.23	17.50
	802.11n HT40	102	5510	15.70	16.50
		110	5550	15.31	16.50
		118	5590	15.55	16.50
		134	5670	15.83	16.50
	802.11ac VHT20	100	5500	16.29	17.50
		104	5520	16.28	17.50
		108	5540	16.28	17.50
		112	5560	16.31	17.50
		116	5580	16.37	17.50
		132	5660	16.36	17.50
		136	5680	16.34	17.50
		140	5700	16.38	17.50
	802.11ac VHT40	102	5510	16.09	16.50
		110	5550	15.42	16.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 151 of 156

		118	5590	15.66	16.50
		134	5670	15.98	16.50
	802.11ac VHT80	106	5530	15.83	16.50
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	18.18	19.50
		153	5765	18.32	19.50
		157	5785	18.51	19.50
		161	5805	18.17	19.50
		165	5825	17.89	19.50
	802.11n HT20	149	5745	15.93	17.50
		153	5765	16.03	17.50
		157	5785	16.21	17.50
		161	5805	15.92	17.50
		165	5825	15.64	17.50
	802.11n HT40	151	5755	15.03	16.50
		159	5795	14.94	16.50
	802.11ac VHT20	149	5745	16.04	17.50
		153	5765	16.18	17.50
		157	5785	16.34	17.50
		161	5805	16.02	17.50
		165	5825	15.76	17.50
	802.11ac VHT40	151	5755	15.17	16.50
		159	5795	15.08	16.50
	802.11ac VHT80	155	5775	15.19	16.50

WIFI 5G Ant5 Body&Extremity Simultaneous					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	11.81	13.00
		40	5200	11.70	13.00
		44	5220	11.93	13.00
		48	5240	12.04	13.00
	802.11n HT20	36	5180	11.70	13.00
		40	5200	11.64	13.00
		44	5220	11.67	13.00
		48	5240	11.79	13.00
	802.11n HT40	38	5190	11.67	13.00
		46	5230	11.83	13.00
	802.11ac VHT20	36	5180	11.83	13.00
		40	5200	11.70	13.00
		44	5220	11.83	13.00
		48	5240	12.01	13.00
	802.11ac VHT40	38	5190	11.77	13.00
		46	5230	11.94	13.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 152 of 156

	802.11ac VHT80	42	5210	11.70	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	13
5GHz U-NII-2A	802.11a	52	5260	12.12	13.00
		56	5280	12.04	13.00
		60	5300	11.92	13.00
		64	5320	12.28	13.00
	802.11n HT20	52	5260	11.81	13.00
		56	5280	11.85	13.00
		60	5300	11.89	13.00
		64	5320	11.98	13.00
	802.11n HT40	54	5270	11.70	13.00
		62	5310	11.76	13.00
	802.11ac VHT20	52	5260	11.98	13.00
		56	5280	11.97	13.00
		60	5300	11.99	13.00
		64	5320	12.08	13.00
	802.11ac VHT40	54	5270	11.79	13.00
		62	5310	11.89	13.00
	802.11ac VHT80	58	5290	11.16	13.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100	5500	14.39	16.00
		104	5520	14.51	16.00
		108	5540	14.52	16.00
		112	5560	14.50	16.00
		116	5580	14.68	16.00
		132	5660	14.59	16.00
		136	5680	14.54	16.00
		140	5700	14.47	16.00
	802.11n HT20	100	5500	14.60	16.00
		104	5520	14.70	16.00
		108	5540	14.64	16.00
		112	5560	14.69	16.00
		116	5580	14.71	16.00
		132	5660	14.64	16.00
		136	5680	14.62	16.00
		140	5700	14.71	16.00
	802.11n HT40	102	5510	15.18	16.00
		110	5550	14.80	16.00
		118	5590	14.99	16.00
		134	5670	15.26	16.00
	802.11ac VHT20	100	5500	14.73	16.00
		104	5520	14.75	16.00
		108	5540	14.76	16.00
		112	5560	14.80	16.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 153 of 156

		116	5580	14.77	16.00
		132	5660	14.84	16.00
		136	5680	14.81	16.00
		140	5700	14.84	16.00
	802.11ac VHT40	102	5510	15.58	16.00
		110	5550	14.84	16.00
		118	5590	15.08	16.00
		134	5670	15.44	16.00
	802.11ac VHT80	106	5530	15.24	16.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	14.61	16.00
		153	5765	14.82	16.00
		157	5785	14.96	16.00
		161	5805	14.62	16.00
		165	5825	14.34	16.00
	802.11n HT20	149	5745	14.37	16.00
		153	5765	14.53	16.00
		157	5785	14.69	16.00
		161	5805	14.37	16.00
		165	5825	14.13	16.00
	802.11n HT40	151	5755	14.45	16.00
		159	5795	14.38	16.00
	802.11ac VHT20	149	5745	14.50	16.00
		153	5765	14.63	16.00
		157	5785	14.74	16.00
		161	5805	14.48	16.00
		165	5825	14.19	16.00
	802.11ac VHT40	151	5755	14.60	16.00
		159	5795	14.50	16.00
	802.11ac VHT80	155	5775	14.64	16.00

WIFI 5G Ant5 Hotspot					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	12.42	14.00
		40	5200	12.43	14.00
		44	5220	12.51	14.00
		48	5240	12.70	14.00
	802.11n HT20	36	5180	12.70	14.00
		40	5200	12.61	14.00
		44	5220	12.67	14.00
		48	5240	12.81	14.00
	802.11n HT40	38	5190	12.64	14.00
		46	5230	12.88	14.00



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 154 of 156

	802.11ac VHT20	36	5180	12.83	14.00
		40	5200	12.69	14.00
		44	5220	12.81	14.00
		48	5240	12.95	14.00
	802.11ac VHT40	38	5190	12.72	14.00
		46	5230	12.97	14.00
	802.11ac VHT80	42	5210	12.68	14.00
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-2A	802.11a	52			
		56			
		60			
		64			
	802.11n HT20	52			
		56			
		60			
		64			
	802.11n HT40	54			
		62			
	802.11ac VHT20	52			
		56			
		60			
		64			
	802.11ac VHT40	54			
		62			
	802.11ac VHT80	58			
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-2C	802.11a	100			
		104			
		108			
		112			
		116			
		132			
		136			
		140			
	802.11n HT20	100			
		104			
		108			
		112			
		116			
		132			
		136			
		140			
	802.11n HT40	102			
		110			



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 155 of 156

		118			
		134			
	802.11ac VHT20	100			
		104			
		108			
		112			
		116			
		132			
		136			
		140			
	802.11ac VHT40	102			
		110			
		118			
		134			
	802.11ac VHT80	106			
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz UNII-3	802.11a	149	5745	13.16	14.50
		153	5765	13.27	14.50
		157	5785	13.47	14.50
		161	5805	13.14	14.50
		165	5825	12.81	14.50
	802.11n HT20	149	5745	12.88	14.50
		153	5765	12.93	14.50
		157	5785	13.16	14.50
		161	5805	12.87	14.50
		165	5825	12.55	14.50
	802.11n HT40	151	5755	13.00	14.50
		159	5795	12.87	14.50
	802.11ac VHT20	149	5745	12.96	14.50
		153	5765	13.08	14.50
		157	5785	13.30	14.50
		161	5805	12.94	14.50
		165	5825	12.75	14.50
	802.11ac VHT40	151	5755	13.08	14.50
		159	5795	13.00	14.50
	802.11ac VHT80	155	5775	13.13	14.50



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032011

Rev.: 01

Page: 156 of 156

8. Conducted Power of Bluetooth

BT Ant		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	10.93	10.20	10.27	11.50
	$\pi/4$ DQPSK	7.47	6.75	6.70	8.50
	8DPSK	7.28	6.61	6.65	8.50
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	-2.64	-2.12	-2.82	-1.50
BLE 2M	GFSK	-2.61	-2.20	-2.74	-1.50

- End of the Appendix -