



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 153 of 309

7. Channel Loading (Payload)

7.1 Test Result

7.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	30.77	>=17	Pass

7.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	21.57	>=17	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400032008

Rev.: 01

Page: 154 of 309

7.2 Test Graph

7.2.1 Payload






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 155 of 309

7.2.2 Payload





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 156 of 309

8. Channel Move Time and Closing Transmission Time

8.1 Test Result

8.1.1 CMT_CTT

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass

8.1.2 CMT_CTT

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 157 of 309

8.2 Test Graph

8.2.1 CMT_CTT






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 158 of 309

8.2.2 CMT_CTT





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 159 of 309

9. Non-Occupancy Period

9.1 Test Result

9.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass

9.1.2 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 160 of 309

9.2 Test Graph

9.2.1 Period






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 161 of 309

9.2.2 Period





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008


Rev.: 01

Page: 162 of 309

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 802.11ac80_Channel 106



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	35.0925	41.26	-42.36	18.72	17.62	40.00	22.38	Horizontal
2	40.4275	42.03	-42.32	19.57	19.28	40.00	20.72	Horizontal
3	44.55	46.02	-42.35	19.28	22.95	40.00	17.05	Horizontal
4	73.65	36.59	-41.99	16.58	11.18	40.00	28.82	Horizontal
5	105.66	38.00	-41.72	16.10	12.37	43.50	31.13	Horizontal
6	159.2525	36.16	-40.80	18.50	13.86	43.50	29.64	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 163 of 309



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	43.58	53.26	-42.34	19.35	30.27	40.00	9.73	Vertical
2	45.7625	47.77	-42.35	19.20	24.61	40.00	15.39	Vertical
3	55.705	41.30	-42.30	18.73	17.73	40.00	22.27	Vertical
4	71.225	41.02	-42.05	16.99	15.96	40.00	24.04	Vertical
5	107.115	39.88	-41.74	16.20	14.34	43.50	29.16	Vertical
6	163.375	34.63	-40.83	18.20	11.99	43.50	31.51	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Value = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Value(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400032008

Rev.: 01

Page: 164 of 309

Transmitter emission Above 1GHz

802.11a_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8037.1667	48.89	37.08	-41.84	44.13	74.00	29.87	Horizontal
2	8762.625	47.22	36.64	-41.21	42.65	68.30	25.65	Horizontal
3	10363.5208	48.04	38.54	-38.81	47.77	68.30	20.53	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 165 of 309

802.11a_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7882.875	49.60	36.94	-42.71	43.82	68.30	24.48	Vertical
2	10358.25	51.93	38.54	-38.82	51.64	68.30	16.66	Vertical
3	12673.1042	44.34	39.30	-36.93	46.71	74.00	27.29	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 166 of 309

802.11a_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8078.8542	48.43	37.05	-41.51	43.98	74.00	30.02	Horizontal
2	10436.3542	46.93	38.54	-38.73	46.74	68.30	21.56	Horizontal
3	13447.9167	44.31	40.03	-36.35	47.99	68.30	20.31	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 167 of 309

802.11a_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8027.1042	48.59	37.08	-41.92	43.76	74.00	30.24	Vertical
2	10440.6667	51.33	38.54	-38.74	51.14	68.30	17.16	Vertical
3	14506.3958	43.32	41.21	-34.30	50.22	68.30	18.08	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 168 of 309

802.11a_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8002.6667	49.56	37.10	-42.11	44.55	68.30	23.75	Horizontal
2	10477.5625	46.75	38.55	-38.75	46.55	68.30	21.75	Horizontal
3	13623.2917	44.28	40.27	-36.03	48.52	68.30	19.78	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 169 of 309

802.11a_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8009.8542	48.75	37.09	-42.05	43.79	68.30	24.51	Vertical
2	10482.8333	49.86	38.55	-38.75	49.66	68.30	18.64	Vertical
3	12518.8125	44.69	39.26	-37.00	46.95	74.00	27.05	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 170 of 309

802.11a_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8034.7708	48.32	37.08	-41.86	43.54	74.00	30.46	Horizontal
2	10521.6458	47.00	38.55	-38.60	46.95	68.30	21.35	Horizontal
3	12969.7083	44.58	39.39	-37.17	46.80	68.30	21.50	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 171 of 309

802.11a_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8034.2917	48.54	37.08	-41.86	43.76	74.00	30.24	Vertical
2	10522.6042	53.08	38.55	-38.59	53.04	68.30	15.26	Vertical
3	13997.5208	42.95	40.80	-34.80	48.95	68.30	19.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 172 of 309

802.11a_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8009.8542	48.81	37.09	-42.05	43.85	68.30	24.45	Horizontal
2	10601.6667	45.79	38.56	-38.00	46.35	74.00	27.65	Horizontal
3	12099.0625	44.52	39.13	-37.19	46.46	74.00	27.54	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 173 of 309

802.11a_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7834.9583	49.80	36.87	-42.64	44.03	68.30	24.27	Vertical
2	10596.875	51.86	38.56	-38.03	52.39	68.30	15.91	Vertical
3	10605.0208	42.17	38.56	-37.98	42.75	54.00	11.25	Vertical
4	13473.7917	44.56	40.06	-36.50	48.13	68.30	20.17	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 174 of 309

802.11a_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7820.1042	49.83	36.85	-42.61	44.07	68.30	24.23	Horizontal
2	10637.6042	39.53	38.56	-37.81	40.28	54.00	13.72	Horizontal
3	10638.5625	46.71	38.56	-37.81	47.46	74.00	26.54	Horizontal
4	12954.375	45.14	39.39	-37.10	47.42	68.30	20.88	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 175 of 309

802.11a_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7830.6458	48.59	36.86	-42.63	42.82	68.30	25.48	Vertical
2	10638.0833	51.93	38.56	-37.81	52.68	74.00	21.32	Vertical
3	10642.3958	42.79	38.56	-37.79	43.56	54.00	10.44	Vertical
4	13466.125	45.39	40.05	-36.45	48.99	68.30	19.31	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 176 of 309

802.11a_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7412.3333	49.84	36.15	-42.84	43.16	74.00	30.84	Horizontal
2	9514.4375	48.22	37.53	-39.85	45.90	68.30	22.40	Horizontal
3	11000.3333	48.06	38.60	-37.59	49.07	74.00	24.93	Horizontal
4	11003.2083	40.63	38.60	-37.60	41.64	54.00	12.36	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 177 of 309

802.11a_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7427.6667	50.12	36.20	-42.90	43.42	74.00	30.58	Vertical
2	8607.8542	47.15	36.74	-40.93	42.96	68.30	25.34	Vertical
3	10999.8542	44.90	38.60	-37.59	45.91	54.00	8.09	Vertical
4	11000.8125	52.67	38.60	-37.59	53.68	74.00	20.32	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 178 of 309

802.11a_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	1000	37.70	25.40	-23.97	39.13	74.00	34.87	Horizontal
2	8213.9792	48.60	36.97	-42.11	43.46	74.00	30.54	Horizontal
3	9575.7708	46.46	37.65	-39.38	44.73	68.30	23.57	Horizontal
4	11158.4583	39.95	38.68	-37.08	41.55	54.00	12.45	Horizontal
5	11160.375	48.16	38.68	-37.06	49.78	74.00	24.22	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 179 of 309

802.11a_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7491.875	49.50	36.38	-43.14	42.74	74.00	31.26	Vertical
2	9521.625	47.45	37.54	-39.80	45.20	68.30	23.10	Vertical
3	11160.8542	45.37	38.68	-37.05	47.00	54.00	7.00	Vertical
4	11161.8125	53.77	38.68	-37.04	55.41	74.00	18.59	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 180 of 309

802.11a_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7992.125	48.84	37.09	-42.18	43.75	68.30	24.55	Horizontal
2	9531.2083	47.23	37.56	-39.72	45.07	68.30	23.23	Horizontal
3	11395.6458	37.59	38.80	-37.50	38.89	54.00	15.11	Horizontal
4	11398.0417	46.29	38.80	-37.50	47.58	74.00	26.42	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 181 of 309

802.11a_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7423.3542	49.09	36.19	-42.88	42.40	74.00	31.60	Vertical
2	9516.8333	47.35	37.53	-39.83	45.05	68.30	23.25	Vertical
3	11397.0833	41.87	38.80	-37.50	43.17	54.00	10.83	Vertical
4	11401.875	51.37	38.80	-37.49	52.68	74.00	21.32	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 182 of 309

802.11a_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8374.0208	47.63	36.88	-41.50	43.01	74.00	30.99	Horizontal
2	9565.7083	46.98	37.63	-39.46	45.15	68.30	23.15	Horizontal
3	11487.1667	47.46	38.84	-36.64	49.67	74.00	24.33	Horizontal
4	11491.4792	38.28	38.85	-36.60	40.53	54.00	13.47	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 183 of 309

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8102.3333	47.35	37.04	-41.36	43.03	74.00	30.97	Vertical
2	9555.1667	46.93	37.61	-39.54	45.00	68.30	23.30	Vertical
3	11489.5625	44.55	38.84	-36.61	46.78	54.00	7.22	Vertical
4	11490.0417	53.55	38.85	-36.61	55.79	74.00	18.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 184 of 309

802.11a_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7817.2292	48.38	36.84	-42.61	42.62	68.30	25.68	Horizontal
2	9566.6667	47.34	37.63	-39.45	45.52	68.30	22.78	Horizontal
3	11569.1042	44.85	38.88	-36.83	46.90	74.00	27.10	Horizontal
4	11573.4167	36.34	38.89	-36.86	38.37	54.00	15.63	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 185 of 309

802.11a_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7960.9792	48.87	37.05	-42.37	43.55	68.30	24.75	Vertical
2	10083.6875	44.56	38.51	-38.81	44.26	68.30	24.04	Vertical
3	11561.4375	51.55	38.88	-36.80	53.63	74.00	20.37	Vertical
4	11569.1042	44.20	38.88	-36.83	46.25	54.00	7.75	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 186 of 309

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8575.2708	47.24	36.75	-41.12	42.88	68.30	25.42	Horizontal
2	10059.7292	45.77	38.51	-38.97	45.30	68.30	23.00	Horizontal
3	11651.0417	45.12	38.93	-36.53	47.52	74.00	26.48	Horizontal
4	11652.9583	37.22	38.93	-36.51	39.64	54.00	14.36	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 187 of 309

802.11a_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7945.1667	48.85	37.02	-42.46	43.41	68.30	24.89	Vertical
2	9507.25	47.96	37.51	-39.90	45.57	68.30	22.73	Vertical
3	11647.6875	51.09	38.92	-36.56	53.46	74.00	20.54	Vertical
4	11648.1667	42.50	38.92	-36.55	44.87	54.00	9.13	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 188 of 309

802.11c20_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8457.875	48.53	36.83	-41.62	43.74	74.00	30.26	Horizontal
2	10368.7917	47.37	38.54	-38.80	47.11	68.30	21.19	Horizontal
3	12743.0625	45.11	39.32	-36.74	47.69	68.30	20.61	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 189 of 309

802.11c20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7968.1667	49.07	37.06	-42.32	43.80	68.30	24.50	Vertical
2	10360.6458	51.39	38.54	-38.82	51.11	68.30	17.19	Vertical
3	13465.6458	44.19	40.05	-36.45	47.79	68.30	20.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 190 of 309

802.11c20_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7838.3125	49.14	36.87	-42.64	43.37	68.30	24.93	Horizontal
2	10436.3542	46.22	38.54	-38.73	46.03	68.30	22.27	Horizontal
3	13418.2083	43.45	39.99	-36.18	47.26	68.30	21.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 191 of 309

802.11c20_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8022.7917	49.38	37.09	-41.95	44.52	68.30	23.78	Vertical
2	10444.5	52.31	38.54	-38.74	52.12	68.30	16.18	Vertical
3	12908.375	45.38	39.37	-36.91	47.85	68.30	20.45	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 192 of 309

802.11c20_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7888.625	49.23	36.94	-42.72	43.45	68.30	24.85	Horizontal
2	10475.1667	46.49	38.55	-38.75	46.29	68.30	22.01	Horizontal
3	12915.5625	44.39	39.37	-36.94	46.83	68.30	21.47	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 193 of 309

802.11c20_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8346.2292	48.18	36.89	-41.64	43.43	74.00	30.57	Vertical
2	10478.5208	50.75	38.55	-38.75	50.55	68.30	17.75	Vertical
3	12968.2708	44.93	39.39	-37.16	47.16	68.30	21.14	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 194 of 309

802.11c20_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8110.4792	48.47	37.03	-41.42	44.08	74.00	29.92	Horizontal
2	10520.2083	45.97	38.55	-38.61	45.91	68.30	22.39	Horizontal
3	13998.4792	42.78	40.80	-34.79	48.79	68.30	19.51	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 195 of 309

802.11c20_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8049.1458	48.72	37.07	-41.74	44.05	74.00	29.95	Vertical
2	10520.6875	52.72	38.55	-38.60	52.67	68.30	15.63	Vertical
3	13511.1667	45.02	40.12	-36.58	48.55	68.30	19.75	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 196 of 309

802.11c20_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7771.2292	49.65	36.78	-42.69	43.74	68.30	24.56	Horizontal
2	10599.2708	46.12	38.56	-38.02	46.66	68.30	21.64	Horizontal
3	10601.6667	38.59	38.56	-38.00	39.15	54.00	14.85	Horizontal
4	12917.9583	44.20	39.38	-36.95	46.63	68.30	21.67	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 197 of 309

802.11c20_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7646.6458	50.26	36.61	-42.84	44.03	74.00	29.97	Vertical
2	10596.875	47.74	38.56	-38.03	48.27	68.30	20.03	Vertical
3	10604.0625	39.83	38.56	-37.99	40.40	54.00	13.60	Vertical
4	13756.0208	44.63	40.46	-36.14	48.95	68.30	19.35	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 198 of 309

802.11c20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8642.3542	47.47	36.71	-41.08	43.10	68.30	25.20	Horizontal
2	10638.0833	46.77	38.56	-37.81	47.52	74.00	26.48	Horizontal
3	10645.2708	38.41	38.56	-37.77	39.20	54.00	14.80	Horizontal
4	12687.4792	43.77	39.31	-36.88	46.20	74.00	27.80	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 199 of 309

802.11c20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7577.6458	49.02	36.51	-42.84	42.69	74.00	31.31	Vertical
2	10636.6458	50.93	38.56	-37.82	51.67	74.00	22.33	Vertical
3	10641.9167	43.15	38.56	-37.79	43.92	54.00	10.08	Vertical
4	12728.2083	44.28	39.32	-36.77	46.83	68.30	21.47	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 200 of 309

802.11c20_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7984.9375	49.39	37.08	-42.22	44.25	68.30	24.05	Horizontal
2	11000.8125	39.28	38.60	-37.59	40.29	54.00	13.71	Horizontal
3	11002.25	47.71	38.60	-37.59	48.72	74.00	25.28	Horizontal
4	13619.9375	44.86	40.27	-36.03	49.10	68.30	19.20	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 201 of 309

802.11c20_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7988.7708	49.78	37.08	-42.20	44.67	68.30	23.63	Vertical
2	10998.4167	43.51	38.60	-37.59	44.52	54.00	9.48	Vertical
3	10998.4167	52.50	38.60	-37.59	53.51	74.00	20.49	Vertical
4	13388.5	43.62	39.94	-36.18	47.38	74.00	26.62	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 202 of 309

802.11c20_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8022.3125	48.66	37.09	-41.95	43.79	68.30	24.51	Horizontal
2	11159.8958	38.44	38.68	-37.06	40.06	54.00	13.94	Horizontal
3	11161.8125	46.50	38.68	-37.04	48.14	74.00	25.86	Horizontal
4	13724.875	44.01	40.41	-36.05	48.37	68.30	19.93	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 203 of 309

802.11c20_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8045.3125	48.41	37.07	-41.77	43.71	74.00	30.29	Vertical
2	11158.9375	51.28	38.68	-37.07	52.89	74.00	21.11	Vertical
3	11162.7708	43.38	38.68	-37.03	45.03	54.00	8.97	Vertical
4	13972.6042	42.79	40.76	-35.00	48.56	68.30	19.74	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 204 of 309

802.11c20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7983.5	48.71	37.08	-42.23	43.56	68.30	24.74	Horizontal
2	9562.8333	47.94	37.63	-39.48	46.08	68.30	22.22	Horizontal
3	12077.0208	44.35	39.12	-37.19	46.29	74.00	27.71	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 205 of 309

802.11c20_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7973.9167	49.54	37.06	-42.29	44.31	68.30	23.99	Vertical
2	9530.25	47.59	37.56	-39.73	45.42	68.30	22.88	Vertical
3	11396.125	39.74	38.80	-37.50	41.04	54.00	12.96	Vertical
4	11397.5625	50.56	38.80	-37.50	51.86	74.00	22.14	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 206 of 309

802.11c20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8157.9167	46.95	37.01	-41.81	42.15	74.00	31.85	Horizontal
2	10114.8333	44.75	38.51	-38.79	44.48	68.30	23.82	Horizontal
3	11487.1667	44.55	38.84	-36.64	46.76	74.00	27.24	Horizontal
4	11490.0417	36.46	38.85	-36.61	38.70	54.00	15.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 207 of 309

802.11c20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7829.2083	48.67	36.86	-42.63	42.90	68.30	25.40	Vertical
2	9526.4167	47.14	37.55	-39.76	44.93	68.30	23.37	Vertical
3	11483.8125	49.00	38.84	-36.67	51.17	74.00	22.83	Vertical
4	11491	39.90	38.85	-36.60	42.15	54.00	11.85	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 208 of 309

802.11c20_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7864.1875	48.62	36.91	-42.68	42.85	68.30	25.45	Horizontal
2	9559	47.16	37.62	-39.51	45.27	68.30	23.03	Horizontal
3	11568.625	43.13	38.88	-36.83	45.18	74.00	28.82	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 209 of 309

802.11c20_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8027.5833	48.73	37.08	-41.91	43.90	74.00	30.10	Vertical
2	10055.4167	44.33	38.51	-39.00	43.83	68.30	24.47	Vertical
3	11569.5833	43.72	38.88	-36.84	45.77	74.00	28.23	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 210 of 309

802.11c20_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8916.9167	46.23	36.55	-40.90	41.88	68.30	26.42	Horizontal
2	11649.6042	46.25	38.92	-36.54	48.64	74.00	25.36	Horizontal
3	11650.5625	35.25	38.93	-36.53	37.65	54.00	16.35	Horizontal
4	13927.5625	43.09	40.70	-35.35	48.44	68.30	19.86	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 211 of 309

802.11c20_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8121.9792	48.16	37.03	-41.52	43.67	74.00	30.33	Vertical
2	10212.5833	45.31	38.52	-39.24	44.59	68.30	23.71	Vertical
3	11652	39.81	38.93	-36.52	42.22	54.00	11.78	Vertical
4	11653.4375	48.49	38.93	-36.50	50.91	74.00	23.09	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 212 of 309

802.11ac40_Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7844.5417	49.17	36.88	-42.65	43.40	68.30	24.90	Horizontal
2	10384.6042	44.50	38.54	-38.76	44.28	68.30	24.02	Horizontal
3	12826.9167	44.04	39.35	-36.69	46.70	68.30	21.60	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 213 of 309

802.11ac40_Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8627.0208	46.93	36.72	-41.01	42.64	68.30	25.66	Vertical
2	10392.2708	49.08	38.54	-38.74	48.88	68.30	19.42	Vertical
3	14387.0833	44.33	41.11	-35.18	50.26	68.30	18.04	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 214 of 309

802.11ac40_Channel 46



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8008.8958	48.34	37.09	-42.06	43.37	68.30	24.93	Horizontal
2	10467.5	47.22	38.55	-38.75	47.02	68.30	21.28	Horizontal
3	13401.9167	42.80	39.96	-36.08	46.68	68.30	21.62	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 215 of 309

802.11ac40_Channel 46



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8028.0625	48.80	37.08	-41.91	43.97	74.00	30.03	Vertical
2	10451.2083	47.46	38.55	-38.74	47.26	68.30	21.04	Vertical
3	14445.0625	44.33	41.16	-34.70	50.79	68.30	17.51	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 216 of 309

802.11ac40_Channel 54



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7811	48.27	36.84	-42.60	42.51	68.30	25.79	Horizontal
2	9511.5625	47.18	37.52	-39.87	44.83	68.30	23.47	Horizontal
3	12123.5	43.99	39.14	-37.17	45.96	74.00	28.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 217 of 309

802.11ac40_Channel 54



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7969.125	48.68	37.06	-42.32	43.42	68.30	24.88	Vertical
2	10541.2917	47.37	38.55	-38.45	47.47	68.30	20.83	Vertical
3	12803.9167	44.39	39.34	-36.63	47.10	68.30	21.20	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 218 of 309

802.11ac40_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7836.875	48.72	36.87	-42.64	42.95	68.30	25.35	Horizontal
2	10319.9167	44.44	38.53	-38.92	44.05	68.30	24.25	Horizontal
3	12229.875	43.76	39.17	-36.97	45.96	74.00	28.04	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 219 of 309

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8190.9792	48.32	36.99	-42.08	43.23	74.00	30.77	Vertical
2	10619.875	47.74	38.56	-37.91	48.40	74.00	25.60	Vertical
3	10621.3125	40.47	38.56	-37.90	41.13	54.00	12.87	Vertical
4	13446.9583	43.91	40.03	-36.34	47.59	68.30	20.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 220 of 309

802.11ac40_Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7739.6042	48.80	36.74	-42.80	42.73	74.00	31.27	Horizontal
2	10061.1667	44.74	38.51	-38.96	44.28	68.30	24.02	Horizontal
3	11020.9375	46.12	38.61	-37.62	47.11	74.00	26.89	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 221 of 309

802.11ac40_Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8037.6458	48.76	37.08	-41.83	44.00	74.00	30.00	Vertical
2	11019.0208	40.89	38.61	-37.62	41.88	54.00	12.12	Vertical
3	11019.0208	48.04	38.61	-37.62	49.03	74.00	24.97	Vertical
4	12695.1458	44.74	39.31	-36.85	47.20	74.00	26.80	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 222 of 309

802.11ac40_Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7884.3125	49.77	36.94	-42.71	43.99	68.30	24.31	Horizontal
2	9376.9167	46.87	37.25	-39.95	44.17	74.00	29.83	Horizontal
3	11099.0417	46.26	38.65	-37.75	47.16	74.00	26.84	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 223 of 309

802.11ac40_Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8374.5	47.77	36.88	-41.50	43.15	74.00	30.85	Vertical
2	11100.4792	39.43	38.65	-37.74	40.34	54.00	13.66	Vertical
3	11105.75	48.23	38.65	-37.68	49.20	74.00	24.80	Vertical
4	13510.2083	44.49	40.11	-36.59	48.02	68.30	20.28	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 224 of 309

802.11ac40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7792.3125	48.21	36.81	-42.61	42.41	68.30	25.89	Horizontal
2	10165.1458	45.02	38.52	-39.08	44.46	68.30	23.84	Horizontal
3	11881.0417	42.87	39.04	-37.32	44.59	74.00	29.41	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 225 of 309

802.11ac40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7974.3958	48.50	37.06	-42.29	43.28	68.30	25.02	Vertical
2	10634.25	43.38	38.56	-37.83	44.11	74.00	29.89	Vertical
3	12766.0625	44.36	39.33	-36.69	47.00	68.30	21.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 226 of 309

802.11ac40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7427.6667	49.75	36.20	-42.90	43.05	74.00	30.95	Horizontal
2	10241.3333	45.59	38.52	-39.15	44.96	68.30	23.34	Horizontal
3	12365.4792	44.29	39.21	-36.87	46.63	74.00	27.37	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 227 of 309

802.11ac40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7828.25	49.80	36.86	-42.63	44.03	68.30	24.27	Vertical
2	10081.7708	44.99	38.51	-38.82	44.67	68.30	23.63	Vertical
3	11512.0833	45.13	38.86	-36.57	47.42	74.00	26.58	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 228 of 309

802.11ac40_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8407.0833	48.41	36.86	-41.40	43.87	74.00	30.13	Horizontal
2	10150.2917	45.54	38.52	-38.99	45.06	68.30	23.24	Horizontal
3	12096.6667	44.21	39.13	-37.19	46.15	74.00	27.85	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 229 of 309

802.11ac40_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8018	48.57	37.09	-41.99	43.67	68.30	24.63	Vertical
2	10712.8333	44.51	38.57	-37.62	45.47	74.00	28.53	Vertical
3	11585.3958	46.65	38.89	-36.91	48.63	74.00	25.37	Vertical
4	11589.7083	38.27	38.89	-36.93	40.23	54.00	13.77	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 230 of 309

802.11ac80_Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4434.1154	36.93	30.44	-20.59	46.78	68.30	21.52	Horizontal
2	7981.5833	48.91	37.07	-42.24	43.74	68.30	24.56	Horizontal
3	9615.0625	45.70	37.73	-39.24	44.19	68.30	24.11	Horizontal
4	11146.4792	43.61	38.67	-37.22	45.07	74.00	28.93	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 231 of 309

802.11ac80_Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8096.1042	47.57	37.04	-41.37	43.24	74.00	30.76	Vertical
2	10426.7708	47.10	38.54	-38.73	46.91	68.30	21.39	Vertical
3	12845.6042	44.41	39.35	-36.73	47.03	68.30	21.27	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 232 of 309

802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8059.6875	47.57	37.06	-41.66	42.98	74.00	31.02	Horizontal
2	10142.1458	45.15	38.51	-38.94	44.72	68.30	23.58	Horizontal
3	12740.1875	44.25	39.32	-36.75	46.83	68.30	21.47	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 233 of 309

802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7752.5417	48.46	36.75	-42.76	42.46	68.30	25.84	Vertical
2	10596.875	47.42	38.56	-38.03	47.95	68.30	20.35	Vertical
3	12822.6042	44.43	39.35	-36.68	47.10	68.30	21.20	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 234 of 309

802.11ac80_Channel 106



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7978.2292	48.69	37.07	-42.26	43.50	68.30	24.80	Horizontal
2	10285.8958	46.71	38.53	-39.01	46.22	68.30	22.08	Horizontal
3	12091.3958	44.03	39.13	-37.19	45.97	74.00	28.03	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 235 of 309

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7827.7708	49.37	36.86	-42.62	43.60	68.30	24.70	Vertical
2	10058.7708	44.17	38.51	-38.98	43.70	68.30	24.60	Vertical
3	12836.9792	44.95	39.35	-36.71	47.59	68.30	20.71	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 236 of 309

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8021.8333	47.93	37.09	-41.96	43.06	68.30	25.24	Horizontal
2	10240.375	44.51	38.52	-39.15	43.88	68.30	24.42	Horizontal
3	13422.5208	43.04	39.99	-36.20	46.83	68.30	21.47	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 237 of 309

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7978.2292	48.45	37.07	-42.26	43.26	68.30	25.04	Vertical
2	9524.0208	47.91	37.55	-39.78	45.68	68.30	22.62	Vertical
3	12667.3542	44.07	39.30	-36.95	46.42	74.00	27.58	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- All channels have been tested, but only the worst case data displayed in this report.
- Both peak and average measured complies with the limit line, so test result is "PASS"



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250400032008

Rev.: 01

Page: 238 of 309

Restricted bands around fundamental frequency

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	35.74	31.67	-19.14	48.26	54.00	5.74	Horizontal
2	5149.3	37.02	31.67	-19.14	49.55	54.00	4.45	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 239 of 309

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.9	30.36	31.66	-19.15	42.87	54.00	11.13	Vertical
2	5148.5	31.96	31.67	-19.14	44.48	54.00	9.52	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 240 of 309

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	50.11	31.66	-19.15	62.62	74.00	11.38	Horizontal
2	5147.4	52.71	31.67	-19.15	65.23	74.00	8.77	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 241 of 309

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147	46.43	31.66	-19.15	58.95	74.00	15.05	Vertical
2	5150	46.87	31.67	-19.14	59.40	74.00	14.60	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 242 of 309

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.7	37.86	32.03	-18.90	50.99	54.00	3.01	Horizontal
2	5352.3	37.32	32.03	-18.91	50.45	54.00	3.55	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 243 of 309

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	32.41	32.03	-18.90	45.54	54.00	8.46	Vertical
2	5352	31.70	32.03	-18.90	44.83	54.00	9.17	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 244 of 309

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.2	54.74	32.03	-18.90	67.87	74.00	6.13	Horizontal
2	5352.9	52.59	32.04	-18.91	65.72	74.00	8.28	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 245 of 309

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.8	47.20	32.04	-18.91	60.33	74.00	13.67	Vertical
2	5355.5	43.85	32.04	-18.91	56.98	74.00	17.02	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 246 of 309

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.88	46.72	32.22	-19.11	59.83	74.00	14.17	Horizontal
2	5468.44	52.33	32.24	-19.13	65.44	68.30	2.86	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 247 of 309

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.36	42.03	32.22	-19.11	55.14	74.00	18.86	Vertical
2	5467.9	50.70	32.24	-19.13	63.81	68.30	4.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 248 of 309

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.3	30.98	32.22	-19.11	44.09	54.00	9.91	Horizontal
2	5458.66	32.13	32.23	-19.11	45.24	54.00	8.76	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 249 of 309

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.86	28.62	32.22	-19.11	41.73	54.00	12.27	Vertical
2	5459.38	29.32	32.23	-19.12	42.43	54.00	11.57	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 250 of 309

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.05	52.33	32.35	-18.81	65.87	68.30	2.43	Horizontal
2	5728.25	51.20	32.35	-18.81	64.73	68.30	3.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 251 of 309

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.2	50.58	32.35	-18.81	64.12	68.30	4.18	Vertical
2	5730.45	47.77	32.35	-18.82	61.29	68.30	7.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 252 of 309

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.8	50.87	32.35	-18.81	64.41	68.30	3.89	Horizontal
2	5727.45	49.29	32.35	-18.81	62.82	68.30	5.48	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 253 of 309

802.11a_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.7	47.14	32.35	-18.81	60.67	68.30	7.63	Vertical
2	5730.6	45.79	32.35	-18.82	59.31	68.30	8.99	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 254 of 309

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.1125	39.16	32.33	-18.72	52.76	68.30	15.54	Horizontal
2	5680.25	43.17	32.34	-18.73	56.78	90.72	33.94	Horizontal
3	5706.25	47.37	32.34	-18.75	60.96	107.05	46.09	Horizontal
4	5723.9625	60.59	32.34	-18.80	74.13	119.94	45.81	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 255 of 309

802.11a_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.9625	38.49	32.33	-18.72	52.09	68.30	16.21	Vertical
2	5670.175	39.00	32.33	-18.73	52.61	83.27	30.66	Vertical
3	5706.575	43.98	32.34	-18.75	57.57	107.14	49.57	Vertical
4	5724.9375	59.01	32.34	-18.80	72.55	122.16	49.61	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 256 of 309

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	50.55	32.37	-18.88	64.04	118.82	54.78	Horizontal
2	5860.95	47.17	32.37	-18.85	60.69	109.23	48.54	Horizontal
3	5891.825	38.79	32.38	-18.76	52.40	92.81	40.41	Horizontal
4	5930.825	39.10	32.39	-18.80	52.68	68.30	15.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 257 of 309

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3625	48.71	32.37	-18.88	62.20	119.19	56.99	Vertical
2	5860.7875	45.26	32.37	-18.85	58.78	109.28	50.50	Vertical
3	5897.8375	39.08	32.38	-18.75	52.71	88.36	35.65	Vertical
4	5930.6625	39.05	32.39	-18.80	52.63	68.30	15.67	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 258 of 309

802.11c20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	30.04	31.66	-19.15	42.55	54.00	11.45	Horizontal
2	5149.2	30.85	31.67	-19.14	43.38	54.00	10.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 259 of 309

802.11c20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.4	27.00	31.65	-19.17	39.49	54.00	14.51	Vertical
2	5148.4	28.15	31.67	-19.14	40.67	54.00	13.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 260 of 309

802.11c20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.4	48.33	31.66	-19.15	60.84	74.00	13.16	Horizontal
2	5149.7	50.55	31.67	-19.14	63.08	74.00	10.92	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 261 of 309

802.11c20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.1	39.27	31.66	-19.16	51.77	74.00	22.23	Vertical
2	5149.1	45.00	31.67	-19.14	57.53	74.00	16.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 262 of 309

802.11c20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.2	32.62	32.03	-18.90	45.75	54.00	8.25	Horizontal
2	5353.7	30.81	32.04	-18.91	43.94	54.00	10.06	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 263 of 309

802.11c20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.9	28.63	32.03	-18.90	41.76	54.00	12.24	Vertical
2	5355.2	27.62	32.04	-18.91	40.75	54.00	13.25	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 264 of 309

802.11c20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	51.55	32.03	-18.90	64.68	74.00	9.32	Horizontal
2	5353.7	46.75	32.04	-18.91	59.88	74.00	14.12	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 265 of 309

802.11c20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.5	45.84	32.03	-18.90	58.97	74.00	15.03	Vertical
2	5354.8	42.75	32.04	-18.91	55.88	74.00	18.12	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 266 of 309

802.11c20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.8	28.36	32.21	-19.10	41.47	54.00	12.53	Horizontal
2	5457.7	28.96	32.22	-19.11	42.07	54.00	11.93	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 267 of 309

802.11c20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.02	27.08	32.18	-19.08	40.19	54.00	13.81	Vertical
2	5454.94	27.54	32.22	-19.11	40.65	54.00	13.35	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 268 of 309

802.11c20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.24	39.29	32.21	-19.10	52.40	74.00	21.60	Horizontal
2	5467.3	46.79	32.24	-19.13	59.90	68.30	8.40	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 269 of 309

802.11c20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.32	39.12	32.22	-19.11	52.23	74.00	21.77	Vertical
2	5467	43.44	32.24	-19.13	56.55	68.30	11.75	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 270 of 309

802.11c20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5728.1	47.86	32.35	-18.81	61.39	68.30	6.91	Horizontal
2	5729.7	46.03	32.35	-18.82	59.56	68.30	8.74	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 271 of 309

802.11c20_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.3	44.09	32.35	-18.81	57.62	68.30	10.68	Vertical
2	5730.5	40.63	32.35	-18.82	54.15	68.30	14.15	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 272 of 309

802.11c20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.0875	39.56	32.33	-18.72	53.16	68.30	15.14	Horizontal
2	5674.2375	38.83	32.33	-18.73	52.44	86.28	33.84	Horizontal
3	5715.025	43.96	32.34	-18.78	57.53	109.51	51.98	Horizontal
4	5723.3125	53.47	32.34	-18.80	67.01	118.45	51.44	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 273 of 309

802.11c20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5125	38.79	32.33	-18.72	52.39	68.30	15.91	Vertical
2	5684.15	39.62	32.34	-18.73	53.23	93.61	40.38	Vertical
3	5715.675	45.36	32.34	-18.78	58.93	109.69	50.76	Vertical
4	5723.6375	56.12	32.34	-18.80	69.66	119.19	49.53	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 274 of 309

802.11c20_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.6625	47.27	32.37	-18.88	60.76	116.23	55.47	Horizontal
2	5863.3875	42.01	32.37	-18.85	55.54	108.55	53.01	Horizontal
3	5890.0375	39.48	32.38	-18.77	53.09	94.14	41.05	Horizontal
4	5931.9625	38.85	32.39	-18.81	52.43	68.30	15.87	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 275 of 309

802.11c20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.9875	44.29	32.37	-18.88	57.78	115.49	57.71	Vertical
2	5862.0875	40.26	32.37	-18.85	53.78	108.91	55.13	Vertical
3	5902.7125	39.34	32.38	-18.75	52.97	84.75	31.78	Vertical
4	5937.65	39.28	32.39	-18.82	52.85	68.30	15.45	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 276 of 309

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8933	30.05	31.67	-19.15	42.57	54.00	11.43	Horizontal
2	5352.6275	26.52	32.03	-18.91	39.65	54.00	14.35	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 277 of 309

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3467	27.84	31.66	-19.15	40.35	54.00	13.65	Vertical
2	5362.6025	26.41	32.05	-18.93	39.53	54.00	14.47	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 278 of 309

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.58	47.03	31.66	-19.15	59.55	74.00	14.45	Horizontal
2	5360.3625	37.94	32.05	-18.92	51.06	74.00	22.94	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 279 of 309

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.94	44.79	31.67	-19.14	57.32	74.00	16.68	Vertical
2	5359.26	38.03	32.05	-18.92	51.15	74.00	22.85	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 280 of 309

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.6	26.58	31.65	-19.16	39.07	54.00	14.93	Horizontal
2	5352.55	33.66	32.03	-18.91	46.79	54.00	7.21	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 281 of 309

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.95	26.48	31.66	-19.15	38.98	54.00	15.02	Vertical
2	5353.55	30.21	32.04	-18.91	43.34	54.00	10.66	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 282 of 309

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5333	39.28	31.66	-19.15	51.80	74.00	22.20	Horizontal
2	5350.45	56.30	32.03	-18.90	69.43	74.00	4.57	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 283 of 309

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.2	38.83	31.65	-19.17	51.31	74.00	22.69	Vertical
2	5350.6625	50.66	32.03	-18.90	63.79	74.00	10.21	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 284 of 309

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.875	46.97	32.23	-19.11	60.08	74.00	13.92	Horizontal
2	5469.93	50.08	32.25	-19.13	63.19	68.30	5.11	Horizontal
3	5753.94	40.37	32.35	-18.89	53.83	68.30	14.47	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 285 of 309

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.6117	39.96	32.21	-19.10	53.07	74.00	20.93	Vertical
2	5467.4733	47.98	32.24	-19.13	61.09	68.30	7.21	Vertical
3	5752.04	41.33	32.35	-18.89	54.79	68.30	13.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 286 of 309

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.9167	28.25	32.20	-19.09	41.36	54.00	12.64	Horizontal
2	5457.3117	28.78	32.22	-19.11	41.89	54.00	12.11	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 287 of 309

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.8817	26.90	32.19	-19.08	40.01	54.00	13.99	Vertical
2	5457.3117	27.45	32.22	-19.11	40.56	54.00	13.44	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 288 of 309

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.8667	39.59	32.18	-19.08	52.70	74.00	21.30	Horizontal
2	5467.0267	39.66	32.24	-19.13	52.77	68.30	15.53	Horizontal
3	5728.37	42.15	32.35	-18.82	55.68	68.30	12.62	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 289 of 309

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.9467	39.21	32.21	-19.10	52.32	74.00	21.68	Vertical
2	5463.4533	39.30	32.23	-19.12	52.41	68.30	15.89	Vertical
3	5729.47	40.44	32.35	-18.82	53.97	68.30	14.33	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 290 of 309

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.1867	26.76	32.18	-19.07	39.87	54.00	14.13	Horizontal
2	5455.3017	26.65	32.22	-19.11	39.76	54.00	14.24	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 291 of 309

802.11ac40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5418.005	26.60	32.15	-19.05	39.70	54.00	14.30	Vertical
2	5447.2617	26.59	32.21	-19.10	39.70	54.00	14.30	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 292 of 309

802.11ac40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.4125	39.63	32.33	-18.72	53.23	68.30	15.07	Horizontal
2	5670.3375	38.94	32.33	-18.73	52.55	83.39	30.84	Horizontal
3	5700.4	42.77	32.34	-18.73	56.38	105.41	49.03	Horizontal
4	5723.9625	51.69	32.34	-18.80	65.23	119.94	54.71	Horizontal
5	5851.3625	38.84	32.37	-18.88	52.33	119.19	66.86	Horizontal
6	5861.6	38.66	32.37	-18.85	52.18	109.05	56.87	Horizontal
7	5899.3	39.05	32.38	-18.74	52.69	87.28	34.59	Horizontal
8	5942.2	39.44	32.39	-18.83	53.00	68.30	15.30	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 293 of 309

802.11ac40_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.4875	38.90	32.33	-18.72	52.50	68.30	15.80	Vertical
2	5680.0875	39.31	32.34	-18.73	52.92	90.60	37.68	Vertical
3	5709.5	43.65	32.34	-18.76	57.23	107.96	50.73	Vertical
4	5722.5	51.05	32.34	-18.80	64.60	116.60	52.00	Vertical
5	5850.55	38.88	32.37	-18.88	52.37	121.05	68.68	Vertical
6	5868.1	39.25	32.37	-18.83	52.79	107.23	54.44	Vertical
7	5890.6875	40.33	32.38	-18.77	53.94	93.66	39.72	Vertical
8	5942.0375	39.09	32.39	-18.83	52.65	68.30	15.65	Vertical




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 294 of 309

802.11ac40_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.0875	39.20	32.33	-18.72	52.80	68.30	15.50	Horizontal
2	5672.45	38.81	32.33	-18.73	52.42	84.95	32.53	Horizontal
3	5704.7875	39.86	32.34	-18.74	53.46	106.64	53.18	Horizontal
4	5721.2	39.30	32.34	-18.79	52.85	113.64	60.79	Horizontal
5	5851.525	41.34	32.37	-18.88	54.83	118.82	63.99	Horizontal
6	5865.175	39.50	32.37	-18.84	53.03	108.05	55.02	Horizontal
7	5902.225	39.00	32.38	-18.74	52.64	85.11	32.47	Horizontal
8	5944.6375	38.92	32.39	-18.83	52.48	68.30	15.82	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 295 of 309

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.8625	38.84	32.33	-18.72	52.44	68.30	15.86	Vertical
2	5682.3625	39.37	32.34	-18.73	52.98	92.29	39.31	Vertical
3	5714.7	39.38	32.34	-18.77	52.95	109.42	56.47	Vertical
4	5722.9875	38.89	32.34	-18.80	52.44	117.71	65.27	Vertical
5	5852.0125	40.71	32.37	-18.88	54.20	117.71	63.51	Vertical
6	5867.125	39.37	32.37	-18.84	52.91	107.50	54.59	Vertical
7	5898.1625	38.93	32.38	-18.75	52.56	88.12	35.56	Vertical
8	5934.4	39.39	32.39	-18.81	52.96	68.30	15.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 296 of 309

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3467	33.24	31.66	-19.15	45.75	54.00	8.25	Horizontal
2	5364.5275	27.51	32.06	-18.93	40.63	54.00	13.37	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 297 of 309

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4267	29.61	31.66	-19.15	42.12	54.00	11.88	Vertical
2	5374.205	26.96	32.07	-18.96	40.08	54.00	13.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 298 of 309

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.46	53.74	31.66	-19.16	66.24	74.00	7.76	Horizontal
2	5360.7125	40.10	32.05	-18.93	53.22	74.00	20.78	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 299 of 309

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.5	46.98	31.67	-19.14	59.50	74.00	14.50	Vertical
2	5364.475	38.39	32.06	-18.93	51.51	74.00	22.49	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 300 of 309

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.85	27.67	31.66	-19.15	40.19	54.00	13.81	Horizontal
2	5350.975	36.53	32.03	-18.90	49.66	54.00	4.34	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 301 of 309

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.1	26.71	31.66	-19.15	39.22	54.00	14.78	Vertical
2	5368.4	30.84	32.06	-18.94	43.96	54.00	10.04	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 302 of 309

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.3333	40.99	31.67	-19.15	53.51	74.00	20.49	Horizontal
2	5352.55	54.88	32.03	-18.91	68.01	74.00	5.99	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 303 of 309

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.6	38.83	31.65	-19.16	51.32	74.00	22.68	Vertical
2	5359.4	47.96	32.05	-18.92	61.08	74.00	12.92	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 304 of 309

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.9867	53.28	32.23	-19.11	66.39	74.00	7.61	Horizontal
2	5463.6767	53.12	32.23	-19.12	66.23	68.30	2.07	Horizontal
3	5738.38	39.27	32.35	-18.85	52.77	68.30	15.53	Horizontal



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 305 of 309

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.475	47.04	32.20	-19.09	60.15	74.00	13.85	Vertical
2	5463.6767	48.14	32.23	-19.12	61.25	68.30	7.05	Vertical
3	5754.59	43.29	32.35	-18.89	56.75	68.30	11.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 306 of 309

802.11ac80_Channel 106



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.3783	28.91	32.21	-19.10	42.02	54.00	11.98	Horizontal
2	5453.7383	29.41	32.22	-19.11	42.52	54.00	11.48	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 307 of 309

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.2017	27.43	32.18	-19.08	40.54	54.00	13.46	Vertical
2	5455.0783	27.38	32.22	-19.11	40.49	54.00	13.51	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008
Rev.: 01
Page: 308 of 309

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.325	42.74	32.33	-18.72	56.34	68.30	11.96	Horizontal
2	5670.9875	44.58	32.33	-18.73	58.19	83.87	25.68	Horizontal
3	5711.2875	53.07	32.34	-18.76	66.65	108.46	41.81	Horizontal
4	5722.9875	54.54	32.34	-18.80	68.09	117.71	49.62	Horizontal
5	5851.6875	48.28	32.37	-18.88	61.77	118.45	56.68	Horizontal
6	5864.3625	48.43	32.37	-18.84	61.96	108.28	46.32	Horizontal
7	5897.8375	40.78	32.38	-18.75	54.41	88.36	33.95	Horizontal
8	5936.35	39.07	32.39	-18.82	52.64	68.30	15.66	Horizontal




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250400032008

Rev.: 01

Page: 309 of 309

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	39.90	32.33	-18.72	53.50	68.30	14.80	Vertical
2	5673.75	43.28	32.33	-18.73	56.89	85.92	29.03	Vertical
3	5708.0375	48.68	32.34	-18.75	62.27	107.55	45.28	Vertical
4	5723.475	51.00	32.34	-18.80	64.54	118.82	54.28	Vertical
5	5851.3625	47.25	32.37	-18.88	60.74	119.19	58.45	Vertical
6	5863.875	43.83	32.37	-18.84	57.36	108.41	51.05	Vertical
7	5907.425	39.61	32.38	-18.76	53.24	81.27	28.03	Vertical
8	5940.25	39.17	32.39	-18.82	52.73	68.30	15.57	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:
Level = Reading(dBμV) + AF(dB/m) + Factor(dB):
AF = Antenna Factor(dB/m)
Factor = Cable Factor(dB) - Preamplifier gain(dB)
Margin = Limit(dBμV/m) – Level(dBμV/m)
- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---