

1.1. Test Band = LTE CA_2A-5A_ TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	62.65	-48.50	28.82	-52.29	-13.00	39.29	Horizontal
2	5553.75	65.56	-47.66	32.62	-44.74	-13.00	31.74	Horizontal
3	8343	50.76	-44.36	36.68	-52.18	-13.00	39.18	Horizontal
4	10848.75	50.37	-40.37	39.39	-45.87	-13.00	32.87	Horizontal
5	14322	54.23	-38.46	40.27	-39.22	-13.00	26.22	Horizontal
6	17776.5	53.45	-38.29	43.46	-36.64	-13.00	23.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	63.77	-48.50	28.82	-51.17	-13.00	38.17	Vertical
2	5553	70.38	-47.66	32.62	-39.92	-13.00	26.92	Vertical
3	7266	51.41	-46.17	35.98	-54.04	-13.00	41.04	Vertical
4	10017	50.52	-41.73	38.81	-47.66	-13.00	34.66	Vertical
5	14242.5	53.17	-38.56	40.28	-40.37	-13.00	27.37	Vertical
6	17873.25	53.76	-38.16	44.04	-35.62	-13.00	22.62	Vertical

1.2. Test Band = LTE CA_2A-5A_ TM1**1.2.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	60.73	-48.37	28.89	-54.01	-13.00	41.01	Horizontal
2	5613	63.09	-47.67	32.65	-47.20	-13.00	34.20	Horizontal
3	7647.75	51.20	-44.88	36.37	-52.57	-13.00	39.57	Horizontal
4	10914.75	50.74	-40.11	39.44	-45.19	-13.00	32.19	Horizontal
5	14305.5	53.83	-38.43	40.27	-39.59	-13.00	26.59	Horizontal
6	17939.25	54.00	-38.44	44.44	-35.27	-13.00	22.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	63.66	-48.37	28.89	-51.09	-13.00	38.09	Vertical
2	5613	67.69	-47.67	32.65	-42.60	-13.00	29.60	Vertical
3	7776	51.47	-44.98	36.34	-52.43	-13.00	39.43	Vertical
4	11379	51.60	-40.16	39.46	-44.36	-13.00	31.36	Vertical
5	14727	52.68	-36.73	40.23	-39.08	-13.00	26.08	Vertical
6	17933.25	53.73	-38.40	44.40	-35.53	-13.00	22.53	Vertical

1.3. Test Band = LTE CA_2A-5A_ TM1**1.3.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	57.62	-48.24	28.95	-56.93	-13.00	43.93	Horizontal
2	5673	57.39	-47.55	32.67	-52.75	-13.00	39.75	Horizontal
3	7284.75	51.05	-46.17	36.01	-54.36	-13.00	41.36	Horizontal
4	9420	52.21	-42.91	37.99	-47.98	-13.00	34.98	Horizontal
5	12086.25	51.35	-39.60	39.35	-44.16	-13.00	31.16	Horizontal
6	15527.25	53.13	-36.74	39.25	-39.62	-13.00	26.62	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	60.53	-48.24	28.95	-54.02	-13.00	41.02	Vertical
2	5673	61.57	-47.55	32.67	-48.57	-13.00	35.57	Vertical
3	7600.5	50.42	-44.57	36.38	-53.03	-13.00	40.03	Vertical
4	9453.75	51.93	-42.68	38.04	-47.98	-13.00	34.98	Vertical
5	12031.5	51.69	-39.49	39.38	-43.68	-13.00	30.68	Vertical
6	14676	53.14	-36.98	40.23	-38.87	-13.00	25.87	Vertical

1.4. Test Band = LTE CA_2A-12A_ TM1**1.4.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	61.24	-48.50	28.82	-53.70	-13.00	40.70	Horizontal
2	5553	59.64	-47.66	32.62	-50.66	-13.00	37.66	Horizontal
3	7617	50.25	-44.68	36.38	-53.31	-13.00	40.31	Horizontal
4	9448.5	52.18	-42.72	38.03	-47.77	-13.00	34.77	Horizontal
5	12000	51.67	-39.42	39.40	-43.61	-13.00	30.61	Horizontal
6	14876.25	53.76	-37.25	40.21	-38.53	-13.00	25.53	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	64.06	-48.50	28.82	-50.88	-13.00	37.88	Vertical
2	5553	64.43	-47.66	32.62	-45.87	-13.00	32.87	Vertical
3	7291.5	51.65	-46.16	36.02	-53.75	-13.00	40.75	Vertical
4	9421.5	52.60	-42.90	37.99	-47.57	-13.00	34.57	Vertical
5	11826.75	51.15	-39.90	39.42	-44.59	-13.00	31.59	Vertical
6	14861.25	53.71	-37.17	40.21	-38.50	-13.00	25.50	Vertical

1.5. Test Band = LTE CA_2A-12A_ TM1**1.5.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	60.88	-48.37	28.89	-53.86	-13.00	40.86	Horizontal
2	5613	59.41	-47.67	32.65	-50.88	-13.00	37.88	Horizontal
3	7792.5	51.36	-44.93	36.34	-52.49	-13.00	39.49	Horizontal
4	10501.5	50.37	-40.66	39.15	-46.40	-13.00	33.40	Horizontal
5	13704.75	52.57	-38.02	39.86	-40.85	-13.00	27.85	Horizontal
6	17864.25	53.79	-38.16	43.99	-35.65	-13.00	22.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	62.15	-48.37	28.89	-52.60	-13.00	39.60	Vertical
2	5613	65.05	-47.67	32.65	-45.24	-13.00	32.24	Vertical
3	7310.25	51.16	-46.16	36.06	-54.20	-13.00	41.20	Vertical
4	9864	49.98	-42.14	38.61	-48.81	-13.00	35.81	Vertical
5	11985.75	51.40	-39.50	39.40	-43.96	-13.00	30.96	Vertical
6	14352.75	53.97	-38.50	40.26	-39.53	-13.00	26.53	Vertical

1.6. Test Band = LTE CA_2A-12A_ TM1**1.6.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	58.10	-48.24	28.95	-56.45	-13.00	43.45	Horizontal
2	5673	60.39	-47.55	32.67	-49.75	-13.00	36.75	Horizontal
3	7754.25	51.50	-45.05	36.35	-52.46	-13.00	39.46	Horizontal
4	10494.75	50.20	-40.68	39.15	-46.59	-13.00	33.59	Horizontal
5	14719.5	52.77	-36.71	40.23	-38.98	-13.00	25.98	Horizontal
6	17865	54.00	-38.16	43.99	-35.43	-13.00	22.43	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	61.81	-48.24	28.95	-52.74	-13.00	39.74	Vertical
2	5673	67.43	-47.55	32.67	-42.71	-13.00	29.71	Vertical
3	7605	50.20	-44.60	36.38	-53.28	-13.00	40.28	Vertical
4	9435	52.30	-42.81	38.01	-47.76	-13.00	34.76	Vertical
5	12038.25	51.52	-39.50	39.38	-43.86	-13.00	30.86	Vertical
6	14931	53.97	-37.57	40.21	-38.65	-13.00	25.65	Vertical

1.7. Test Band = LTE CA_2A-14A_ TM1**1.7.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	61.68	-48.50	28.82	-53.26	-13.00	40.26	Horizontal
2	5553	63.13	-47.66	32.62	-47.17	-13.00	34.17	Horizontal
3	8395.5	51.22	-44.13	36.74	-51.43	-13.00	38.43	Horizontal
4	12011.25	51.37	-39.44	39.39	-43.94	-13.00	30.94	Horizontal
5	14694.75	52.45	-36.75	40.23	-39.33	-13.00	26.33	Horizontal
6	17911.5	54.16	-38.24	44.27	-35.07	-13.00	22.07	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	63.31	-48.50	28.82	-51.63	-13.00	38.63	Vertical
2	5553	68.13	-47.66	32.62	-42.17	-13.00	29.17	Vertical
3	7798.5	51.56	-44.91	36.34	-52.27	-13.00	39.27	Vertical
4	10032.75	50.61	-41.76	38.82	-47.58	-13.00	34.58	Vertical
5	14708.25	52.46	-36.69	40.23	-39.26	-13.00	26.26	Vertical
6	17894.25	53.67	-38.15	44.17	-35.58	-13.00	22.58	Vertical

1.8. Test Band = LTE CA_2A-14A_ TM1**1.8.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	60.29	-48.37	28.89	-54.45	-13.00	41.45	Horizontal
2	5613	60.87	-47.67	32.65	-49.42	-13.00	36.42	Horizontal
3	7810.5	50.96	-44.97	36.34	-52.93	-13.00	39.93	Horizontal
4	11320.5	50.79	-40.38	39.47	-45.38	-13.00	32.38	Horizontal
5	14334	53.75	-38.47	40.27	-39.72	-13.00	26.72	Horizontal
6	17512.5	53.42	-37.01	41.88	-36.98	-13.00	23.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	62.98	-48.37	28.89	-51.76	-13.00	38.76	Vertical
2	5613	68.04	-47.67	32.65	-42.25	-13.00	29.25	Vertical
3	7745.25	51.93	-45.07	36.35	-52.05	-13.00	39.05	Vertical
4	10689.75	50.26	-41.03	39.28	-46.75	-13.00	33.75	Vertical
5	14299.5	53.83	-38.42	40.27	-39.58	-13.00	26.58	Vertical
6	17945.25	53.93	-38.49	44.47	-35.35	-13.00	22.35	Vertical

1.9. Test Band = LTE CA_2A-14A_ TM1**1.9.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	58.20	-48.24	28.95	-56.35	-13.00	43.35	Horizontal
2	5673	61.53	-47.55	32.67	-48.61	-13.00	35.61	Horizontal
3	7998.75	50.52	-44.31	36.30	-52.75	-13.00	39.75	Horizontal
4	11736.75	50.77	-39.74	39.43	-44.80	-13.00	31.80	Horizontal
5	14822.25	53.55	-36.97	40.22	-38.46	-13.00	25.46	Horizontal
6	17463.75	53.69	-36.99	41.58	-36.97	-13.00	23.97	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	61.17	-48.24	28.95	-53.38	-13.00	40.38	Vertical
2	5673.75	68.54	-47.55	32.67	-41.60	-13.00	28.60	Vertical
3	8355.75	50.92	-44.30	36.69	-51.95	-13.00	38.95	Vertical
4	11979	51.58	-39.54	39.40	-43.82	-13.00	30.82	Vertical
5	14730.75	52.57	-36.73	40.23	-39.20	-13.00	26.20	Vertical
6	17886.75	53.92	-38.16	44.12	-35.37	-13.00	22.37	Vertical

1.10. Test Band = LTE CA_4A-5A_ TM1**1.10.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.875	55.07	-48.38	28.44	-60.14	-13.00	47.14	Horizontal
2	5133	64.06	-47.84	31.57	-47.47	-13.00	34.47	Horizontal
3	7177.5	45.28	-46.12	35.82	-60.28	-13.00	47.28	Horizontal
4	9425.25	43.43	-42.88	38.00	-56.71	-13.00	43.71	Horizontal
5	12159.375	39.30	-39.74	39.30	-56.40	-13.00	43.40	Horizontal
6	14360.625	38.17	-38.52	40.26	-55.34	-13.00	42.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.875	53.20	-48.38	28.44	-62.01	-13.00	49.01	Vertical
2	5133	73.15	-47.84	31.57	-38.38	-13.00	25.38	Vertical
3	7030.5	45.97	-46.37	35.55	-60.10	-13.00	47.10	Vertical
4	8555.625	48.58	-44.11	36.91	-53.88	-13.00	40.88	Vertical
5	11396.25	39.57	-40.09	39.46	-56.32	-13.00	43.32	Vertical
6	14772	37.45	-36.80	40.22	-54.39	-13.00	41.39	Vertical

1.11. Test Band = LTE CA_4A-5A_ TM1**1.11.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	58.42	-48.35	28.46	-56.74	-13.00	43.74	Horizontal
2	5170.5	70.90	-47.87	31.68	-40.55	-13.00	27.55	Horizontal
3	7199.25	46.72	-46.20	35.86	-58.88	-13.00	45.88	Horizontal
4	9398.625	43.56	-43.05	37.96	-56.79	-13.00	43.79	Horizontal
5	11974.125	39.04	-39.57	39.40	-56.38	-13.00	43.38	Horizontal
6	14880.375	36.85	-37.27	40.21	-55.47	-13.00	42.47	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.125	65.08	-48.28	28.66	-49.80	-13.00	36.80	Vertical
2	5170.875	72.70	-47.87	31.68	-38.75	-13.00	25.75	Vertical
3	6490.5	44.60	-46.98	34.66	-62.98	-13.00	49.98	Vertical
4	8802.75	44.28	-43.99	37.18	-57.79	-13.00	44.79	Vertical
5	11450.25	39.31	-40.07	39.45	-56.56	-13.00	43.56	Vertical
6	14757.75	36.65	-36.78	40.22	-55.16	-13.00	42.16	Vertical

1.12. Test Band = LTE CA_4A-5A_ TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	59.46	-48.32	28.48	-55.65	-13.00	42.65	Horizontal
2	5208	69.98	-47.88	31.78	-41.38	-13.00	28.38	Horizontal
3	7207.875	45.37	-46.20	35.87	-60.21	-13.00	47.21	Horizontal
4	9424.875	43.48	-42.88	37.99	-56.67	-13.00	43.67	Horizontal
5	11711.25	38.34	-39.68	39.43	-57.17	-13.00	44.17	Horizontal
6	14935.125	37.12	-37.59	40.21	-55.52	-13.00	42.52	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	59.28	-48.32	28.48	-55.83	-13.00	42.83	Vertical
2	5208	72.68	-47.88	31.78	-38.68	-13.00	25.68	Vertical
3	7065.75	44.80	-46.09	35.62	-60.94	-13.00	47.94	Vertical
4	9480	42.79	-42.51	38.07	-56.90	-13.00	43.90	Vertical
5	11778.375	39.01	-39.82	39.42	-56.65	-13.00	43.65	Vertical
6	14953.125	37.81	-37.70	40.20	-54.95	-13.00	41.95	Vertical

1.13. Test Band = LTE CA_5A-30A_ TM1**1.13.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3526.5	46.40	-48.29	28.54	-68.60	-40.00	28.60	Horizontal
2	4867	46.49	-48.02	30.91	-65.89	-40.00	25.89	Horizontal
3	6379.5	46.19	-47.01	34.24	-61.84	-40.00	21.84	Horizontal
4	8342.5	45.46	-44.36	36.68	-57.49	-40.00	17.49	Horizontal
5	10764	43.45	-40.82	39.33	-53.30	-40.00	13.30	Horizontal
6	14907	44.80	-37.41	40.21	-47.66	-40.00	7.66	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3938.5	46.75	-48.25	29.20	-67.56	-40.00	27.56	Vertical
2	5175.5	45.99	-47.87	31.69	-65.45	-40.00	25.45	Vertical
3	6437	46.48	-46.95	34.46	-61.27	-40.00	21.27	Vertical
4	8985.5	44.47	-43.29	37.38	-56.70	-40.00	16.70	Vertical
5	10867	43.12	-40.24	39.41	-52.98	-40.00	12.98	Vertical
6	14954	45.19	-37.71	40.20	-47.58	-40.00	7.58	Vertical

1.14. Test Band = LTE CA_5A-30A_ TM1**1.14.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4160.5	50.46	-48.24	29.56	-63.48	-40.00	23.48	Horizontal
2	6402	46.42	-46.93	34.33	-61.44	-40.00	21.44	Horizontal
3	8009	44.82	-44.34	36.31	-58.47	-40.00	18.47	Horizontal
4	10476.5	42.77	-40.79	39.13	-54.15	-40.00	14.15	Horizontal
5	13444.5	43.54	-39.18	39.47	-51.43	-40.00	11.43	Horizontal
6	17884.5	45.12	-38.16	44.11	-44.19	-40.00	4.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4160	49.53	-48.24	29.56	-64.41	-40.00	24.41	Vertical
2	5894.5	46.61	-47.18	32.76	-63.07	-40.00	23.07	Vertical
3	7793.5	46.03	-44.93	36.34	-57.82	-40.00	17.82	Vertical
4	10103	43.83	-41.88	38.87	-54.44	-40.00	14.44	Vertical
5	13734.5	44.53	-38.33	39.90	-49.16	-40.00	9.16	Vertical
6	17084.5	47.15	-37.55	39.31	-46.35	-40.00	6.35	Vertical

1.15. Test Band = LTE CA_5A-30A_ TM1**1.15.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3962.5	46.46	-48.22	29.24	-67.78	-40.00	27.78	Horizontal
2	5459.5	46.90	-47.65	32.49	-63.53	-40.00	23.53	Horizontal
3	7805.5	45.79	-44.94	36.34	-58.07	-40.00	18.07	Horizontal
4	10498.5	42.79	-40.66	39.15	-53.98	-40.00	13.98	Horizontal
5	13559	43.88	-39.11	39.64	-50.85	-40.00	10.85	Horizontal
6	17885	45.12	-38.16	44.11	-44.19	-40.00	4.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3946	46.55	-48.24	29.21	-67.74	-40.00	27.74	Vertical
2	5443	46.98	-47.67	32.44	-63.51	-40.00	23.51	Vertical
3	7590	44.80	-44.73	36.38	-58.81	-40.00	18.81	Vertical
4	9282	43.73	-43.00	37.79	-56.73	-40.00	16.73	Vertical
5	11245.5	42.98	-40.39	39.48	-53.20	-40.00	13.20	Vertical
6	13707	43.72	-38.04	39.86	-49.72	-40.00	9.72	Vertical

1.16. Test Band = LTE CA_5A-66A_ TM1**1.16.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.75	46.73	-48.39	28.88	-68.04	-13.00	55.04	Horizontal
2	4913.25	46.04	-48.03	31.01	-66.24	-13.00	53.24	Horizontal
3	7075.125	44.93	-46.02	35.64	-60.72	-13.00	47.72	Horizontal
4	10303.5	40.30	-41.15	39.01	-57.10	-13.00	44.10	Horizontal
5	13522.125	38.74	-39.16	39.58	-56.10	-13.00	43.10	Horizontal
6	17542.5	36.32	-37.45	42.06	-54.34	-13.00	41.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3710.25	46.02	-48.48	28.84	-68.88	-13.00	55.88	Vertical
2	5155.875	45.82	-47.86	31.64	-65.66	-13.00	52.66	Vertical
3	7314.75	45.04	-46.16	36.07	-60.31	-13.00	47.31	Vertical
4	9887.25	41.17	-42.12	38.64	-57.57	-13.00	44.57	Vertical
5	13582.5	38.29	-39.07	39.67	-56.37	-13.00	43.37	Vertical
6	17883	36.30	-38.16	44.10	-53.02	-13.00	40.02	Vertical

1.17. Test Band = LTE CA_5A-66A_ TM1**1.17.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3881.25	46.67	-48.27	29.11	-67.75	-13.00	54.75	Horizontal
2	5399.625	46.69	-47.72	32.32	-63.97	-13.00	50.97	Horizontal
3	7784.625	44.48	-44.96	36.34	-59.39	-13.00	46.39	Horizontal
4	9455.25	42.84	-42.67	38.04	-57.06	-13.00	44.06	Horizontal
5	12636	38.61	-39.09	39.02	-56.72	-13.00	43.72	Horizontal
6	14767.875	36.87	-36.80	40.22	-54.96	-13.00	41.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3891.75	46.13	-48.28	29.13	-68.28	-13.00	55.28	Vertical
2	6138	45.95	-47.44	33.32	-63.43	-13.00	50.43	Vertical
3	8490.75	43.76	-44.26	36.84	-58.92	-13.00	45.92	Vertical
4	12025.5	38.99	-39.47	39.38	-56.36	-13.00	43.36	Vertical
5	14945.25	37.59	-37.66	40.21	-55.12	-13.00	42.12	Vertical
6	17915.625	37.11	-38.27	44.29	-52.12	-13.00	39.12	Vertical

1.18. Test Band = LTE CA_5A-66A_ TM1**1.18.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3979.5	46.65	-48.20	29.27	-67.55	-13.00	54.55	Horizontal
2	6003.75	46.55	-47.50	32.81	-63.39	-13.00	50.39	Horizontal
3	8815.5	44.35	-44.00	37.20	-57.71	-13.00	44.71	Horizontal
4	10827	39.56	-40.53	39.38	-56.85	-13.00	43.85	Horizontal
5	13570.5	38.45	-39.09	39.66	-56.25	-13.00	43.25	Horizontal
6	17510.25	36.04	-36.98	41.86	-54.34	-13.00	41.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3885.375	46.19	-48.27	29.12	-68.23	-13.00	55.23	Vertical
2	5423.25	46.63	-47.69	32.39	-63.94	-13.00	50.94	Vertical
3	7170	46.06	-46.09	35.81	-59.48	-13.00	46.48	Vertical
4	9424.875	43.50	-42.88	37.99	-56.65	-13.00	43.65	Vertical
5	12004.5	38.84	-39.43	39.40	-56.45	-13.00	43.45	Vertical
6	14943.75	37.48	-37.65	40.21	-55.22	-13.00	42.22	Vertical

1.19. Test Band = LTE CA_12A-66A_TM1**1.19.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4020.75	46.31	-48.16	29.33	-67.77	-13.00	54.77	Horizontal
2	5374.5	46.95	-47.74	32.25	-63.80	-13.00	50.80	Horizontal
3	7584.75	44.07	-44.81	36.38	-59.62	-13.00	46.62	Horizontal
4	9360.375	43.03	-42.98	37.90	-57.31	-13.00	44.31	Horizontal
5	11317.875	39.59	-40.39	39.47	-56.59	-13.00	43.59	Horizontal
6	14934.375	37.05	-37.59	40.21	-55.59	-13.00	42.59	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3925.5	46.84	-48.26	29.18	-67.50	-13.00	54.50	Vertical
2	5967	46.31	-47.38	32.79	-63.55	-13.00	50.55	Vertical
3	7767	45.11	-45.01	36.35	-58.81	-13.00	45.81	Vertical
4	11099.25	39.56	-40.36	39.49	-56.57	-13.00	43.57	Vertical
5	14397.375	37.75	-38.58	40.26	-55.83	-13.00	42.83	Vertical
6	17886.75	36.10	-38.16	44.12	-53.19	-13.00	40.19	Vertical

1.20. Test Band = LTE CA_12A-66A_TM1**1.20.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3893.625	46.47	-48.28	29.13	-67.94	-13.00	54.94	Horizontal
2	5247.75	45.76	-47.84	31.89	-65.44	-13.00	52.44	Horizontal
3	6840.375	45.20	-46.83	35.24	-61.64	-13.00	48.64	Horizontal
4	9349.5	42.96	-42.96	37.89	-57.37	-13.00	44.37	Horizontal
5	11791.875	38.81	-39.85	39.42	-56.88	-13.00	43.88	Horizontal
6	14805.375	36.44	-36.88	40.22	-55.48	-13.00	42.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3892.5	46.33	-48.28	29.13	-68.08	-13.00	55.08	Vertical
2	5433.375	46.63	-47.68	32.41	-63.90	-13.00	50.90	Vertical
3	7351.5	45.16	-46.17	36.13	-60.13	-13.00	47.13	Vertical
4	10272	40.29	-41.43	38.99	-57.41	-13.00	44.41	Vertical
5	13849.5	37.68	-38.87	40.07	-56.38	-13.00	43.38	Vertical
6	17913.375	36.31	-38.25	44.28	-52.92	-13.00	39.92	Vertical

1.21. Test Band = LTE CA_12A-66A_TM1**1.21.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3893.625	46.27	-48.28	29.13	-68.14	-13.00	55.14	Horizontal
2	5446.125	46.82	-47.67	32.45	-63.66	-13.00	50.66	Horizontal
3	7916.25	44.80	-45.26	36.32	-59.41	-13.00	46.41	Horizontal
4	11377.125	39.89	-40.17	39.46	-56.07	-13.00	43.07	Horizontal
5	15503.625	36.12	-36.59	39.29	-56.44	-13.00	43.44	Horizontal
6	17912.625	35.83	-38.24	44.28	-53.40	-13.00	40.40	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3760.875	46.22	-48.31	28.92	-68.43	-13.00	55.43	Vertical
2	5036.25	46.14	-47.94	31.30	-65.76	-13.00	52.76	Vertical
3	6795.375	45.49	-46.87	35.17	-61.47	-13.00	48.47	Vertical
4	9508.125	41.86	-42.36	38.11	-57.65	-13.00	44.65	Vertical
5	12810	38.82	-39.31	38.91	-56.84	-13.00	43.84	Vertical
6	17811.75	35.95	-38.19	43.67	-53.82	-13.00	40.82	Vertical

1.22. Test Band = LTE CA_14A-66A_TM1**1.22.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3941.625	51.10	-48.24	29.21	-63.20	-13.00	50.20	Horizontal
2	5139	45.52	-47.85	31.59	-66.00	-13.00	53.00	Horizontal
3	7017.75	44.85	-46.46	35.53	-61.34	-13.00	48.34	Horizontal
4	9391.5	43.43	-43.04	37.95	-56.92	-13.00	43.92	Horizontal
5	11556.75	38.81	-39.90	39.44	-56.90	-13.00	43.90	Horizontal
6	15512.25	35.39	-36.64	39.28	-57.24	-13.00	44.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3979.875	46.03	-48.20	29.27	-68.16	-13.00	55.16	Vertical
2	5488.875	46.42	-47.62	32.57	-63.89	-13.00	50.89	Vertical
3	7735.875	44.69	-45.10	36.35	-59.32	-13.00	46.32	Vertical
4	10845	39.62	-40.40	39.39	-56.65	-13.00	43.65	Vertical
5	14824.125	36.67	-36.98	40.22	-55.35	-13.00	42.35	Vertical
6	17916.375	36.24	-38.27	44.30	-52.99	-13.00	39.99	Vertical

1.23. Test Band = LTE CA_14A-66A_TM1**1.23.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3954	49.27	-48.23	29.23	-64.99	-13.00	51.99	Horizontal
2	5448	47.02	-47.67	32.45	-63.45	-13.00	50.45	Horizontal
3	7175.25	45.87	-46.11	35.82	-59.68	-13.00	46.68	Horizontal
4	9415.125	43.60	-42.95	37.98	-56.63	-13.00	43.63	Horizontal
5	12002.25	38.97	-39.42	39.40	-56.32	-13.00	43.32	Horizontal
6	14726.625	36.28	-36.73	40.23	-55.48	-13.00	42.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3934.5	46.52	-48.25	29.20	-67.80	-13.00	54.80	Vertical
2	5409	46.75	-47.71	32.35	-63.87	-13.00	50.87	Vertical
3	7213.875	45.30	-46.19	35.88	-60.27	-13.00	47.27	Vertical
4	9430.5	43.48	-42.84	38.00	-56.62	-13.00	43.62	Vertical
5	12118.875	38.98	-39.67	39.33	-56.62	-13.00	43.62	Vertical
6	14944.875	37.55	-37.65	40.21	-55.16	-13.00	42.16	Vertical

1.24. Test Band = LTE CA_14A-66A_TM1**1.24.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4005	46.36	-48.17	29.31	-67.77	-13.00	54.77	Horizontal
2	5429.25	46.72	-47.69	32.40	-63.83	-13.00	50.83	Horizontal
3	7173.375	45.51	-46.10	35.81	-60.04	-13.00	47.04	Horizontal
4	9373.125	43.00	-43.00	37.92	-57.34	-13.00	44.34	Horizontal
5	11316	39.96	-40.40	39.47	-56.23	-13.00	43.23	Horizontal
6	14357.625	38.06	-38.51	40.26	-55.45	-13.00	42.45	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4100.25	45.22	-48.06	29.46	-68.64	-13.00	55.64	Vertical
2	5397.375	47.05	-47.72	32.31	-63.62	-13.00	50.62	Vertical
3	7179	45.29	-46.12	35.82	-60.27	-13.00	47.27	Vertical
4	10055.625	40.84	-41.79	38.84	-57.38	-13.00	44.38	Vertical
5	11986.5	39.27	-39.50	39.40	-56.09	-13.00	43.09	Vertical
6	14927.25	37.74	-37.54	40.21	-54.85	-13.00	41.85	Vertical

1.25. Test Band = LTE CA_12A-30A_TM1**1.25.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4363.5	46.37	-47.99	29.88	-67.00	-40.00	27.00	Horizontal
2	5721	46.48	-47.52	32.69	-63.62	-40.00	23.62	Horizontal
3	7554.5	44.63	-45.30	36.39	-59.54	-40.00	19.54	Horizontal
4	9464	45.17	-42.61	38.05	-54.66	-40.00	14.66	Horizontal
5	12007	43.39	-39.43	39.40	-51.91	-40.00	11.91	Horizontal
6	14904.5	45.41	-37.40	40.21	-47.04	-40.00	7.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4382	46.97	-48.05	29.91	-66.43	-40.00	26.43	Vertical
2	6295	46.39	-47.33	33.92	-62.28	-40.00	22.28	Vertical
3	9374	45.36	-43.01	37.92	-54.98	-40.00	14.98	Vertical
4	12047.5	43.70	-39.52	39.37	-51.71	-40.00	11.71	Vertical
5	14936.5	45.26	-37.60	40.21	-47.39	-40.00	7.39	Vertical
6	17713	45.18	-38.56	43.08	-45.56	-40.00	5.56	Vertical

1.26. Test Band = LTE CA_12A-30A_TM1**1.26.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4393.5	46.88	-48.09	29.93	-66.54	-40.00	26.54	Horizontal
2	6072.5	46.78	-47.41	33.08	-62.82	-40.00	22.82	Horizontal
3	7759.5	46.04	-45.03	36.35	-57.90	-40.00	17.90	Horizontal
4	9094	43.49	-42.86	37.53	-57.10	-40.00	17.10	Horizontal
5	10916.5	43.22	-40.12	39.44	-52.72	-40.00	12.72	Horizontal
6	14931.5	45.08	-37.57	40.21	-47.54	-40.00	7.54	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4393.5	46.78	-48.09	29.93	-66.64	-40.00	26.64	Vertical
2	5514	46.72	-47.62	32.61	-63.56	-40.00	23.56	Vertical
3	7118.5	46.00	-45.90	35.71	-59.45	-40.00	19.45	Vertical
4	9564.5	43.81	-42.29	38.19	-55.55	-40.00	15.55	Vertical
5	13306	43.32	-39.09	39.26	-51.78	-40.00	11.78	Vertical
6	17575	45.07	-37.93	42.25	-45.87	-40.00	5.87	Vertical

1.27. Test Band = LTE CA_12A-30A_TM1**1.27.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4417	47.07	-48.09	29.97	-66.31	-40.00	26.31	Horizontal
2	6380.5	46.39	-47.01	34.25	-61.63	-40.00	21.63	Horizontal
3	8172	44.94	-44.35	36.49	-58.18	-40.00	18.18	Horizontal
4	11202	43.06	-40.34	39.48	-53.06	-40.00	13.06	Horizontal
5	14740.5	43.72	-36.75	40.23	-48.06	-40.00	8.06	Horizontal
6	17809.5	44.52	-38.19	43.66	-45.27	-40.00	5.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4372	46.63	-48.02	29.90	-66.75	-40.00	26.75	Vertical
2	5969	46.82	-47.39	32.79	-63.04	-40.00	23.04	Vertical
3	7933	45.69	-45.07	36.31	-58.33	-40.00	18.33	Vertical
4	10470.5	42.87	-40.82	39.13	-54.08	-40.00	14.08	Vertical
5	13439	44.48	-39.18	39.46	-50.50	-40.00	10.50	Vertical
6	17491.5	44.51	-36.87	41.75	-45.87	-40.00	5.87	Vertical

1.28. Test Band = LTE CA_14A-30A_TM1**1.28.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4014	46.07	-48.16	29.32	-68.03	-40.00	28.03	Horizontal
2	5102.5	46.25	-47.82	31.49	-65.34	-40.00	25.34	Horizontal
3	6838.5	46.16	-46.83	35.24	-60.69	-40.00	20.69	Horizontal
4	9421.5	45.81	-42.90	37.99	-54.36	-40.00	14.36	Horizontal
5	11383	43.29	-40.14	39.46	-52.65	-40.00	12.65	Horizontal
6	14821.5	44.23	-36.96	40.22	-47.77	-40.00	7.77	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3954	47.30	-48.23	29.23	-66.96	-40.00	26.96	Vertical
2	5066	46.30	-47.88	31.38	-65.46	-40.00	25.46	Vertical
3	7271	46.06	-46.17	35.99	-59.38	-40.00	19.38	Vertical
4	9441	45.73	-42.77	38.02	-54.28	-40.00	14.28	Vertical
5	12034	43.75	-39.49	39.38	-51.62	-40.00	11.62	Vertical
6	14770.5	43.91	-36.80	40.22	-47.93	-40.00	7.93	Vertical

1.29. Test Band = LTE CA_14A-30A_TM1**1.29.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750	45.95	-48.35	28.90	-68.76	-40.00	28.76	Horizontal
2	4522	46.10	-47.98	30.15	-67.00	-40.00	27.00	Horizontal
3	6589	46.02	-47.04	34.84	-61.44	-40.00	21.44	Horizontal
4	9433	45.60	-42.83	38.01	-54.48	-40.00	14.48	Horizontal
5	12008	43.53	-39.44	39.40	-51.77	-40.00	11.77	Horizontal
6	14342	45.34	-38.49	40.27	-48.14	-40.00	8.14	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3941.5	46.97	-48.24	29.21	-67.33	-40.00	27.33	Vertical
2	5494.5	46.95	-47.62	32.58	-63.34	-40.00	23.34	Vertical
3	7383	46.01	-46.17	36.19	-59.23	-40.00	19.23	Vertical
4	9411.5	45.93	-42.97	37.98	-54.33	-40.00	14.33	Vertical
5	11393.5	43.89	-40.10	39.46	-52.01	-40.00	12.01	Vertical
6	14943	45.36	-37.64	40.21	-47.34	-40.00	7.34	Vertical

1.30. Test Band = LTE CA_14A-30A_TM1**1.30.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3874.5	46.43	-48.26	29.10	-67.99	-40.00	27.99	Horizontal
2	5727.5	46.24	-47.53	32.69	-63.86	-40.00	23.86	Horizontal
3	7378.5	46.18	-46.17	36.18	-59.07	-40.00	19.07	Horizontal
4	9922	43.62	-42.02	38.69	-54.97	-40.00	14.97	Horizontal
5	12657	43.57	-39.15	39.01	-51.83	-40.00	11.83	Horizontal
6	14912	44.89	-37.45	40.21	-47.61	-40.00	7.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4507.5	46.70	-47.98	30.12	-66.43	-40.00	26.43	Vertical
2	5368.5	47.20	-47.74	32.23	-63.57	-40.00	23.57	Vertical
3	7702.5	45.41	-45.20	36.36	-58.69	-40.00	18.69	Vertical
4	9410	45.67	-42.98	37.97	-54.60	-40.00	14.60	Vertical
5	11996	43.71	-39.44	39.40	-51.59	-40.00	11.59	Vertical
6	14873.5	44.59	-37.23	40.21	-47.69	-40.00	7.69	Vertical

---End of Attachment---