

1.1. Test Band = SA Band 2_ TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701.25	58.94	-48.51	28.82	-56.00	-13.00	43.00	Horizontal
2	5551.5	60.49	-47.66	32.62	-49.81	-13.00	36.81	Horizontal
3	8137.5	50.64	-44.56	36.45	-52.72	-13.00	39.72	Horizontal
4	10267.5	50.31	-41.47	38.99	-47.43	-13.00	34.43	Horizontal
5	13742.25	52.74	-38.41	39.91	-41.02	-13.00	28.02	Horizontal
6	17897.25	54.10	-38.15	44.18	-35.13	-13.00	22.13	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701.25	62.66	-48.51	28.82	-52.28	-13.00	39.28	Vertical
2	5551.5	67.28	-47.66	32.62	-43.02	-13.00	30.02	Vertical
3	7882.5	51.59	-45.36	36.32	-52.70	-13.00	39.70	Vertical
4	10734.75	50.34	-40.91	39.31	-46.51	-13.00	33.51	Vertical
5	14333.25	54.20	-38.47	40.27	-39.27	-13.00	26.27	Vertical
6	17538	53.77	-37.38	42.03	-36.85	-13.00	23.85	Vertical

1.2. Test Band = SA Band 2_ TM1**1.2.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	60.65	-48.37	28.89	-54.10	-13.00	41.10	Horizontal
2	5611.5	60.67	-47.68	32.64	-49.62	-13.00	36.62	Horizontal
3	7614	50.76	-44.66	36.38	-52.78	-13.00	39.78	Horizontal
4	9423.75	52.35	-42.89	37.99	-47.81	-13.00	34.81	Horizontal
5	12001.5	51.53	-39.42	39.40	-43.75	-13.00	30.75	Horizontal
6	14820	52.96	-36.95	40.22	-39.04	-13.00	26.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	61.23	-48.37	28.89	-53.52	-13.00	40.52	Vertical
2	5611.5	66.00	-47.68	32.64	-44.29	-13.00	31.29	Vertical
3	8841	51.89	-44.01	37.23	-50.15	-13.00	37.15	Vertical
4	11388.75	51.06	-40.12	39.46	-44.86	-13.00	31.86	Vertical
5	14917.5	54.00	-37.48	40.21	-38.53	-13.00	25.53	Vertical
6	17928.75	53.64	-38.37	44.37	-35.61	-13.00	22.61	Vertical

1.3. Test Band = SA Band 2_ TM1**1.3.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3780.75	57.62	-48.24	28.95	-56.93	-13.00	43.93	Horizontal
2	5671.5	56.88	-47.55	32.67	-53.26	-13.00	40.26	Horizontal
3	7601.25	50.57	-44.58	36.38	-52.89	-13.00	39.89	Horizontal
4	9518.25	51.37	-42.35	38.13	-48.11	-13.00	35.11	Horizontal
5	12014.25	51.59	-39.45	39.39	-43.73	-13.00	30.73	Horizontal
6	14897.25	53.66	-37.36	40.21	-38.75	-13.00	25.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.5	58.61	-48.24	28.95	-55.94	-13.00	42.94	Vertical
2	5671.5	68.18	-47.55	32.67	-41.96	-13.00	28.96	Vertical
3	7793.25	51.05	-44.93	36.34	-52.80	-13.00	39.80	Vertical
4	9470.25	52.19	-42.57	38.06	-47.58	-13.00	34.58	Vertical
5	13698	52.49	-37.99	39.85	-40.91	-13.00	27.91	Vertical
6	17762.25	53.79	-38.35	43.37	-36.45	-13.00	23.45	Vertical

1.4. Test Band = SA Band 5_ TM1**1.4.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1648.8889	63.47	-49.83	25.57	-56.04	-13.00	43.04	Horizontal
2	2473.7778	59.56	-49.05	27.15	-57.60	-13.00	44.60	Horizontal
3	3471.1111	50.48	-48.51	28.48	-64.81	-13.00	51.81	Horizontal
4	4764	50.19	-48.04	30.68	-62.43	-13.00	49.43	Horizontal
5	6712.4444	51.19	-46.73	35.04	-55.76	-13.00	42.76	Horizontal
6	8398.6667	50.51	-43.98	36.74	-51.99	-13.00	38.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1648.8889	58.38	-49.83	25.57	-61.13	-13.00	48.13	Vertical
2	2473.7778	55.44	-49.05	27.15	-61.72	-13.00	48.72	Vertical
3	3435.1111	50.93	-48.60	28.45	-64.48	-13.00	51.48	Vertical
4	5278.2222	51.55	-47.86	31.98	-59.59	-13.00	46.59	Vertical
5	6522.2222	50.76	-47.08	34.74	-56.85	-13.00	43.85	Vertical
6	8090.2222	50.58	-44.76	36.40	-53.04	-13.00	40.04	Vertical

1.5. Test Band = SA Band 5_ TM1**1.5.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7778	67.02	-49.82	25.58	-52.48	-13.00	39.48	Horizontal
2	2481.3333	62.72	-49.01	27.17	-54.38	-13.00	41.38	Horizontal
3	3593.7778	51.40	-48.48	28.65	-63.69	-13.00	50.69	Horizontal
4	5230.6667	50.95	-47.95	31.85	-60.42	-13.00	47.42	Horizontal
5	7102.2222	50.78	-45.98	35.68	-54.78	-13.00	41.78	Horizontal
6	8396	50.92	-44.00	36.74	-51.61	-13.00	38.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7778	60.48	-49.82	25.58	-59.02	-13.00	46.02	Vertical
2	2480.8889	58.94	-49.01	27.17	-58.17	-13.00	45.17	Vertical
3	3436.4444	50.96	-48.60	28.45	-64.45	-13.00	51.45	Vertical
4	5226.6667	50.69	-47.96	31.83	-60.69	-13.00	47.69	Vertical
5	7120.4444	51.08	-46.02	35.72	-54.48	-13.00	41.48	Vertical
6	8850.2222	51.31	-44.06	37.24	-50.77	-13.00	37.77	Vertical

1.6. Test Band = SA Band 5_ TM1**1.6.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	66.64	-49.81	25.59	-52.84	-13.00	39.84	Horizontal
2	2488.4444	64.72	-48.97	27.18	-52.33	-13.00	39.33	Horizontal
3	3549.3333	50.86	-48.45	28.58	-64.28	-13.00	51.28	Horizontal
4	4840	50.37	-48.08	30.85	-62.12	-13.00	49.12	Horizontal
5	5924.8889	51.51	-47.16	32.77	-58.14	-13.00	45.14	Horizontal
6	8153.3333	50.64	-44.50	36.47	-52.65	-13.00	39.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	61.45	-49.81	25.59	-58.03	-13.00	45.03	Vertical
2	2488.4444	57.14	-48.97	27.18	-59.91	-13.00	46.91	Vertical
3	3513.7778	50.95	-48.44	28.52	-64.22	-13.00	51.22	Vertical
4	4924.4444	50.88	-48.12	31.03	-61.46	-13.00	48.46	Vertical
5	6763.1111	51.40	-46.85	35.12	-55.59	-13.00	42.59	Vertical
6	8389.7778	51.04	-44.05	36.73	-51.55	-13.00	38.55	Vertical

1.7. Test Band = SA Band 30_ TM1**1.7.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3528.5	46.56	-48.29	28.55	-68.44	-40.00	28.44	Horizontal
2	5262.5	46.35	-47.82	31.94	-64.80	-40.00	24.80	Horizontal
3	6725.5	46.02	-46.64	35.06	-60.82	-40.00	20.82	Horizontal
4	8691	45.54	-44.11	37.06	-56.77	-40.00	16.77	Horizontal
5	10868.5	42.68	-40.23	39.41	-53.41	-40.00	13.41	Horizontal
6	14947.5	45.06	-37.67	40.21	-47.66	-40.00	7.66	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.5	47.35	-48.28	28.65	-67.54	-40.00	27.54	Vertical
2	5185.5	46.64	-47.88	31.72	-64.78	-40.00	24.78	Vertical
3	6916.5	48.65	-46.71	35.37	-57.95	-40.00	17.95	Vertical
4	9430	45.73	-42.85	38.00	-54.37	-40.00	14.37	Vertical
5	12175.5	44.16	-39.77	39.29	-51.58	-40.00	11.58	Vertical
6	14863.5	44.75	-37.18	40.21	-47.48	-40.00	7.48	Vertical

1.8. Test Band = SA Band 30_ TM1**1.8.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596	47.25	-48.28	28.65	-67.64	-40.00	27.64	Horizontal
2	5386.5	47.53	-47.73	32.28	-63.18	-40.00	23.18	Horizontal
3	7652	45.40	-44.90	36.37	-58.39	-40.00	18.39	Horizontal
4	10302.5	43.36	-41.15	39.01	-54.04	-40.00	14.04	Horizontal
5	12021.5	44.05	-39.47	39.39	-51.29	-40.00	11.29	Horizontal
6	14957	44.85	-37.73	40.20	-47.93	-40.00	7.93	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3585	47.33	-48.28	28.64	-67.58	-40.00	27.58	Vertical
2	5402	47.18	-47.72	32.33	-63.47	-40.00	23.47	Vertical
3	6916	48.65	-46.71	35.37	-57.95	-40.00	17.95	Vertical
4	9420.5	45.90	-42.91	37.99	-54.28	-40.00	14.28	Vertical
5	11998.5	43.47	-39.43	39.40	-51.82	-40.00	11.82	Vertical
6	14933.5	44.74	-37.58	40.21	-47.89	-40.00	7.89	Vertical

1.9. Test Band = SA Band 30_ TM1**1.9.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3968.5	46.62	-48.21	29.25	-67.61	-40.00	27.61	Horizontal
2	5874	46.77	-47.28	32.75	-63.02	-40.00	23.02	Horizontal
3	7379.5	46.35	-46.17	36.18	-58.89	-40.00	18.89	Horizontal
4	9424	45.56	-42.89	37.99	-54.59	-40.00	14.59	Horizontal
5	12015	43.64	-39.45	39.39	-51.68	-40.00	11.68	Horizontal
6	14903.5	44.83	-37.39	40.21	-47.61	-40.00	7.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942.5	46.86	-48.24	29.21	-67.44	-40.00	27.44	Vertical
2	5879	46.94	-47.26	32.75	-62.82	-40.00	22.82	Vertical
3	7621	45.29	-44.70	36.38	-58.30	-40.00	18.30	Vertical
4	9420.5	46.17	-42.91	37.99	-54.01	-40.00	14.01	Vertical
5	13205.5	43.44	-38.72	39.11	-51.43	-40.00	11.43	Vertical
6	17814	45.25	-38.18	43.68	-44.51	-40.00	4.51	Vertical

1.10. Test Band = SA Band 66_ TM1**1.10.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3441.375	56.71	-48.36	28.45	-58.46	-13.00	45.46	Horizontal
2	5161.5	63.34	-47.86	31.65	-48.13	-13.00	35.13	Horizontal
3	7378.125	45.06	-46.17	36.18	-60.19	-13.00	47.19	Horizontal
4	9435	43.56	-42.81	38.01	-56.50	-13.00	43.50	Horizontal
5	11971.5	38.79	-39.58	39.40	-56.65	-13.00	43.65	Horizontal
6	14800.5	36.90	-36.85	40.22	-54.99	-13.00	41.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3441	53.66	-48.36	28.45	-61.51	-13.00	48.51	Vertical
2	5161.5	66.68	-47.86	31.65	-44.79	-13.00	31.79	Vertical
3	7634.25	44.76	-44.79	36.37	-58.92	-13.00	45.92	Vertical
4	9393.375	43.46	-43.04	37.95	-56.89	-13.00	43.89	Vertical
5	12045	38.86	-39.51	39.37	-56.54	-13.00	43.54	Vertical
6	14941.5	37.61	-37.63	40.21	-55.08	-13.00	42.08	Vertical

1.11. Test Band = SA Band 66_ TM1**1.11.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471	53.74	-48.32	28.48	-61.37	-13.00	48.37	Horizontal
2	5206.5	67.24	-47.88	31.78	-44.12	-13.00	31.12	Horizontal
3	7051.875	45.09	-46.20	35.59	-60.78	-13.00	47.78	Horizontal
4	9420	43.39	-42.91	37.99	-56.80	-13.00	43.80	Horizontal
5	11328.375	40.71	-40.35	39.47	-55.44	-13.00	42.44	Horizontal
6	14949.375	37.81	-37.68	40.21	-54.93	-13.00	41.93	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471	55.27	-48.32	28.48	-59.84	-13.00	46.84	Vertical
2	5206.5	66.99	-47.88	31.78	-44.37	-13.00	31.37	Vertical
3	7170.375	45.30	-46.09	35.81	-60.24	-13.00	47.24	Vertical
4	8778.75	44.35	-44.02	37.16	-57.77	-13.00	44.77	Vertical
5	11261.25	39.97	-40.41	39.47	-56.23	-13.00	43.23	Vertical
6	14875.125	37.30	-37.24	40.21	-54.99	-13.00	41.99	Vertical

1.12. Test Band = SA Band 66_ TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501.375	60.95	-48.29	28.50	-54.10	-13.00	41.10	Horizontal
2	5251.5	67.17	-47.83	31.90	-44.02	-13.00	31.02	Horizontal
3	7198.5	45.25	-46.19	35.86	-60.35	-13.00	47.35	Horizontal
4	9456.375	43.15	-42.67	38.04	-56.74	-13.00	43.74	Horizontal
5	11140.125	39.71	-40.35	39.49	-56.42	-13.00	43.42	Horizontal
6	14946.75	37.45	-37.66	40.21	-55.27	-13.00	42.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501	61.28	-48.29	28.50	-53.77	-13.00	40.77	Vertical
2	5251.5	69.91	-47.83	31.90	-41.28	-13.00	28.28	Vertical
3	7761	45.25	-45.03	36.35	-58.69	-13.00	45.69	Vertical
4	10074.375	41.43	-41.83	38.85	-56.80	-13.00	43.80	Vertical
5	14389.875	38.17	-38.56	40.26	-55.39	-13.00	42.39	Vertical
6	17881.5	36.58	-38.16	44.09	-52.75	-13.00	39.75	Vertical

1.13. Test Band = SA Band 70 15M_ TM1**1.13.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3390.75	53.46	-48.37	28.41	-61.76	-13.00	48.76	Horizontal
2	5086.5	66.33	-47.85	31.44	-45.33	-13.00	32.33	Horizontal
3	6767.25	51.62	-46.78	35.13	-55.29	-13.00	42.29	Horizontal
4	9454.5	52.49	-42.68	38.04	-47.41	-13.00	34.41	Horizontal
5	12023.25	51.75	-39.47	39.39	-43.59	-13.00	30.59	Horizontal
6	14937.75	54.01	-37.61	40.21	-38.65	-13.00	25.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3390.75	52.19	-48.37	28.41	-63.03	-13.00	50.03	Vertical
2	5086.5	68.30	-47.85	31.44	-43.36	-13.00	30.36	Vertical
3	7722.75	51.07	-45.14	36.36	-52.98	-13.00	39.98	Vertical
4	10770	50.05	-40.81	39.34	-46.68	-13.00	33.68	Vertical
5	13539	52.53	-39.14	39.61	-42.26	-13.00	29.26	Vertical
6	14936.25	53.79	-37.60	40.21	-38.86	-13.00	25.86	Vertical

1.14. Test Band = SA Band 70 10M_ TM1**1.14.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3390.75	54.27	-48.37	28.41	-60.95	-13.00	47.95	Horizontal
2	5085.75	64.32	-47.85	31.44	-47.35	-13.00	34.35	Horizontal
3	6721.5	51.73	-46.62	35.05	-55.10	-13.00	42.10	Horizontal
4	9416.25	52.63	-42.94	37.98	-47.59	-13.00	34.59	Horizontal
5	11385	51.72	-40.14	39.46	-44.22	-13.00	31.22	Horizontal
6	14940.75	53.95	-37.63	40.21	-38.73	-13.00	25.73	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3390.75	53.90	-48.37	28.41	-61.32	-13.00	48.32	Vertical
2	5085.75	65.86	-47.85	31.44	-45.81	-13.00	32.81	Vertical
3	7090.5	50.77	-45.90	35.66	-54.73	-13.00	41.73	Vertical
4	9420	52.15	-42.91	37.99	-48.04	-13.00	35.04	Vertical
5	11996.25	51.78	-39.44	39.40	-43.52	-13.00	30.52	Vertical
6	14879.25	53.72	-37.26	40.21	-38.59	-13.00	25.59	Vertical

1.15. Test Band = SA Band 70 10M_ TM1**1.15.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3396	54.92	-48.39	28.42	-60.32	-13.00	47.32	Horizontal
2	5094	63.57	-47.83	31.46	-48.06	-13.00	35.06	Horizontal
3	7251	51.24	-46.18	35.95	-54.25	-13.00	41.25	Horizontal
4	9424.5	52.38	-42.88	37.99	-47.77	-13.00	34.77	Horizontal
5	12630	51.84	-39.07	39.02	-43.47	-13.00	30.47	Horizontal
6	14964	54.32	-37.77	40.20	-38.51	-13.00	25.51	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3396	53.39	-48.39	28.42	-61.85	-13.00	48.85	Vertical
2	5094	63.71	-47.83	31.46	-47.92	-13.00	34.92	Vertical
3	7605	51.12	-44.60	36.38	-52.36	-13.00	39.36	Vertical
4	10022.25	50.54	-41.74	38.82	-47.64	-13.00	34.64	Vertical
5	11970	52.00	-39.59	39.40	-43.45	-13.00	30.45	Vertical
6	14897.25	53.95	-37.36	40.21	-38.46	-13.00	25.46	Vertical

1.16. Test Band = SA Band 70 10M_ TM1**1.16.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3400.5	56.17	-48.41	28.42	-59.08	-13.00	46.08	Horizontal
2	5100.75	63.72	-47.82	31.48	-47.88	-13.00	34.88	Horizontal
3	6694.5	51.64	-46.58	35.01	-55.19	-13.00	42.19	Horizontal
4	9418.5	52.22	-42.92	37.99	-47.98	-13.00	34.98	Horizontal
5	12045.75	51.49	-39.52	39.37	-43.91	-13.00	30.91	Horizontal
6	14890.5	53.68	-37.32	40.21	-38.69	-13.00	25.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3401.25	53.12	-48.41	28.42	-62.13	-13.00	49.13	Vertical
2	5100.75	64.88	-47.82	31.48	-46.72	-13.00	33.72	Vertical
3	7797.75	51.26	-44.92	36.34	-52.58	-13.00	39.58	Vertical
4	10498.5	50.23	-40.66	39.15	-46.54	-13.00	33.54	Vertical
5	14679	52.91	-36.95	40.23	-39.06	-13.00	26.06	Vertical
6	17870.25	54.00	-38.16	44.02	-35.40	-13.00	22.40	Vertical

1.17. Test Band = SA Band 71_ TM1**1.17.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	61.89	-50.10	24.36	-59.11	-13.00	46.11	Horizontal
2	1990.5	73.57	-49.68	26.28	-45.09	-13.00	32.09	Horizontal
3	2654	51.92	-49.08	27.48	-64.94	-13.00	51.94	Horizontal
4	3899.5	50.18	-48.43	29.14	-64.37	-13.00	51.37	Horizontal
5	5400.5	51.80	-47.44	32.32	-58.58	-13.00	45.58	Horizontal
6	7772	51.08	-45.12	36.35	-52.96	-13.00	39.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1327	58.62	-50.10	24.36	-62.38	-13.00	49.38	Vertical
2	1990.5	70.54	-49.68	26.28	-48.12	-13.00	35.12	Vertical
3	2693	51.65	-49.01	27.55	-65.07	-13.00	52.07	Vertical
4	3881.5	50.32	-48.43	29.11	-64.26	-13.00	51.26	Vertical
5	5937	51.70	-47.23	32.77	-58.02	-13.00	45.02	Vertical
6	7804.5	51.14	-45.08	36.34	-52.86	-13.00	39.86	Vertical

1.18. Test Band = SA Band 71_ TM1**1.18.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	62.52	-50.08	24.30	-58.52	-13.00	45.52	Horizontal
2	2013	74.25	-49.64	26.32	-44.33	-13.00	31.33	Horizontal
3	2793.5	51.02	-48.70	27.73	-65.21	-13.00	52.21	Horizontal
4	3929	50.70	-48.41	29.19	-63.78	-13.00	50.78	Horizontal
5	5439.5	51.55	-47.42	32.43	-58.70	-13.00	45.70	Horizontal
6	7224.5	51.23	-46.16	35.90	-54.28	-13.00	41.28	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1342	55.74	-50.08	24.30	-65.30	-13.00	52.30	Vertical
2	2013	70.57	-49.64	26.32	-48.01	-13.00	35.01	Vertical
3	3165.5	51.58	-48.72	28.23	-64.17	-13.00	51.17	Vertical
4	4451	50.42	-48.13	30.02	-62.95	-13.00	49.95	Vertical
5	6112.5	51.64	-47.07	33.23	-57.46	-13.00	44.46	Vertical
6	8185	50.36	-44.32	36.50	-52.71	-13.00	39.71	Vertical

1.19. Test Band = SA Band 71_ TM1**1.19.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	65.02	-50.06	24.25	-56.05	-13.00	43.05	Horizontal
2	2035.5	73.41	-49.60	26.36	-45.08	-13.00	32.08	Horizontal
3	3058.5	51.50	-48.66	28.15	-64.27	-13.00	51.27	Horizontal
4	5127.5	50.42	-47.94	31.56	-61.23	-13.00	48.23	Horizontal
5	6400.5	51.53	-47.26	34.32	-56.67	-13.00	43.67	Horizontal
6	8322	51.24	-44.61	36.65	-51.98	-13.00	38.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357	57.41	-50.06	24.25	-63.66	-13.00	50.66	Vertical
2	2035.5	70.69	-49.60	26.36	-47.80	-13.00	34.80	Vertical
3	2705	52.13	-48.98	27.57	-64.55	-13.00	51.55	Vertical
4	3572	51.09	-48.47	28.62	-64.02	-13.00	51.02	Vertical
5	5783.5	51.77	-47.68	32.71	-58.46	-13.00	45.46	Vertical
6	7797.5	50.84	-45.07	36.34	-53.15	-13.00	40.15	Vertical

1.20. Test Band = SA Band 77 3450-3550_ TM1**1.20.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	49.82	-46.14	35.34	-56.23	-13.00	43.23	Horizontal
2	8537.4167	43.52	-43.85	36.89	-58.70	-13.00	45.70	Horizontal
3	9485.6875	42.23	-42.67	38.08	-57.62	-13.00	44.62	Horizontal
4	12024.3125	38.32	-38.76	39.39	-56.32	-13.00	43.32	Horizontal
5	14396.6667	37.61	-38.71	40.26	-56.10	-13.00	43.10	Horizontal
6	17952.0833	35.62	-37.11	44.51	-52.24	-13.00	39.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	48.97	-46.14	35.34	-57.08	-13.00	44.08	Vertical
2	8726.6875	43.42	-43.74	37.10	-58.48	-13.00	45.48	Vertical
3	9454.5417	42.52	-42.72	38.04	-57.43	-13.00	44.43	Vertical
4	11971.125	38.07	-38.95	39.40	-56.74	-13.00	43.74	Vertical
5	14345.3958	38.03	-38.75	40.27	-55.71	-13.00	42.71	Vertical
6	17999.0417	35.76	-36.98	44.79	-51.69	-13.00	38.69	Vertical

1.21. Test Band = SA Band 77 3700-3980_ TM1**1.21.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7213.9583	44.56	-45.53	35.89	-60.34	-13.00	47.34	Horizontal
2	8696.0208	43.57	-43.71	37.07	-58.33	-13.00	45.33	Horizontal
3	10116.2708	40.24	-41.70	38.88	-57.84	-13.00	44.84	Horizontal
4	12002.2708	38.11	-38.58	39.40	-56.33	-13.00	43.33	Horizontal
5	14943.3958	37.08	-38.18	40.21	-56.15	-13.00	43.15	Horizontal
6	17964.5417	35.49	-37.08	44.59	-52.26	-13.00	39.26	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402.2708	45.40	-45.57	36.22	-59.21	-13.00	46.21	Vertical
2	8813.4167	43.96	-43.82	37.19	-57.92	-13.00	44.92	Vertical
3	10785.1875	38.97	-40.50	39.35	-57.44	-13.00	44.44	Vertical
4	13565.3125	38.04	-38.52	39.65	-56.09	-13.00	43.09	Vertical
5	15073.25	35.61	-38.18	40.07	-57.76	-13.00	44.76	Vertical
6	17946.3333	35.40	-37.13	44.48	-52.51	-13.00	39.51	Vertical

1.22. Test Band = SA Band 77 3700-3980_ TM1**1.22.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7185.6875	44.19	-45.54	35.83	-60.78	-13.00	47.78	Horizontal
2	8858.9375	43.19	-43.68	37.24	-58.50	-13.00	45.50	Horizontal
3	10711.3958	39.07	-40.77	39.30	-57.66	-13.00	44.66	Horizontal
4	12000.8333	38.72	-38.57	39.40	-55.71	-13.00	42.71	Horizontal
5	14199.7292	36.02	-38.15	40.28	-57.11	-13.00	44.11	Horizontal
6	17264	34.65	-37.13	40.38	-57.36	-13.00	44.36	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7167	44.91	-45.67	35.80	-60.22	-13.00	47.22	Vertical
2	8513.4583	43.29	-43.74	36.86	-58.85	-13.00	45.85	Vertical
3	9877.6458	40.31	-41.86	38.63	-58.18	-13.00	45.18	Vertical
4	12005.625	37.66	-38.61	39.40	-56.81	-13.00	43.81	Vertical
5	14004.7083	36.29	-39.12	40.30	-57.79	-13.00	44.79	Vertical
6	17838.5208	35.47	-37.72	43.83	-53.68	-13.00	40.68	Vertical

1.23. Test Band = SA Band 77 3700-3980_ TM1**1.23.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7010.7917	44.32	-45.93	35.52	-61.35	-13.00	48.35	Horizontal
2	8384.5625	43.37	-44.39	36.72	-59.56	-13.00	46.56	Horizontal
3	8786.1042	42.33	-43.84	37.16	-59.60	-13.00	46.60	Horizontal
4	9515.875	41.65	-42.50	38.12	-57.99	-13.00	44.99	Horizontal
5	11600.25	37.72	-39.22	39.44	-57.32	-13.00	44.32	Horizontal
6	13578.7292	37.53	-38.42	39.67	-56.49	-13.00	43.49	Horizontal
7	17948.7292	35.85	-37.12	44.49	-52.04	-13.00	39.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7682.5833	44.01	-45.09	36.36	-59.98	-13.00	46.98	Vertical
2	9379.3125	42.68	-42.84	37.93	-57.49	-13.00	44.49	Vertical
3	10925.5833	39.11	-40.26	39.45	-56.96	-13.00	43.96	Vertical
4	12704.25	37.87	-39.02	38.98	-57.43	-13.00	44.43	Vertical
5	13714.8125	37.02	-38.03	39.87	-56.40	-13.00	43.40	Vertical
6	17921.8958	35.59	-37.20	44.33	-52.54	-13.00	39.54	Vertical
7	18000	33.82	-36.98	44.80	-53.62	-13.00	40.62	Vertical

---End of Attachment---