

1.1. Test Band = ENDC_2A_n5A_TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3882.75	50.50	-48.27	29.11	-63.92	-13.00	50.92	Horizontal
2	6371.25	51.23	-47.04	34.21	-56.86	-13.00	43.86	Horizontal
3	8682	51.27	-44.09	37.05	-51.03	-13.00	38.03	Horizontal
4	10340.25	50.41	-41.19	39.04	-47.00	-13.00	34.00	Horizontal
5	13722.75	53.20	-38.21	39.88	-40.38	-13.00	27.38	Horizontal
6	17521.5	53.59	-37.14	41.93	-36.88	-13.00	23.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3861	50.40	-48.25	29.08	-64.03	-13.00	51.03	Vertical
2	6659.25	50.80	-46.75	34.95	-56.26	-13.00	43.26	Vertical
3	8805.75	51.85	-43.99	37.19	-50.22	-13.00	37.22	Vertical
4	11460	50.60	-40.07	39.45	-45.27	-13.00	32.27	Vertical
5	14733	52.99	-36.74	40.23	-38.78	-13.00	25.78	Vertical
6	17849.25	53.56	-38.17	43.90	-35.97	-13.00	22.97	Vertical

1.2. Test Band = ENDC_2A_n5A_ TM1**1.2.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3942.75	50.38	-48.24	29.21	-63.91	-13.00	50.91	Horizontal
2	5815.5	51.62	-47.57	32.73	-58.49	-13.00	45.49	Horizontal
3	7860	51.41	-45.23	36.33	-52.76	-13.00	39.76	Horizontal
4	10038	50.53	-41.76	38.83	-47.67	-13.00	34.67	Horizontal
5	13701.75	52.67	-37.99	39.85	-40.73	-13.00	27.73	Horizontal
6	17876.25	54.17	-38.16	44.06	-35.19	-13.00	22.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3921.75	50.27	-48.27	29.17	-64.08	-13.00	51.08	Vertical
2	6623.25	50.84	-46.93	34.90	-56.46	-13.00	43.46	Vertical
3	8669.25	51.24	-44.07	37.04	-51.06	-13.00	38.06	Vertical
4	11361.75	51.12	-40.23	39.46	-44.90	-13.00	31.90	Vertical
5	13742.25	52.75	-38.41	39.91	-41.01	-13.00	28.01	Vertical
6	17922.75	53.56	-38.32	44.34	-35.68	-13.00	22.68	Vertical

1.3. Test Band = ENDC_2A_n5A_ TM1**1.3.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3464.25	50.22	-48.33	28.47	-64.90	-13.00	51.90	Horizontal
2	5383.5	51.90	-47.73	32.27	-58.82	-13.00	45.82	Horizontal
3	7538.25	50.17	-45.56	36.39	-54.26	-13.00	41.26	Horizontal
4	10744.5	49.96	-40.88	39.32	-46.86	-13.00	33.86	Horizontal
5	13701	53.02	-37.98	39.85	-40.37	-13.00	27.37	Horizontal
6	17862.75	54.05	-38.16	43.98	-35.40	-13.00	22.40	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3999.75	50.94	-48.18	29.30	-63.20	-13.00	50.20	Vertical
2	6717.75	51.64	-46.61	35.05	-55.18	-13.00	42.18	Vertical
3	9362.25	51.89	-42.99	37.91	-48.45	-13.00	35.45	Vertical
4	11400	50.94	-40.08	39.46	-44.94	-13.00	31.94	Vertical
5	13753.5	53.42	-38.53	39.93	-40.44	-13.00	27.44	Vertical
6	17809.5	53.44	-38.19	43.66	-36.35	-13.00	23.35	Vertical

1.4. Test Band = ENDC_2A_n66A_TM1**1.4.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.125	47.40	-48.28	28.65	-67.49	-13.00	54.49	Horizontal
2	5499	46.20	-47.61	32.60	-64.07	-13.00	51.07	Horizontal
3	7952.25	44.48	-44.85	36.31	-59.32	-13.00	46.32	Horizontal
4	11976.75	39.35	-39.55	39.40	-56.06	-13.00	43.06	Horizontal
5	14388	37.98	-38.56	40.26	-55.58	-13.00	42.58	Horizontal
6	17909.25	36.62	-38.22	44.26	-52.60	-13.00	39.60	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3593.25	46.92	-48.28	28.65	-67.97	-13.00	54.97	Vertical
2	5406.375	47.02	-47.71	32.34	-63.62	-13.00	50.62	Vertical
3	6984.375	46.35	-46.62	35.48	-60.06	-13.00	47.06	Vertical
4	9498.375	42.15	-42.38	38.10	-57.39	-13.00	44.39	Vertical
5	11967.375	39.99	-39.61	39.40	-55.47	-13.00	42.47	Vertical
6	14816.625	37.34	-36.94	40.22	-54.64	-13.00	41.64	Vertical

1.5. Test Band = ENDC_2A_n66A_TM1**1.5.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.875	46.73	-48.28	28.66	-68.15	-13.00	55.15	Horizontal
2	5489.625	47.03	-47.62	32.57	-63.28	-13.00	50.28	Horizontal
3	6844.5	47.53	-46.82	35.25	-59.30	-13.00	46.30	Horizontal
4	9271.125	42.64	-43.07	37.78	-57.91	-13.00	44.91	Horizontal
5	12083.25	38.91	-39.59	39.35	-56.59	-13.00	43.59	Horizontal
6	14809.5	36.84	-36.90	40.22	-55.10	-13.00	42.10	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3592.5	46.63	-48.28	28.65	-68.26	-13.00	55.26	Vertical
2	5380.125	46.96	-47.73	32.26	-63.77	-13.00	50.77	Vertical
3	6844.125	46.91	-46.82	35.25	-59.92	-13.00	46.92	Vertical
4	9445.125	43.35	-42.74	38.02	-56.63	-13.00	43.63	Vertical
5	11748.375	40.10	-39.76	39.43	-55.50	-13.00	42.50	Vertical
6	14773.875	37.23	-36.81	40.22	-54.61	-13.00	41.61	Vertical

1.6. Test Band = ENDC_2A_n66A_TM1**1.6.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3888.75	46.52	-48.28	29.12	-67.90	-13.00	54.90	Horizontal
2	5835.375	46.11	-47.47	32.73	-63.89	-13.00	50.89	Horizontal
3	8317.125	44.21	-44.47	36.65	-58.88	-13.00	45.88	Horizontal
4	11106.375	39.30	-40.36	39.49	-56.83	-13.00	43.83	Horizontal
5	14394.75	38.04	-38.57	40.26	-55.53	-13.00	42.53	Horizontal
6	17927.625	36.34	-38.36	44.37	-52.91	-13.00	39.91	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3762	46.54	-48.31	28.92	-68.11	-13.00	55.11	Vertical
2	6057	46.65	-47.43	33.02	-63.03	-13.00	50.03	Vertical
3	8296.125	44.39	-44.54	36.63	-58.78	-13.00	45.78	Vertical
4	11207.25	39.64	-40.35	39.48	-56.49	-13.00	43.49	Vertical
5	14896.875	37.81	-37.35	40.21	-54.59	-13.00	41.59	Vertical
6	17871.375	36.60	-38.16	44.03	-52.79	-13.00	39.79	Vertical

1.7. Test Band = ENDC_12A_n66A_TM1**1.7.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3585.375	46.63	-48.28	28.64	-68.27	-13.00	55.27	Horizontal
2	5705.25	46.17	-47.50	32.68	-63.91	-13.00	50.91	Horizontal
3	7600.125	43.75	-44.57	36.38	-59.70	-13.00	46.70	Horizontal
4	9832.875	40.75	-42.17	38.57	-58.11	-13.00	45.11	Horizontal
5	13354.875	38.22	-39.13	39.33	-56.84	-13.00	43.84	Horizontal
6	16887.375	36.43	-36.88	38.75	-56.95	-13.00	43.95	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3576	46.57	-48.28	28.62	-68.35	-13.00	55.35	Vertical
2	5718.375	45.88	-47.52	32.69	-64.21	-13.00	51.21	Vertical
3	8351.25	44.40	-44.32	36.69	-58.50	-13.00	45.50	Vertical
4	11150.625	40.14	-40.35	39.48	-55.98	-13.00	42.98	Vertical
5	14439.375	38.90	-38.58	40.26	-54.68	-13.00	41.68	Vertical
6	17915.625	36.67	-38.27	44.29	-52.56	-13.00	39.56	Vertical

1.8. Test Band = ENDC_12A_n66A_TM1**1.8.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597	46.95	-48.28	28.66	-67.94	-13.00	54.94	Horizontal
2	5414.625	47.15	-47.70	32.36	-63.45	-13.00	50.45	Horizontal
3	7164.375	46.11	-46.07	35.80	-59.42	-13.00	46.42	Horizontal
4	9381.75	43.56	-43.02	37.93	-56.78	-13.00	43.78	Horizontal
5	11982.75	39.30	-39.52	39.40	-56.08	-13.00	43.08	Horizontal
6	14767.875	37.35	-36.80	40.22	-54.48	-13.00	41.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.125	47.34	-48.28	28.65	-67.55	-13.00	54.55	Vertical
2	5528.25	46.21	-47.64	32.61	-64.07	-13.00	51.07	Vertical
3	7603.875	44.49	-44.59	36.38	-58.99	-13.00	45.99	Vertical
4	9175.5	42.69	-43.37	37.65	-58.29	-13.00	45.29	Vertical
5	13086.75	37.79	-38.53	38.93	-57.07	-13.00	44.07	Vertical
6	17876.25	36.45	-38.16	44.06	-52.91	-13.00	39.91	Vertical

1.9. Test Band = ENDC_12A_n66A_TM1**1.9.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3574.5	47.19	-48.28	28.62	-67.73	-13.00	54.73	Horizontal
2	6220.5	45.78	-47.50	33.64	-63.34	-13.00	50.34	Horizontal
3	8369.25	44.03	-44.25	36.71	-58.77	-13.00	45.77	Horizontal
4	11137.5	39.38	-40.35	39.49	-56.75	-13.00	43.75	Horizontal
5	14393.25	38.33	-38.57	40.26	-55.24	-13.00	42.24	Horizontal
6	17911.875	36.48	-38.24	44.27	-52.75	-13.00	39.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.125	47.02	-48.28	28.65	-67.87	-13.00	54.87	Vertical
2	5460	46.79	-47.65	32.49	-63.64	-13.00	50.64	Vertical
3	8782.125	44.71	-44.01	37.16	-57.40	-13.00	44.40	Vertical
4	11386.875	40.12	-40.13	39.46	-55.81	-13.00	42.81	Vertical
5	14393.625	38.41	-38.57	40.26	-55.16	-13.00	42.16	Vertical
6	17904.75	36.13	-38.19	44.23	-53.09	-13.00	40.09	Vertical

1.10. Test Band = ENDC_30A_n66A_TM1**1.10.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3593.25	46.58	-48.28	28.65	-68.31	-13.00	55.31	Horizontal
2	5431.875	46.55	-47.68	32.41	-63.99	-13.00	50.99	Horizontal
3	7772.625	44.89	-44.99	36.35	-59.02	-13.00	46.02	Horizontal
4	9364.5	43.48	-42.99	37.91	-56.86	-13.00	43.86	Horizontal
5	11976.75	39.10	-39.55	39.40	-56.31	-13.00	43.31	Horizontal
6	14782.5	37.06	-36.82	40.22	-54.80	-13.00	41.80	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594.375	46.67	-48.28	28.65	-68.22	-13.00	55.22	Vertical
2	5024.25	46.05	-47.96	31.27	-65.91	-13.00	52.91	Vertical
3	6292.875	45.63	-47.34	33.91	-63.05	-13.00	50.05	Vertical
4	8803.5	44.21	-43.99	37.18	-57.86	-13.00	44.86	Vertical
5	12875.625	38.64	-39.40	38.87	-57.14	-13.00	44.14	Vertical
6	17739.375	36.79	-38.44	43.24	-53.68	-13.00	40.68	Vertical

1.11. Test Band = ENDC_30A_n66A_TM1**1.11.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.5	47.05	-48.28	28.65	-67.84	-13.00	54.84	Horizontal
2	5010.75	45.94	-47.99	31.23	-66.08	-13.00	53.08	Horizontal
3	6681.75	45.57	-46.64	34.99	-61.34	-13.00	48.34	Horizontal
4	9342	42.78	-42.95	37.88	-57.55	-13.00	44.55	Horizontal
5	11937.375	39.25	-39.78	39.41	-56.38	-13.00	43.38	Horizontal
6	14813.25	37.27	-36.92	40.22	-54.69	-13.00	41.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3586.5	47.26	-48.28	28.64	-67.64	-13.00	54.64	Vertical
2	4863.375	46.70	-48.02	30.90	-65.68	-13.00	52.68	Vertical
3	6444.75	45.40	-46.96	34.49	-62.33	-13.00	49.33	Vertical
4	8265	44.14	-44.42	36.59	-58.95	-13.00	45.95	Vertical
5	10504.125	39.80	-40.67	39.15	-56.98	-13.00	43.98	Vertical
6	14315.25	37.80	-38.44	40.27	-55.64	-13.00	42.64	Vertical

1.12. Test Band = ENDC_30A_n66A_TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	63.01	-48.29	28.54	-52.00	-13.00	39.00	Horizontal
2	6250.5	45.95	-47.43	33.75	-62.99	-13.00	49.99	Horizontal
3	7683.75	45.11	-45.11	36.36	-58.89	-13.00	45.89	Horizontal
4	9466.125	42.64	-42.60	38.05	-57.17	-13.00	44.17	Horizontal
5	12569.625	38.59	-39.26	39.06	-56.88	-13.00	43.88	Horizontal
6	17704.125	36.89	-38.59	43.02	-53.94	-13.00	40.94	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	64.11	-48.29	28.54	-50.90	-13.00	37.90	Vertical
2	5488.125	46.71	-47.62	32.57	-63.61	-13.00	50.61	Vertical
3	7030.875	45.26	-46.36	35.56	-60.81	-13.00	47.81	Vertical
4	9363.75	43.44	-42.99	37.91	-56.90	-13.00	43.90	Vertical
5	12085.875	38.68	-39.60	39.35	-56.83	-13.00	43.83	Vertical
6	14781.375	36.86	-36.82	40.22	-55.00	-13.00	42.00	Vertical

1.13. Test Band = ENDC_5A_n2A_ TM1**1.13.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3870	50.04	-48.26	29.09	-64.39	-13.00	51.39	Horizontal
2	6744.75	51.40	-46.70	35.09	-55.47	-13.00	42.47	Horizontal
3	8703	51.49	-44.12	37.07	-50.81	-13.00	37.81	Horizontal
4	10512	50.34	-40.72	39.16	-46.48	-13.00	33.48	Horizontal
5	12703.5	52.46	-39.27	38.98	-43.09	-13.00	30.09	Horizontal
6	16862.25	55.98	-37.07	38.74	-37.60	-13.00	24.60	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3911.25	50.60	-48.28	29.16	-63.78	-13.00	50.78	Vertical
2	6228	51.94	-47.49	33.67	-57.14	-13.00	44.14	Vertical
3	8372.25	51.70	-44.23	36.71	-51.08	-13.00	38.08	Vertical
4	10409.25	50.44	-41.19	39.09	-46.92	-13.00	33.92	Vertical
5	13692	52.72	-38.06	39.84	-40.76	-13.00	27.76	Vertical
6	16900.5	56.21	-36.79	38.76	-37.08	-13.00	24.08	Vertical

1.14. Test Band = ENDC_5A_n2A_ TM1**1.14.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3946.5	50.45	-48.24	29.21	-63.83	-13.00	50.83	Horizontal
2	6423.75	51.34	-46.94	34.41	-56.45	-13.00	43.45	Horizontal
3	7638.75	50.52	-44.82	36.37	-53.19	-13.00	40.19	Horizontal
4	9463.5	51.91	-42.62	38.05	-47.92	-13.00	34.92	Horizontal
5	12772.5	52.19	-39.29	38.94	-43.43	-13.00	30.43	Horizontal
6	16869	55.79	-37.02	38.75	-37.74	-13.00	24.74	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.5	50.09	-48.28	28.66	-64.79	-13.00	51.79	Vertical
2	4840.5	50.84	-48.02	30.85	-61.59	-13.00	48.59	Vertical
3	6552	51.05	-47.02	34.78	-56.45	-13.00	43.45	Vertical
4	8397	51.09	-44.12	36.74	-51.56	-13.00	38.56	Vertical
5	10070.25	50.94	-41.82	38.85	-47.29	-13.00	34.29	Vertical
6	14681.25	52.76	-36.92	40.23	-39.19	-13.00	26.19	Vertical

1.15. Test Band = ENDC_5A_n2A_ TM1**1.15.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3585	50.60	-48.28	28.64	-64.31	-13.00	51.31	Horizontal
2	4773.75	50.33	-48.00	30.70	-62.22	-13.00	49.22	Horizontal
3	6588	50.93	-47.04	34.84	-56.53	-13.00	43.53	Horizontal
4	8826.75	51.66	-44.00	37.21	-50.39	-13.00	37.39	Horizontal
5	12565.5	51.49	-39.30	39.06	-44.01	-13.00	31.01	Horizontal
6	14707.5	52.51	-36.69	40.23	-39.21	-13.00	26.21	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3895.5	50.59	-48.29	29.13	-63.82	-13.00	50.82	Vertical
2	5281.5	51.13	-47.80	31.99	-59.94	-13.00	46.94	Vertical
3	7317	51.29	-46.16	36.07	-54.06	-13.00	41.06	Vertical
4	9255	50.31	-43.18	37.76	-50.37	-13.00	37.37	Vertical
5	13356.75	52.57	-39.14	39.34	-42.49	-13.00	29.49	Vertical
6	17865	53.80	-38.16	43.99	-35.63	-13.00	22.63	Vertical

1.16. Test Band = ENDC_14A_n2A_TM1**1.16.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3979.5	50.38	-48.20	29.27	-63.82	-13.00	50.82	Horizontal
2	5705.25	51.17	-47.50	32.68	-58.91	-13.00	45.91	Horizontal
3	7277.25	51.16	-46.17	36.00	-54.27	-13.00	41.27	Horizontal
4	9507.75	51.37	-42.36	38.11	-48.14	-13.00	35.14	Horizontal
5	12710.25	52.11	-39.27	38.97	-43.45	-13.00	30.45	Horizontal
6	17859.75	53.91	-38.17	43.96	-35.56	-13.00	22.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4118.25	48.98	-48.11	29.49	-64.91	-13.00	51.91	Vertical
2	6722.25	51.38	-46.63	35.06	-55.45	-13.00	42.45	Vertical
3	10891.5	50.23	-40.07	39.42	-45.68	-13.00	32.68	Vertical
4	12802.5	52.82	-39.30	38.92	-42.82	-13.00	29.82	Vertical
5	14904.75	53.70	-37.40	40.21	-38.75	-13.00	25.75	Vertical
6	17967.75	53.80	-38.66	44.61	-35.51	-13.00	22.51	Vertical

1.17. Test Band = ENDC_14A_n2A_TM1**1.17.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3945.75	50.44	-48.24	29.21	-63.85	-13.00	50.85	Horizontal
2	4807.5	50.73	-48.01	30.78	-61.77	-13.00	48.77	Horizontal
3	6414.75	51.24	-46.94	34.38	-56.58	-13.00	43.58	Horizontal
4	9498	51.39	-42.38	38.10	-48.16	-13.00	35.16	Horizontal
5	12729	52.36	-39.28	38.96	-43.22	-13.00	30.22	Horizontal
6	14940	53.91	-37.62	40.21	-38.77	-13.00	25.77	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3896.25	50.74	-48.29	29.13	-63.67	-13.00	50.67	Vertical
2	7158.75	50.97	-46.05	35.79	-54.55	-13.00	41.55	Vertical
3	10013.25	50.50	-41.72	38.81	-47.67	-13.00	34.67	Vertical
4	13257.75	51.71	-38.93	39.19	-43.29	-13.00	30.29	Vertical
5	14908.5	53.90	-37.42	40.21	-38.57	-13.00	25.57	Vertical
6	17907.75	53.89	-38.21	44.25	-35.33	-13.00	22.33	Vertical

1.18. Test Band = ENDC_14A_n2A_TM1**1.18.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4106.25	49.34	-48.08	29.47	-64.53	-13.00	51.53	Horizontal
2	5673	53.08	-47.55	32.67	-57.06	-13.00	44.06	Horizontal
3	7054.5	50.95	-46.18	35.60	-54.89	-13.00	41.89	Horizontal
4	8821.5	51.65	-44.00	37.20	-50.40	-13.00	37.40	Horizontal
5	11385.75	50.96	-40.13	39.46	-44.97	-13.00	31.97	Horizontal
6	14898	53.40	-37.36	40.21	-39.01	-13.00	26.01	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3927	50.22	-48.26	29.18	-64.12	-13.00	51.12	Vertical
2	5673	57.98	-47.55	32.67	-52.16	-13.00	39.16	Vertical
3	7058.25	50.33	-46.15	35.60	-55.48	-13.00	42.48	Vertical
4	9459	51.80	-42.65	38.04	-48.07	-13.00	35.07	Vertical
5	11371.5	51.01	-40.19	39.46	-44.98	-13.00	31.98	Vertical
6	14316.75	53.92	-38.45	40.27	-39.52	-13.00	26.52	Vertical

1.19. Test Band = ENDC_2A_n77A 3450-3550_ TM1**1.19.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7771.7083	44.44	-44.97	36.35	-59.44	-13.00	46.44	Horizontal
2	8503.875	43.40	-43.70	36.85	-58.70	-13.00	45.70	Horizontal
3	9416.6875	42.70	-42.78	37.98	-57.36	-13.00	44.36	Horizontal
4	11381.2708	38.80	-39.85	39.46	-56.85	-13.00	43.85	Horizontal
5	13567.7083	37.87	-38.50	39.65	-56.24	-13.00	43.24	Horizontal
6	17448.9583	35.50	-36.68	41.49	-54.94	-13.00	41.94	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7667.7292	44.27	-45.06	36.37	-59.68	-13.00	46.68	Vertical
2	8915.9583	42.81	-43.56	37.31	-58.71	-13.00	45.71	Vertical
3	10647.6667	39.35	-41.01	39.25	-57.67	-13.00	44.67	Vertical
4	11974	38.41	-38.91	39.40	-56.36	-13.00	43.36	Vertical
5	14319.0417	38.04	-38.77	40.27	-55.72	-13.00	42.72	Vertical
6	17546.2292	35.47	-36.40	42.08	-54.11	-13.00	41.11	Vertical

1.20. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.20.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7396.0417	44.00	-45.58	36.21	-60.62	-13.00	47.62	Horizontal
2	8483.75	43.64	-43.79	36.83	-58.58	-13.00	45.58	Horizontal
3	10300.75	39.71	-41.08	39.01	-57.62	-13.00	44.62	Horizontal
4	12051.625	39.13	-38.99	39.37	-55.75	-13.00	42.75	Horizontal
5	13571.0625	38.23	-38.48	39.66	-55.85	-13.00	42.85	Horizontal
6	17965.9792	35.70	-37.08	44.60	-52.04	-13.00	39.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6944.6667	44.58	-46.04	35.41	-61.31	-13.00	48.31	Vertical
2	8570.9583	43.74	-44.00	36.93	-58.59	-13.00	45.59	Vertical
3	10495.7708	39.59	-40.60	39.15	-57.12	-13.00	44.12	Vertical
4	11979.75	38.32	-38.83	39.40	-56.37	-13.00	43.37	Vertical
5	14345.3958	37.54	-38.75	40.27	-56.20	-13.00	43.20	Vertical
6	17982.75	35.37	-37.03	44.70	-52.22	-13.00	39.22	Vertical

1.21. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.21.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.5	44.98	-45.59	35.82	-60.05	-13.00	47.05	Horizontal
2	8507.2292	43.42	-43.71	36.86	-58.69	-13.00	45.69	Horizontal
3	11326.6458	39.52	-40.25	39.47	-56.53	-13.00	43.53	Horizontal
4	13371.7292	37.69	-38.89	39.36	-57.11	-13.00	44.11	Horizontal
5	15542.3542	35.35	-38.04	39.22	-58.72	-13.00	45.72	Horizontal
6	17993.2917	35.73	-37.00	44.76	-51.77	-13.00	38.77	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7181.375	44.74	-45.57	35.83	-60.27	-13.00	47.27	Vertical
2	8837.8542	43.85	-43.74	37.22	-57.93	-13.00	44.93	Vertical
3	10282.0625	39.69	-41.26	39.00	-57.83	-13.00	44.83	Vertical
4	12032.4583	38.62	-38.83	39.38	-56.09	-13.00	43.09	Vertical
5	13709.0625	36.82	-38.00	39.86	-56.58	-13.00	43.58	Vertical
6	17914.7083	35.39	-37.22	44.29	-52.80	-13.00	39.80	Vertical

1.22. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.22.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7174.6667	44.75	-45.62	35.81	-60.31	-13.00	47.31	Horizontal
2	8477.0417	43.22	-43.84	36.82	-59.05	-13.00	46.05	Horizontal
3	10070.75	40.30	-41.66	38.85	-57.77	-13.00	44.77	Horizontal
4	11807.7292	38.18	-39.29	39.42	-56.95	-13.00	43.95	Horizontal
5	13562.9167	37.68	-38.53	39.64	-56.47	-13.00	43.47	Horizontal
6	17559.1667	35.47	-36.48	42.15	-54.12	-13.00	41.12	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7732.8958	44.77	-45.06	36.35	-59.20	-13.00	46.20	Vertical
2	9384.1042	43.14	-42.83	37.94	-57.01	-13.00	44.01	Vertical
3	10786.625	39.39	-40.50	39.35	-57.02	-13.00	44.02	Vertical
4	11793.8333	38.94	-39.28	39.42	-56.18	-13.00	43.18	Vertical
5	13565.3125	38.11	-38.52	39.65	-56.02	-13.00	43.02	Vertical
6	17964.5417	35.80	-37.08	44.59	-51.95	-13.00	38.95	Vertical

1.23. Test Band = ENDC_5A_n77A 3450-3550_ TM1**1.23.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7814.3542	44.58	-44.91	36.34	-59.25	-13.00	46.25	Horizontal
2	8744.8958	43.69	-43.77	37.12	-58.22	-13.00	45.22	Horizontal
3	10497.6875	39.10	-40.59	39.15	-57.60	-13.00	44.60	Horizontal
4	11807.7292	38.64	-39.29	39.42	-56.49	-13.00	43.49	Horizontal
5	13714.3333	37.23	-38.03	39.87	-56.19	-13.00	43.19	Horizontal
6	14937.6458	37.91	-38.21	40.21	-55.35	-13.00	42.35	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7730.5	44.31	-45.07	36.35	-59.66	-13.00	46.66	Vertical
2	9383.625	43.24	-42.83	37.94	-56.91	-13.00	43.91	Vertical
3	10467.0208	39.67	-40.79	39.13	-57.26	-13.00	44.26	Vertical
4	11386.0625	39.12	-39.81	39.46	-56.49	-13.00	43.49	Vertical
5	13364.0625	38.37	-38.85	39.35	-56.40	-13.00	43.40	Vertical
6	17950.6458	36.14	-37.12	44.50	-51.73	-13.00	38.73	Vertical

1.24. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.24.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7168.9167	44.97	-45.66	35.80	-60.14	-13.00	47.14	Horizontal
2	8738.6667	43.33	-43.76	37.11	-58.57	-13.00	45.57	Horizontal
3	11401.3958	38.43	-39.72	39.46	-57.09	-13.00	44.09	Horizontal
4	13351.125	37.93	-38.79	39.33	-56.79	-13.00	43.79	Horizontal
5	14843.25	36.80	-37.91	40.22	-56.16	-13.00	43.16	Horizontal
6	17961.1875	35.56	-37.09	44.57	-52.22	-13.00	39.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7206.7708	45.34	-45.49	35.87	-59.54	-13.00	46.54	Vertical
2	8742.5	43.67	-43.76	37.12	-58.24	-13.00	45.24	Vertical
3	10447.375	39.95	-40.93	39.11	-57.12	-13.00	44.12	Vertical
4	12012.8125	37.70	-38.67	39.39	-56.84	-13.00	43.84	Vertical
5	13352.5625	37.77	-38.79	39.33	-56.95	-13.00	43.95	Vertical
6	17963.1042	35.60	-37.08	44.58	-52.16	-13.00	39.16	Vertical

1.25. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.25.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7202.4583	44.39	-45.46	35.86	-60.47	-13.00	47.47	Horizontal
2	8267.1667	43.75	-44.45	36.59	-59.36	-13.00	46.36	Horizontal
3	9386.0208	43.30	-42.83	37.94	-56.85	-13.00	43.85	Horizontal
4	11384.1458	39.44	-39.83	39.46	-56.19	-13.00	43.19	Horizontal
5	13559.0833	37.78	-38.56	39.64	-56.40	-13.00	43.40	Horizontal
6	17789.6458	36.15	-37.99	43.54	-53.56	-13.00	40.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7202.9375	44.50	-45.47	35.87	-60.36	-13.00	47.36	Vertical
2	8818.2083	43.73	-43.80	37.20	-58.13	-13.00	45.13	Vertical
3	10054.9375	40.56	-41.68	38.84	-57.54	-13.00	44.54	Vertical
4	12029.5833	38.23	-38.81	39.38	-56.46	-13.00	43.46	Vertical
5	13578.7292	38.06	-38.42	39.67	-55.96	-13.00	42.96	Vertical
6	17959.75	36.02	-37.09	44.56	-51.77	-13.00	38.77	Vertical

1.26. Test Band = ENDC_2A_n77A 3700-3980_ TM1**1.26.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7694.0833	44.75	-45.12	36.36	-59.27	-13.00	46.27	Horizontal
2	8674.4583	43.29	-43.80	37.04	-58.73	-13.00	45.73	Horizontal
3	10107.1667	40.48	-41.66	38.88	-57.57	-13.00	44.57	Horizontal
4	11562.3958	38.20	-39.55	39.44	-57.16	-13.00	44.16	Horizontal
5	14345.875	38.19	-38.75	40.27	-55.55	-13.00	42.55	Horizontal
6	17596.0625	35.30	-36.71	42.38	-54.29	-13.00	41.29	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7771.2292	44.18	-44.97	36.35	-59.70	-13.00	46.70	Vertical
2	9372.125	43.34	-42.85	37.92	-56.85	-13.00	43.85	Vertical
3	11268.1875	39.16	-40.29	39.47	-56.92	-13.00	43.92	Vertical
4	13570.5833	37.85	-38.48	39.66	-56.23	-13.00	43.23	Vertical
5	14952.0208	36.92	-38.13	40.20	-56.27	-13.00	43.27	Vertical
6	17963.1042	35.82	-37.08	44.58	-51.94	-13.00	38.94	Vertical

---End of Attachment---