



11a_TX_CH_149_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6188.1923	41.64	33.52	-16.12	59.04	68.30	9.26	Horizontal
2	8688.8333	52.65	37.06	-43.74	45.97	68.30	22.33	Horizontal
3	11379.354	48.37	39.46	-39.86	47.97	74.00	26.03	Horizontal
4	13530.812	46.79	39.60	-38.75	47.64	68.30	20.66	Horizontal
5	17957.354	44.31	44.54	-37.10	51.75	74.00	22.25	Horizontal
6	17977.958	33.85	44.67	-37.04	41.48	54.00	12.52	Horizontal


11a_TX_CH_149_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6351.5	42.44	34.14	-16.19	60.39	68.30	7.91	Vertical
2	8597.7917	52.32	36.96	-44.12	45.16	68.30	23.14	Vertical
3	11112.458	48.21	39.49	-40.09	47.61	74.00	26.39	Vertical
4	14309.937	46.31	40.27	-38.77	47.81	68.30	20.49	Vertical
5	17965.020	44.28	44.59	-37.08	51.79	74.00	22.21	Vertical
6	17966.458	34.52	44.60	-37.07	42.04	54.00	11.96	Vertical

11a_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6455.5769	42.38	34.53	-16.51	60.40	68.30	7.90	Horizontal
2	7582.4375	52.42	36.38	-45.10	43.71	74.00	30.29	Horizontal
3	10115.791	49.21	38.88	-41.70	46.39	68.30	21.91	Horizontal
4	13576.812	46.35	39.67	-38.44	47.58	68.30	20.72	Horizontal
5	17963.104	43.88	44.58	-37.08	51.38	74.00	22.62	Horizontal
6	17967.416	34.02	44.60	-37.07	41.55	54.00	12.45	Horizontal

11a_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6216.1154	41.66	33.62	-16.10	59.19	68.30	9.11	Vertical
2	8801.4375	52.47	37.18	-43.86	45.80	68.30	22.50	Vertical
3	10870.958	47.75	39.41	-40.25	46.91	74.00	27.09	Vertical
4	13544.708	47.23	39.62	-38.66	48.19	68.30	20.11	Vertical
5	17964.541	43.70	44.59	-37.08	51.21	74.00	22.79	Vertical
6	17979.395	34.11	44.68	-37.04	41.75	54.00	12.25	Vertical

11a_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6185.2308	41.57	33.50	-16.13	58.94	68.30	9.36	Horizontal
2	7689.2917	52.84	36.36	-45.11	44.09	74.00	29.91	Horizontal
3	9453.1042	52.20	38.03	-42.73	47.51	74.00	26.49	Horizontal
4	12462.75	47.50	39.12	-38.62	48.00	74.00	26.00	Horizontal
5	17941.541	43.50	44.45	-37.14	50.81	74.00	23.19	Horizontal
6	17999.041	33.87	44.79	-36.98	41.68	54.00	12.32	Horizontal

11a_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6399.3077	41.67	34.32	-16.15	59.84	68.30	8.46	Vertical
2	8554.1875	52.45	36.91	-43.92	45.44	68.30	22.86	Vertical
3	11181.458	48.24	39.48	-39.98	47.74	74.00	26.26	Vertical
4	14936.687	46.45	40.21	-38.21	48.44	68.30	19.86	Vertical
5	17977.958	43.39	44.67	-37.04	51.02	74.00	22.98	Vertical
6	17976.041	34.41	44.66	-37.05	42.02	54.00	11.98	Vertical

11ac(VHT20)_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6181.8462	41.73	33.49	-16.14	59.08	68.30	9.22	Horizontal
2	7807.6458	52.69	36.34	-44.91	44.12	68.30	24.18	Horizontal
3	10290.687	48.37	39.00	-41.17	46.20	68.30	22.10	Horizontal
4	11905.479	48.80	39.41	-39.84	48.37	74.00	25.63	Horizontal
5	17956.395	43.42	44.54	-37.10	50.86	74.00	23.14	Horizontal
6	17972.208	34.02	44.63	-37.06	41.60	54.00	12.40	Horizontal

11ac(VHT20)_TX_CH_36_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5966.9231	41.22	32.79	-15.97	58.04	68.30	10.26	Vertical
2	7798.0625	53.54	36.34	-44.90	44.98	68.30	23.32	Vertical
3	9503.8958	51.09	38.11	-42.61	46.58	68.30	21.72	Vertical
4	11912.187	47.50	39.41	-39.75	47.16	74.00	26.84	Vertical
5	17883.562	44.51	44.10	-37.38	51.23	74.00	22.77	Vertical
6	17923.812	34.36	44.34	-37.19	41.51	54.00	12.49	Vertical


11ac(VHT20)_TX_CH_40_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6094.2692	42.59	33.16	-16.45	59.30	68.30	9.00	Horizontal
2	7863.7083	52.36	36.33	-44.94	43.74	68.30	24.56	Horizontal
3	11103.833	47.95	39.49	-40.10	47.34	74.00	26.66	Horizontal
4	13710.5	45.24	39.87	-38.01	47.10	68.30	21.20	Horizontal
5	17992.333	43.99	44.75	-37.00	51.74	74.00	22.26	Horizontal
6	17999.041	33.39	44.79	-36.98	41.20	54.00	12.80	Horizontal

11ac(VHT20)_TX_CH_40_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5977.0769	41.17	32.79	-15.96	58.00	68.30	10.30	Vertical
2	7758.7708	52.95	36.35	-45.00	44.30	68.30	24.00	Vertical
3	9861.3542	49.74	38.61	-41.90	46.45	68.30	21.85	Vertical
4	12301.270	47.82	39.22	-39.32	47.72	74.00	26.28	Vertical
5	18000	43.34	44.80	-36.98	51.16	74.00	22.84	Vertical
6	17962.145	34.48	44.57	-37.09	41.97	54.00	12.03	Vertical


11ac(VHT20)_TX_CH_48_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5821.8077	41.56	32.73	-16.44	57.85	68.30	10.45	Horizontal
2	7949.4792	52.67	36.31	-44.62	44.36	68.30	23.94	Horizontal
3	10904.979	47.54	39.43	-40.19	46.79	74.00	27.21	Horizontal
4	13580.166	46.51	39.67	-38.41	47.77	68.30	20.53	Horizontal
5	17930.520	43.47	44.38	-37.17	50.68	74.00	23.32	Horizontal
6	17999.041	34.23	44.79	-36.98	42.04	54.00	11.96	Horizontal

11ac(VHT20)_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6141.2308	41.28	33.34	-16.31	58.31	68.30	9.99	Vertical
2	7222.5833	53.40	35.90	-45.58	43.72	68.30	24.58	Vertical
3	9409.9792	51.00	37.97	-42.79	46.18	74.00	27.82	Vertical
4	11996.520	47.34	39.40	-38.61	48.13	74.00	25.87	Vertical
5	17969.812	43.42	44.62	-37.06	50.97	74.00	23.03	Vertical
6	17996.166	34.02	44.78	-36.99	41.81	54.00	12.19	Vertical

11ac(VHT20)_TX_CH_52_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6208.0769	41.44	33.59	-16.08	58.95	68.30	9.35	Horizontal
2	7811.9583	52.95	36.34	-44.91	44.38	68.30	23.92	Horizontal
3	10918.875	47.57	39.44	-40.24	46.78	74.00	27.22	Horizontal
4	14322.875	45.90	40.27	-38.76	47.40	68.30	20.90	Horizontal
5	17964.062	44.13	44.58	-37.08	51.63	74.00	22.37	Horizontal
6	17996.645	33.86	44.78	-36.99	41.65	54.00	12.35	Horizontal


11ac(VHT20)_TX_CH_52_Vertical



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6094.2692	41.18	33.16	-16.45	57.89	68.30	10.41	Vertical
2	7398.9167	52.27	36.22	-45.56	42.92	74.00	31.08	Vertical
3	10055.416	50.12	38.84	-41.68	47.28	68.30	21.02	Vertical
4	13579.687	46.38	39.67	-38.42	47.63	68.30	20.67	Vertical
5	17984.666	44.26	44.71	-37.02	51.95	74.00	22.05	Vertical


11ac(VHT20)_TX_CH_60_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5832.3846	41.37	32.73	-16.38	57.72	68.30	10.58	Horizontal
2	7813.3958	53.11	36.34	-44.91	44.54	68.30	23.76	Horizontal
3	9395.125	51.66	37.95	-42.82	46.80	74.00	27.20	Horizontal
4	11975.916	46.93	39.40	-38.89	47.45	74.00	26.55	Horizontal
5	17992.812	44.12	44.76	-37.00	51.88	74.00	22.12	Horizontal
6	17965.979	33.85	44.60	-37.08	41.37	54.00	12.63	Horizontal

11ac(VHT20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6016	41.99	32.86	-16.03	58.82	68.30	9.48	Vertical
2	7187.6042	52.51	35.84	-45.53	42.82	68.30	25.48	Vertical
3	9425.7917	50.93	38.00	-42.77	46.16	74.00	27.84	Vertical
4	11994.125	46.79	39.40	-38.64	47.55	74.00	26.45	Vertical
5	17950.645	44.04	44.50	-37.12	51.43	74.00	22.57	Vertical
6	17981.312	33.86	44.69	-37.03	41.52	54.00	12.48	Vertical

11ac(VHT20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5987.6538	42.21	32.80	-15.96	59.05	68.30	9.25	Horizontal
2	7173.7083	54.22	35.81	-45.62	44.41	68.30	23.89	Horizontal
3	9333.7917	51.54	37.87	-42.90	46.51	74.00	27.49	Horizontal
4	14476.687	45.23	40.25	-38.43	47.06	74.00	26.94	Horizontal
5	17961.187	43.46	44.57	-37.09	50.94	74.00	23.06	Horizontal
6	17996.166	33.44	44.78	-36.99	41.23	54.00	12.77	Horizontal

11ac(VHT20)_TX_CH_64_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6165.3462	40.92	33.43	-16.21	58.14	68.30	10.16	Vertical
2	7684.0208	53.10	36.36	-45.10	44.36	74.00	29.64	Vertical
3	10876.229	47.24	39.41	-40.24	46.42	74.00	27.58	Vertical
4	13543.75	46.70	39.62	-38.66	47.65	68.30	20.65	Vertical
5	17968.854	43.72	44.61	-37.07	51.27	74.00	22.73	Vertical
6	17963.583	33.92	44.58	-37.08	41.42	54.00	12.58	Vertical


11ac(VHT20)_TX_CH_100_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6170.8462	42.05	33.45	-16.19	59.31	68.30	8.99	Horizontal
2	7187.6042	53.92	35.84	-45.53	44.23	68.30	24.07	Horizontal
3	9393.6875	51.12	37.95	-42.82	46.25	74.00	27.75	Horizontal
4	12042.520	46.31	39.37	-38.92	46.77	74.00	27.23	Horizontal
5	17944.895	43.94	44.47	-37.13	51.28	74.00	22.72	Horizontal
6	17962.625	34.02	44.58	-37.08	41.51	54.00	12.49	Horizontal


11ac(VHT20)_TX_CH_100_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6161.5385	41.14	33.41	-16.23	58.33	68.30	9.97	Vertical
2	8052.0208	52.11	36.36	-44.35	44.11	74.00	29.89	Vertical
3	9408.5417	52.24	37.97	-42.80	47.42	74.00	26.58	Vertical
4	14349.229	46.35	40.27	-38.75	47.87	68.30	20.43	Vertical
5	17996.166	44.70	44.78	-36.99	52.49	74.00	21.51	Vertical
6	17965.5	33.84	44.59	-37.08	41.36	54.00	12.64	Vertical

11ac(VHT20)_TX_CH_116_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6218.6538	42.25	33.63	-16.10	59.78	68.30	8.52	Horizontal
2	7672.0417	52.91	36.37	-45.07	44.21	74.00	29.79	Horizontal
3	10781.833	47.30	39.35	-40.52	46.13	74.00	27.87	Horizontal
4	14361.208	45.69	40.26	-38.74	47.22	68.30	21.08	Horizontal
5	17979.875	44.08	44.68	-37.04	51.72	74.00	22.28	Horizontal
6	17994.25	33.77	44.77	-37.00	41.54	54.00	12.46	Horizontal


11ac(VHT20)_TX_CH_116_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5967.3462	41.41	32.79	-15.97	58.23	68.30	10.07	Vertical
2	7695.0417	53.10	36.36	-45.13	44.33	74.00	29.67	Vertical
3	9422.9167	52.19	37.99	-42.77	47.41	74.00	26.59	Vertical
4	12041.083	47.52	39.38	-38.91	47.99	74.00	26.01	Vertical
5	17937.229	44.11	44.42	-37.16	51.38	74.00	22.62	Vertical

11ac(VHT20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6275.3462	41.67	33.85	-16.19	59.33	68.30	8.97	Horizontal
2	7189.0417	52.98	35.84	-45.52	43.30	68.30	25.00	Horizontal
3	9422.4375	50.87	37.99	-42.77	46.09	74.00	27.91	Horizontal
4	12848.958	47.48	38.89	-38.85	47.52	68.30	20.78	Horizontal
5	17983.708	44.12	44.70	-37.03	51.80	74.00	22.20	Horizontal
6	17988.5	33.83	44.73	-37.01	41.55	54.00	12.45	Horizontal

11ac(VHT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5995.2692	41.59	32.80	-15.95	58.44	68.30	9.86	Vertical
2	7697.9167	52.29	36.36	-45.13	43.52	74.00	30.48	Vertical
3	9444.9583	51.30	38.02	-42.74	46.58	74.00	27.42	Vertical
4	11790.479	47.47	39.42	-39.30	47.59	74.00	26.41	Vertical
5	17960.229	44.76	44.56	-37.09	52.23	74.00	21.77	Vertical
6	17969.333	34.33	44.62	-37.07	41.88	54.00	12.12	Vertical

11ac(VHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6277.4615	41.47	33.85	-16.19	59.13	68.30	9.17	Horizontal
2	7787.0417	52.80	36.34	-44.93	44.21	68.30	24.09	Horizontal
3	9408.0625	52.11	37.97	-42.80	47.28	74.00	26.72	Horizontal
4	12512.583	46.37	39.09	-38.88	46.58	74.00	27.42	Horizontal
5	17986.583	44.42	44.72	-37.02	52.12	74.00	21.88	Horizontal
6	17974.125	33.99	44.64	-37.05	41.58	54.00	12.42	Horizontal

11ac(VHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6403.9615	42.00	34.34	-16.18	60.16	68.30	8.14	Vertical
2	7108.0625	54.07	35.69	-46.06	43.71	68.30	24.59	Vertical
3	9381.7083	52.29	37.93	-42.83	47.39	74.00	26.61	Vertical
4	11519.270	48.15	39.45	-39.92	47.68	74.00	26.32	Vertical
5	17956.875	43.40	44.54	-37.10	50.84	74.00	23.16	Vertical
6	17964.062	34.47	44.58	-37.08	41.97	54.00	12.03	Vertical

11ac(VHT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6287.1923	41.94	33.89	-16.21	59.62	68.30	8.68	Horizontal
2	8054.8958	51.98	36.36	-44.36	43.98	74.00	30.02	Horizontal
3	11338.145	48.43	39.47	-40.17	47.73	74.00	26.27	Horizontal
4	13790.041	45.15	39.99	-38.46	46.67	68.30	21.63	Horizontal
5	17981.791	43.30	44.69	-37.03	50.96	74.00	23.04	Horizontal
6	17965.979	34.03	44.60	-37.08	41.55	54.00	12.45	Horizontal

11ac(VHT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6062.9615	42.05	33.04	-16.28	58.81	68.30	9.49	Vertical
2	7575.25	51.89	36.38	-45.18	43.09	74.00	30.91	Vertical
3	9516.3542	51.33	38.12	-42.50	46.95	68.30	21.35	Vertical
4	13170	46.37	39.05	-38.88	46.54	68.30	21.76	Vertical
5	17928.125	45.27	44.37	-37.18	52.46	74.00	21.54	Vertical
6	17958.312	33.94	44.55	-37.10	41.39	54.00	12.61	Vertical

11ac(VHT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6288.8846	41.61	33.90	-16.21	59.30	68.30	9.00	Horizontal
2	7271.9375	53.26	35.99	-45.85	43.40	74.00	30.60	Horizontal
3	9865.6667	49.60	38.61	-41.89	46.32	68.30	21.98	Horizontal
4	11931.354	47.78	39.41	-39.49	47.70	74.00	26.30	Horizontal
5	17997.125	43.44	44.78	-36.99	51.23	74.00	22.77	Horizontal
6	17958.791	34.11	44.55	-37.10	41.57	54.00	12.43	Horizontal

11ac(VHT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6280.8462	41.66	33.87	-16.20	59.33	68.30	8.97	Vertical
2	7638.9792	53.08	36.37	-44.98	44.47	74.00	29.53	Vertical
3	11984.062	47.47	39.40	-38.78	48.10	74.00	25.90	Vertical
4	14420.625	46.26	40.26	-38.63	47.88	68.30	20.42	Vertical
5	17983.229	44.04	44.70	-37.03	51.71	74.00	22.29	Vertical
6	17961.187	34.17	44.57	-37.09	41.65	54.00	12.35	Vertical

11ac(VHT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6286.3462	41.50	33.89	-16.21	59.18	68.30	9.12	Horizontal
2	7170.8333	53.32	35.81	-45.64	43.49	68.30	24.81	Horizontal
3	8829.7083	52.72	37.21	-43.77	46.16	68.30	22.14	Horizontal
4	11752.145	46.86	39.42	-39.55	46.74	74.00	27.26	Horizontal
5	17969.333	44.30	44.62	-37.07	51.85	74.00	22.15	Horizontal
6	17961.666	34.41	44.57	-37.09	41.89	54.00	12.11	Horizontal

11ac(VHT40)_TX_CH_38_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5893.3077	41.45	32.76	-16.05	58.16	68.30	10.14	Vertical
2	7867.0625	53.35	36.33	-44.95	44.73	68.30	23.57	Vertical
3	10227.437	48.42	38.96	-41.81	45.57	68.30	22.73	Vertical
4	13580.166	47.16	39.67	-38.41	48.42	68.30	19.88	Vertical
5	17967.416	43.23	44.60	-37.07	50.76	74.00	23.24	Vertical
6	17964.541	33.94	44.59	-37.08	41.45	54.00	12.55	Vertical


11ac(VHT40)_TX_CH_46_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5848.4615	41.66	32.74	-16.29	58.11	68.30	10.19	Horizontal
2	8674.9375	52.40	37.04	-43.80	45.64	68.30	22.66	Horizontal
3	11603.125	46.44	39.44	-39.24	46.64	74.00	27.36	Horizontal
4	14874.395	46.01	40.21	-38.18	48.04	68.30	20.26	Horizontal
5	17938.187	43.71	44.43	-37.15	50.99	74.00	23.01	Horizontal
6	17998.562	33.89	44.79	-36.98	41.70	54.00	12.30	Horizontal

11ac(VHT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6083.6923	41.57	33.12	-16.39	58.29	68.30	10.01	Vertical
2	8297.3542	53.12	36.63	-44.55	45.20	74.00	28.80	Vertical
3	11175.229	47.64	39.48	-39.99	47.13	74.00	26.87	Vertical
4	13559.083	46.01	39.64	-38.56	47.09	68.30	21.21	Vertical
5	17951.125	44.29	44.51	-37.12	51.68	74.00	22.32	Vertical
6	17987.062	34.52	44.72	-37.02	42.23	54.00	11.77	Vertical

11ac(VHT40)_TX_CH_54_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6249.1154	41.44	33.75	-16.15	59.04	68.30	9.26	Horizontal
2	8398.9375	52.14	36.74	-44.36	44.52	74.00	29.48	Horizontal
3	10293.083	48.00	39.01	-41.15	45.86	68.30	22.44	Horizontal
4	13714.333	46.40	39.87	-38.03	48.24	68.30	20.06	Horizontal
5	17953.520	43.43	44.52	-37.11	50.84	74.00	23.16	Horizontal
6	17972.208	34.57	44.63	-37.06	42.15	54.00	11.85	Horizontal

11ac(VHT40)_TX_CH_54_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6094.6923	41.75	33.16	-16.45	58.46	68.30	9.84	Vertical
2	7852.6875	52.78	36.33	-44.94	44.17	68.30	24.13	Vertical
3	10849.395	47.43	39.39	-40.31	46.51	74.00	27.49	Vertical
4	14936.687	46.23	40.21	-38.21	48.22	68.30	20.08	Vertical
5	17992.333	43.43	44.75	-37.00	51.18	74.00	22.82	Vertical
6	17977.958	33.97	44.67	-37.04	41.60	54.00	12.40	Vertical

11ac(VHT40)_TX_CH_62_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6296.0769	41.42	33.93	-16.22	59.12	68.30	9.18	Horizontal
2	7601.6042	51.94	36.38	-44.88	43.44	74.00	30.56	Horizontal
3	9495.2708	50.84	38.09	-42.66	46.28	74.00	27.72	Horizontal
4	14199.25	44.87	40.28	-38.15	47.00	68.30	21.30	Horizontal
5	17974.604	44.00	44.65	-37.05	51.60	74.00	22.40	Horizontal
6	17953.520	34.27	44.52	-37.11	41.68	54.00	12.32	Horizontal