EUT INTERNAL PHOTOS

Configuration 1














SR12R MAIN BOARD V3.0
P/N:310115240
YH_SR12R_MV2
2023/12/06
Model:WBR3
P/N:2.01.99.00006
S/N:1001145930715S
RoHS
WBR3


SR12R MAIN BOARD V3.0
P/N:310115240
YH_SR12R_MV2
2023/12/06



Antenna








80 70 60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80 90 100


左右接收小板
V3.0
20230426
30 20 10 mm
10 20 30 40 50


10 20 30 40 50
30 20 10 mm


J1
2333
XO-D
94V-0
E506654
J1
2333
XO-D
94V-0
E506654
10 20 30 40 50
40 30 20 10 mm


左右前撞小板
Ver1.0
20230228
左右前撞小板
Ver1.0
20230228
30 20 10 mm
10 20 30 40 50


80 70 60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80 90

CDM-500WP-13460DA
DC9.0V 20231203
CDMS06203


CDM-390WM-24108DC
mm

CDM-390WM-24108DC
DC9.0V 20230303
CDMS06204










DYC20A13F-34
240118
mm



Li-ion Cylindrical Rechargeable Battery
Model:XC002-02
3S1P 10.8V DC 27.54Wh 3INR19/66
Charging Limited Voltage : 12.6V
Rated Capacity:2550mAh
Minimum Capacity: 2450mAh
Red Wire: + Black Wire: -
Datecode: 2024.3.5
Made in China
Manufacturer: Jiangxi Hua Chuang Li New Energy Co., Ltd.
CAUTION:Risk of Fire and Burns. Do Not Open,Crush,Heat Above 60°C or Incinerate.Follow Manufacturer's Instructions.
Li-ion

Configuration 2