

Test Report


EUT Information

EUT: SKD Antenna
 Operating mode: 914.70 MHz
 Sample position: Horizontal

AziChart MinMax Eval

Frequency (MHz)	Max. Value (dBm)	Azimuth max. (deg)	Pol max.	Min. Value (dBm)	Azimuth min. (deg)	Pol min.
914.700000	-4.23	191	H	-24.95	106	H

Azimuth Chart: Horizontal




AziChart hor f1

Azimuth (deg)	Frequency 914.700 MHz (dBm)
0.0	-12.15
2.0	-11.22
5.0	-10.12
9.0	-9.40
15.0	-9.37
20.0	-9.61
25.0	-10.37
30.0	-11.00
36.0	-11.64
41.0	-11.94
46.0	-11.82
51.0	-11.83
57.0	-11.83
62.0	-11.64

Azimuth (deg)	Frequency 914.700 MHz (dBm)
67.0	-11.59
73.0	-11.42
78.0	-11.44
83.0	-11.92
88.0	-13.20
94.0	-15.39
99.0	-18.44
106.0	-24.95
113.0	-23.80
118.0	-21.05
123.0	-17.30
130.0	-15.29
135.0	-13.37
141.0	-11.30
146.0	-9.80
152.0	-8.33
165.0	-7.32
181.0	-5.20
186.0	-4.31
191.0	-4.23
196.0	-4.59
202.0	-6.28
207.0	-9.05
212.0	-9.48
217.0	-7.88
223.0	-7.50
228.0	-7.76
233.0	-9.07
238.0	-8.67
246.0	-6.28
251.0	-5.66
258.0	-6.19
265.0	-7.88
271.0	-8.49
278.0	-7.35
283.0	-6.82
288.0	-7.01
296.0	-8.12
301.0	-10.46
306.0	-13.87
311.0	-15.04
317.0	-11.04
323.0	-8.65
328.0	-7.47
334.0	-7.23
339.0	-7.58
345.0	-9.14
350.0	-13.36
356.0	-13.27
359.0	-12.56

Azimuth Chart: Vertical

**AziChart ver f1**

Azimuth (deg)	Frequency 914.700 MHz (dBm)
0.0	-16.24
1.0	-16.19
4.0	-15.81
8.0	-14.61
13.0	-12.69
18.0	-10.80
23.0	-9.72
29.0	-8.98
35.0	-8.75
41.0	-8.81
46.0	-9.30
51.0	-10.19
57.0	-11.22
62.0	-11.52
67.0	-11.09
72.0	-10.43
78.0	-10.08
83.0	-10.08
88.0	-10.52
93.0	-11.59
99.0	-13.58
104.0	-16.59
109.0	-17.89
114.0	-13.95
120.0	-10.46
125.0	-7.98
130.0	-6.53
136.0	-5.96
141.0	-5.94
146.0	-6.31
151.0	-7.27

Azimuth (deg)	Frequency 914.700 MHz (dBm)
157.0	-8.80
162.0	-11.34
167.0	-14.94
172.0	-12.78
178.0	-9.63
183.0	-7.50
188.0	-6.27
193.0	-5.81
199.0	-5.69
204.0	-5.70
209.0	-5.70
215.0	-5.61
220.0	-5.62
225.0	-5.56
230.0	-5.24
236.0	-4.90
241.0	-4.82
246.0	-4.93
251.0	-5.49
257.0	-6.45
263.0	-7.68
269.0	-9.74
274.0	-11.56
279.0	-12.89
284.0	-11.45
290.0	-9.58
295.0	-8.10
300.0	-7.22
305.0	-7.05
311.0	-7.25
316.0	-8.16
321.0	-10.22
327.0	-13.82
332.0	-21.12
337.0	-19.26
342.0	-15.53
348.0	-15.03
353.0	-15.26
357.0	-15.46
359.0	-16.75
360.0	-15.46