

Test Report


EUT Information

EUT: SKD Antenna
 Operating mode: 915.40 MHz
 Sample position: Vertical

AziChart MinMax Eval

Frequency (MHz)	Max. Value (dBm)	Azimuth max. (deg)	Pol max.	Min. Value (dBm)	Azimuth min. (deg)	Pol min.
915.400000	-4.17	193	H	-27.12	29	V

Azimuth Chart: Horizontal




AziChart hor f1

Azimuth (deg)	Frequency 915.400 MHz (dBm)
0.0	-13.93
1.0	-14.13
3.0	-15.48
7.0	-18.11
12.0	-22.02
18.0	-18.66
23.0	-15.78
28.0	-14.43
33.0	-13.38
39.0	-12.39
44.0	-10.83
49.0	-9.32
55.0	-6.23
60.0	-6.63

Azimuth (deg)	Frequency 915.400 MHz (dBm)
65.0	-7.75
70.0	-8.60
76.0	-9.69
81.0	-10.65
86.0	-11.80
91.0	-13.44
97.0	-15.73
102.0	-15.86
107.0	-13.75
112.0	-11.55
119.0	-10.87
124.0	-11.31
130.0	-12.78
135.0	-13.60
140.0	-16.17
145.0	-22.82
151.0	-19.30
156.0	-14.07
161.0	-11.83
167.0	-10.61
172.0	-9.23
177.0	-7.16
182.0	-5.29
188.0	-4.27
193.0	-4.17
198.0	-4.61
203.0	-6.41
209.0	-9.65
214.0	-9.38
219.0	-7.60
224.0	-7.39
230.0	-8.07
235.0	-10.11
240.0	-8.91
246.0	-6.65
251.0	-5.65
256.0	-5.61
261.0	-6.41
267.0	-8.26
272.0	-10.65
277.0	-12.51
282.0	-12.96
288.0	-12.71
293.0	-12.63
298.0	-12.76
303.0	-13.48
309.0	-15.10
314.0	-18.19
319.0	-24.92
325.0	-15.38
330.0	-11.08
335.0	-8.95
340.0	-8.37
347.0	-8.68
352.0	-10.18
356.0	-12.28
359.0	-13.93

Azimuth Chart: Vertical

**AziChart ver f1**

Azimuth (deg)	Frequency 915.400 MHz (dBm)
0.0	-12.97
1.0	-12.98
4.0	-13.38
8.0	-14.78
13.0	-17.27
18.0	-21.37
23.0	-26.79
29.0	-27.12
34.0	-23.67
39.0	-20.82
46.0	-17.81
51.0	-14.71
57.0	-13.31
62.0	-12.53
67.0	-12.13
72.0	-12.12
78.0	-12.31
83.0	-13.14
88.0	-14.47
93.0	-16.44
99.0	-19.05
104.0	-21.13
109.0	-18.12
114.0	-14.41
120.0	-11.51
125.0	-9.44
130.0	-8.20
136.0	-7.60
141.0	-7.53
146.0	-7.61
151.0	-8.00

Azimuth (deg)	Frequency 915.400 MHz (dBm)
157.0	-8.76
162.0	-10.19
167.0	-12.66
172.0	-15.64
178.0	-13.88
183.0	-10.83
188.0	-8.83
193.0	-7.88
199.0	-7.46
204.0	-7.22
209.0	-7.10
215.0	-6.96
220.0	-7.02
225.0	-7.28
230.0	-7.44
236.0	-7.39
241.0	-7.40
246.0	-7.72
251.0	-8.64
257.0	-9.92
262.0	-11.10
267.0	-11.59
274.0	-10.55
279.0	-8.31
284.0	-6.79
290.0	-5.72
295.0	-5.05
300.0	-4.74
305.0	-4.74
311.0	-4.98
316.0	-5.68
321.0	-6.87
327.0	-8.75
332.0	-11.49
337.0	-14.56
342.0	-15.69
348.0	-15.16
353.0	-14.88
357.0	-14.80
359.0	-14.40
360.0	-14.12