


WLS048 2.5X14PM
Non self-tapping screw


19



G3

WLS031 2.3X13.5
Screw

20




G4

WLS019 3.0X9
Sidestep Screw

WLS071 4.5X11
Ball head screw

21



G5

WLS048 2.5X14PM
Non self-tapping screw


WLS063 2.5x10PM
Non self-tapping screw

WLS067 2.5X10KM
Countersunk Head Screw

WLS008 2.6X8PB
Flat head screw


WLM001 M4
Flange Blocking Nut

22




D3

23



x4


24




WLS040 2.3X5PB
Flat head screw 6

WLS054 2.5X16PM
Non self-tapping screw 2

25




26




WLS050 2.3X8PB
Flat head screw 4

27



WLS062 2.0X6PB
Flat head screw 4




WLS040 2.3X5PB
Flat head screw 2

WLS068 2.6X8X6PWB
Screw 1


WLS050 2.3X8PB
Flat head screw 4

31




L4

32




L5


 4
WLS040 2.3X5PB
Flat head screw



 2
WLS050 2.3X8PB
Flat head screw



 4
WLS062 2.0X6PB
Flat head screw



Spare parts list of high speed vehicles

S15200100



Wheel Skin

S15200201



Outer Hub

S15200202




Tires Core

S15200203



Inner Hub

S15200400



Vehicle bottom

S15200501




Motor cover

S15200502



Front Differential Carrier

S15200503



Axis Holder

S15200504




Front Motor Fixed Clamp

S15200505




Back Motor Fixed

S15200600



Battery elevator

S15200702



Battery cover

S15200703



Built-in fitment of battery cover (R)

S151200704



Built-in Fitment of Battery Cover (L)

S15200705



Battery Stopper

S15200706



Battery Cover Nut

S15200801




Anti-Collision Frame

S15200802



Bumper

S15200803



Damper Tower (Front)

S15200804




Automotive Shell Holder

S15200901




Straight-bridge-shaped front shell

S15200902



Straight-bridge-shaped back shell

S15201001



Straight-bridge-shaped connecting rod

S15201002



Drag Link

S15201003



Front Connecting Rod (R)

S15201004



Front Connecting Rod (L)

S15201005



Straight-bridge-shaped Damper Connecting Rod (L)

S15201006



Straight-bridge-shaped Damper Connecting Rod (R)

S15201007

Steering Engine Link

S15201008

Ball Sleeve

S15201101

C Seat (R)

S15201102

C Seat (L)

S15201103

Steering Device

S15201201

Swing Arm (L)

S15201202

Swing Arm (R)

S15201301

Lower Thread Bushing

S15201302

Upper and front thread bushing

S15201303

Middle Thread Bushing

S15201304

Upper and back thread bushing

S15201401

Front Damper Cylinder

S15201402

Back damper cylinder

S15201501

Seal Ring

S15201502

Resistance Ring

S15201503


Damping Shaft Seat

S15201504

Spring Bracket

S15201505


Back damper and decompression cylinder

S15201601

Drive Shaft Sleeve

S15201602

Steering Linkage Bridge

S15201603

Steering device (L)

S15201604

Steering Device (R)

S15201605

Steering Engine Arm

S15201606

Clutch Fixing Ring

S15201607

Steering Engine Tooth

S15201701

Nuts


S15201702

Switch seat

S15201703


12 mm Adapter

S15201704




Bottom case of receiving box

S15201705



Front case of receiving box

S15201706



Steering Engine Seat

S15201800



M0.5T66

H15201901



Differential big gear

H15201902



Long Bevel Gear

H15201903



Short Bevel Gear

H15201904



Front bevel gear

H15201905



Back bevel gear

H15201906



Back Bevel Gear

H15201907



Arm Code

S15202001



Roof cover

S15202002




Automotive shell safety rack

S15202003




Car roof shell firmware

S15202101




Rack

S15202102



Pedal

S15202201



Car roof shell

S15202202



Fixed base of safety rack

S15202203



Built-in fitment of car roof shell

S15202204



Seat Accessories

S15202205



Built-in fitment of car roof

S15202301



Automotive shell holder (back)

S15202302



Automotive shell holder (front)

S15202303



Left Rearview Mirror

S15202304



Espejo retrovisor izquierdo

S15202305



Built-in fitment of right rearview mirror

S15202306



Built-in fitment of left rearview mirror


S15202307



Nuts Base

S15202308

Nuts

S15200003

Interior

S15200004

Car Shell

S15200005

Rubber Ring

S15200006

Rubber Ring

S15200007

6.0X8.0

Limiting rubber column

WLS008

2.6X8PB

Flat head screw

WLS019

3.0X9PB

Sidestep Screw

WLS031

2.3X13.5

Half Head Screw

WLS040

2.3X5PB

Flat head screw

WLS041

2.6X6PB

Flat head screw

WLS044

2.5X24PM

Non self-tapping screw

WLS045

2.5X18PM

Non self-tapping screw

WLS048


2.5X14PM

Non self tapping screw

WLS050

2.3X8PB

Flat head screw

WLS052

2.6X8X6PWB

Screw

WLS054

2.5X16PM

Non self-tapping screw

WLS058

2.5X8PM

Non self-tapping screw

WLS059

2.5X8KM

Countersunk head screw

WLS062

2.0X6PB

Flat head screw

WLS063

2.5X10PM

Non self-tapping screw

WLS064

2.5X12PM

Non self tapping screw

WLS065

2.5X14KM

Countersunk head screw

WLS066

2.6X12KB

Countersunk head screw

WLS067


2.5X10KM

Countersunk head screw

WLS068

2.3X8X6PWB

Screw

WLS069

2.6X6X6PWB

Screw

WLS070

3X3

Inner hexagon socket set screw

WARRANTY

Caivun comes with 365 days replacement warranty and 60 days more back guarantee, which starts from the purchase date of the order. A defect arises and a valid claim is received within the warranty period at its option. Caivun will replace the product with a new item.

Replacement & Refund

1. Would love a replacement for defective products?

Should your product is defective within the specified warranty period, please contact us via **support@caivunshop.com** with the order number. Once our customer support team hears from you, we will process your request in 24 hours.

2. Not happy with the unit or passed Amazon's 30 days return window?

No worries! Be sure to contact Caivun customer service at **support@caivunshop.com** with your order number we will process your request faster and easier, usually in 24 hours.

Thank you for choosing **Caivun**



support@caivunshop.com

Need help? Contact us directly at **support@caivunshop.com** with your order ID. We are more than happy to serve you. Caivun support is here to make sure you are completely satisfied with your product.

U.S. Importer Name : ANDTech Global International trading LLC


U.S. Importer Address: 97 East Brokaw Road STE 300 San Jose, California 95112 United States

U.S. Importer Phone: +1-408-708-1800


NOTE:

Do not mix old and new batteries.


Do not mix alkaline batteries, standard (carbon-zinc) or rechargeable batteries.




Ball head screw




Sidestep Screw




1.5x9.8 Optical Axis




1.5X7.8 Optical Axis




2.0X8 Optical Axis




2.0X15 Optical Axis




2.5X7 Optical Axis




R-type Latch




Swing arm pin




C Seat Pin




2.0X20.5 Optical Axis




Front damping shaft




Back Damping Shaft




Axis




Bevel Pinion Shaft




Dog Bone Cup Shaft




Dog Bone Drive Shaft




Connecting shaft with holes



Dog bone middle drive shaft




Dog Bone Shaft




Connection Ball Head




Middle Connector




Back Connector




E-rings




Aluminum Radiator Sheet



Motor Tooth



Front damping and decompression spring



Front damping and decompression spring

WTH009

Clutch press spring

WTH010

Dog Bone Bolt

WTT002

Ø4.5X5.0

Ball Head Sleeve

WLM001

M4

Flange Blocking Nut

WZC001

4X7X2

Ball Bearing

WZC002

5X9X3

Ball Bearing

WZC005

8X12X3.5

Ball Bearing

WZC004

10X15X4


Ball Bearing

DZKG03


Switch

DZDJ04

380 Motor

DZDJ05


17 g Steering Engine

DZDC04

7.4V 1500mAh Large power Li-Ion battery

DZDB06

Blast-off electric plate

CJ0039

Incept PlatteIncept electric plate

WTZ044

Front damping components

CJ0040

Back Damping Components

CJ0041

Tires Assembly

CJ0042

Dog Bone Assembly

CJ0043

Middle shaft universal transmission components

CJ0044

Differential Components


CJ0045

Steering engine components


CJ0047

1521


Car shell components

CJ0048

Front left swing arm assembly

CJ0049

Front right swing arm assembly

CJ0050

Motor assembly

CJ0051

Rear straight bridge assembly

CJ0038

Transmitter

SMT001

25X15mm

3M Double-sided gummed paper

TROUBLESHOOTING

QUESTION	POSSIBLE CAUSE	SOLUTION
No match or can't control it	1.The car battery or remote control battery is completely dead 2. Out of remote range	1.Replace charged battery 2. Repair and keep in remote distance
Can't go forward or reverse	1.Low battery 2.The car shorted out when it got wet 3.Poor contact between motor and electronic regulator	1.Charging. 2. Let the car dry completely 3. Reconnect the connection wire between the motor and the electronic regulator
Can't turn left or turn right	1.Low battery 2.The car shorted out when it got wet 3. Poor contact between steering gear and electronic regulator	1.Charging 2.Let the car dry completely 3. Reconnect the connection wire between the steering gear and the electronic regulator
It won't charge	1.The output voltage or current of the power supply is too high 2.The charging cable or battery is broken	1.The output voltage and current of the power supply should be 5V 1~2A 2. Contact Caivun Customer Service
Something's missing or broken		1. Contact Caivun Customer Service
The wheels turn on their own	Pull the throttle trigger during pairing	Restart without pulling the throttle
The car can't move forward and the lights are flashing	Battery is too low	Charging
The remote control indicator is blinking slowly	The battery of the remote control is too low	Replace with new battery
For other issues you might come across, contact us at support@caivunshop.com , we will reply in 24 hours and offer a satisfactory solution for you.		

FCC COMPLIANCE STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.