

Datasheet

SPEC: 2.4G and 5G/L=200MM/The first generation of IPEX

DATE: 2023/05/05

Factory confirmed:

sector	review	approve
RF	Jingxiong.Liu	bin.Li
SD	Dong.Xie	bin.Li
DQE	Fei.Wang	bin.Li


Customer confirmed:

check	review	approve
Xue.Li	Xin.Zhang	Heng.Wang

1. Product images:




2. Electrical performance test report: **VSWR:**



3.Product performance parameters:

Electrical Specifications	
Frequency Range (MHz)	2400-2500/5150-5850
Input Impedence (Ω)	50
V.S.W.R	≤ 2.0
Gain (dBi)	5.53
Polarization Type	Vertical
Maximum power(W)	10W
Vertical lobe Angle (E)	45~60°
Water plane lobe Angle (H)	360°
Mechanical Specifications	
Material	FPC
Connect Type	IPEX(First generation)
Size	FPC: 35*11mm*0.25mm
Operating Temp	-25 ~ +75 °C




4. Product Size:








Kexin Wireless


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100





































5810.0MHz H+V, Eff: 61.8%

Back View





5810.0MHz Total(E2-YZ), Max= 1.81dBi

Total(H-XY), Max= 1.97dBi, C/D=5.96

5830.0MHz H+V, Eff: 64.2%

Back View





5830.0MHz Total(E2-YZ), Max= 2.46dBi

Total(H-XY), Max= 1.54dBi, C/D=5.51

5850.0MHz H+V, Eff: 65.5%

Back View



5850.0MHz Total(E2-YZ), Max= 2.68dBi

Total(H-XY), Max= 1.10dBi, C/D=5.64