

11N40SISO_Ant1_Low_5510



11N40SISO_Ant1_High_5670




Test Graphs B4

11A_Ant1_Low_5745



11A_Ant1_High_5825



11N20SISO_Ant1_Low_5745



11N20ISO_Ant1_High_5825



11N40ISO_Ant1_Low_5755



11N40SISO_Ant1_High_5795



Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5102.36	-50.18	≤-27	PASS
			5360~40000	25954.07	-48.35	≤-27	PASS
		5220	30~5140	5139.15	-51.41	≤-27	PASS
			5360~40000	26108.43	-48.64	≤-27	PASS
		5240	30~5140	5126.71	-51.25	≤-27	PASS
			5360~40000	25743.44	-48.77	≤-27	PASS
		5260	30~5140	3120.87	-53.2	≤-27	PASS
			5360~40000	26561.43	-49.25	≤-27	PASS
		5300	30~5140	5059.6	-52.91	≤-27	PASS
			5360~40000	26172.63	-48.86	≤-27	PASS
		5320	30~5140	5007.31	-53.22	≤-27	PASS
			5360~40000	5381.64	-48.77	≤-27	PASS
		5500	30~5460	5446.97	-47.74	≤-27	PASS
			5735~40000	5737.13	-49.45	≤-27	PASS
		5580	30~5460	5337.64	-49.16	≤-27	PASS
			5735~40000	26057.25	-49	≤-27	PASS
		5700	30~5460	5457.29	-50.03	≤-27	PASS
			5735~40000	5739.25	-48.43	≤-27	PASS
		5745	30~5650	5624.15	-49.54	≤-27	PASS
			5925~40000	25530.37	-45.48	≤-27	PASS
		5785	30~5650	5624.52	-50.12	≤-27	PASS
			5925~40000	26136.63	-45.24	≤-27	PASS
		5825	30~5650	5587.62	-50.99	≤-27	PASS
			5925~40000	25462.93	-45.49	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5100.82	-50.42	≤-27	PASS
			5360~40000	26042.07	-48.92	≤-27	PASS
		5220	30~5140	5136.08	-51.58	≤-27	PASS
			5360~40000	25291.88	-49.23	≤-27	PASS
		5240	30~5140	5137.45	-51.14	≤-27	PASS
			5360~40000	25718.19	-48.96	≤-27	PASS
		5260	30~5140	5014.12	-51.95	≤-27	PASS
			5360~40000	26659.53	-48.23	≤-27	PASS
		5300	30~5140	5063.52	-51.59	≤-27	PASS
			5360~40000	5380.92	-47.19	≤-27	PASS
		5320	30~5140	5078.51	-52.81	≤-27	PASS
			5360~40000	5401.84	-49.58	≤-27	PASS
		5500	30~5460	5416.02	-47.94	≤-27	PASS

			5735~40000	25819.79	-49.25	≤-27	PASS
		5580	30~5460	5339.82	-49.18	≤-27	PASS
			5735~40000	25597.22	-48.47	≤-27	PASS
		5700	30~5460	5458.19	-48.27	≤-27	PASS
			5735~40000	26883.75	-47.86	≤-27	PASS
		5745	30~5650	5648.13	-48.95	≤-27	PASS
			5925~40000	25283.79	-45.08	≤-27	PASS
		5785	30~5650	5626.77	-50.17	≤-27	PASS
			5925~40000	26598.17	-44.73	≤-27	PASS
		5825	30~5650	5586.87	-51.21	≤-27	PASS
			5925~40000	25774.14	-44.93	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5137.96	-48.03	≤-27	PASS
			5360~40000	26021.87	-48.56	≤-27	PASS
		5230	30~5140	5139.32	-52.2	≤-27	PASS
			5360~40000	25892.03	-49.11	≤-27	PASS
		5270	30~5140	5112.41	-52.9	≤-27	PASS
			5360~40000	25622.25	-47.79	≤-27	PASS
		5310	30~5140	3164.13	-52.48	≤-27	PASS
			5360~40000	5361.44	-48.3	≤-27	PASS
		5510	30~5460	5435.38	-46.86	≤-27	PASS
			5735~40000	25661.01	-48.88	≤-27	PASS
		5550	30~5460	5457.47	-49.52	≤-27	PASS
			5735~40000	26779.55	-48.52	≤-27	PASS
		5670	30~5460	5429.05	-50.09	≤-27	PASS
			5735~40000	5742.8	-48.69	≤-27	PASS
		5755	30~5650	5634.83	-49.17	≤-27	PASS
			5925~40000	25635.75	-44.38	≤-27	PASS
		5795	30~5650	5636.7	-49.37	≤-27	PASS
			5925~40000	26080.43	-44.03	≤-27	PASS

Test Graphs

11A_Ant1_5180_30~5140



11A_Ant1_5180_5360~40000



11A_Ant1_5220_30~5140



11A_Ant1_5220_5360~40000



11A_Ant1_5240_30~5140



11A_Ant1_5240_5360~40000



11A_Ant1_5260_30~5140



11A_Ant1_5260_5360~40000



11A_Ant1_5300_30~5140



11A_Ant1_5300_5360~40000



11A_Ant1_5320_30~5140



11A_Ant1_5320_5360~40000



11A_Ant1_5500_30~5460



11A_Ant1_5500_5735~40000



11A_Ant1_5580_30~5460



11A_Ant1_5580_5735~40000



11A_Ant1_5700_30~5460



11A_Ant1_5700_5735~40000



11A_Ant1_5745_30~5650



11A_Ant1_5745_5925~40000



11A_Ant1_5785_30~5650



11A_Ant1_5785_5925~40000



11A_Ant1_5825_30~5650



11A_Ant1_5825_5925~40000



11N20SISO_Ant1_5180_30~5140



11N20SISO_Ant1_5180_5360~40000



11N20SISO_Ant1_5220_30~5140



11N20SISO_Ant1_5220_5360~40000



11N20SISO_Ant1_5240_30~5140



11N20SISO_Ant1_5240_5360~40000



11N20SISO_Ant1_5260_30~5140



11N20SISO_Ant1_5260_5360~40000



11N20SISO_Ant1_5300_30~5140



11N20SISO_Ant1_5300_5360~40000



11N20SISO_Ant1_5320_30~5140



11N20SISO_Ant1_5320_5360~40000



11N20SISO_Ant1_5500_30~5460



11N20SISO_Ant1_5500_5735~40000



11N20SISO_Ant1_5580_30~5460



11N20SISO_Ant1_5580_5735~40000



11N20SISO_Ant1_5700_30~5460



11N20SISO_Ant1_5700_5735~40000



11N20SISO_Ant1_5745_30~5650



11N20SISO_Ant1_5745_5925~40000



11N20SISO_Ant1_5785_30~5650



11N20SISO_Ant1_5785_5925~40000



11N20SISO_Ant1_5825_30~5650



11N20SISO_Ant1_5825_5925~40000



11N40SISO_Ant1_5190_30~5140



11N40SISO_Ant1_5190_5360~40000



11N40SISO_Ant1_5230_30~5140



11N40SISO_Ant1_5230_5360~40000



11N40SISO_Ant1_5270_30~5140



11N40SISO_Ant1_5270_5360~40000



11N40SISO_Ant1_5310_30~5140



11N40SISO_Ant1_5310_5360~40000



11N40SISO_Ant1_5510_30~5460



11N40SISO_Ant1_5510_5735~40000



11N40SISO_Ant1_5550_30~5460



11N40SISO_Ant1_5550_5735~40000



11N40SISO_Ant1_5670_30~5460



11N40SISO_Ant1_5670_5735~40000



11N40SISO_Ant1_5755_30~5650




11N40SISO_Ant1_5755_5925~40000



11N40SISO_Ant1_5795_30~5650



11N40SISO_Ant1_5795_5925~40000



Appendix G: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq (MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5220	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5300	NV	NT	-20000.00	-3.773585	20	PASS
			LV	NT	-20000.00	-3.773585	20	PASS
			HV	NT	-20000.00	-3.773585	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-60000.00	-10.371651	20	PASS
			LV	NT	-60000.00	-10.371651	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-60000.00	-10.300429	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS

11N20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5220	NV	NT	-20000.00	-3.831418	20	PASS
			LV	NT	-20000.00	-3.831418	20	PASS
			HV	NT	-20000.00	-3.831418	20	PASS
		5240	NV	NT	-60000.00	-11.450382	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5300	NV	NT	-20000.00	-3.773585	20	PASS
			LV	NT	-40000.00	-7.547170	20	PASS
			HV	NT	-20000.00	-3.773585	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-60000.00	-10.909091	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	-40000.00	-7.707129	20	PASS
		5230	NV	NT	80000.00	15.296367	20	PASS
			LV	NT	80000.00	15.296367	20	PASS
			HV	NT	80000.00	15.296367	20	PASS
		5270	NV	NT	-40000.00	-7.590133	20	PASS

			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
		5310	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
		5550	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS

Temperature								
TestMode	Antenna	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5220	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.662835	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-60000.00	-11.494253	20	PASS
			NV	40	-40000.00	-7.662835	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5240	NV	-30	0.00	0.000000	20	PASS

			NV	-20	20000.00	3.816794	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.816794	20	PASS
		5260	NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	-20000.00	-3.802281	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5300	NV	-30	-20000.00	-3.773585	20	PASS
			NV	-20	-20000.00	-3.773585	20	PASS
			NV	-10	-20000.00	-3.773585	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS
			NV	10	-20000.00	-3.773585	20	PASS
			NV	20	-20000.00	-3.773585	20	PASS
			NV	30	-20000.00	-3.773585	20	PASS
			NV	40	-20000.00	-3.773585	20	PASS
			NV	50	-20000.00	-3.773585	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-20000.00	-3.759398	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
		5500	NV	-30	-40000.00	-7.272727	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS

			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-60000.00	-10.526316	20	PASS
			NV	50	-20000.00	-3.508772	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-40000.00	-6.962576	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	20000.00	3.457217	20	PASS
			NV	-20	40000.00	6.914434	20	PASS
			NV	-10	40000.00	6.914434	20	PASS
			NV	0	40000.00	6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-60000.00	-10.371651	20	PASS
			NV	30	20000.00	3.457217	20	PASS
			NV	40	40000.00	6.914434	20	PASS
			NV	50	40000.00	6.914434	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-60000.00	-10.300429	20	PASS

			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-60000.00	-10.300429	20	PASS
11N20SISO	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5220	NV	-30	-20000.00	-3.831418	20	PASS
			NV	-20	-20000.00	-3.831418	20	PASS
			NV	-10	-20000.00	-3.831418	20	PASS
			NV	0	-20000.00	-3.831418	20	PASS
			NV	10	-20000.00	-3.831418	20	PASS
			NV	20	-20000.00	-3.831418	20	PASS
			NV	30	-20000.00	-3.831418	20	PASS
			NV	40	-20000.00	-3.831418	20	PASS
			NV	50	20000.00	3.831418	20	PASS
		5240	NV	-30	-60000.00	-11.450382	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-60000.00	-11.450382	20	PASS
			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-60000.00	-11.450382	20	PASS
			NV	20	-60000.00	-11.450382	20	PASS
			NV	30	-60000.00	-11.450382	20	PASS
			NV	40	-60000.00	-11.450382	20	PASS
			NV	50	-40000.00	-7.633588	20	PASS
		5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5300	NV	-30	-20000.00	-3.773585	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.773585	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS

			NV	10	-20000.00	-3.773585	20	PASS
			NV	20	-40000.00	-7.547170	20	PASS
			NV	30	-20000.00	-3.773585	20	PASS
			NV	40	-20000.00	-3.773585	20	PASS
			NV	50	-20000.00	-3.773585	20	PASS
		5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-20000.00	-3.759398	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	100000.00	18.796992	20	PASS
			NV	30	20000.00	3.759398	20	PASS
			NV	40	-40000.00	-7.518797	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-60000.00	-10.909091	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	-60000.00	-10.909091	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
		5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS

			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.457217	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-60000.00	-10.300429	20	PASS
			NV	10	-60000.00	-10.300429	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-80000.00	-15.414258	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
		5230	NV	-30	40000.00	7.648184	20	PASS
			NV	-20	40000.00	7.648184	20	PASS
			NV	-10	40000.00	7.648184	20	PASS
			NV	0	40000.00	7.648184	20	PASS
			NV	10	40000.00	7.648184	20	PASS
			NV	20	40000.00	7.648184	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	40	40000.00	7.648184	20	PASS
			NV	50	40000.00	7.648184	20	PASS

		5270	NV	-30	40000.00	7.648184	20	PASS
			NV	-20	-40000.00	-7.590133	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	-40000.00	-7.590133	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.259528	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5550	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	-40000.00	-7.207207	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
		5755	NV	-30	-40000.00	-6.950478	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	40000.00	6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS