

惠州启泰电子科技有限公司

Huizhou Qitai Electronic Technology Co., LTD



SPECIFICATIONS SHEET

规格图面

|                       |              |
|-----------------------|--------------|
| CUSTOMER :            | 中利冠达         |
| 客户                    |              |
| DESCRIPTION :         |              |
| 品名描述                  | ZLGD-A1-0273 |
| CUSTOMER P/N :        |              |
| 客户品名                  |              |
| PART NUMBER :         |              |
| 制造商料号                 |              |
| DATE OF APPLICATION : | 2024-7-9     |
| 提出日期                  |              |

CLASSIFICATION OF SPEC. PRESENTATION. ( Tick the relevant box "√" ) 规格图面提出区分

- ☐ New application 新规格
- ☒ New part is added to accepted specification 新产品规格追加记录
- ☐ Revision of accepted specification 既存规格图面变更

ACCEPTANCE STAMP ( 客户受领印 )

|                   |                |                  |
|-------------------|----------------|------------------|
| APPROVAL BY<br>承认 | CHECK BY<br>审查 | PREPARE BY<br>制作 |
| 冯欣                |                | 冯欣               |

ADDRESS : 3rd Floor, No. 181, Minzhu 2nd Road, Shiwang Town, Boluo County, Huizhou city

TELEPHONE : 0752-6668681

E-MAIL : 839689578@qq.com

**Huizhou Qitai Electronic Technology Co., LTD**

ZLGD-A1-0273



惠州启泰电子科技有限公司

Huizhou Qitai Electronic Technology Co., LTD

Specification  
规格内容

CUSTOMER P/N :  
客户品名


中利冠达

PART NUMBER :  
制造商料号

ZLGD-A1-0273

1. DIMENSIONS (外形尺寸) : (Unit: mm)

单位 (Unit) : 毫米 (mm)



|                                                                                                                                 |                   |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Operation Frequency                                                                                                             | 100-500KHz        |
| Antenna Type                                                                                                                    | Loop coil antenna |
| Antenna gain:                                                                                                                   | 0dBi              |
| We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required. |                   |

|       |        |         |      |     |        |         |  |
|-------|--------|---------|------|-----|--------|---------|--|
| A     | B      | C       | D    | E   | F      | G       |  |
| 21Max | 14.5±1 | 7.5±0.5 | 11±1 | 2±1 | 2.6MAX | 2.2±0.1 |  |

- 背胶为白色背胶， $\phi 18.0$ 。
- 磁铁规格： $\phi 7.5 \times 2.2$ ，磁强 3000GS。
- 软磁出线处开线槽。
- 该规格产品均用0.08\*24P热压线（红、黑）。

|                   |                  |                   |            |            |
|-------------------|------------------|-------------------|------------|------------|
| APPROVED BY<br>承认 | CHECKED BY<br>检查 | PREPARED BY<br>制作 | DATE<br>日期 | PAGE<br>页码 |
| 昆子奇               | 冯欣               | 冯欣                | 2024-7-9   | 2 of 3     |

**Huizhou Qitai Electronic Technology Co., LTD**

## ZLGD-A1-0273

是 (Yes)

## UC2906A



3 of 3