


























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	1.11	<=21	Pass
NVNT	1-DH5	2441	1	<=21	Pass
NVNT	1-DH5	2480	0.48	<=21	Pass
NVNT	2-DH5	2402	1.17	<=21	Pass
NVNT	2-DH5	2441	1.01	<=21	Pass
NVNT	2-DH5	2480	0.46	<=21	Pass
NVNT	3-DH5	2402	1.29	<=21	Pass
NVNT	3-DH5	2441	1.2	<=21	Pass
NVNT	3-DH5	2480	0.65	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9543	Pass
NVNT	1-DH5	2441	0.9586	Pass
NVNT	1-DH5	2480	0.9536	Pass
NVNT	2-DH5	2402	1.483	Pass
NVNT	2-DH5	2441	1.51	Pass
NVNT	2-DH5	2480	1.486	Pass
NVNT	3-DH5	2402	1.481	Pass
NVNT	3-DH5	2441	1.479	Pass
NVNT	3-DH5	2480	1.514	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.14	2402.968	0.828	≥ 0.636	Pass
NVNT	1-DH5	2440.816	2441.83	1.014	≥ 0.639	Pass
NVNT	1-DH5	2478.831	2480.127	1.296	≥ 0.636	Pass
NVNT	2-DH5	2401.843	2403.112	1.269	≥ 0.989	Pass
NVNT	2-DH5	2441.056	2442.079	1.023	≥ 1.007	Pass
NVNT	2-DH5	2479.104	2480.142	1.038	≥ 0.991	Pass
NVNT	3-DH5	2402.047	2403.052	1.005	≥ 0.987	Pass
NVNT	3-DH5	2440.936	2442.121	1.185	≥ 0.986	Pass
NVNT	3-DH5	2478.753	2479.911	1.158	≥ 1.009	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-49.55	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-50.51	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-42.57	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-52.72	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-44.96	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-41.12	≤ -20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.77	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-44.11	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-52.86	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-53.44	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-53.36	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-54	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-44.25	<=-20	Pass
NVNT	1-DH5	2441	-43.65	<=-20	Pass
NVNT	1-DH5	2480	-43.36	<=-20	Pass
NVNT	2-DH5	2402	-42.1	<=-20	Pass
NVNT	2-DH5	2441	-41.54	<=-20	Pass
NVNT	2-DH5	2480	-41.84	<=-20	Pass
NVNT	3-DH5	2402	-42.2	<=-20	Pass
NVNT	3-DH5	2441	-40.7	<=-20	Pass
NVNT	3-DH5	2480	-41.65	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※