











Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	1.13	<=21	Pass
NVNT	1-DH5	2441	1.02	<=21	Pass
NVNT	1-DH5	2480	0.48	<=21	Pass
NVNT	2-DH5	2402	1.17	<=21	Pass
NVNT	2-DH5	2441	1.06	<=21	Pass
NVNT	2-DH5	2480	0.49	<=21	Pass
NVNT	3-DH5	2402	1.34	<=21	Pass
NVNT	3-DH5	2441	1.25	<=21	Pass
NVNT	3-DH5	2480	0.71	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9551	Pass
NVNT	1-DH5	2441	0.9565	Pass
NVNT	1-DH5	2480	0.949	Pass
NVNT	2-DH5	2402	1.49	Pass
NVNT	2-DH5	2441	1.515	Pass
NVNT	2-DH5	2480	1.518	Pass
NVNT	3-DH5	2402	1.482	Pass
NVNT	3-DH5	2441	1.478	Pass
NVNT	3-DH5	2480	1.476	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.822	2403.13	1.308	≥ 0.637	Pass
NVNT	1-DH5	2441.122	2442.148	1.026	≥ 0.638	Pass
NVNT	1-DH5	2479.131	2480.142	1.011	≥ 0.633	Pass
NVNT	2-DH5	2401.78	2402.905	1.125	≥ 0.993	Pass
NVNT	2-DH5	2440.87	2442.07	1.2	≥ 1.01	Pass
NVNT	2-DH5	2478.933	2480.07	1.137	≥ 1.012	Pass
NVNT	3-DH5	2401.777	2403.079	1.302	≥ 0.988	Pass
NVNT	3-DH5	2440.822	2441.896	1.074	≥ 1.045	Pass
NVNT	3-DH5	2479.089	2480.13	1.041	≥ 0.984	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-52.48	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-46.24	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-46.72	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-41.13	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-48.69	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-40.67	≤ -20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.36	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-54.94	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-53.82	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-41.03	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-51.63	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-40.51	≤ -20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-41.37	<=-20	Pass
NVNT	1-DH5	2441	-42.58	<=-20	Pass
NVNT	1-DH5	2480	-41.53	<=-20	Pass
NVNT	2-DH5	2402	-42	<=-20	Pass
NVNT	2-DH5	2441	-42.18	<=-20	Pass
NVNT	2-DH5	2480	-41.96	<=-20	Pass
NVNT	3-DH5	2402	-41.96	<=-20	Pass
NVNT	3-DH5	2441	-41.85	<=-20	Pass
NVNT	3-DH5	2480	-41.71	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****