















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.27	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-54.3	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-51.47	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-49.47	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-50.7	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-45.29	≤ -20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-42.2	<=-20	Pass
NVNT	1-DH5	2441	-42.76	<=-20	Pass
NVNT	1-DH5	2480	-41.94	<=-20	Pass
NVNT	2-DH5	2402	-39.82	<=-20	Pass
NVNT	2-DH5	2441	-39.35	<=-20	Pass
NVNT	2-DH5	2480	-39.2	<=-20	Pass
NVNT	3-DH5	2402	-39.73	<=-20	Pass
NVNT	3-DH5	2441	-39.91	<=-20	Pass
NVNT	3-DH5	2480	-39.75	<=-20	Pass




























Right


Dwell Time



Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.381	121.539	319	31600	<=400	Pass
NVNT	1-DH3	2441	1.636	260.124	159	31600	<=400	Pass
NVNT	1-DH5	2441	2.884	328.776	114	31600	<=400	Pass
NVNT	2-DH1	2441	0.389	124.091	319	31600	<=400	Pass
NVNT	2-DH3	2441	1.641	255.996	156	31600	<=400	Pass
NVNT	2-DH5	2441	2.889	291.789	101	31600	<=400	Pass
NVNT	3-DH1	2441	0.389	124.091	319	31600	<=400	Pass
NVNT	3-DH3	2441	1.64	264.04	161	31600	<=397	Pass
NVNT	3-DH5	2441	2.892	323.904	112	31600	<=400	Pass





























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-1.01	<=21	Pass
NVNT	1-DH5	2441	-1.14	<=21	Pass
NVNT	1-DH5	2480	-1.66	<=21	Pass
NVNT	2-DH5	2402	-0.99	<=21	Pass
NVNT	2-DH5	2441	-1.19	<=21	Pass
NVNT	2-DH5	2480	-1.71	<=21	Pass
NVNT	3-DH5	2402	-0.86	<=21	Pass
NVNT	3-DH5	2441	-0.95	<=21	Pass
NVNT	3-DH5	2480	-1.5	<=21	Pass















**-20dB Bandwidth**

Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9589	Pass
NVNT	1-DH5	2441	0.9628	Pass
NVNT	1-DH5	2480	0.9413	Pass
NVNT	2-DH5	2402	1.525	Pass
NVNT	2-DH5	2441	1.44	Pass
NVNT	3-DH5	2402	1.479	Pass
NVNT	3-DH5	2441	1.462	Pass
NVNT	3-DH5	2480	1.487	Pass















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.801	2403.112	1.311	≥ 0.639	Pass
NVNT	1-DH5	2440.798	2441.827	1.029	≥ 0.642	Pass
NVNT	1-DH5	2479.116	2480.13	1.014	≥ 0.628	Pass
NVNT	2-DH5	2401.84	2403.082	1.242	≥ 1.017	Pass
NVNT	2-DH5	2441.074	2442.139	1.065	≥ 0.96	Pass
NVNT	2-DH5	2479.014	2480.211	1.197	≥ 1.012	Pass
NVNT	3-DH5	2401.741	2403.142	1.401	≥ 0.986	Pass
NVNT	3-DH5	2440.822	2442.097	1.275	≥ 0.975	Pass
NVNT	3-DH5	2478.756	2479.758	1.002	≥ 0.991	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-47.72	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-39.6	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-44.83	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-38.83	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-46.42	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-37.32	≤ -20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.65	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-55	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-50.95	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-36.49	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-50.48	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-50.89	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-42.14	<=-20	Pass
NVNT	1-DH5	2441	-42.13	<=-20	Pass
NVNT	1-DH5	2480	-41.3	<=-20	Pass
NVNT	2-DH5	2402	-39.88	<=-20	Pass
NVNT	2-DH5	2441	-39.94	<=-20	Pass
NVNT	2-DH5	2480	-38.99	<=-20	Pass
NVNT	3-DH5	2402	-39.83	<=-20	Pass
NVNT	3-DH5	2441	-39.77	<=-20	Pass
NVNT	3-DH5	2480	-38.97	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※