














8.2.4 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 2M	2402	Ant1	2.059
NVNT	BLE 2M	2440	Ant1	2.078
NVNT	BLE 2M	2480	Ant1	2.056
NVNT	BLE 2M	2402	Ant2	2.067
NVNT	BLE 2M	2440	Ant2	2.065
NVNT	BLE 2M	2480	Ant2	2.051












8.2.5 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	-21.51	8	Pass
NVNT	BLE 2M	2440	Ant1	-21.19	8	Pass
NVNT	BLE 2M	2480	Ant1	-21.06	8	Pass
NVNT	BLE 2M	2402	Ant2	-20.48	8	Pass
NVNT	BLE 2M	2440	Ant2	-21.04	8	Pass
NVNT	BLE 2M	2480	Ant2	-21.36	8	Pass













8.2.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-51.26	-20	Pass
NVNT	BLE 2M	2480	Ant1	-43.54	-20	Pass
NVNT	BLE 2M	2402	Ant2	-55.08	-20	Pass
NVNT	BLE 2M	2480	Ant2	-43.06	-20	Pass
















8.2.7 Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-42.57	-20	Pass
NVNT	BLE 2M	2440	Ant1	-44.44	-20	Pass
NVNT	BLE 2M	2480	Ant1	-44.7	-20	Pass
NVNT	BLE 2M	2402	Ant2	-44.98	-20	Pass
NVNT	BLE 2M	2440	Ant2	-44.65	-20	Pass
NVNT	BLE 2M	2480	Ant2	-43.66	-20	Pass















END OF REPORT