

























Date: 2.MAR.2023 10:11:24





Date: 2.MAR.2023 10:07:56














Date: 2.MAR.2023 10:21:03




Date: 2.MAR.2023 13:14:33




Date: 2.MAR.2023 10:28:40




Date: 2.MAR.2023 13:16:56




Date: 2.MAR.2023 10:46:54




Date: 2.MAR.2023 13:08:25




Date: 2.MAR.2023 10:43:51




Date: 2.MAR.2023 13:12:40




Date: 2.MAR.2023 10:41:01




Date: 2.MAR.2023 13:10:37




Date: 2.MAR.2023 13:22:02




Date: 2.MAR.2023 13:53:54




Date: 2.MAR.2023 13:24:47



Date: 2.MAR.2023 13:51:49




Date: 2.MAR.2023 12:38:29




Date: 2.MAR.2023 13:06:06







Date: 2.MAR.2023 12:41:08




Date: 2.MAR.2023 13:03:33




Date: 2.MAR.2023 13:32:17




Date: 2.MAR.2023 13:46:22




Date: 2.MAR.2023 13:29:44




Date: 2.MAR.2023 13:48:49




Date: 2.MAR.2023 14:05:29




Date: 2.MAR.2023 14:16:25




Date: 2.MAR.2023 12:50:50




Date: 2.MAR.2023 12:53:07




Date: 2.MAR.2023 12:49:03




Date: 2.MAR.2023 12:57:27




Date: 2.MAR.2023 12:46:50




Date: 2.MAR.2023 12:55:34




Date: 2.MAR.2023 13:34:52




Date: 2.MAR.2023 13:43:31




Date: 2.MAR.2023 13:37:46



Date: 2.MAR.2023 13:40:48



Date: 2.MAR.2023 14:01:55



Date: 2.MAR.2023 13:56:25

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-4.15	0.2	-3.95	17	Pass
NVNT	a	5180	Ant2	-5.57	0.22	-5.35	17	Pass
NVNT	a	5200	Ant1	-4.12	0.22	-3.9	17	Pass
NVNT	a	5200	Ant2	-5.82	0.22	-5.6	17	Pass
NVNT	a	5240	Ant1	-4.57	0.22	-4.35	17	Pass
NVNT	a	5240	Ant2	-6.04	0.22	-5.82	17	Pass
NVNT	a	5260	Ant1	-4.75	0.23	-4.52	11	Pass
NVNT	a	5260	Ant2	-3.19	0.2	-2.99	11	Pass
NVNT	a	5300	Ant1	-4.21	0.2	-4.01	11	Pass
NVNT	a	5300	Ant2	-5.13	0.2	-4.93	11	Pass
NVNT	a	5320	Ant1	-4.25	0.2	-4.05	11	Pass
NVNT	a	5320	Ant2	-5.2	0.2	-5	11	Pass
NVNT	a	5500	Ant1	-4.55	0.2	-4.35	11	Pass
NVNT	a	5500	Ant2	-4.75	0.2	-4.55	11	Pass
NVNT	a	5600	Ant1	-3.74	0.2	-3.54	11	Pass
NVNT	a	5600	Ant2	-4.87	0.22	-4.65	11	Pass
NVNT	a	5700	Ant1	-4.35	0.2	-4.15	11	Pass
NVNT	a	5700	Ant2	-5.1	0.22	-4.88	11	Pass
NVNT	n20	5180	Ant1	-8.98	0.22	-8.76	17	Pass
NVNT	n20	5180	Ant2	-8.81	0.22	-8.59	17	Pass
NVNT	n20	5180	Sum	-5.88	-	-5.66	10.99	Pass
NVNT	n20	5200	Ant1	-8.83	0.22	-8.61	17	Pass
NVNT	n20	5200	Ant2	-8.85	0.22	-8.63	17	Pass
NVNT	n20	5200	Sum	-5.83	-	-5.61	10.99	Pass
NVNT	n20	5240	Ant1	-8.89	0.22	-8.67	17	Pass
NVNT	n20	5240	Ant2	-8.88	0.22	-8.66	17	Pass
NVNT	n20	5240	Sum	-5.87	-	-5.65	10.99	Pass
NVNT	n20	5260	Ant1	-8.1	0.22	-7.88	11	Pass
NVNT	n20	5260	Ant2	-7.36	0.22	-7.14	11	Pass
NVNT	n20	5260	Sum	-4.7	-	-4.48	4.99	Pass
NVNT	n20	5300	Ant1	-7.66	0.22	-7.44	11	Pass
NVNT	n20	5300	Ant2	-7.06	0.22	-6.84	11	Pass
NVNT	n20	5300	Sum	-4.34	-	-4.12	4.99	Pass
NVNT	n20	5320	Ant1	-8.88	0.22	-8.66	11	Pass
NVNT	n20	5320	Ant2	-7.39	0.22	-7.17	11	Pass
NVNT	n20	5320	Sum	-5.06	-	-4.84	4.99	Pass
NVNT	n20	5500	Ant1	-10.16	0.22	-9.94	11	Pass
NVNT	n20	5500	Ant2	-7.47	0.22	-7.25	11	Pass
NVNT	n20	5500	Sum	-5.6	-	-5.38	4.99	Pass
NVNT	n20	5600	Ant1	-10.25	0.22	-10.03	11	Pass
NVNT	n20	5600	Ant2	-7.38	0.22	-7.16	11	Pass
NVNT	n20	5600	Sum	-5.57	-	-5.35	4.99	Pass
NVNT	n20	5700	Ant1	-10.43	0.22	-10.21	11	Pass
NVNT	n20	5700	Ant2	-8.25	0.22	-8.03	11	Pass
NVNT	n20	5700	Sum	-6.19	-	-5.97	4.99	Pass
NVNT	n40	5190	Ant1	-13.1	0.43	-12.67	17	Pass
NVNT	n40	5190	Ant2	-12.55	0.43	-12.12	17	Pass
NVNT	n40	5190	Sum	-9.81	-	-9.38	10.99	Pass
NVNT	n40	5230	Ant1	-13.47	0.43	-13.04	17	Pass
NVNT	n40	5230	Ant2	-12.91	0.43	-12.48	17	Pass
NVNT	n40	5230	Sum	-10.17	-	-9.74	10.99	Pass
NVNT	n40	5270	Ant1	-14.05	0.39	-13.66	11	Pass
NVNT	n40	5270	Ant2	-12.28	0.39	-11.89	11	Pass
NVNT	n40	5270	Sum	-10.07	-	-9.68	4.99	Pass
NVNT	n40	5310	Ant1	-15.32	0.39	-14.93	11	Pass
NVNT	n40	5310	Ant2	-13.35	0.39	-12.96	11	Pass
NVNT	n40	5310	Sum	-11.21	-	-10.82	4.99	Pass
NVNT	n40	5510	Ant1	-15.75	0.39	-15.36	11	Pass
NVNT	n40	5510	Ant2	-12.71	0.43	-12.28	11	Pass
NVNT	n40	5510	Sum	-10.96	-	-10.54	4.99	Pass
NVNT	n40	5590	Ant1	-15.93	0.39	-15.54	11	Pass
NVNT	n40	5590	Ant2	-13.93	0.39	-13.54	11	Pass
NVNT	n40	5590	Sum	-11.81	-	-11.42	4.99	Pass
NVNT	n40	5670	Ant1	-16.2	0.44	-15.76	11	Pass
NVNT	n40	5670	Ant2	-14.34	0.44	-13.9	11	Pass

NVNT	n40	5670	Sum	-12.16	-	-11.72	4.99	Pass
NVNT	ac20	5180	Ant1	-8.03	0	-8.03	17	Pass
NVNT	ac20	5180	Ant2	-8.87	0	-8.87	17	Pass
NVNT	ac20	5180	Sum	-5.42	-	-5.42	10.99	Pass
NVNT	ac20	5200	Ant1	-8.46	0	-8.46	17	Pass
NVNT	ac20	5200	Ant2	-7.83	0	-7.83	17	Pass
NVNT	ac20	5200	Sum	-5.12	-	-5.12	10.99	Pass
NVNT	ac20	5240	Ant1	-8.45	0	-8.45	17	Pass
NVNT	ac20	5240	Ant2	-8.41	0	-8.41	17	Pass
NVNT	ac20	5240	Sum	-5.42	-	-5.42	10.99	Pass
NVNT	ac20	5260	Ant1	-8.32	0	-8.32	11	Pass
NVNT	ac20	5260	Ant2	-7.61	0	-7.61	11	Pass
NVNT	ac20	5260	Sum	-4.94	-	-4.94	4.99	Pass
NVNT	ac20	5300	Ant1	-9.14	0	-9.14	11	Pass
NVNT	ac20	5300	Ant2	-7.58	0	-7.58	11	Pass
NVNT	ac20	5300	Sum	-5.28	-	-5.28	4.99	Pass
NVNT	ac20	5320	Ant1	-8.71	0	-8.71	11	Pass
NVNT	ac20	5320	Ant2	-7.12	0	-7.12	11	Pass
NVNT	ac20	5320	Sum	-4.83	-	-4.83	4.99	Pass
NVNT	ac20	5500	Ant1	-9.91	0	-9.91	11	Pass
NVNT	ac20	5500	Ant2	-7.06	0	-7.06	11	Pass
NVNT	ac20	5500	Sum	-5.24	-	-5.24	4.99	Pass
NVNT	ac20	5600	Ant1	-9.44	0	-9.44	11	Pass
NVNT	ac20	5600	Ant2	-7.17	0	-7.17	11	Pass
NVNT	ac20	5600	Sum	-5.15	-	-5.15	4.99	Pass
NVNT	ac20	5700	Ant1	-10.42	0	-10.42	11	Pass
NVNT	ac20	5700	Ant2	-7.87	0	-7.87	11	Pass
NVNT	ac20	5700	Sum	-5.95	-	-5.95	4.99	Pass
NVNT	ac40	5190	Ant1	-12.11	0.13	-11.98	17	Pass
NVNT	ac40	5190	Ant2	-11.63	0.12	-11.51	17	Pass
NVNT	ac40	5190	Sum	-8.85	-	-8.73	10.99	Pass
NVNT	ac40	5230	Ant1	-11.9	0.13	-11.77	17	Pass
NVNT	ac40	5230	Ant2	-11.18	0.12	-11.06	17	Pass
NVNT	ac40	5230	Sum	-8.51	-	-8.39	10.99	Pass
NVNT	ac40	5270	Ant1	-12	0.13	-11.87	11	Pass
NVNT	ac40	5270	Ant2	-10.38	0.44	-9.94	11	Pass
NVNT	ac40	5270	Sum	-8.1	-	-7.79	4.99	Pass
NVNT	ac40	5310	Ant1	-13.37	0.13	-13.24	11	Pass
NVNT	ac40	5310	Ant2	-10.91	0.13	-10.78	11	Pass
NVNT	ac40	5310	Sum	-8.96	-	-8.83	4.99	Pass
NVNT	ac40	5510	Ant1	-14.64	0.13	-14.51	11	Pass
NVNT	ac40	5510	Ant2	-11.82	0.13	-11.69	11	Pass
NVNT	ac40	5510	Sum	-9.99	-	-9.86	4.99	Pass
NVNT	ac40	5590	Ant1	-13.82	0.13	-13.69	11	Pass
NVNT	ac40	5590	Ant2	-11.62	0.13	-11.49	11	Pass
NVNT	ac40	5590	Sum	-9.57	-	-9.44	4.99	Pass
NVNT	ac40	5670	Ant1	-14.71	0.13	-14.58	11	Pass
NVNT	ac40	5670	Ant2	-12.89	0.13	-12.76	11	Pass
NVNT	ac40	5670	Sum	-10.7	-	-10.57	4.99	Pass
NVNT	ac80	5210	Ant1	-15.52	0.26	-15.26	17	Pass
NVNT	ac80	5210	Ant2	-14.82	0.25	-14.57	17	Pass
NVNT	ac80	5210	Sum	-12.15	-	-11.89	10.99	Pass
NVNT	ac80	5290	Ant1	-16.9	0.27	-16.63	11	Pass
NVNT	ac80	5290	Ant2	-14.82	0.1	-14.72	11	Pass
NVNT	ac80	5290	Sum	-12.73	-	-12.56	4.99	Pass
NVNT	ac80	5530	Ant1	-16.7	0.27	-16.43	11	Pass
NVNT	ac80	5530	Ant2	-13.84	0.27	-13.57	11	Pass
NVNT	ac80	5530	Sum	-12.03	-	-11.76	4.99	Pass
NVNT	ac80	5610	Ant1	-17.09	0.18	-16.91	11	Pass
NVNT	ac80	5610	Ant2	-14.12	0.27	-13.85	11	Pass
NVNT	ac80	5610	Sum	-12.35	-	-12.11	4.99	Pass
NVNT	ax20	5180	Ant1	-8.79	0.09	-8.7	17	Pass
NVNT	ax20	5180	Ant2	-8.14	0.09	-8.05	17	Pass
NVNT	ax20	5180	Sum	-5.44	-	-5.35	10.99	Pass
NVNT	ax20	5200	Ant1	-9.05	0.09	-8.96	17	Pass
NVNT	ax20	5200	Ant2	-8.05	0.09	-7.96	17	Pass
NVNT	ax20	5200	Sum	-5.51	-	-5.42	10.99	Pass
NVNT	ax20	5240	Ant1	-8.83	0.09	-8.74	17	Pass
NVNT	ax20	5240	Ant2	-7.71	0.09	-7.62	17	Pass
NVNT	ax20	5240	Sum	-5.22	-	-5.13	10.99	Pass
NVNT	ax20	5260	Ant1	-8.77	0.11	-8.66	11	Pass
NVNT	ax20	5260	Ant2	-7.41	0.11	-7.3	11	Pass
NVNT	ax20	5260	Sum	-5.03	-	-4.92	4.99	Pass

NVNT	ax20	5300	Ant1	-9.5	0	-9.5	11	Pass
NVNT	ax20	5300	Ant2	-7.83	0.11	-7.72	11	Pass
NVNT	ax20	5300	Sum	-5.57	-	-5.51	4.99	Pass
NVNT	ax20	5320	Ant1	-9.27	0.11	-9.16	11	Pass
NVNT	ax20	5320	Ant2	-6.79	0.11	-6.68	11	Pass
NVNT	ax20	5320	Sum	-4.85	-	-4.74	4.99	Pass
NVNT	ax20	5500	Ant1	-9.94	0.11	-9.83	11	Pass
NVNT	ax20	5500	Ant2	-7.33	0.11	-7.22	11	Pass
NVNT	ax20	5500	Sum	-5.43	-	-5.32	4.99	Pass
NVNT	ax20	5600	Ant1	-9.71	0.11	-9.6	11	Pass
NVNT	ax20	5600	Ant2	-7.25	0.11	-7.14	11	Pass
NVNT	ax20	5600	Sum	-5.3	-	-5.19	4.99	Pass
NVNT	ax20	5700	Ant1	-10.52	0.11	-10.41	11	Pass
NVNT	ax20	5700	Ant2	-7.71	0.11	-7.6	11	Pass
NVNT	ax20	5700	Sum	-5.88	-	-5.77	4.99	Pass
NVNT	ax40	5190	Ant1	-12.4	0.16	-12.24	17	Pass
NVNT	ax40	5190	Ant2	-11.87	0.16	-11.71	17	Pass
NVNT	ax40	5190	Sum	-9.12	-	-8.96	10.99	Pass
NVNT	ax40	5230	Ant1	-12.53	0.16	-12.37	17	Pass
NVNT	ax40	5230	Ant2	-11.07	0.16	-10.91	17	Pass
NVNT	ax40	5230	Sum	-8.73	-	-8.57	10.99	Pass
NVNT	ax40	5270	Ant1	-12.52	0.16	-12.36	11	Pass
NVNT	ax40	5270	Ant2	-10.61	0.16	-10.45	11	Pass
NVNT	ax40	5270	Sum	-8.45	-	-8.29	4.99	Pass
NVNT	ax40	5310	Ant1	-13.35	0.16	-13.19	11	Pass
NVNT	ax40	5310	Ant2	-11.52	0.16	-11.36	11	Pass
NVNT	ax40	5310	Sum	-9.33	-	-9.17	4.99	Pass
NVNT	ax40	5510	Ant1	-14.37	0.16	-14.21	11	Pass
NVNT	ax40	5510	Ant2	-11.82	0.16	-11.66	11	Pass
NVNT	ax40	5510	Sum	-9.9	-	-9.74	4.99	Pass
NVNT	ax40	5590	Ant1	-14.36	0.16	-14.2	11	Pass
NVNT	ax40	5590	Ant2	-11.58	0.16	-11.42	11	Pass
NVNT	ax40	5590	Sum	-9.74	-	-9.58	4.99	Pass
NVNT	ax40	5670	Ant1	-14.67	0.16	-14.51	11	Pass
NVNT	ax40	5670	Ant2	-12.87	0.16	-12.71	11	Pass
NVNT	ax40	5670	Sum	-10.67	-	-10.51	4.99	Pass
NVNT	ax80	5210	Ant1	-15.6	0	-15.6	17	Pass
NVNT	ax80	5210	Ant2	-15.08	0.31	-14.77	17	Pass
NVNT	ax80	5210	Sum	-12.32	-	-12.15	10.99	Pass
NVNT	ax80	5290	Ant1	-17.58	0.31	-17.27	11	Pass
NVNT	ax80	5290	Ant2	-15.32	0.31	-15.01	11	Pass
NVNT	ax80	5290	Sum	-13.29	-	-12.98	4.99	Pass
NVNT	ax80	5530	Ant1	-17.48	0.31	-17.17	11	Pass
NVNT	ax80	5530	Ant2	-15.13	0.31	-14.82	11	Pass
NVNT	ax80	5530	Sum	-13.14	-	-12.83	4.99	Pass
NVNT	ax80	5610	Ant1	-17.44	0.31	-17.13	11	Pass
NVNT	ax80	5610	Ant2	-14.09	0.31	-13.78	11	Pass
NVNT	ax80	5610	Sum	-12.44	-	-12.13	4.99	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-9.05	0.22	-8.83	30	Pass
NVNT	a	5745	Ant2	-10.2	0.22	-9.98	30	Pass
NVNT	a	5785	Ant1	-10.08	0.22	-9.86	30	Pass
NVNT	a	5785	Ant2	-10.28	0.22	-10.06	30	Pass
NVNT	a	5825	Ant1	-9.83	0.22	-9.61	30	Pass
NVNT	a	5825	Ant2	-10.28	0.22	-10.06	30	Pass
NVNT	n20	5745	Ant1	-9.13	0.22	-8.91	30	Pass
NVNT	n20	5745	Ant2	-10.55	0.22	-10.33	30	Pass
NVNT	n20	5745	Sum	-6.77	-	-6.55	23.99	Pass
NVNT	n20	5785	Ant1	-10.32	0.22	-10.1	30	Pass
NVNT	n20	5785	Ant2	-9.82	0.22	-9.6	30	Pass
NVNT	n20	5785	Sum	-7.05	-	-6.83	23.99	Pass
NVNT	n20	5825	Ant1	-10.31	0.22	-10.09	30	Pass
NVNT	n20	5825	Ant2	-10.13	0.22	-9.91	30	Pass
NVNT	n20	5825	Sum	-7.21	-	-6.99	23.99	Pass
NVNT	n40	5755	Ant1	-14.67	0.43	-14.24	30	Pass
NVNT	n40	5755	Ant2	-13.09	0.16	-12.93	30	Pass
NVNT	n40	5755	Sum	-10.8	-	-10.53	23.99	Pass
NVNT	n40	5795	Ant1	-15.27	0	-15.27	30	Pass
NVNT	n40	5795	Ant2	-13.25	0.17	-13.08	30	Pass
NVNT	n40	5795	Sum	-11.13	-	-11.03	23.99	Pass
NVNT	ac20	5745	Ant1	-8.38	0	-8.38	30	Pass