





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	20.95	18.90	No limit
5300	21.01	18.90	No limit
5320	21.05	18.90	No limit






Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	21.10	19.00	No limit
5580	20.90	18.90	No limit
5700	21.15	19.00	No limit






Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	18.65	18.90	500	Pass
5785	16.99	18.90	500	Pass
5825	15.95	18.90	500	Pass

5745 MHz




Date: 2.NOV.2023 11:20:39




Date: 2.NOV.2023 11:19:58

5785 MHz




Date: 2.NOV.2023 11:22:19




Date: 2.NOV.2023 11:21:37

5825 MHz



Date: 2.NOV.2023 11:26:39




Date: 2.NOV.2023 11:25:49


Test Mode	IEEE 802.11ax (HE40)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	40.10	38.00	No limit
5230	40.20	37.80	No limit

5190 MHz




Date: 2.NOV.2023 11:44:27




Date: 2.NOV.2023 11:43:25

5230 MHz




Date: 2.NOV.2023 11:47:55







Date: 2.NOV.2023 11:46:52

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	40.20	37.80	No limit
5310	39.70	37.80	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	36.70	37.80	No limit
5550	39.70	37.80	No limit
5670	40.30	38.00	No limit






Date: 2.NOV.2023 12:01:26




Date: 2.NOV.2023 12:00:32

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	30.40	37.80	500	Pass
5795	35.10	38.00	500	Pass

5755 MHz




Date: 2.NOV.2023 12:05:31




Date: 2.NOV.2023 12:04:08

5795 MHz




Date: 2.NOV.2023 12:08:25




Date: 2.NOV.2023 12:07:29

Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	82.60	76.80	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	82.20	77.20	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	82.40	77.20	No limit
5610	82.60	77.20	No limit




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	59.99	76.80	500	Pass




Test Mode	IEEE 802.11ax (HE160)_Antenna 2
-----------	---------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	163.20	156.00	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	162.00	155.20	No limit



APPENDIX F OUTPUT POWER

Test Mode	IEEE 802.11a_Antenna 2	Tested Date	2023/11/1
-----------	------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.92	0.0156	27.93	0.6209	Pass
5200	11.82	0.0152	27.93	0.6209	Pass
5240	11.77	0.0150	27.93	0.6209	Pass
5260	14.97	0.0314	21.72	0.1485	Pass
5300	14.92	0.0310	21.72	0.1485	Pass
5320	14.99	0.0316	21.72	0.1485	Pass
5500	14.97	0.0314	21.72	0.1485	Pass
5580	14.85	0.0305	21.72	0.1485	Pass
5700	14.79	0.0301	21.72	0.1485	Pass
5745	14.59	0.0288	27.93	0.6209	Pass
5785	14.81	0.0303	27.93	0.6209	Pass
5825	14.84	0.0305	27.93	0.6209	Pass

Test Mode	IEEE 802.11a_Antenna 3	Tested Date	2023/11/1
-----------	------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.88	0.0154	27.93	0.6209	Pass
5200	11.90	0.0155	27.93	0.6209	Pass
5240	11.82	0.0152	27.93	0.6209	Pass
5260	14.99	0.0316	21.72	0.1485	Pass
5300	14.66	0.0292	21.72	0.1485	Pass
5320	14.67	0.0293	21.72	0.1485	Pass
5500	14.27	0.0267	21.72	0.1485	Pass
5580	14.11	0.0258	21.72	0.1485	Pass
5700	14.14	0.0259	21.72	0.1485	Pass
5745	14.75	0.0299	27.93	0.6209	Pass
5785	14.94	0.0312	27.93	0.6209	Pass
5825	14.28	0.0268	27.93	0.6209	Pass

Test Mode	IEEE 802.11a_Total	Tested Date	2023/11/1
-----------	--------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.91	0.0310	27.93	0.6209	Pass
5200	14.87	0.0307	27.93	0.6209	Pass
5240	14.81	0.0302	27.93	0.6209	Pass
5260	17.99	0.0630	21.72	0.1485	Pass
5300	17.80	0.0603	21.72	0.1485	Pass
5320	17.84	0.0609	21.72	0.1485	Pass
5500	17.64	0.0581	21.72	0.1485	Pass
5580	17.51	0.0563	21.72	0.1485	Pass
5700	17.49	0.0561	21.72	0.1485	Pass
5745	17.68	0.0586	27.93	0.6209	Pass
5785	17.89	0.0615	27.93	0.6209	Pass
5825	17.58	0.0573	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 2	Tested Date	2023/11/1
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.85	0.0305	27.93	0.6209	Pass
5200	14.97	0.0314	27.93	0.6209	Pass
5240	14.90	0.0309	27.93	0.6209	Pass
5260	14.79	0.0301	21.93	0.1560	Pass
5300	14.86	0.0306	21.93	0.1560	Pass
5320	14.82	0.0303	21.93	0.1560	Pass
5500	14.83	0.0304	21.93	0.1560	Pass
5580	14.93	0.0311	21.93	0.1560	Pass
5700	14.94	0.0312	21.93	0.1560	Pass
5745	14.90	0.0309	27.93	0.6209	Pass
5785	14.63	0.0290	27.93	0.6209	Pass
5825	14.97	0.0314	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 3	Tested Date	2023/11/1
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.79	0.0301	27.93	0.6209	Pass
5200	14.83	0.0304	27.93	0.6209	Pass
5240	14.75	0.0299	27.93	0.6209	Pass
5260	14.77	0.0300	21.93	0.1560	Pass
5300	14.45	0.0279	21.93	0.1560	Pass
5320	14.45	0.0279	21.93	0.1560	Pass
5500	14.11	0.0258	21.93	0.1560	Pass
5580	14.41	0.0276	21.93	0.1560	Pass
5700	14.39	0.0275	21.93	0.1560	Pass
5745	14.94	0.0312	27.93	0.6209	Pass
5785	14.77	0.0300	27.93	0.6209	Pass
5825	14.53	0.0284	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2023/11/1
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.83	0.0607	27.93	0.6209	Pass
5200	17.91	0.0618	27.93	0.6209	Pass
5240	17.84	0.0608	27.93	0.6209	Pass
5260	17.79	0.0601	21.93	0.1560	Pass
5300	17.67	0.0585	21.93	0.1560	Pass
5320	17.65	0.0582	21.93	0.1560	Pass
5500	17.50	0.0562	21.93	0.1560	Pass
5580	17.69	0.0587	21.93	0.1560	Pass
5700	17.68	0.0587	21.93	0.1560	Pass
5745	17.93	0.0621	27.93	0.6209	Pass
5785	17.71	0.0590	27.93	0.6209	Pass
5825	17.77	0.0598	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 2	Tested Date	2023/11/1
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.68	0.0294	27.93	0.6209	Pass
5230	14.87	0.0307	27.93	0.6209	Pass
5270	14.95	0.0313	21.93	0.1560	Pass
5310	14.95	0.0313	21.93	0.1560	Pass
5510	14.94	0.0312	21.93	0.1560	Pass
5550	14.62	0.0290	21.93	0.1560	Pass
5670	14.82	0.0303	21.93	0.1560	Pass
5755	14.69	0.0294	27.93	0.6209	Pass
5795	14.77	0.0300	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 3	Tested Date	2023/11/1
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.60	0.0288	27.93	0.6209	Pass
5230	14.58	0.0287	27.93	0.6209	Pass
5270	14.93	0.0311	21.93	0.1560	Pass
5310	14.77	0.0300	21.93	0.1560	Pass
5510	14.32	0.0270	21.93	0.1560	Pass
5550	20.26	0.1062	21.93	0.1560	Pass
5670	14.26	0.0267	21.93	0.1560	Pass
5755	14.91	0.0310	27.93	0.6209	Pass
5795	14.31	0.0270	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2023/2/18
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	17.65	0.0582	27.93	0.6209	Pass
5230	17.74	0.0594	27.93	0.6209	Pass
5270	17.95	0.0624	21.93	0.1560	Pass
5310	17.87	0.0613	21.93	0.1560	Pass
5510	17.65	0.0582	21.93	0.1560	Pass
5550	21.31	0.1351	21.93	0.1560	Pass
5670	17.56	0.0570	21.93	0.1560	Pass
5755	17.81	0.0604	27.93	0.6209	Pass
5795	17.56	0.0570	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_ Antenna 2	Tested Date	2023/11/1
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.95	0.0313	27.93	0.6209	Pass
5290	14.70	0.0295	21.93	0.1560	Pass
5530	11.46	0.0140	21.93	0.1560	Pass
5610	14.99	0.0316	21.93	0.1560	Pass
5775	14.92	0.0310	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_ Antenna 3	Tested Date	2023/11/1
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.20	0.0263	27.93	0.6209	Pass
5290	14.64	0.0291	21.93	0.1560	Pass
5530	11.44	0.0139	21.93	0.1560	Pass
5610	14.05	0.0254	21.93	0.1560	Pass
5775	14.97	0.0314	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_ Total	Tested Date	2023/11/1
-----------	------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	17.60	0.0576	27.93	0.6209	Pass
5290	17.68	0.0586	21.93	0.1560	Pass
5530	14.46	0.0279	21.93	0.1560	Pass
5610	17.56	0.0570	21.93	0.1560	Pass
5775	17.96	0.0625	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT160) _Antenna 2	Tested Date	2023/11/1
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	14.91	0.0310	27.93	0.6209	Pass
5570	14.94	0.0312	21.93	0.1560	Pass

Test Mode	IEEE 802.11ac (VHT160)_Antenna 3	Tested Date	2023/11/1
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	14.57	0.0286	27.93	0.6209	Pass
5570	14.18	0.0262	21.93	0.1560	Pass

Test Mode	IEEE 802.11ac (VHT160)_Total	Tested Date	2023/11/1
-----------	------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.75	0.0596	27.93	0.6209	Pass
5570	17.59	0.0574	21.93	0.1560	Pass

Test Mode	IEEE 802.11ax (HE20) _Antenna 2	Tested Date	2023/11/1
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.66	0.0147	27.93	0.6209	Pass
5200	11.59	0.0144	27.93	0.6209	Pass
5240	11.71	0.0148	27.93	0.6209	Pass
5260	14.83	0.0304	21.93	0.1560	Pass
5300	14.88	0.0308	21.93	0.1560	Pass
5320	14.77	0.0300	21.93	0.1560	Pass
5500	14.89	0.0308	21.93	0.1560	Pass
5580	14.96	0.0313	21.93	0.1560	Pass
5700	14.95	0.0313	21.93	0.1560	Pass
5745	14.93	0.0311	27.93	0.6209	Pass
5785	14.64	0.0291	27.93	0.6209	Pass
5825	14.93	0.0311	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 3	Tested Date	2023/11/1
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	11.79	0.0151	27.93	0.6209	Pass
5200	11.63	0.0146	27.93	0.6209	Pass
5240	11.55	0.0143	27.93	0.6209	Pass
5260	14.32	0.0270	21.93	0.1560	Pass
5300	13.87	0.0244	21.93	0.1560	Pass
5320	13.78	0.0239	21.93	0.1560	Pass
5500	13.57	0.0228	21.93	0.1560	Pass
5580	14.05	0.0254	21.93	0.1560	Pass
5700	14.02	0.0252	21.93	0.1560	Pass
5745	14.89	0.0308	27.93	0.6209	Pass
5785	14.75	0.0299	27.93	0.6209	Pass
5825	14.57	0.0286	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2023/11/1
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.74	0.0298	27.93	0.6209	Pass
5200	14.62	0.0290	27.93	0.6209	Pass
5240	14.64	0.0291	27.93	0.6209	Pass
5260	17.59	0.0574	21.93	0.1560	Pass
5300	17.41	0.0551	21.93	0.1560	Pass
5320	17.31	0.0539	21.93	0.1560	Pass
5500	17.29	0.0536	21.93	0.1560	Pass
5580	17.54	0.0567	21.93	0.1560	Pass
5700	17.52	0.0565	21.93	0.1560	Pass
5745	17.92	0.0619	27.93	0.6209	Pass
5785	17.71	0.0590	27.93	0.6209	Pass
5825	17.76	0.0598	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40) _Antenna 2	Tested Date	2023/11/1
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	12.20	0.0166	27.93	0.6209	Pass
5230	14.97	0.0314	27.93	0.6209	Pass
5270	14.92	0.0310	21.93	0.1560	Pass
5310	11.94	0.0156	21.93	0.1560	Pass
5510	11.48	0.0141	21.93	0.1560	Pass
5550	14.91	0.0310	21.93	0.1560	Pass
5670	14.75	0.0299	21.93	0.1560	Pass
5755	14.59	0.0288	27.93	0.6209	Pass
5795	14.65	0.0292	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 3	Tested Date	2023/11/1
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	13.79	0.0239	27.93	0.6209	Pass
5230	14.68	0.0294	27.93	0.6209	Pass
5270	14.94	0.0312	21.93	0.1560	Pass
5310	12.87	0.0194	21.93	0.1560	Pass
5510	11.79	0.0151	21.93	0.1560	Pass
5550	14.09	0.0256	21.93	0.1560	Pass
5670	14.18	0.0262	21.93	0.1560	Pass
5755	14.87	0.0307	27.93	0.6209	Pass
5795	14.29	0.0269	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2023/11/1
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.08	0.0405	27.93	0.6209	Pass
5230	17.84	0.0608	27.93	0.6209	Pass
5270	17.94	0.0622	21.93	0.1560	Pass
5310	15.44	0.0350	21.93	0.1560	Pass
5510	14.65	0.0292	21.93	0.1560	Pass
5550	17.53	0.0566	21.93	0.1560	Pass
5670	17.48	0.0560	21.93	0.1560	Pass
5755	17.74	0.0595	27.93	0.6209	Pass
5795	17.48	0.0560	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE80) _Antenna 2	Tested Date	2023/11/1
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.83	0.0304	27.93	0.6209	Pass
5290	14.83	0.0304	21.93	0.1560	Pass
5530	11.64	0.0146	21.93	0.1560	Pass
5610	14.78	0.0301	21.93	0.1560	Pass
5775	14.98	0.0315	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 3	Tested Date	2023/11/1
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.48	0.0281	27.93	0.6209	Pass
5290	14.84	0.0305	21.93	0.1560	Pass
5530	11.61	0.0145	21.93	0.1560	Pass
5610	14.02	0.0252	21.93	0.1560	Pass
5775	14.97	0.0314	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/11/1
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	17.67	0.0585	27.93	0.6209	Pass
5290	17.85	0.0609	21.93	0.1560	Pass
5530	14.64	0.0291	21.93	0.1560	Pass
5610	17.43	0.0553	21.93	0.1560	Pass
5775	17.99	0.0629	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE160)_Antenna 2	Tested Date	2023/11/1
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	10.46	0.0111	27.93	0.6209	Pass
5570	10.41	0.0110	21.93	0.1560	Pass

Test Mode	IEEE 802.11ax (HE160)_Antenna 3	Tested Date	2023/11/1
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	11.70	0.0148	27.93	0.6209	Pass
5570	10.92	0.0124	21.93	0.1560	Pass

Test Mode	IEEE 802.11ax (HE160)_Total	Tested Date	2023/11/1
-----------	-----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	14.13	0.0259	27.93	0.6209	Pass
5570	13.68	0.0233	21.93	0.1560	Pass

For Straddle Channel:

Test Mode	IEEE 802.11a_Antenna 2	Tested Date	2023/11/3
-----------	------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.82	0.0303	21.93	0.1560	Pass
5720	6.97	0.0050	27.93	0.6209	Pass

Test Mode	IEEE 802.11a_Antenna 3	Tested Date	2023/11/3
-----------	------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.29	0.0269	21.93	0.1560	Pass
5720	6.55	0.0045	27.93	0.6209	Pass

Test Mode	IEEE 802.11a_Total	Tested Date	2023/11/3
-----------	--------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.57	0.0572	21.93	0.1560	Pass
5720	9.78	0.0095	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 2	Tested Date	2023/11/3
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	13.24	0.0211	21.93	0.1560	Pass
5720	5.85	0.0038	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Antenna 3	Tested Date	2023/11/3
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.09	0.0256	21.93	0.1560	Pass
5720	6.45	0.0044	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2023/11/3
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.70	0.0467	21.93	0.1560	Pass
5720	9.17	0.0083	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 2	Tested Date	2023/11/3
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	13.78	0.0239	21.93	0.1560	Pass
5710	1.38	0.0014	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Antenna 3	Tested Date	2023/11/3
-----------	-------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.61	0.0289	21.93	0.1560	Pass
5710	1.48	0.0014	27.93	0.6209	Pass

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2023/11/3
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.23	0.0528	21.93	0.1560	Pass
5710	4.44	0.0028	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 2	Tested Date	2023/11/3
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.90	0.0309	21.93	0.1560	Pass
5690	12.82	0.0191	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_Antenna 3	Tested Date	2023/11/3
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.34	0.0272	21.93	0.1560	Pass
5690	12.58	0.0181	27.93	0.6209	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2023/11/3
-----------	-----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.64	0.0581	21.93	0.1560	Pass
5690	15.71	0.0373	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 2	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.82	0.0303	21.93	0.1560	Pass
5720	8.16	0.0065	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 3	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	14.77	0.0300	21.93	0.1560	Pass
5720	7.96	0.0063	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2023/11/3
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.81	0.0603	21.93	0.1560	Pass
5720	11.07	0.0128	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 2	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.74	0.0298	21.93	0.1560	Pass
5710	3.53	0.0023	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40)_Antenna 3	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	14.93	0.0311	21.93	0.1560	Pass
5710	3.75	0.0024	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2023/11/3
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.85	0.0609	21.93	0.1560	Pass
5710	6.65	0.0046	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 2	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.80	0.0302	21.93	0.1560	Pass
5690	0.25	0.0011	27.93	0.6209	Pass

Test Mode	IEEE 802.11ax (HE80)_Antenna 3	Tested Date	2023/11/3
-----------	--------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	14.61	0.0289	21.93	0.1560	Pass
5690	-0.30	0.0009	27.93	0.6209	Pass


Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/11/3
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.72	0.0591	21.93	0.1560	Pass
5690	2.99	0.0020	27.93	0.6209	Pass





APPENDIX G POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Antenna 2
-----------	------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	0.66	1.07	1.73	14.93	Pass
5200	0.55	1.07	1.62	14.93	Pass
5240	0.66	1.07	1.73	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.29	1.07	3.36	8.93	Pass
5300	1.46	1.07	2.53	8.93	Pass
5320	1.56	1.07	2.63	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	2.80	1.07	3.87	8.93	Pass
5580	3.78	1.07	4.85	8.93	Pass
5700	3.06	1.07	4.13	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.12	7.11	1.07	8.18	27.93	Pass
5785	0.32	7.31	1.07	8.38	27.93	Pass
5825	0.81	7.80	1.07	8.87	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11a_Antenna 3
-----------	------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.13	1.07	2.20	14.93	Pass
5200	1.02	1.07	2.09	14.93	Pass
5240	1.26	1.07	2.33	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.23	1.07	5.30	8.93	Pass
5300	3.94	1.07	5.01	8.93	Pass
5320	3.04	1.07	4.11	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.83	1.07	4.90	8.93	Pass
5580	4.26	1.07	5.33	8.93	Pass
5700	3.46	1.07	4.53	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.06	9.05	1.07	10.12	27.93	Pass
5785	1.71	8.70	1.07	9.77	27.93	Pass
5825	1.69	8.68	1.07	9.75	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.91	1.07	4.98	14.93	Pass
5200	3.80	1.07	4.87	14.93	Pass
5240	3.98	1.07	5.05	14.93	Pass
5260	6.38	1.07	7.44	8.93	Pass
5300	5.88	1.07	6.95	8.93	Pass
5320	5.37	1.07	6.44	8.93	Pass
5500	6.36	1.07	7.42	8.93	Pass
5580	7.04	1.07	8.10	8.93	Pass
5700	6.27	1.07	7.34	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.21	11.20	1.07	12.26	27.93	Pass
5785	4.08	11.07	1.07	12.14	27.93	Pass
5825	4.28	11.27	1.07	12.34	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100KHz} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT20)_Antenna 2
-----------	-------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	0.00	0.41	0.41	14.93	Pass
5200	0.27	0.41	0.68	14.93	Pass
5240	0.83	0.41	1.24	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	1.73	0.41	2.14	8.93	Pass
5300	-0.56	0.41	-0.15	8.93	Pass
5320	-1.17	0.41	-0.76	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.40	0.41	0.81	8.93	Pass
5580	3.80	0.41	4.21	8.93	Pass
5700	1.10	0.41	1.51	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-0.95	6.04	0.41	6.45	27.93	Pass
5785	-1.11	5.88	0.41	6.29	27.93	Pass
5825	-1.07	5.92	0.41	6.33	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Antenna 3
-----------	-------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.44	0.41	2.85	14.93	Pass
5200	2.92	0.41	3.33	14.93	Pass
5240	2.26	0.41	2.67	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.70	0.41	4.11	8.93	Pass
5300	1.59	0.41	2.00	8.93	Pass
5320	1.15	0.41	1.56	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	1.01	0.41	1.42	8.93	Pass
5580	4.78	0.41	5.19	8.93	Pass
5700	2.37	0.41	2.78	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.28	7.27	0.41	7.68	27.93	Pass
5785	-0.20	6.79	0.41	7.20	27.93	Pass
5825	-0.64	6.35	0.41	6.76	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.40	0.41	4.81	14.93	Pass
5200	4.80	0.41	5.22	14.93	Pass
5240	4.61	0.41	5.03	14.93	Pass
5260	5.84	0.41	6.25	8.93	Pass
5300	3.66	0.41	4.07	8.93	Pass
5320	3.15	0.41	3.57	8.93	Pass
5500	3.73	0.41	4.14	8.93	Pass
5580	7.33	0.41	7.74	8.93	Pass
5700	4.79	0.41	5.20	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.72	9.71	0.41	10.12	27.93	Pass
5785	2.38	9.37	0.41	9.78	27.93	Pass
5825	2.16	9.15	0.41	9.56	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100KHz} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11n (HT40)_Antenna 2
-----------	-------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-3.02	0.66	-2.36	14.93	Pass
5230	-1.49	0.66	-0.83	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.70	0.66	-1.04	8.93	Pass
5310	-0.84	0.66	-0.18	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.71	0.66	-1.05	8.93	Pass
5550	0.18	0.66	0.84	8.93	Pass
5670	-0.55	0.66	0.11	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-2.88	4.11	0.66	4.77	27.93	Pass
5795	-4.60	2.39	0.66	3.05	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Antenna 3
-----------	-------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-1.49	0.66	-0.83	14.93	Pass
5230	-0.01	0.66	0.65	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.43	0.66	0.23	8.93	Pass
5310	0.97	0.66	1.63	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.55	0.66	-0.89	8.93	Pass
5550	-1.29	0.66	-0.63	8.93	Pass
5670	-1.08	0.66	-0.42	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.11	5.88	0.66	6.54	27.93	Pass
5795	-3.71	3.28	0.66	3.94	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.82	0.66	1.48	14.93	Pass
5230	2.32	0.66	2.98	14.93	Pass
5270	1.99	0.66	2.65	8.93	Pass
5310	3.17	0.66	3.83	8.93	Pass
5510	1.38	0.66	2.04	8.93	Pass
5550	2.52	0.66	3.18	8.93	Pass
5670	2.20	0.66	2.86	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	1.10	8.09	0.66	8.75	27.93	Pass
5795	-1.12	5.87	0.66	6.53	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100KHz} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT80)_Antenna 2
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-4.20	0.59	-3.61	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.99	0.59	-3.40	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.28	0.59	-2.69	8.93	Pass
5610	-3.17	0.59	-2.58	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-7.11	-0.12	0.59	0.47	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Antenna 3
-----------	---------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.43	0.59	-1.84	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.70	0.59	-2.11	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.57	0.59	-2.98	8.93	Pass
5610	-3.16	0.59	-2.57	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-4.47	2.52	0.59	3.11	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-0.22	0.59	0.37	14.93	Pass
5290	-0.29	0.59	0.30	8.93	Pass
5530	-0.41	0.59	0.18	8.93	Pass
5610	-0.15	0.59	0.43	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-2.58	4.41	0.59	5.00	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ac (VHT160)_Antenna 2
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.22	0.50	-4.72	14.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-3.41	0.50	-2.91	8.93	Pass




Test Mode	IEEE 802.11ac (VHT160)_Antenna 3
-----------	----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-6.10	0.50	-5.60	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-3.94	0.50	-3.44	8.93	Pass




Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-2.63	0.50	-2.13	14.93	Pass
5570	-0.66	0.50	-0.16	8.93	Pass

Test Mode	IEEE 802.11ax (HE20)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	1.25	0.46	1.71	14.93	Pass
5200	1.11	0.46	1.57	14.93	Pass
5240	1.30	0.46	1.76	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.30	0.46	3.76	8.93	Pass
5300	1.46	0.46	1.92	8.93	Pass
5320	1.48	0.46	1.94	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	1.83	0.46	2.29	8.93	Pass
5580	4.93	0.46	5.39	8.93	Pass
5700	2.00	0.46	2.46	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-1.40	5.59	0.46	6.05	27.93	Pass
5785	-1.63	5.36	0.46	5.82	27.93	Pass
5825	-1.10	5.89	0.46	6.35	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Antenna 3
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.42	0.46	2.42	14.93	Pass
5200	2.80	0.46	2.80	14.93	Pass
5240	1.81	0.46	1.81	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.52	0.46	3.98	8.93	Pass
5300	1.60	0.46	2.06	8.93	Pass
5320	0.93	0.46	1.39	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	1.35	0.46	1.81	8.93	Pass
5580	4.44	0.46	4.90	8.93	Pass
5700	2.19	0.46	2.65	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-0.32	6.67	0.46	7.13	27.93	Pass
5785	-0.36	6.63	0.46	7.09	27.93	Pass
5825	-0.49	6.50	0.46	6.96	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.88	0.46	5.35	14.93	Pass
5200	5.05	0.46	5.51	14.93	Pass
5240	4.57	0.46	5.04	14.93	Pass
5260	6.42	0.46	6.88	8.93	Pass
5300	4.54	0.46	5.00	8.93	Pass
5320	4.22	0.46	4.69	8.93	Pass
5500	4.61	0.46	5.07	8.93	Pass
5580	7.70	0.46	8.16	8.93	Pass
5700	5.11	0.46	5.57	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.18	9.17	0.46	9.64	27.93	Pass
5785	2.06	9.05	0.46	9.51	27.93	Pass
5825	2.23	9.22	0.46	9.68	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100KHz} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE40)_Antenna 2
-----------	--------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.14	0.46	0.60	14.93	Pass
5230	0.74	0.46	1.20	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.33	0.46	0.13	8.93	Pass
5310	0.87	0.46	1.33	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	1.32	0.46	1.78	8.93	Pass
5550	-0.03	0.46	0.43	8.93	Pass
5670	-0.81	0.46	-0.35	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-2.87	4.12	0.46	4.58	27.93	Pass
5795	-2.59	4.40	0.46	4.86	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Antenna 3
-----------	--------------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.81	0.46	-0.35	14.93	Pass
5230	0.45	0.46	0.91	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.49	0.46	-0.03	8.93	Pass
5310	0.60	0.46	1.06	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	1.34	0.46	1.80	8.93	Pass
5550	-0.02	0.46	0.44	8.93	Pass
5670	-0.25	0.46	0.21	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-1.82	5.17	0.46	5.63	27.93	Pass
5795	-3.89	3.10	0.46	3.56	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE 40)_Total
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	2.70	0.46	3.16	14.93	Pass
5230	3.61	0.46	4.07	14.93	Pass
5270	2.60	0.46	3.06	8.93	Pass
5310	0.87	0.46	1.33	8.93	Pass
5510	4.34	0.46	4.80	8.93	Pass
5550	2.99	0.46	3.45	8.93	Pass
5670	2.49	0.46	2.95	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	0.70	7.69	0.46	8.15	27.93	Pass
5795	-0.18	6.81	0.46	7.27	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100KHz} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-1.44	0.47	-0.97	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.92	0.47	-2.45	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.11	0.47	-1.64	8.93	Pass
5610	-2.89	0.47	-2.42	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.41	1.58	0.47	2.05	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Antenna 3
-----------	--------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.99	0.47	-2.52	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.53	0.47	-2.06	8.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-2.33	0.47	-1.86	8.93	Pass
5610	-1.81	0.47	-1.34	8.93	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.22	1.77	0.47	2.24	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	0.86	0.47	1.34	14.93	Pass
5290	0.29	0.47	0.76	8.93	Pass
5530	0.79	0.47	1.26	8.93	Pass
5610	0.69	0.47	1.17	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-2.30	4.69	0.47	5.16	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$

Test Mode	IEEE 802.11ax (HE160)_Antenna 2
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-4.85	0.44	-4.41	14.93	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-3.52	0.44	-3.08	8.93	Pass




Test Mode	IEEE 802.11ax (HE160)_Antenna 3
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.38	0.44	-4.94	14.93	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-3.91	0.44	-3.47	8.93	Pass



Test Mode	IEEE 802.11ax (HE 160)_Total
-----------	------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-2.10	0.44	-1.65	14.93	Pass
5570	-0.70	0.44	-0.26	8.93	Pass

For Straddle Channel:

Test Mode	IEEE 802.11a_Antenna 2
-----------	------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.10	1.07	5.17	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	4.85	1.84	1.07	2.91	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode	IEEE 802.11a_Antenna 3
-----------	------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	3.91	1.07	4.98	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	4.90	1.89	1.07	2.96	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	7.02	1.07	8.08	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	7.89	4.88	1.07	5.94	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11n (HT20)_Antenna 2
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.21	0.41	4.62	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	3.64	0.63	0.41	1.04	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Antenna 3
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.10	0.41	4.51	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	3.64	0.63	0.41	1.04	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	7.17	0.41	7.58	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	6.65	3.64	0.41	4.05	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11n (HT40)_Antenna 2
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	0.93	0.66	1.59	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	0.09	-2.92	0.66	-2.26	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT40)_Antenna 3
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	1.90	0.66	2.56	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	0.02	-2.99	0.66	-2.33	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.45	0.66	5.11	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	3.07	0.06	0.66	0.72	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11ac (VHT80)_Antenna 2
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	2.34	0.59	2.93	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	2.36	-0.65	0.59	-0.06	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Antenna 3
-----------	---------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	2.04	0.59	2.63	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	1.60	-1.41	0.59	-0.82	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	5.20	0.59	5.79	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	5.01	2.00	0.59	2.58	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11ax (HE20)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.98	0.46	5.44	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	-2.25	4.74	0.46	5.20	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Antenna 3
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	4.89	0.46	5.35	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	-2.15	4.84	0.46	5.30	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	7.95	0.46	8.41	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	0.81	7.80	0.46	8.26	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11ax (HE40)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	3.17	0.46	3.63	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	1.69	8.68	0.46	9.14	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Antenna 3
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5710	2.75	0.46	3.21	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5710	1.42	8.41	0.46	8.87	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	5.98	0.46	6.44	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	4.57	11.56	0.46	12.02	27.93	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

Test Mode	IEEE 802.11ax (HE80)_Antenna 2
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	0.76	0.47	1.23	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-3.68	3.31	0.47	3.78	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Antenna 3
-----------	--------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5690	-0.29	0.47	0.18	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5690	-4.06	2.93	0.47	3.40	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5720	3.28	0.47	3.75	8.93	Pass

Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5720	-0.86	6.13	0.47	6.61	27.93	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} + 10 \times \log_{10}(500\text{ KHz} / \text{MHz})$

End of Test Report