







11N40MIMO-Ant2-5795-PASS




11N40MIMO-Ant3-5795-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant3-5745-PASS




11AC20MIMO-Ant1-5785-PASS




11AC20MIMO-Ant2-5785-PASS




11AC20MIMO-Ant3-5785-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS




11AC20MIMO-Ant3-5825-PASS




11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant3-5755-PASS



11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS




11AC40MIMO-Ant3-5795-PASS




11AC80MIMO-Ant1-5775-PASS




11AC80MIMO-Ant2-5775-PASS




11AC80MIMO-Ant3-5775-PASS




11AX20MIMO-Ant1-5745-PASS




11AX20MIMO-Ant2-5745-PASS




11AX20MIMO-Ant3-5745-PASS




11AX20MIMO-Ant1-5785-PASS




11AX20MIMO-Ant2-5785-PASS




11AX20MIMO-Ant3-5785-PASS




11AX20MIMO-Ant1-5825-PASS




11AX20MIMO-Ant2-5825-PASS



11AX20MIMO-Ant3-5825-PASS




11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS




11AX40MIMO-Ant3-5755-PASS




11AX40MIMO-Ant1-5795-PASS




11AX40MIMO-Ant2-5795-PASS




11AX40MIMO-Ant3-5795-PASS



11AX80MIMO-Ant1-5775-PASS



11AX80MIMO-Ant2-5775-PASS



11AX80MIMO-Ant3-5775-PASS

8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- The Transmitter output (antenna port) was connected to the power meter.
- Turn on the EUT and power meter and then record the power value.
- Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results

Temperature : 25°C
Humidity : 60 %

ATM Pressure:: 1011 mbar
Test Engineer: GJ

Test Mode	Antenna	Frequency[M Hz]	TPC	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	NA	95.86	0.18	11.06	≤30.00	5.63	16.69	---	PASS
11A	Ant2	5180	NA	95.86	0.18	11.57	≤30.00	5.80	17.37	---	PASS
11A	Ant3	5180	NA	95.86	0.18	11.41	≤30.00	5.56	16.97	---	PASS
11A	Ant1	5200	NA	95.86	0.18	10.67	≤30.00	5.63	16.30	---	PASS
11A	Ant2	5200	NA	95.86	0.18	11.32	≤30.00	5.80	17.12	---	PASS
11A	Ant3	5200	NA	95.86	0.18	11.10	≤30.00	5.56	16.66	---	PASS
11A	Ant1	5240	NA	95.86	0.18	10.69	≤30.00	5.63	16.32	---	PASS
11A	Ant2	5240	NA	95.86	0.18	11.50	≤30.00	5.80	17.30	---	PASS
11A	Ant3	5240	NA	95.86	0.18	11.14	≤30.00	5.56	16.70	---	PASS
11A	Ant1	5260	TPC H	95.86	0.18	10.41	≤23.98	5.63	16.04	---	PASS
11A	Ant2	5260	TPC H	95.86	0.18	11.25	≤23.98	5.80	17.05	---	PASS
11A	Ant3	5260	TPC H	95.86	0.18	10.82	≤23.98	5.56	16.38	---	PASS
11A	Ant1	5260	TPC L	95.86	0.18	6.79	≤23.98	5.63	12.42	---	PASS
11A	Ant2	5260	TPC L	95.86	0.18	7.42	≤23.98	5.80	13.22	---	PASS
11A	Ant3	5260	TPC L	95.86	0.18	6.90	≤23.98	5.56	12.46	---	PASS
11A	Ant1	5280	TPC H	95.86	0.18	10.29	≤23.98	5.63	15.92	---	PASS
11A	Ant2	5280	TPC H	95.86	0.18	11.11	≤23.98	5.80	16.91	---	PASS
11A	Ant3	5280	TPC H	95.86	0.18	10.61	≤23.98	5.56	16.17	---	PASS
11A	Ant1	5280	TPC L	95.86	0.18	6.54	≤23.98	5.63	12.17	---	PASS
11A	Ant2	5280	TPC L	95.86	0.18	7.34	≤23.98	5.80	13.14	---	PASS
11A	Ant3	5280	TPC L	95.86	0.18	6.58	≤23.98	5.56	12.14	---	PASS
11A	Ant1	5320	TPC H	95.86	0.18	9.48	≤23.98	5.63	15.11	---	PASS
11A	Ant2	5320	TPC H	95.86	0.18	10.22	≤23.98	5.80	16.02	---	PASS
11A	Ant3	5320	TPC H	95.86	0.18	9.87	≤23.98	5.56	15.43	---	PASS
11A	Ant1	5320	TPC L	95.86	0.18	5.94	≤23.98	5.63	11.57	---	PASS
11A	Ant2	5320	TPC L	95.86	0.18	6.32	≤23.98	5.80	12.12	---	PASS
11A	Ant3	5320	TPC L	95.86	0.18	5.68	≤23.98	5.56	11.24	---	PASS
11A	Ant1	5500	TPC H	95.86	0.18	10.09	≤23.98	5.63	15.72	---	PASS
11A	Ant2	5500	TPC H	95.86	0.18	10.51	≤23.98	5.80	16.31	---	PASS
11A	Ant3	5500	TPC H	95.86	0.18	10.50	≤23.98	5.56	16.06	---	PASS
11A	Ant1	5500	TPC L	95.86	0.18	6.44	≤23.98	5.63	12.07	---	PASS
11A	Ant2	5500	TPC L	95.86	0.18	6.64	≤23.98	5.80	12.44	---	PASS
11A	Ant3	5500	TPC L	95.86	0.18	6.36	≤23.98	5.56	11.92	---	PASS
11A	Ant1	5580	TPC H	95.86	0.18	9.70	≤23.98	5.63	15.33	---	PASS
11A	Ant2	5580	TPC H	95.86	0.18	10.24	≤23.98	5.80	16.04	---	PASS
11A	Ant3	5580	TPC H	95.86	0.18	10.21	≤23.98	5.56	15.77	---	PASS
11A	Ant1	5580	TPC L	95.86	0.18	6.25	≤23.98	5.63	11.88	---	PASS
11A	Ant2	5580	TPC L	95.86	0.18	6.80	≤23.98	5.80	12.60	---	PASS
11A	Ant3	5580	TPC L	95.86	0.18	6.07	≤23.98	5.56	11.63	---	PASS
11A	Ant1	5700	TPC H	95.86	0.18	9.08	≤23.98	5.63	14.71	---	PASS
11A	Ant2	5700	TPC H	95.86	0.18	9.02	≤23.98	5.80	14.82	---	PASS
11A	Ant3	5700	TPC H	95.86	0.18	9.50	≤23.98	5.56	15.06	---	PASS
11A	Ant1	5700	TPC L	95.86	0.18	5.54	≤23.98	5.63	11.17	---	PASS
11A	Ant2	5700	TPC L	95.86	0.18	5.46	≤23.98	5.80	11.26	---	PASS
11A	Ant3	5700	TPC L	95.86	0.18	5.22	≤23.98	5.56	10.78	---	PASS
11A	Ant1	5745	NA	95.86	0.18	9.21	≤30.00	5.63	14.84	---	PASS
11A	Ant2	5745	NA	95.86	0.18	9.13	≤30.00	5.80	14.93	---	PASS

11A	Ant3	5745	NA	95.86	0.18	9.59	≤30.00	5.56	15.15	---	PASS
11A	Ant1	5785	NA	95.86	0.18	10.22	≤30.00	5.63	15.85	---	PASS
11A	Ant2	5785	NA	95.86	0.18	10.24	≤30.00	5.80	16.04	---	PASS
11A	Ant3	5785	NA	95.86	0.18	10.54	≤30.00	5.56	16.10	---	PASS
11A	Ant1	5825	NA	95.86	0.18	9.89	≤30.00	5.63	15.52	---	PASS
11A	Ant2	5825	NA	95.86	0.18	10.08	≤30.00	5.80	15.88	---	PASS
11A	Ant3	5825	NA	95.86	0.18	10.33	≤30.00	5.56	15.89	---	PASS
11N20MIMO	Ant1	5180	NA	95.62	0.19	3.55	≤30.00	5.63	9.18	---	PASS
11N20MIMO	Ant2	5180	NA	95.59	0.20	4.09	≤30.00	5.80	9.89	---	PASS
11N20MIMO	Ant3	5180	NA	95.62	0.19	4.72	≤30.00	5.56	10.28	---	PASS
11N20MIMO	total	5180	NA	---	---	8.92	≤25.56	10.44	19.36	---	PASS
11N20MIMO	Ant1	5200	NA	95.59	0.20	3.33	≤30.00	5.63	8.96	---	PASS
11N20MIMO	Ant2	5200	NA	95.62	0.19	4.09	≤30.00	5.80	9.89	---	PASS
11N20MIMO	Ant3	5200	NA	95.62	0.19	4.43	≤30.00	5.56	9.99	---	PASS
11N20MIMO	total	5200	NA	---	---	8.75	≤25.56	10.44	19.19	---	PASS
11N20MIMO	Ant1	5240	NA	95.62	0.19	3.43	≤30.00	5.63	9.06	---	PASS
11N20MIMO	Ant2	5240	NA	95.62	0.19	4.19	≤30.00	5.80	9.99	---	PASS
11N20MIMO	Ant3	5240	NA	95.59	0.20	4.45	≤30.00	5.56	10.01	---	PASS
11N20MIMO	total	5240	NA	---	---	8.82	≤25.56	10.44	19.26	---	PASS
11N20MIMO	Ant1	5260	TPC H	95.59	0.20	3.28	≤23.98	5.63	8.91	---	PASS
11N20MIMO	Ant2	5260	TPC H	95.59	0.20	3.97	≤23.98	5.80	9.77	---	PASS
11N20MIMO	Ant3	5260	TPC H	95.62	0.19	4.20	≤23.98	5.56	9.76	---	PASS
11N20MIMO	total	5260	TPC H	---	---	8.61	≤19.54	10.44	19.05	---	PASS
11N20MIMO	Ant1	5260	TPC L	95.59	0.20	-0.75	≤23.98	5.63	4.88	---	PASS
11N20MIMO	Ant2	5260	TPC L	95.59	0.20	0.06	≤23.98	5.80	5.86	---	PASS
11N20MIMO	Ant3	5260	TPC L	95.62	0.19	-0.68	≤23.98	5.56	4.88	---	PASS
11N20MIMO	total	5260	TPC L	---	---	4.33	≤19.54	10.44	14.77	---	PASS
11N20MIMO	Ant1	5280	TPC H	95.62	0.19	2.99	≤23.98	5.63	8.62	---	PASS
11N20MIMO	Ant2	5280	TPC H	95.62	0.19	3.84	≤23.98	5.80	9.64	---	PASS
11N20MIMO	Ant3	5280	TPC H	95.62	0.19	3.88	≤23.98	5.56	9.44	---	PASS
11N20MIMO	total	5280	TPC H	---	---	8.36	≤19.54	10.44	18.80	---	PASS
11N20MIMO	Ant1	5280	TPC L	95.62	0.19	-0.59	≤23.98	5.63	5.04	---	PASS
11N20MIMO	Ant2	5280	TPC L	95.62	0.19	-0.28	≤23.98	5.80	5.52	---	PASS
11N20MIMO	Ant3	5280	TPC L	95.62	0.19	-0.87	≤23.98	5.56	4.69	---	PASS
11N20MIMO	total	5280	TPC L	---	---	4.20	≤19.54	10.44	14.64	---	PASS
11N20MIMO	Ant1	5320	TPC H	95.59	0.20	2.37	≤23.98	5.63	8.00	---	PASS
11N20MIMO	Ant2	5320	TPC H	95.59	0.20	2.90	≤23.98	5.80	8.70	---	PASS
11N20MIMO	Ant3	5320	TPC H	95.59	0.20	3.19	≤23.98	5.56	8.75	---	PASS
11N20MIMO	total	5320	TPC H	---	---	7.60	≤19.54	10.44	18.04	---	PASS
11N20MIMO	Ant1	5320	TPC L	95.59	0.20	-1.51	≤23.98	5.63	4.12	---	PASS
11N20MIMO	Ant2	5320	TPC L	95.59	0.20	-1.01	≤23.98	5.80	4.79	---	PASS
11N20MIMO	Ant3	5320	TPC L	95.59	0.20	-1.45	≤23.98	5.56	4.11	---	PASS
11N20MIMO	total	5320	TPC L	---	---	3.45	≤19.54	10.44	13.89	---	PASS
11N20MIMO	Ant1	5500	TPC H	95.59	0.20	2.86	≤23.98	5.63	8.49	---	PASS
11N20MIMO	Ant2	5500	TPC H	95.62	0.19	3.13	≤23.98	5.80	8.93	---	PASS
11N20MIMO	total	5500	TPC H	---	---	8.09	≤19.54	10.44	18.53	---	PASS
11N20MIMO	Ant3	5500	TPC H	95.62	0.19	3.91	≤23.98	5.56	9.47	---	PASS
11N20MIMO	Ant1	5500	TPC L	95.59	0.20	-0.97	≤23.98	5.63	4.66	---	PASS
11N20MIMO	Ant2	5500	TPC L	95.62	0.19	-0.44	≤23.98	5.80	5.36	---	PASS
11N20MIMO	Ant3	5500	TPC L	95.62	0.19	-0.92	≤23.98	5.56	4.64	---	PASS
11N20MIMO	total	5500	TPC L	---	---	4.00	≤19.54	10.44	14.44	---	PASS
11N20MIMO	Ant1	5580	TPC H	95.62	0.19	2.50	≤23.98	5.63	8.13	---	PASS
11N20MIMO	Ant2	5580	TPC H	95.59	0.20	3.03	≤23.98	5.80	8.83	---	PASS
11N20MIMO	Ant3	5580	TPC H	95.59	0.20	3.58	≤23.98	5.56	9.14	---	PASS
11N20MIMO	total	5580	TPC H	---	---	7.83	≤19.54	10.44	18.27	---	PASS
11N20MIMO	Ant1	5580	TPC L	95.62	0.19	-1.06	≤23.98	5.63	4.57	---	PASS
11N20MIMO	Ant2	5580	TPC L	95.59	0.20	-0.69	≤23.98	5.80	5.11	---	PASS
11N20MIMO	Ant3	5580	TPC L	95.59	0.20	-1.03	≤23.98	5.56	4.53	---	PASS
11N20MIMO	total	5580	TPC L	---	---	3.85	≤19.54	10.44	14.29	---	PASS
11N20MIMO	Ant1	5700	TPC H	95.62	0.19	1.77	≤23.98	5.63	7.40	---	PASS
11N20MIMO	Ant2	5700	TPC H	95.62	0.19	1.81	≤23.98	5.80	7.61	---	PASS
11N20MIMO	Ant3	5700	TPC H	95.59	0.20	2.62	≤23.98	5.56	8.18	---	PASS
11N20MIMO	total	5700	TPC H	---	---	6.86	≤19.54	10.44	17.30	---	PASS
11N20MIMO	Ant1	5700	TPC L	95.62	0.19	5.15	≤23.98	5.63	10.78	---	PASS
11N20MIMO	Ant2	5700	TPC L	95.62	0.19	5.05	≤23.98	5.80	10.85	---	PASS
11N20MIMO	total	5700	TPC L	---	---	9.87	≤19.54	10.44	20.31	---	PASS
11N20MIMO	Ant3	5700	TPC L	95.59	0.20	5.10	≤23.98	5.56	10.66	---	PASS
11N20MIMO	Ant1	5745	NA	95.62	0.19	2.03	≤30.00	5.63	7.66	---	PASS
11N20MIMO	Ant2	5745	NA	95.59	0.20	1.81	≤30.00	5.80	7.61	---	PASS
11N20MIMO	Ant3	5745	NA	95.62	0.19	2.82	≤30.00	5.56	8.38	---	PASS
11N20MIMO	total	5745	NA	---	---	7.01	≤25.56	10.44	17.45	---	PASS
11N20MIMO	Ant1	5785	NA	95.59	0.20	3.02	≤30.00	5.63	8.65	---	PASS

11N20MIMO	Ant2	5785	NA	95.62	0.19	3.08	≤30.00	5.80	8.88	---	PASS
11N20MIMO	Ant3	5785	NA	95.62	0.19	3.78	≤30.00	5.56	9.34	---	PASS
11N20MIMO	total	5785	NA	---	---	8.08	≤25.56	10.44	18.52	---	PASS
11N20MIMO	Ant1	5825	NA	95.59	0.20	2.60	≤30.00	5.63	8.23	---	PASS
11N20MIMO	Ant2	5825	NA	95.62	0.19	2.94	≤30.00	5.80	8.74	---	PASS
11N20MIMO	Ant3	5825	NA	95.59	0.20	3.48	≤30.00	5.56	9.04	---	PASS
11N20MIMO	total	5825	NA	---	---	7.79	≤25.56	10.44	18.23	---	PASS
11N40MIMO	Ant1	5190	NA	91.43	0.39	3.65	≤30.00	5.63	9.28	---	PASS
11N40MIMO	Ant2	5190	NA	91.43	0.39	4.41	≤30.00	5.80	10.21	---	PASS
11N40MIMO	Ant3	5190	NA	91.43	0.39	4.75	≤30.00	5.56	10.31	---	PASS
11N40MIMO	total	5190	NA	---	---	9.07	≤25.56	10.44	19.51	---	PASS
11N40MIMO	Ant1	5230	NA	91.43	0.39	3.50	≤30.00	5.63	9.13	---	PASS
11N40MIMO	Ant2	5230	NA	91.43	0.39	4.31	≤30.00	5.80	10.11	---	PASS
11N40MIMO	Ant3	5230	NA	91.43	0.39	4.54	≤30.00	5.56	10.10	---	PASS
11N40MIMO	total	5230	NA	---	---	8.91	≤25.56	10.44	19.35	---	PASS
11N40MIMO	Ant1	5270	TPC H	91.43	0.39	3.06	≤23.98	5.63	8.69	---	PASS
11N40MIMO	Ant2	5270	TPC H	91.43	0.39	4.06	≤23.98	5.80	9.86	---	PASS
11N40MIMO	Ant3	5270	TPC H	91.43	0.39	4.24	≤23.98	5.56	9.80	---	PASS
11N40MIMO	total	5270	TPC H	---	---	8.59	≤19.54	10.44	19.03	---	PASS
11N40MIMO	Ant1	5270	TPC L	91.43	0.39	-0.70	≤23.98	5.63	4.93	---	PASS
11N40MIMO	Ant2	5270	TPC L	91.43	0.39	-0.07	≤23.98	5.80	5.73	---	PASS
11N40MIMO	Ant3	5270	TPC L	91.43	0.39	-0.41	≤23.98	5.56	5.15	---	PASS
11N40MIMO	total	5270	TPC L	---	---	4.39	≤19.54	10.44	14.83	---	PASS
11N40MIMO	Ant1	5310	TPC H	91.43	0.39	2.53	≤23.98	5.63	8.16	---	PASS
11N40MIMO	Ant2	5310	TPC H	91.43	0.39	3.19	≤23.98	5.80	8.99	---	PASS
11N40MIMO	Ant3	5310	TPC H	91.43	0.39	3.29	≤23.98	5.56	8.85	---	PASS
11N40MIMO	total	5310	TPC H	---	---	7.79	≤19.54	10.44	18.23	---	PASS
11N40MIMO	Ant1	5310	TPC L	91.43	0.39	-1.09	≤23.98	5.63	4.54	---	PASS
11N40MIMO	Ant2	5310	TPC L	91.43	0.39	-0.62	≤23.98	5.80	5.18	---	PASS
11N40MIMO	Ant3	5310	TPC L	91.43	0.39	-1.28	≤23.98	5.56	4.28	---	PASS
11N40MIMO	total	5310	TPC L	---	---	3.78	≤19.54	10.44	14.22	---	PASS
11N40MIMO	Ant1	5510	TPC H	91.43	0.39	3.00	≤23.98	5.63	8.63	---	PASS
11N40MIMO	Ant2	5510	TPC H	91.43	0.39	3.65	≤23.98	5.80	9.45	---	PASS
11N40MIMO	Ant3	5510	TPC H	91.43	0.39	4.10	≤23.98	5.56	9.66	---	PASS
11N40MIMO	total	5510	TPC H	---	---	8.38	≤19.54	10.44	18.82	---	PASS
11N40MIMO	Ant1	5510	TPC L	91.43	0.39	-0.84	≤23.98	5.63	4.79	---	PASS
11N40MIMO	Ant2	5510	TPC L	91.43	0.39	-0.13	≤23.98	5.80	5.67	---	PASS
11N40MIMO	Ant3	5510	TPC L	91.43	0.39	-0.56	≤23.98	5.56	5.00	---	PASS
11N40MIMO	total	5510	TPC L	---	---	4.27	≤19.54	10.44	14.71	---	PASS
11N40MIMO	Ant1	5550	TPC H	91.43	0.39	2.86	≤23.98	5.63	8.49	---	PASS
11N40MIMO	Ant2	5550	TPC H	91.43	0.39	3.30	≤23.98	5.80	9.10	---	PASS
11N40MIMO	Ant3	5550	TPC H	91.43	0.39	3.66	≤23.98	5.56	9.22	---	PASS
11N40MIMO	total	5550	TPC H	---	---	8.06	≤19.54	10.44	18.50	---	PASS
11N40MIMO	Ant1	5550	TPC L	91.43	0.39	-1.09	≤23.98	5.63	4.54	---	PASS
11N40MIMO	Ant2	5550	TPC L	91.43	0.39	-0.51	≤23.98	5.80	5.29	---	PASS
11N40MIMO	Ant3	5550	TPC L	91.43	0.39	-0.62	≤23.98	5.56	4.94	---	PASS
11N40MIMO	total	5550	TPC L	---	---	4.04	≤19.54	10.44	14.48	---	PASS
11N40MIMO	Ant1	5670	TPC H	91.43	0.39	1.73	≤23.98	5.63	7.36	---	PASS
11N40MIMO	Ant2	5670	TPC H	91.43	0.39	1.97	≤23.98	5.80	7.77	---	PASS
11N40MIMO	Ant3	5670	TPC H	91.43	0.39	2.72	≤23.98	5.56	8.28	---	PASS
11N40MIMO	total	5670	TPC H	---	---	6.93	≤19.54	10.44	17.37	---	PASS
11N40MIMO	Ant1	5670	TPC L	91.43	0.39	-2.15	≤23.98	5.63	3.48	---	PASS
11N40MIMO	Ant2	5670	TPC L	91.43	0.39	-1.72	≤23.98	5.80	4.08	---	PASS
11N40MIMO	Ant3	5670	TPC L	91.43	0.39	-1.52	≤23.98	5.56	4.04	---	PASS
11N40MIMO	total	5670	TPC L	---	---	2.98	≤19.54	10.44	13.42	---	PASS
11N40MIMO	Ant1	5755	NA	91.43	0.39	2.35	≤30.00	5.63	7.98	---	PASS
11N40MIMO	Ant2	5755	NA	91.43	0.39	2.18	≤30.00	5.80	7.98	---	PASS
11N40MIMO	Ant3	5755	NA	91.43	0.39	3.16	≤30.00	5.56	8.72	---	PASS
11N40MIMO	total	5755	NA	---	---	7.36	≤25.56	10.44	17.80	---	PASS
11N40MIMO	Ant1	5795	NA	91.43	0.39	3.07	≤30.00	5.63	8.70	---	PASS
11N40MIMO	Ant2	5795	NA	91.43	0.39	3.17	≤30.00	5.80	8.97	---	PASS
11N40MIMO	Ant3	5795	NA	91.43	0.39	3.85	≤30.00	5.56	9.41	---	PASS
11N40MIMO	total	5795	NA	---	---	8.15	≤25.56	10.44	18.59	---	PASS
11AC20MIMO	Ant1	5180	NA	88.89	0.51	3.58	≤30.00	5.63	9.21	---	PASS
11AC20MIMO	Ant2	5180	NA	88.89	0.51	4.12	≤30.00	5.80	9.92	---	PASS
11AC20MIMO	Ant3	5180	NA	88.89	0.51	4.47	≤30.00	5.56	10.03	---	PASS
11AC20MIMO	total	5180	NA	---	---	8.84	≤25.56	10.44	19.28	---	PASS
11AC20MIMO	Ant1	5200	NA	88.89	0.51	3.30	≤30.00	5.63	8.93	---	PASS
11AC20MIMO	Ant2	5200	NA	88.89	0.51	4.12	≤30.00	5.80	9.92	---	PASS
11AC20MIMO	Ant3	5200	NA	88.89	0.51	4.17	≤30.00	5.56	9.73	---	PASS
11AC20MIMO	total	5200	NA	---	---	8.65	≤25.56	10.44	19.09	---	PASS
11AC20MIMO	Ant1	5240	NA	88.89	0.51	3.37	≤30.00	5.63	9.00	---	PASS

11AC20MIMO	Ant2	5240	NA	88.89	0.51	4.23	≤30.00	5.80	10.03	---	PASS
11AC20MIMO	Ant3	5240	NA	88.89	0.51	4.42	≤30.00	5.56	9.98	---	PASS
11AC20MIMO	total	5240	NA	---	---	8.80	≤25.56	10.44	19.24	---	PASS
11AC20MIMO	Ant1	5260	TPC_H	88.89	0.51	3.26	≤23.98	5.63	8.89	---	PASS
11AC20MIMO	Ant2	5260	TPC_H	88.89	0.51	4.07	≤23.98	5.80	9.87	---	PASS
11AC20MIMO	Ant3	5260	TPC_H	88.89	0.51	4.19	≤23.98	5.56	9.75	---	PASS
11AC20MIMO	total	5260	TPC_H	---	---	8.63	≤19.54	10.44	19.07	---	PASS
11AC20MIMO	Ant1	5260	TPC_L	88.89	0.51	-0.64	≤23.98	5.63	4.99	---	PASS
11AC20MIMO	Ant2	5260	TPC_L	88.89	0.51	-0.12	≤23.98	5.80	5.68	---	PASS
11AC20MIMO	Ant3	5260	TPC_L	88.89	0.51	-0.57	≤23.98	5.56	4.99	---	PASS
11AC20MIMO	total	5260	TPC_L	---	---	4.33	≤19.54	10.44	14.77	---	PASS
11AC20MIMO	Ant1	5280	TPC_H	88.89	0.51	3.01	≤23.98	5.63	8.64	---	PASS
11AC20MIMO	Ant2	5280	TPC_H	88.89	0.51	3.97	≤23.98	5.80	9.77	---	PASS
11AC20MIMO	Ant3	5280	TPC_H	88.89	0.51	3.86	≤23.98	5.56	9.42	---	PASS
11AC20MIMO	total	5280	TPC_H	---	---	8.41	≤19.54	10.44	18.85	---	PASS
11AC20MIMO	Ant1	5280	TPC_L	88.89	0.51	-0.77	≤23.98	5.63	4.86	---	PASS
11AC20MIMO	Ant2	5280	TPC_L	88.89	0.51	-0.23	≤23.98	5.80	5.57	---	PASS
11AC20MIMO	Ant3	5280	TPC_L	88.89	0.51	-0.77	≤23.98	5.56	4.79	---	PASS
11AC20MIMO	total	5280	TPC_L	---	---	4.19	≤19.54	10.44	14.63	---	PASS
11AC20MIMO	Ant1	5320	TPC_H	88.89	0.51	2.38	≤23.98	5.63	8.01	---	PASS
11AC20MIMO	Ant2	5320	TPC_H	88.89	0.51	3.04	≤23.98	5.80	8.84	---	PASS
11AC20MIMO	Ant3	5320	TPC_H	88.89	0.51	3.15	≤23.98	5.56	8.71	---	PASS
11AC20MIMO	total	5320	TPC_H	---	---	7.64	≤19.54	10.44	18.08	---	PASS
11AC20MIMO	Ant1	5320	TPC_L	88.89	0.51	-1.20	≤23.98	5.63	4.43	---	PASS
11AC20MIMO	Ant2	5320	TPC_L	88.89	0.51	-1.03	≤23.98	5.80	4.77	---	PASS
11AC20MIMO	total	5320	TPC_L	---	---	3.56	≤19.54	10.44	14.00	---	PASS
11AC20MIMO	Ant3	5320	TPC_L	88.89	0.51	-1.40	≤23.98	5.56	4.16	---	PASS
11AC20MIMO	Ant1	5500	TPC_H	88.89	0.51	2.79	≤23.98	5.63	8.42	---	PASS
11AC20MIMO	Ant2	5500	TPC_H	88.89	0.51	3.14	≤23.98	5.80	8.94	---	PASS
11AC20MIMO	total	5500	TPC_H	---	---	8.06	≤19.54	10.44	18.50	---	PASS
11AC20MIMO	Ant3	5500	TPC_H	88.89	0.51	3.86	≤23.98	5.56	9.42	---	PASS
11AC20MIMO	Ant1	5500	TPC_L	88.89	0.51	-0.89	≤23.98	5.63	4.74	---	PASS
11AC20MIMO	Ant2	5500	TPC_L	88.89	0.51	-0.65	≤23.98	5.80	5.15	---	PASS
11AC20MIMO	Ant3	5500	TPC_L	88.89	0.51	-0.84	≤23.98	5.56	4.72	---	PASS
11AC20MIMO	total	5500	TPC_L	---	---	3.98	≤19.54	10.44	14.42	---	PASS
11AC20MIMO	Ant1	5580	TPC_H	88.89	0.51	2.51	≤23.98	5.63	8.14	---	PASS
11AC20MIMO	Ant2	5580	TPC_H	88.89	0.51	3.16	≤23.98	5.80	8.96	---	PASS
11AC20MIMO	Ant3	5580	TPC_H	88.89	0.51	3.55	≤23.98	5.56	9.11	---	PASS
11AC20MIMO	total	5580	TPC_H	---	---	7.87	≤19.54	10.44	18.31	---	PASS
11AC20MIMO	Ant1	5580	TPC_L	88.89	0.51	-1.27	≤23.98	5.63	4.36	---	PASS
11AC20MIMO	Ant2	5580	TPC_L	88.89	0.51	-0.68	≤23.98	5.80	5.12	---	PASS
11AC20MIMO	Ant3	5580	TPC_L	88.89	0.51	-1.00	≤23.98	5.56	4.56	---	PASS
11AC20MIMO	total	5580	TPC_L	---	---	3.79	≤19.54	10.44	14.23	---	PASS
11AC20MIMO	Ant1	5700	TPC_H	88.89	0.51	1.92	≤23.98	5.63	7.55	---	PASS
11AC20MIMO	Ant2	5700	TPC_H	88.89	0.51	1.71	≤23.98	5.80	7.51	---	PASS
11AC20MIMO	Ant3	5700	TPC_H	88.89	0.51	2.71	≤23.98	5.56	8.27	---	PASS
11AC20MIMO	total	5700	TPC_H	---	---	6.91	≤19.54	10.44	17.35	---	PASS
11AC20MIMO	Ant1	5700	TPC_L	88.89	0.51	-1.97	≤23.98	5.63	3.66	---	PASS
11AC20MIMO	Ant2	5700	TPC_L	88.89	0.51	-2.02	≤23.98	5.80	3.78	---	PASS
11AC20MIMO	Ant3	5700	TPC_L	88.89	0.51	-1.70	≤23.98	5.56	3.86	---	PASS
11AC20MIMO	total	5700	TPC_L	---	---	2.88	≤19.54	10.44	13.32	---	PASS
11AC20MIMO	Ant1	5745	NA	88.89	0.51	2.16	≤30.00	5.63	7.79	---	PASS
11AC20MIMO	Ant2	5745	NA	88.89	0.51	1.95	≤30.00	5.80	7.75	---	PASS
11AC20MIMO	Ant3	5745	NA	88.89	0.51	2.91	≤30.00	5.56	8.47	---	PASS
11AC20MIMO	total	5745	NA	---	---	7.13	≤25.56	10.44	17.57	---	PASS
11AC20MIMO	Ant1	5785	NA	88.89	0.51	3.14	≤30.00	5.63	8.77	---	PASS
11AC20MIMO	Ant2	5785	NA	88.89	0.51	3.21	≤30.00	5.80	9.01	---	PASS
11AC20MIMO	Ant3	5785	NA	88.89	0.51	3.89	≤30.00	5.56	9.45	---	PASS
11AC20MIMO	total	5785	NA	---	---	8.20	≤25.56	10.44	18.64	---	PASS
11AC20MIMO	Ant1	5825	NA	88.89	0.51	2.72	≤30.00	5.63	8.35	---	PASS
11AC20MIMO	Ant2	5825	NA	88.89	0.51	3.06	≤30.00	5.80	8.86	---	PASS
11AC20MIMO	Ant3	5825	NA	88.89	0.51	3.56	≤30.00	5.56	9.12	---	PASS
11AC20MIMO	total	5825	NA	---	---	7.90	≤25.56	10.44	18.34	---	PASS
11AC40MIMO	Ant1	5190	NA	81.25	0.90	3.65	≤30.00	5.63	9.28	---	PASS
11AC40MIMO	Ant2	5190	NA	81.25	0.90	4.43	≤30.00	5.80	10.23	---	PASS
11AC40MIMO	Ant3	5190	NA	81.25	0.90	4.53	≤30.00	5.56	10.09	---	PASS
11AC40MIMO	total	5190	NA	---	---	8.99	≤25.56	10.44	19.43	---	PASS
11AC40MIMO	Ant1	5230	NA	81.25	0.90	3.50	≤30.00	5.63	9.13	---	PASS
11AC40MIMO	Ant2	5230	NA	81.25	0.90	4.35	≤30.00	5.80	10.15	---	PASS
11AC40MIMO	Ant3	5230	NA	81.25	0.90	4.57	≤30.00	5.56	10.13	---	PASS
11AC40MIMO	total	5230	NA	---	---	8.94	≤25.56	10.44	19.38	---	PASS
11AC40MIMO	Ant1	5270	TPC_H	81.25	0.90	3.33	≤23.98	5.63	8.96	---	PASS


11AC40MIMO	Ant2	5270	TPC H	81.25	0.90	4.11	≤23.98	5.80	9.91	---	PASS
11AC40MIMO	Ant3	5270	TPC H	81.25	0.90	4.25	≤23.98	5.56	9.81	---	PASS
11AC40MIMO	total	5270	TPC H	---	---	8.69	≤19.54	10.44	19.13	---	PASS
11AC40MIMO	Ant1	5270	TPC L	81.25	0.90	-0.74	≤23.98	5.63	4.89	---	PASS
11AC40MIMO	Ant2	5270	TPC L	81.25	0.90	-0.09	≤23.98	5.80	5.71	---	PASS
11AC40MIMO	Ant3	5270	TPC L	81.25	0.90	-0.43	≤23.98	5.56	5.13	---	PASS
11AC40MIMO	total	5270	TPC L	---	---	4.36	≤19.54	10.44	14.80	---	PASS
11AC40MIMO	Ant1	5310	TPC H	81.25	0.90	2.52	≤23.98	5.63	8.15	---	PASS
11AC40MIMO	Ant2	5310	TPC H	81.25	0.90	3.20	≤23.98	5.80	9.00	---	PASS
11AC40MIMO	Ant3	5310	TPC H	81.25	0.90	3.29	≤23.98	5.56	8.85	---	PASS
11AC40MIMO	total	5310	TPC H	---	---	7.79	≤19.54	10.44	18.23	---	PASS
11AC40MIMO	Ant1	5310	TPC L	81.25	0.90	-1.12	≤23.98	5.63	4.51	---	PASS
11AC40MIMO	Ant2	5310	TPC L	81.25	0.90	-0.68	≤23.98	5.80	5.12	---	PASS
11AC40MIMO	Ant3	5310	TPC L	81.25	0.90	-1.31	≤23.98	5.56	4.25	---	PASS
11AC40MIMO	total	5310	TPC L	---	---	3.74	≤19.54	10.44	14.18	---	PASS
11AC40MIMO	Ant1	5510	TPC H	81.25	0.90	3.02	≤23.98	5.63	8.65	---	PASS
11AC40MIMO	Ant2	5510	TPC H	81.25	0.90	3.70	≤23.98	5.80	9.50	---	PASS
11AC40MIMO	Ant3	5510	TPC H	81.25	0.90	4.10	≤23.98	5.56	9.66	---	PASS
11AC40MIMO	total	5510	TPC H	---	---	8.40	≤19.54	10.44	18.84	---	PASS
11AC40MIMO	Ant1	5510	TPC L	81.25	0.90	-0.89	≤23.98	5.63	4.74	---	PASS
11AC40MIMO	Ant2	5510	TPC L	81.25	0.90	-0.17	≤23.98	5.80	5.63	---	PASS
11AC40MIMO	Ant3	5510	TPC L	81.25	0.90	-0.60	≤23.98	5.56	4.96	---	PASS
11AC40MIMO	total	5510	TPC L	---	---	4.23	≤19.54	10.44	14.67	---	PASS
11AC40MIMO	Ant1	5550	TPC H	81.25	0.90	2.87	≤23.98	5.63	8.50	---	PASS
11AC40MIMO	Ant2	5550	TPC H	81.25	0.90	3.35	≤23.98	5.80	9.15	---	PASS
11AC40MIMO	Ant3	5550	TPC H	81.25	0.90	3.68	≤23.98	5.56	9.24	---	PASS
11AC40MIMO	total	5550	TPC H	---	---	8.08	≤19.54	10.44	18.52	---	PASS
11AC40MIMO	Ant1	5550	TPC L	81.25	0.90	-1.11	≤23.98	5.63	4.52	---	PASS
11AC40MIMO	Ant2	5550	TPC L	81.25	0.90	-0.54	≤23.98	5.80	5.26	---	PASS
11AC40MIMO	Ant3	5550	TPC L	81.25	0.90	-0.65	≤23.98	5.56	4.91	---	PASS
11AC40MIMO	total	5550	TPC L	---	---	4.01	≤19.54	10.44	14.45	---	PASS
11AC40MIMO	Ant1	5670	TPC H	81.25	0.90	1.74	≤23.98	5.63	7.37	---	PASS
11AC40MIMO	Ant2	5670	TPC H	81.25	0.90	2.02	≤23.98	5.80	7.82	---	PASS
11AC40MIMO	Ant3	5670	TPC H	81.25	0.90	2.70	≤23.98	5.56	8.26	---	PASS
11AC40MIMO	total	5670	TPC H	---	---	6.94	≤19.54	10.44	17.38	---	PASS
11AC40MIMO	Ant1	5670	TPC L	81.25	0.90	-2.16	≤23.98	5.63	3.47	---	PASS
11AC40MIMO	Ant2	5670	TPC L	81.25	0.90	-1.73	≤23.98	5.80	4.07	---	PASS
11AC40MIMO	total	5670	TPC L	---	---	2.97	≤19.54	10.44	13.41	---	PASS
11AC40MIMO	Ant3	5670	TPC L	81.25	0.90	-1.55	≤23.98	5.56	4.01	---	PASS
11AC40MIMO	Ant1	5755	NA	81.25	0.90	2.35	≤30.00	5.63	7.98	---	PASS
11AC40MIMO	Ant2	5755	NA	81.25	0.90	2.23	≤30.00	5.80	8.03	---	PASS
11AC40MIMO	Ant3	5755	NA	81.25	0.90	3.17	≤30.00	5.56	8.73	---	PASS
11AC40MIMO	total	5755	NA	---	---	7.38	≤25.56	10.44	17.82	---	PASS
11AC40MIMO	Ant1	5795	NA	81.25	0.90	3.04	≤30.00	5.63	8.67	---	PASS
11AC40MIMO	Ant2	5795	NA	81.25	0.90	3.18	≤30.00	5.80	8.98	---	PASS
11AC40MIMO	Ant3	5795	NA	81.25	0.90	3.86	≤30.00	5.56	9.42	---	PASS
11AC40MIMO	total	5795	NA	---	---	8.15	≤25.56	10.44	18.59	---	PASS
11AC80MIMO	Ant1	5210	NA	71.43	1.46	2.81	≤30.00	5.63	8.44	---	PASS
11AC80MIMO	Ant2	5210	NA	70.00	1.55	3.77	≤30.00	5.80	9.57	---	PASS
11AC80MIMO	Ant3	5210	NA	70.00	1.55	3.77	≤30.00	5.56	9.33	---	PASS
11AC80MIMO	total	5210	NA	---	---	8.24	≤25.56	10.44	18.68	---	PASS
11AC80MIMO	Ant1	5290	TPC H	71.43	1.46	1.86	≤23.98	5.63	7.49	---	PASS
11AC80MIMO	Ant2	5290	TPC H	70.00	1.55	2.91	≤23.98	5.80	8.71	---	PASS
11AC80MIMO	Ant3	5290	TPC H	71.43	1.46	2.84	≤23.98	5.56	8.40	---	PASS
11AC80MIMO	total	5290	TPC H	---	---	7.33	≤19.54	10.44	17.77	---	PASS
11AC80MIMO	Ant1	5290	TPC L	71.43	1.46	-1.94	≤23.98	5.63	3.69	---	PASS
11AC80MIMO	Ant2	5290	TPC L	70.00	1.55	-1.01	≤23.98	5.80	4.79	---	PASS
11AC80MIMO	Ant3	5290	TPC L	71.43	1.46	-1.90	≤23.98	5.56	3.66	---	PASS
11AC80MIMO	total	5290	TPC L	---	---	3.18	≤19.54	10.44	13.62	---	PASS
11AC80MIMO	Ant1	5530	TPC H	70.00	1.55	2.49	≤23.98	5.63	8.12	---	PASS
11AC80MIMO	Ant2	5530	TPC H	71.43	1.46	3.14	≤23.98	5.80	8.94	---	PASS
11AC80MIMO	Ant3	5530	TPC H	71.43	1.46	3.52	≤23.98	5.56	9.08	---	PASS
11AC80MIMO	total	5530	TPC H	---	---	7.84	≤19.54	10.44	18.28	---	PASS
11AC80MIMO	Ant1	5530	TPC L	70.00	1.55	-1.32	≤23.98	5.63	4.31	---	PASS
11AC80MIMO	Ant2	5530	TPC L	71.43	1.46	-0.70	≤23.98	5.80	5.10	---	PASS
11AC80MIMO	Ant3	5530	TPC L	71.43	1.46	-1.16	≤23.98	5.56	4.40	---	PASS
11AC80MIMO	total	5530	TPC L	---	---	3.72	≤19.54	10.44	14.16	---	PASS
11AC80MIMO	Ant1	5610	TPC H	71.43	1.46	1.62	≤23.98	5.63	7.25	---	PASS
11AC80MIMO	Ant2	5610	TPC H	70.00	1.55	2.42	≤23.98	5.80	8.22	---	PASS
11AC80MIMO	Ant3	5610	TPC H	71.43	1.46	2.71	≤23.98	5.56	8.27	---	PASS
11AC80MIMO	total	5610	TPC H	---	---	7.05	≤19.54	10.44	17.49	---	PASS
11AC80MIMO	Ant1	5610	TPC L	71.43	1.46	-2.12	≤23.98	5.63	3.51	---	PASS


11AC80MIMO	Ant2	5610	TPC_L	70.00	1.55	-1.48	≤23.98	5.80	4.32	---	PASS
11AC80MIMO	Ant3	5610	TPC_L	71.43	1.46	-1.84	≤23.98	5.56	3.72	---	PASS
11AC80MIMO	total	5610	TPC_L	---	---	2.97	≤19.54	10.44	13.41	---	PASS
11AC80MIMO	Ant1	5775	NA	71.43	1.46	2.40	≤30.00	5.63	8.03	---	PASS
11AC80MIMO	Ant2	5775	NA	71.43	1.46	2.31	≤30.00	5.80	8.11	---	PASS
11AC80MIMO	Ant3	5775	NA	70.00	1.55	3.35	≤30.00	5.56	8.91	---	PASS
11AC80MIMO	total	5775	NA	---	---	7.48	≤25.56	10.44	17.92	---	PASS
11AX20MIMO	Ant1	5180	NA	87.50	0.58	3.79	≤30.00	5.63	9.42	---	PASS
11AX20MIMO	Ant2	5180	NA	87.50	0.58	4.34	≤30.00	5.80	10.14	---	PASS
11AX20MIMO	Ant3	5180	NA	87.50	0.58	4.70	≤30.00	5.56	10.26	---	PASS
11AX20MIMO	total	5180	NA	---	---	9.06	≤25.56	10.44	19.50	---	PASS
11AX20MIMO	Ant1	5200	NA	87.50	0.58	3.50	≤30.00	5.63	9.13	---	PASS
11AX20MIMO	Ant2	5200	NA	87.50	0.58	4.34	≤30.00	5.80	10.14	---	PASS
11AX20MIMO	Ant3	5200	NA	87.50	0.58	4.63	≤30.00	5.56	10.19	---	PASS
11AX20MIMO	total	5200	NA	---	---	8.95	≤25.56	10.44	19.39	---	PASS
11AX20MIMO	Ant1	5240	NA	87.50	0.58	3.62	≤30.00	5.63	9.25	---	PASS
11AX20MIMO	Ant2	5240	NA	87.50	0.58	4.51	≤30.00	5.80	10.31	---	PASS
11AX20MIMO	Ant3	5240	NA	87.50	0.58	4.66	≤30.00	5.56	10.22	---	PASS
11AX20MIMO	total	5240	NA	---	---	9.06	≤25.56	10.44	19.50	---	PASS
11AX20MIMO	Ant1	5260	TPC_H	87.50	0.58	3.50	≤23.98	5.63	9.13	---	PASS
11AX20MIMO	Ant2	5260	TPC_H	87.50	0.58	4.30	≤23.98	5.80	10.10	---	PASS
11AX20MIMO	Ant3	5260	TPC_H	87.50	0.58	4.40	≤23.98	5.56	9.96	---	PASS
11AX20MIMO	total	5260	TPC_H	---	---	8.86	≤19.54	10.44	19.30	---	PASS
11AX20MIMO	Ant1	5260	TPC_L	87.50	0.58	-0.45	≤23.98	5.63	5.18	---	PASS
11AX20MIMO	Ant2	5260	TPC_L	87.50	0.58	0.32	≤23.98	5.80	6.12	---	PASS
11AX20MIMO	Ant3	5260	TPC_L	87.50	0.58	-0.38	≤23.98	5.56	5.18	---	PASS
11AX20MIMO	total	5260	TPC_L	---	---	4.62	≤19.54	10.44	15.06	---	PASS
11AX20MIMO	Ant1	5280	TPC_H	87.50	0.58	3.24	≤23.98	5.63	8.87	---	PASS
11AX20MIMO	Ant2	5280	TPC_H	87.50	0.58	4.20	≤23.98	5.80	10.00	---	PASS
11AX20MIMO	total	5280	TPC_H	---	---	8.63	≤19.54	10.44	19.07	---	PASS
11AX20MIMO	Ant3	5280	TPC_H	87.50	0.58	4.08	≤23.98	5.56	9.64	---	PASS
11AX20MIMO	Ant1	5280	TPC_L	87.50	0.58	-0.57	≤23.98	5.63	5.06	---	PASS
11AX20MIMO	Ant2	5280	TPC_L	87.50	0.58	-0.07	≤23.98	5.80	5.73	---	PASS
11AX20MIMO	Ant3	5280	TPC_L	87.50	0.58	-0.59	≤23.98	5.56	4.97	---	PASS
11AX20MIMO	total	5280	TPC_L	---	---	4.37	≤19.54	10.44	14.81	---	PASS
11AX20MIMO	Ant1	5320	TPC_H	87.50	0.58	2.63	≤23.98	5.63	8.26	---	PASS
11AX20MIMO	Ant2	5320	TPC_H	87.50	0.58	3.28	≤23.98	5.80	9.08	---	PASS
11AX20MIMO	Ant3	5320	TPC_H	87.50	0.58	3.37	≤23.98	5.56	8.93	---	PASS
11AX20MIMO	total	5320	TPC_H	---	---	7.88	≤19.54	10.44	18.32	---	PASS
11AX20MIMO	Ant1	5320	TPC_L	87.50	0.58	-1.26	≤23.98	5.63	4.37	---	PASS
11AX20MIMO	Ant2	5320	TPC_L	87.50	0.58	-0.86	≤23.98	5.80	4.94	---	PASS
11AX20MIMO	Ant3	5320	TPC_L	87.50	0.58	-1.20	≤23.98	5.56	4.36	---	PASS
11AX20MIMO	total	5320	TPC_L	---	---	3.67	≤19.54	10.44	14.11	---	PASS
11AX20MIMO	Ant1	5500	TPC_H	87.50	0.58	2.97	≤23.98	5.63	8.60	---	PASS
11AX20MIMO	Ant2	5500	TPC_H	87.50	0.58	3.34	≤23.98	5.80	9.14	---	PASS
11AX20MIMO	Ant3	5500	TPC_H	87.50	0.58	4.06	≤23.98	5.56	9.62	---	PASS
11AX20MIMO	total	5500	TPC_H	---	---	8.25	≤19.54	10.44	18.69	---	PASS
11AX20MIMO	Ant1	5500	TPC_L	87.50	0.58	-0.70	≤23.98	5.63	4.93	---	PASS
11AX20MIMO	Ant2	5500	TPC_L	87.50	0.58	-0.73	≤23.98	5.80	5.07	---	PASS
11AX20MIMO	Ant3	5500	TPC_L	87.50	0.58	-0.66	≤23.98	5.56	4.90	---	PASS
11AX20MIMO	total	5500	TPC_L	---	---	4.07	≤19.54	10.44	14.51	---	PASS
11AX20MIMO	Ant1	5580	TPC_H	87.50	0.58	2.72	≤23.98	5.63	8.35	---	PASS
11AX20MIMO	Ant2	5580	TPC_H	87.50	0.58	3.41	≤23.98	5.80	9.21	---	PASS
11AX20MIMO	Ant3	5580	TPC_H	87.50	0.58	3.77	≤23.98	5.56	9.33	---	PASS
11AX20MIMO	total	5580	TPC_H	---	---	8.09	≤19.54	10.44	18.53	---	PASS
11AX20MIMO	Ant1	5580	TPC_L	87.50	0.58	-1.05	≤23.98	5.63	4.58	---	PASS
11AX20MIMO	Ant2	5580	TPC_L	87.50	0.58	-0.50	≤23.98	5.80	5.30	---	PASS
11AX20MIMO	total	5580	TPC_L	---	---	4.00	≤19.54	10.44	14.44	---	PASS
11AX20MIMO	Ant3	5580	TPC_L	87.50	0.58	-0.79	≤23.98	5.56	4.77	---	PASS
11AX20MIMO	Ant1	5700	TPC_H	87.76	0.57	2.12	≤23.98	5.63	7.75	---	PASS
11AX20MIMO	Ant2	5700	TPC_H	87.50	0.58	1.91	≤23.98	5.80	7.71	---	PASS
11AX20MIMO	Ant3	5700	TPC_H	87.50	0.58	2.93	≤23.98	5.56	8.49	---	PASS
11AX20MIMO	total	5700	TPC_H	---	---	7.11	≤19.54	10.44	17.55	---	PASS
11AX20MIMO	Ant1	5700	TPC_L	87.76	0.57	-1.77	≤23.98	5.63	3.86	---	PASS
11AX20MIMO	Ant2	5700	TPC_L	87.50	0.58	-1.82	≤23.98	5.80	3.98	---	PASS
11AX20MIMO	Ant3	5700	TPC_L	87.50	0.58	-1.47	≤23.98	5.56	4.09	---	PASS
11AX20MIMO	total	5700	TPC_L	---	---	3.09	≤19.54	10.44	13.53	---	PASS
11AX20MIMO	Ant1	5745	NA	87.50	0.58	2.41	≤30.00	5.63	8.04	---	PASS
11AX20MIMO	Ant2	5745	NA	87.76	0.57	2.14	≤30.00	5.80	7.94	---	PASS
11AX20MIMO	Ant3	5745	NA	87.50	0.58	3.15	≤30.00	5.56	8.71	---	PASS
11AX20MIMO	total	5745	NA	---	---	7.36	≤25.56	10.44	17.80	---	PASS
11AX20MIMO	Ant1	5785	NA	87.50	0.58	3.35	≤30.00	5.63	8.98	---	PASS

11AX20MIMO	Ant2	5785	NA	87.76	0.57	3.16	≤30.00	5.80	8.96	---	PASS
11AX20MIMO	Ant3	5785	NA	87.50	0.58	4.10	≤30.00	5.56	9.66	---	PASS
11AX20MIMO	total	5785	NA	---	---	8.33	≤25.56	10.44	18.77	---	PASS
11AX20MIMO	Ant1	5825	NA	87.50	0.58	2.91	≤30.00	5.63	8.54	---	PASS
11AX20MIMO	Ant2	5825	NA	87.50	0.58	3.26	≤30.00	5.80	9.06	---	PASS
11AX20MIMO	Ant3	5825	NA	87.50	0.58	3.74	≤30.00	5.56	9.30	---	PASS
11AX20MIMO	total	5825	NA	---	---	8.09	≤25.56	10.44	18.53	---	PASS
11AX40MIMO	Ant1	5190	NA	87.50	0.58	3.92	≤30.00	5.63	9.55	---	PASS
11AX40MIMO	Ant2	5190	NA	87.50	0.58	4.69	≤30.00	5.80	10.49	---	PASS
11AX40MIMO	Ant3	5190	NA	87.50	0.58	5.04	≤30.00	5.56	10.60	---	PASS
11AX40MIMO	total	5190	NA	---	---	9.35	≤25.56	10.44	19.79	---	PASS
11AX40MIMO	Ant1	5230	NA	87.50	0.58	3.80	≤30.00	5.63	9.43	---	PASS
11AX40MIMO	Ant2	5230	NA	87.50	0.58	4.63	≤30.00	5.80	10.43	---	PASS
11AX40MIMO	Ant3	5230	NA	87.50	0.58	4.84	≤30.00	5.56	10.40	---	PASS
11AX40MIMO	total	5230	NA	---	---	9.22	≤25.56	10.44	19.66	---	PASS
11AX40MIMO	Ant1	5270	TPC H	87.50	0.58	3.37	≤23.98	5.63	9.00	---	PASS
11AX40MIMO	Ant2	5270	TPC H	87.50	0.58	4.39	≤23.98	5.80	10.19	---	PASS
11AX40MIMO	Ant3	5270	TPC H	87.50	0.58	4.55	≤23.98	5.56	10.11	---	PASS
11AX40MIMO	total	5270	TPC H	---	---	8.91	≤19.54	10.44	19.35	---	PASS
11AX40MIMO	Ant1	5270	TPC L	87.50	0.58	-0.44	≤23.98	5.63	5.19	---	PASS
11AX40MIMO	Ant2	5270	TPC L	87.50	0.58	0.19	≤23.98	5.80	5.99	---	PASS
11AX40MIMO	Ant3	5270	TPC L	87.50	0.58	-0.14	≤23.98	5.56	5.42	---	PASS
11AX40MIMO	total	5270	TPC L	---	---	4.65	≤19.54	10.44	15.09	---	PASS
11AX40MIMO	Ant1	5310	TPC H	87.50	0.58	2.81	≤23.98	5.63	8.44	---	PASS
11AX40MIMO	Ant2	5310	TPC H	87.50	0.58	3.45	≤23.98	5.80	9.25	---	PASS
11AX40MIMO	Ant3	5310	TPC H	87.50	0.58	3.56	≤23.98	5.56	9.12	---	PASS
11AX40MIMO	total	5310	TPC H	---	---	8.06	≤19.54	10.44	18.50	---	PASS
11AX40MIMO	Ant1	5310	TPC L	87.50	0.58	-0.84	≤23.98	5.63	4.79	---	PASS
11AX40MIMO	Ant2	5310	TPC L	87.50	0.58	-0.45	≤23.98	5.80	5.35	---	PASS
11AX40MIMO	Ant3	5310	TPC L	87.50	0.58	-1.04	≤23.98	5.56	4.52	---	PASS
11AX40MIMO	total	5310	TPC L	---	---	4.00	≤19.54	10.44	14.44	---	PASS
11AX40MIMO	Ant1	5510	TPC H	87.50	0.58	3.27	≤23.98	5.63	8.90	---	PASS
11AX40MIMO	Ant2	5510	TPC H	87.50	0.58	3.91	≤23.98	5.80	9.71	---	PASS
11AX40MIMO	Ant3	5510	TPC H	87.50	0.58	4.35	≤23.98	5.56	9.91	---	PASS
11AX40MIMO	total	5510	TPC H	---	---	8.64	≤19.54	10.44	19.08	---	PASS
11AX40MIMO	Ant1	5510	TPC L	87.50	0.58	-0.62	≤23.98	5.63	5.01	---	PASS
11AX40MIMO	Ant2	5510	TPC L	87.50	0.58	0.06	≤23.98	5.80	5.86	---	PASS
11AX40MIMO	Ant3	5510	TPC L	87.50	0.58	-0.35	≤23.98	5.56	5.21	---	PASS
11AX40MIMO	total	5510	TPC L	---	---	4.48	≤19.54	10.44	14.92	---	PASS
11AX40MIMO	Ant1	5550	TPC H	87.50	0.58	2.90	≤23.98	5.63	8.53	---	PASS
11AX40MIMO	Ant2	5550	TPC H	87.50	0.58	3.59	≤23.98	5.80	9.39	---	PASS
11AX40MIMO	Ant3	5550	TPC H	87.50	0.58	3.95	≤23.98	5.56	9.51	---	PASS
11AX40MIMO	total	5550	TPC H	---	---	8.27	≤19.54	10.44	18.71	---	PASS
11AX40MIMO	Ant1	5550	TPC L	87.50	0.58	-0.81	≤23.98	5.63	4.82	---	PASS
11AX40MIMO	Ant2	5550	TPC L	87.50	0.58	-0.27	≤23.98	5.80	5.53	---	PASS
11AX40MIMO	Ant3	5550	TPC L	87.50	0.58	-0.38	≤23.98	5.56	5.18	---	PASS
11AX40MIMO	total	5550	TPC L	---	---	4.29	≤19.54	10.44	14.73	---	PASS
11AX40MIMO	Ant1	5670	TPC H	87.50	0.58	2.01	≤23.98	5.63	7.64	---	PASS
11AX40MIMO	Ant2	5670	TPC H	87.50	0.58	2.24	≤23.98	5.80	8.04	---	PASS
11AX40MIMO	Ant3	5670	TPC H	87.50	0.58	2.98	≤23.98	5.56	8.54	---	PASS
11AX40MIMO	total	5670	TPC H	---	---	7.20	≤19.54	10.44	17.64	---	PASS
11AX40MIMO	Ant1	5670	TPC L	87.50	0.58	-1.90	≤23.98	5.63	3.73	---	PASS
11AX40MIMO	Ant2	5670	TPC L	87.50	0.58	-1.51	≤23.98	5.80	4.29	---	PASS
11AX40MIMO	Ant3	5670	TPC L	87.50	0.58	-1.29	≤23.98	5.56	4.27	---	PASS
11AX40MIMO	total	5670	TPC L	---	---	3.21	≤19.54	10.44	13.65	---	PASS
11AX40MIMO	Ant1	5755	NA	87.50	0.58	2.64	≤30.00	5.63	8.27	---	PASS
11AX40MIMO	Ant2	5755	NA	87.50	0.58	2.45	≤30.00	5.80	8.25	---	PASS
11AX40MIMO	Ant3	5755	NA	87.50	0.58	3.44	≤30.00	5.56	9.00	---	PASS
11AX40MIMO	total	5755	NA	---	---	7.64	≤25.56	10.44	18.08	---	PASS
11AX40MIMO	Ant1	5795	NA	87.50	0.58	3.39	≤30.00	5.63	9.02	---	PASS
11AX40MIMO	Ant2	5795	NA	87.50	0.58	3.22	≤30.00	5.80	9.02	---	PASS
11AX40MIMO	Ant3	5795	NA	87.50	0.58	4.17	≤30.00	5.56	9.73	---	PASS
11AX40MIMO	total	5795	NA	---	---	8.38	≤25.56	10.44	18.82	---	PASS
11AX80MIMO	Ant1	5210	NA	87.23	0.59	3.17	≤30.00	5.63	8.80	---	PASS
11AX80MIMO	Ant2	5210	NA	87.23	0.59	4.02	≤30.00	5.80	9.82	---	PASS
11AX80MIMO	Ant3	5210	NA	87.23	0.59	4.32	≤30.00	5.56	9.88	---	PASS
11AX80MIMO	total	5210	NA	---	---	8.63	≤25.56	10.44	19.07	---	PASS
11AX80MIMO	Ant1	5290	TPC H	87.23	0.59	2.22	≤23.98	5.63	7.85	---	PASS
11AX80MIMO	Ant2	5290	TPC H	87.23	0.59	3.15	≤23.98	5.80	8.95	---	PASS
11AX80MIMO	Ant3	5290	TPC H	87.23	0.59	3.22	≤23.98	5.56	8.78	---	PASS
11AX80MIMO	total	5290	TPC H	---	---	7.66	≤19.54	10.44	18.10	---	PASS
11AX80MIMO	Ant1	5290	TPC L	87.23	0.59	-1.36	≤23.98	5.63	4.27	---	PASS


11AX80MIMO	Ant2	5290	TPC_L	87.23	0.59	-0.79	≤23.98	5.80	5.01	---	PASS
11AX80MIMO	Ant3	5290	TPC_L	87.23	0.59	-1.52	≤23.98	5.56	4.04	---	PASS
11AX80MIMO	total	5290	TPC_L	---	---	3.56	≤19.54	10.44	14.00	---	PASS
11AX80MIMO	Ant1	5530	TPC_H	87.23	0.59	2.76	≤23.98	5.63	8.39	---	PASS
11AX80MIMO	Ant2	5530	TPC_H	87.23	0.59	3.45	≤23.98	5.80	9.25	---	PASS
11AX80MIMO	Ant3	5530	TPC_H	87.23	0.59	3.91	≤23.98	5.56	9.47	---	PASS
11AX80MIMO	total	5530	TPC_H	---	---	8.17	≤19.54	10.44	18.61	---	PASS
11AX80MIMO	Ant1	5530	TPC_L	87.23	0.59	-1.09	≤23.98	5.63	4.54	---	PASS
11AX80MIMO	Ant2	5530	TPC_L	87.23	0.59	-0.43	≤23.98	5.80	5.37	---	PASS
11AX80MIMO	total	5530	TPC_L	---	---	4.00	≤19.54	10.44	14.44	---	PASS
11AX80MIMO	Ant3	5530	TPC_L	87.23	0.59	-0.81	≤23.98	5.56	4.75	---	PASS
11AX80MIMO	Ant1	5610	TPC_H	87.23	0.59	2.02	≤23.98	5.63	7.65	---	PASS
11AX80MIMO	Ant2	5610	TPC_H	87.23	0.59	2.69	≤23.98	5.80	8.49	---	PASS
11AX80MIMO	Ant3	5610	TPC_H	87.23	0.59	3.11	≤23.98	5.56	8.67	---	PASS
11AX80MIMO	total	5610	TPC_H	---	---	7.40	≤19.54	10.44	17.84	---	PASS
11AX80MIMO	Ant1	5610	TPC_L	87.23	0.59	-1.76	≤23.98	5.63	3.87	---	PASS
11AX80MIMO	Ant2	5610	TPC_L	87.23	0.59	-1.25	≤23.98	5.80	4.55	---	PASS
11AX80MIMO	Ant3	5610	TPC_L	87.23	0.59	-1.47	≤23.98	5.56	4.09	---	PASS
11AX80MIMO	total	5610	TPC_L	---	---	3.28	≤19.54	10.44	13.72	---	PASS
11AX80MIMO	Ant1	5775	NA	87.23	0.59	2.83	≤30.00	5.63	8.46	---	PASS
11AX80MIMO	Ant2	5775	NA	87.23	0.59	2.90	≤30.00	5.80	8.70	---	PASS
11AX80MIMO	Ant3	5775	NA	87.23	0.59	3.69	≤30.00	5.56	9.25	---	PASS
11AX80MIMO	total	5775	NA	---	---	7.93	≤25.56	10.44	18.37	---	PASS

Output Power Test Graphs







11A-Ant3-5180-PASS




11A-Ant1-5200-PASS




11A-Ant2-5200-PASS




11A-Ant3-5200-PASS




11A-Ant1-5240-PASS




11A-Ant2-5240-PASS




11A-Ant3-5240-PASS




11A-Ant1-5260-TPC_H-PASS




11A-Ant2-5260-TPC_H-PASS




11A-Ant3-5260-TPC_H-PASS




11A-Ant1-5260-TPC_L-PASS




11A-Ant2-5260-TPC_L-PASS




11A-Ant3-5260-TPC_L-PASS




11A-Ant1-5280-TPC_H-PASS




11A-Ant2-5280-TPC_H-PASS




11A-Ant3-5280-TPC_H-PASS




11A-Ant1-5280-TPC_L-PASS




11A-Ant2-5280-TPC_L-PASS




11A-Ant3-5280-TPC_L-PASS




11A-Ant1-5320-TPC_H-PASS




11A-Ant2-5320-TPC_H-PASS




11A-Ant3-5320-TPC_H-PASS




11A-Ant1-5320-TPC_L-PASS




11A-Ant2-5320-TPC_L-PASS




11A-Ant3-5320-TPC_L-PASS




11A-Ant1-5500-TPC_H-PASS




11A-Ant2-5500-TPC_H-PASS




11A-Ant3-5500-TPC_H-PASS




11A-Ant1-5500-TPC_L-PASS




11A-Ant2-5500-TPC_L-PASS




11A-Ant3-5500-TPC_L-PASS




11A-Ant1-5580-TPC_H-PASS




11A-Ant2-5580-TPC_H-PASS




11A-Ant3-5580-TPC_H-PASS




11A-Ant1-5580-TPC_L-PASS




11A-Ant2-5580-TPC_L-PASS




11A-Ant3-5580-TPC_L-PASS




11A-Ant1-5700-TPC_H-PASS




11A-Ant2-5700-TPC_H-PASS




11A-Ant3-5700-TPC_H-PASS




11A-Ant1-5700-TPC_L-PASS




11A-Ant2-5700-TPC_L-PASS




11A-Ant3-5700-TPC_L-PASS




11A-Ant1-5745-PASS




11A-Ant2-5745-PASS




11A-Ant3-5745-PASS




11A-Ant1-5785-PASS




11A-Ant2-5785-PASS




11A-Ant3-5785-PASS




11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11A-Ant3-5825-PASS




11N20MIMO-Ant1-5180-PASS



11N20MIMO-Ant2-5180-PASS



11N20MIMO-Ant3-5180-PASS



11N20MIMO-Ant1-5200-PASS