






11AC40SISO_Ant2_Low_5755_Peak




11AC40SISO_Ant2_High_5795_Peak






11AC80SISO_Ant2_Low_5775_Peak



11AC80SISO_Ant2_High_5775_Peak





ANT3

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant3	Low	5745	Peak	5650.000	-40.293	≤-27.00	---	---	PASS
				Peak	5700.000	-39.68	≤10.00	---	---	PASS
				Peak	5720.000	-34.34	≤15.60	---	---	PASS
				Peak	5725.000	-35.1	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-36.073	≤15.60	---	---	PASS
				Peak	5855.000	-38.6	≤27.00	---	---	PASS
				Peak	5875.000	-40.32	≤15.60	---	---	PASS
				Peak	5925.000	-40.52	≤10.00	---	---	PASS
11N20SISO	Ant3	Low	5745	Peak	5650.000	-42.105	≤-27.00	---	---	PASS
				Peak	5700.000	-40.53	≤10.00	---	---	PASS
				Peak	5720.000	-35.7	≤15.60	---	---	PASS
				Peak	5725.000	-30.11	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-33.444	≤15.60	---	---	PASS
				Peak	5855.000	-38.49	≤27.00	---	---	PASS
				Peak	5875.000	-40.03	≤15.60	---	---	PASS
				Peak	5925.000	-39.2	≤10.00	---	---	PASS
11N40SISO	Ant3	Low	5755	Peak	5650.000	-40.843	≤-27.00	---	---	PASS
				Peak	5700.000	-39.79	≤10.00	---	---	PASS
				Peak	5720.000	-30.21	≤15.60	---	---	PASS
				Peak	5725.000	-28.06	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-33.82	≤15.60	---	---	PASS
				Peak	5855.000	-40.75	≤27.00	---	---	PASS
				Peak	5875.000	-39.5	≤15.60	---	---	PASS
				Peak	5925.000	-39.48	≤10.00	---	---	PASS
11AC20SISO	Ant3	Low	5745	Peak	5650.000	-41.485	≤-27.00	---	---	PASS
				Peak	5700.000	-40.6	≤10.00	---	---	PASS
				Peak	5720.000	-38.04	≤15.60	---	---	PASS
				Peak	5725.000	-35.48	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-34.027	≤15.60	---	---	PASS
				Peak	5855.000	-37.73	≤27.00	---	---	PASS
				Peak	5875.000	-38.65	≤15.60	---	---	PASS
				Peak	5925.000	-40.5	≤10.00	---	---	PASS
11AC40SISO	Ant3	Low	5755	Peak	5650.000	-40.228	≤-27.00	---	---	PASS
				Peak	5700.000	-39.47	≤10.00	---	---	PASS
				Peak	5720.000	-30.82	≤15.60	---	---	PASS
				Peak	5725.000	-19.68	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-38.741	≤15.60	---	---	PASS
				Peak	5855.000	-35.87	≤27.00	---	---	PASS
				Peak	5875.000	-40.45	≤15.60	---	---	PASS
				Peak	5925.000	-41.05	≤10.00	---	---	PASS



11AC80SI SO	Ant3	Low	5775	Peak	5650.000	-40.88	≤-27.00	---	---	PASS
				Peak	5700.000	-32.33	≤10.00	---	---	PASS
				Peak	5720.000	-24.4	≤15.60	---	---	PASS
				Peak	5725.000	-26.59	≤27.00	- - -	- - -	PASS
		High	5775	Peak	5850.000	-27.99	≤15.60	---	---	PASS
				Peak	5855.000	-30.63	≤27.00	---	---	PASS
				Peak	5875.000	-38.5	≤15.60	---	---	PASS
				Peak	5925.000	-39.99	≤10.00	- - -	- - -	PASS


Note:

5. The Antenna Gain is compensated in the graph.
6. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11A_Ant3_Low_5745_Peak




11A_Ant3_High_5825_Peak




11N20SISO_Ant3_Low_5745_Peak



11N20SISO_Ant3_High_5825_Peak




11N40SISO_Ant3_Low_5755_Peak







11N40SISO_Ant3_High_5795_Peak




11AC20SISO_Ant3_Low_5745_Peak




11AC20SISO_Ant3_High_5825_Peak



11AC40SISO_Ant3_Low_5755_Peak




11AC40SISO_Ant3_High_5795_Peak






11AC80SISO_Ant3_Low_5775_Peak



11AC80SISO_Ant3_High_5775_Peak



ANT4

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant4	Low	5745	Peak	5650.000	-41.131	≤-27.00	---	---	PASS
				Peak	5700.000	-40.9	≤10.00	---	---	PASS
				Peak	5720.000	-33.6	≤15.60	---	---	PASS
				Peak	5725.000	-35.4	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-36.558	≤15.60	---	---	PASS
				Peak	5855.000	-39.38	≤27.00	---	---	PASS
				Peak	5875.000	-39.64	≤15.60	---	---	PASS
				Peak	5925.000	-40.72	≤10.00	---	---	PASS
11N20SIS O	Ant4	Low	5745	Peak	5650.000	-40.714	≤-27.00	---	---	PASS
				Peak	5700.000	-41.52	≤10.00	---	---	PASS
				Peak	5720.000	-34.81	≤15.60	---	---	PASS



		High	5825	Peak	5725.000	-29.31	≤27.00	- - -	- - -	PASS
				Peak	5850.000	-28.226	≤15.60	---	---	PASS
				Peak	5855.000	-34.71	≤27.00	---	---	PASS
				Peak	5875.000	-40.67	≤15.60	---	---	PASS
				Peak	5925.000	-40.47	≤10.00	- - -	- - -	PASS
11N40SISO	Ant4	Low	5755	Peak	5650.000	-40.77	≤-27.00	---	---	PASS
				Peak	5700.000	-38.21	≤10.00	---	---	PASS
				Peak	5720.000	-24.07	≤15.60	---	---	PASS
				Peak	5725.000	-31.27	≤27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	-38.933	≤15.60	---	---	PASS
				Peak	5855.000	-40.48	≤27.00	---	---	PASS
				Peak	5875.000	-40.92	≤15.60	---	---	PASS
				Peak	5925.000	-39.93	≤10.00	- - -	- - -	PASS
11AC20SISO	Ant4	Low	5745	Peak	5650.000	-40.369	≤-27.00	---	---	PASS
				Peak	5700.000	-39.63	≤10.00	---	---	PASS
				Peak	5720.000	-34.11	≤15.60	---	---	PASS
				Peak	5725.000	-36.57	≤27.00	- - -	- - -	PASS
		High	5825	Peak	5850.000	-35.822	≤15.60	---	---	PASS
				Peak	5855.000	-39.9	≤27.00	---	---	PASS
				Peak	5875.000	-40.08	≤15.60	---	---	PASS
				Peak	5925.000	-39.34	≤10.00	- - -	- - -	PASS
11AC40SISO	Ant4	Low	5755	Peak	5650.000	-40.75	≤-27.00	---	---	PASS
				Peak	5700.000	-39.99	≤10.00	---	---	PASS
				Peak	5720.000	-35.32	≤15.60	---	---	PASS
				Peak	5725.000	-28.29	≤27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	-37.945	≤15.60	---	---	PASS
				Peak	5855.000	-39.61	≤27.00	---	---	PASS
				Peak	5875.000	-39.34	≤15.60	---	---	PASS
				Peak	5925.000	-37.43	≤10.00	- - -	- - -	PASS
11AC80SISO	Ant4	Low	5775	Peak	5650.000	-41.316	≤-27.00	---	---	PASS
				Peak	5700.000	-40.89	≤10.00	---	---	PASS
				Peak	5720.000	-38.12	≤15.60	---	---	PASS
				Peak	5725.000	-39.47	≤27.00	- - -	- - -	PASS
		High	5775	Peak	5850.000	-37.112	≤15.60	---	---	PASS
				Peak	5855.000	-37.2	≤27.00	---	---	PASS
				Peak	5875.000	-39.63	≤15.60	---	---	PASS
				Peak	5925.000	-39.84	≤10.00	- - -	- - -	PASS


Note:

- The Antenna Gain is compensated in the graph.
- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11A_Ant4_Low_5745_Peak




11A_Ant4_High_5825_Peak




11N20SISO_Ant4_Low_5745_Peak



11N20SISO_Ant4_High_5825_Peak




11N40SISO_Ant4_Low_5755_Peak







11N40SISO_Ant4_High_5795_Peak




11AC20SISO_Ant4_Low_5745_Peak




11AC20SISO_Ant4_High_5825_Peak



11AC40SISO_Ant4_Low_5755_Peak




11AC40SISO_Ant4_High_5795_Peak






11AC80SISO_Ant4_Low_5775_Peak



11AC80SISO_Ant4_High_5775_Peak





C.5 Frequency Stability

Test Result

ANT1

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant1	5745	NV	NT	-12000	-2.088773	20	PASS
			LV	NT	-17000	-2.959095	20	PASS
			HV	NT	-18000	-3.133159	20	PASS
		5785	NV	NT	-18000	-3.111495	20	PASS
			LV	NT	-19000	-3.284356	20	PASS
			HV	NT	-20000	-3.457217	20	PASS
		5825	NV	NT	-18000	-3.090129	20	PASS
			LV	NT	-19000	-3.261803	20	PASS
			HV	NT	-20000	-3.433476	20	PASS
11AC40S ISO	Ant1	5755	NV	NT	-17000	-2.953953	20	PASS
			LV	NT	-19000	-3.301477	20	PASS
			HV	NT	-19000	-3.301477	20	PASS
		5795	NV	NT	-17000	-2.933563	20	PASS
			LV	NT	-19000	-3.278689	20	PASS
			HV	NT	-19000	-3.278689	20	PASS
11AC80S ISO	Ant1	5775	NV	NT	-19000	-3.290043	20	PASS
			LV	NT	-19000	-3.290043	20	PASS
			HV	NT	-19000	-3.290043	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant1	5745	NV	-30	-19000	-3.307224	20	PASS
			NV	-20	-19000	-3.307224	20	PASS
			NV	-10	-19000	-3.307224	20	PASS
			NV	0	-19000	-3.307224	20	PASS
			NV	10	-19000	-3.307224	20	PASS
			NV	20	-20000	-3.481288	20	PASS
			NV	30	-20000	-3.481288	20	PASS
			NV	40	-20000	-3.481288	20	PASS
			NV	50	-19000	-3.307224	20	PASS
		5785	NV	-30	-20000	-3.457217	20	PASS
			NV	-20	-20000	-3.457217	20	PASS
			NV	-10	-20000	-3.457217	20	PASS
			NV	0	-20000	-3.457217	20	PASS
			NV	0	-20000	-3.457217	20	PASS



			NV	10	-20000	-3.457217	20	PASS
			NV	20	-20000	-3.457217	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-20000	-3.457217	20	PASS
			NV	50	-20000	-3.457217	20	PASS
		5825	NV	-30	-19000	-3.261803	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-20000	-3.433476	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-20000	-3.433476	20	PASS
			NV	30	-20000	-3.433476	20	PASS
			NV	40	-20000	-3.433476	20	PASS
			NV	50	-19000	-3.261803	20	PASS
11AC40S ISO	Ant1	5755	NV	-30	-19000	-3.301477	20	PASS
			NV	-20	-19000	-3.301477	20	PASS
			NV	-10	-19000	-3.301477	20	PASS
			NV	0	-19000	-3.301477	20	PASS
			NV	10	-19000	-3.301477	20	PASS
			NV	20	-19000	-3.301477	20	PASS
			NV	30	-19000	-3.301477	20	PASS
			NV	40	-19000	-3.301477	20	PASS
			NV	50	-19000	-3.301477	20	PASS
		5795	NV	-30	-19000	-3.278689	20	PASS
			NV	-20	-19000	-3.278689	20	PASS
			NV	-10	-19000	-3.278689	20	PASS
			NV	0	-19000	-3.278689	20	PASS
			NV	10	-19000	-3.278689	20	PASS
			NV	20	-19000	-3.278689	20	PASS
			NV	30	-19000	-3.278689	20	PASS
			NV	40	-19000	-3.278689	20	PASS
			NV	50	-19000	-3.278689	20	PASS
11AC80S ISO	Ant1	5775	NV	-30	-19000	-3.290043	20	PASS
			NV	-20	-19000	-3.290043	20	PASS
			NV	-10	-19000	-3.290043	20	PASS
			NV	0	-19000	-3.290043	20	PASS
			NV	10	-19000	-3.290043	20	PASS
			NV	20	-19000	-3.290043	20	PASS
			NV	30	-19000	-3.290043	20	PASS
			NV	40	-19000	-3.290043	20	PASS
			NV	50	-19000	-3.290043	20	PASS



ANT2

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant2	5745	NV	NT	-13000	-2.262837	20	PASS
			LV	NT	-17000	-2.959095	20	PASS
			HV	NT	-18000	-3.133159	20	PASS
		5785	NV	NT	-18000	-3.111495	20	PASS
			LV	NT	-19000	-3.284356	20	PASS
			HV	NT	-19000	-3.284356	20	PASS
		5825	NV	NT	-18000	-3.090129	20	PASS
			LV	NT	-19000	-3.261803	20	PASS
			HV	NT	-19000	-3.261803	20	PASS
11AC40S ISO	Ant2	5755	NV	NT	-18000	-3.127715	20	PASS
			LV	NT	-19000	-3.301477	20	PASS
			HV	NT	-19000	-3.301477	20	PASS
		5795	NV	NT	-17000	-2.933563	20	PASS
			LV	NT	-19000	-3.278689	20	PASS
			HV	NT	-19000	-3.278689	20	PASS
11AC80S ISO	Ant2	5775	NV	NT	-17000	-2.943723	20	PASS
			LV	NT	-19000	-3.290043	20	PASS
			HV	NT	-19000	-3.290043	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant2	5745	NV	-30	-18000	-3.133159	20	PASS
			NV	-20	-19000	-3.307224	20	PASS
			NV	-10	-19000	-3.307224	20	PASS
			NV	0	-19000	-3.307224	20	PASS
			NV	10	-19000	-3.307224	20	PASS
			NV	20	-19000	-3.307224	20	PASS
			NV	30	-19000	-3.307224	20	PASS
			NV	40	-19000	-3.307224	20	PASS
			NV	50	-19000	-3.307224	20	PASS
		5785	NV	-30	-19000	-3.284356	20	PASS
			NV	-20	-19000	-3.284356	20	PASS
			NV	-10	-19000	-3.284356	20	PASS
			NV	0	-19000	-3.284356	20	PASS
			NV	10	-19000	-3.284356	20	PASS
			NV	20	-19000	-3.284356	20	PASS
			NV	30	-19000	-3.284356	20	PASS
			NV	40	-19000	-3.284356	20	PASS



			NV	50	-19000	-3.284356	20	PASS
		5825	NV	-30	-19000	-3.261803	20	PASS
			NV	-20	-19000	-3.261803	20	PASS
			NV	-10	-19000	-3.261803	20	PASS
			NV	0	-19000	-3.261803	20	PASS
			NV	10	-19000	-3.261803	20	PASS
			NV	20	-19000	-3.261803	20	PASS
			NV	30	-19000	-3.261803	20	PASS
			NV	40	-19000	-3.261803	20	PASS
			NV	50	-19000	-3.261803	20	PASS
11AC40S ISO	Ant2	5755	NV	-30	-19000	-3.301477	20	PASS
			NV	-20	-19000	-3.301477	20	PASS
			NV	-10	-19000	-3.301477	20	PASS
			NV	0	-19000	-3.301477	20	PASS
			NV	10	-19000	-3.301477	20	PASS
			NV	20	-19000	-3.301477	20	PASS
			NV	30	-19000	-3.301477	20	PASS
			NV	40	-19000	-3.301477	20	PASS
			NV	50	-19000	-3.301477	20	PASS
		5795	NV	-30	-19000	-3.278689	20	PASS
			NV	-20	-19000	-3.278689	20	PASS
			NV	-10	-19000	-3.278689	20	PASS
			NV	0	-19000	-3.278689	20	PASS
			NV	10	-19000	-3.278689	20	PASS
			NV	20	-19000	-3.278689	20	PASS
			NV	30	-19000	-3.278689	20	PASS
			NV	40	-19000	-3.278689	20	PASS
			NV	50	-19000	-3.278689	20	PASS
11AC80S ISO	Ant2	5775	NV	-30	-19000	-3.290043	20	PASS
			NV	-20	-19000	-3.290043	20	PASS
			NV	-10	-19000	-3.290043	20	PASS
			NV	0	-19000	-3.290043	20	PASS
			NV	10	-19000	-3.290043	20	PASS
			NV	20	-19000	-3.290043	20	PASS
			NV	30	-19000	-3.290043	20	PASS
			NV	40	-19000	-3.290043	20	PASS
			NV	50	-19000	-3.290043	20	PASS



ANT3

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant3	5745	NV	NT	-7000	-1.218451	20	PASS
			LV	NT	-14000	-2.436902	20	PASS
			HV	NT	-16000	-2.78503	20	PASS
		5785	NV	NT	-15000	-2.592913	20	PASS
			LV	NT	-17000	-2.938634	20	PASS
			HV	NT	-18000	-3.111495	20	PASS
		5825	NV	NT	-17000	-2.918455	20	PASS
			LV	NT	-19000	-3.261803	20	PASS
			HV	NT	-19000	-3.261803	20	PASS
11AC40S ISO	Ant3	5755	NV	NT	-16000	-2.780191	20	PASS
			LV	NT	-18000	-3.127715	20	PASS
			HV	NT	-19000	-3.301477	20	PASS
		5795	NV	NT	-18000	-3.106126	20	PASS
			LV	NT	-19000	-3.278689	20	PASS
			HV	NT	-19000	-3.278689	20	PASS
11AC80S ISO	Ant3	5775	NV	NT	-17000	-2.943723	20	PASS
			LV	NT	-19000	-3.290043	20	PASS
			HV	NT	-19000	-3.290043	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant3	5745	NV	-30	-16000	-2.78503	20	PASS
			NV	-20	-17000	-2.959095	20	PASS
			NV	-10	-17000	-2.959095	20	PASS
			NV	0	-18000	-3.133159	20	PASS
			NV	10	-18000	-3.133159	20	PASS
			NV	20	-18000	-3.133159	20	PASS
			NV	30	-18000	-3.133159	20	PASS
			NV	40	-18000	-3.133159	20	PASS
			NV	50	-18000	-3.133159	20	PASS
		5785	NV	-30	-18000	-3.111495	20	PASS
			NV	-20	-18000	-3.111495	20	PASS
			NV	-10	-18000	-3.111495	20	PASS
			NV	0	-18000	-3.111495	20	PASS
			NV	10	-18000	-3.111495	20	PASS
			NV	20	-19000	-3.284356	20	PASS
			NV	30	-18000	-3.111495	20	PASS
			NV	40	-19000	-3.284356	20	PASS



		5825	NV	50	-19000	-3.284356	20	PASS
			NV	-30	-19000	-3.261803	20	PASS
			NV	-20	-19000	-3.261803	20	PASS
			NV	-10	-19000	-3.261803	20	PASS
			NV	0	-19000	-3.261803	20	PASS
			NV	10	-19000	-3.261803	20	PASS
			NV	20	-19000	-3.261803	20	PASS
			NV	30	-19000	-3.261803	20	PASS
			NV	40	-19000	-3.261803	20	PASS
			NV	50	-19000	-3.261803	20	PASS
11AC40S ISO	Ant3	5755	NV	-30	-19000	-3.301477	20	PASS
			NV	-20	-19000	-3.301477	20	PASS
			NV	-10	-19000	-3.301477	20	PASS
			NV	0	-19000	-3.301477	20	PASS
			NV	10	-19000	-3.301477	20	PASS
			NV	20	-19000	-3.301477	20	PASS
			NV	30	-19000	-3.301477	20	PASS
			NV	40	-19000	-3.301477	20	PASS
			NV	50	-19000	-3.301477	20	PASS
		5795	NV	-30	-19000	-3.278689	20	PASS
			NV	-20	-19000	-3.278689	20	PASS
			NV	-10	-19000	-3.278689	20	PASS
			NV	0	-19000	-3.278689	20	PASS
			NV	10	-19000	-3.278689	20	PASS
			NV	20	-19000	-3.278689	20	PASS
			NV	30	-19000	-3.278689	20	PASS
			NV	40	-19000	-3.278689	20	PASS
			NV	50	-19000	-3.278689	20	PASS
11AC80S ISO	Ant3	5775	NV	-30	-19000	-3.290043	20	PASS
			NV	-20	-19000	-3.290043	20	PASS
			NV	-10	-19000	-3.290043	20	PASS
			NV	0	-19000	-3.290043	20	PASS
			NV	10	-19000	-3.290043	20	PASS
			NV	20	-19000	-3.290043	20	PASS
			NV	30	-19000	-3.290043	20	PASS
			NV	40	-19000	-3.290043	20	PASS
			NV	50	-19000	-3.290043	20	PASS

ANT4

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant4	5745	NV	NT	-14000	-2.436902	20	PASS
			LV	NT	-17000	-2.959095	20	PASS



		5785	HV	NT	-18000	-3.133159	20	PASS
			NV	NT	-17000	-2.938634	20	PASS
			LV	NT	-19000	-3.284356	20	PASS
			HV	NT	-19000	-3.284356	20	PASS
		5825	NV	NT	-17000	-2.918455	20	PASS
			LV	NT	-19000	-3.261803	20	PASS
			HV	NT	-19000	-3.261803	20	PASS
11AC40S ISO	Ant4	5755	NV	NT	-16000	-2.780191	20	PASS
			LV	NT	-19000	-3.301477	20	PASS
			HV	NT	-19000	-3.301477	20	PASS
		5795	NV	NT	-18000	-3.106126	20	PASS
			LV	NT	-19000	-3.278689	20	PASS
			HV	NT	-19000	-3.278689	20	PASS
11AC80S ISO	Ant4	5775	NV	NT	-18000	-3.116883	20	PASS
			LV	NT	-19000	-3.290043	20	PASS
			HV	NT	-19000	-3.290043	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20S ISO	Ant4	5745	NV	-30	-19000	-3.307224	20	PASS
			NV	-20	-19000	-3.307224	20	PASS
			NV	-10	-19000	-3.307224	20	PASS
			NV	0	-19000	-3.307224	20	PASS
			NV	10	-19000	-3.307224	20	PASS
			NV	20	-19000	-3.307224	20	PASS
			NV	30	-19000	-3.307224	20	PASS
			NV	40	-19000	-3.307224	20	PASS
			NV	50	-19000	-3.307224	20	PASS
		5785	NV	-30	-19000	-3.284356	20	PASS
			NV	-20	-19000	-3.284356	20	PASS
			NV	-10	-19000	-3.284356	20	PASS
			NV	0	-19000	-3.284356	20	PASS
			NV	10	-19000	-3.284356	20	PASS
			NV	20	-19000	-3.284356	20	PASS
			NV	30	-19000	-3.284356	20	PASS
			NV	40	-19000	-3.284356	20	PASS
			NV	50	-19000	-3.284356	20	PASS
		5825	NV	-30	-19000	-3.261803	20	PASS
			NV	-20	-19000	-3.261803	20	PASS
			NV	-10	-19000	-3.261803	20	PASS
			NV	0	-19000	-3.261803	20	PASS
			NV	10	-19000	-3.261803	20	PASS



			NV	20	-19000	-3.261803	20	PASS
			NV	30	-19000	-3.261803	20	PASS
			NV	40	-19000	-3.261803	20	PASS
			NV	50	-19000	-3.261803	20	PASS
11AC40S ISO	Ant4	5755	NV	-30	-19000	-3.301477	20	PASS
			NV	-20	-19000	-3.301477	20	PASS
			NV	-10	-19000	-3.301477	20	PASS
			NV	0	-19000	-3.301477	20	PASS
			NV	10	-19000	-3.301477	20	PASS
			NV	20	-19000	-3.301477	20	PASS
			NV	30	-19000	-3.301477	20	PASS
			NV	40	-19000	-3.301477	20	PASS
			NV	50	-19000	-3.301477	20	PASS
		5795	NV	-30	-19000	-3.278689	20	PASS
			NV	-20	-19000	-3.278689	20	PASS
			NV	-10	-19000	-3.278689	20	PASS
			NV	0	-19000	-3.278689	20	PASS
			NV	10	-19000	-3.278689	20	PASS
			NV	20	-19000	-3.278689	20	PASS
			NV	30	-19000	-3.278689	20	PASS
			NV	40	-19000	-3.278689	20	PASS
			NV	50	-19000	-3.278689	20	PASS
11AC80S ISO	Ant4	5775	NV	-30	-19000	-3.290043	20	PASS
			NV	-20	-19000	-3.290043	20	PASS
			NV	-10	-19000	-3.290043	20	PASS
			NV	0	-19000	-3.290043	20	PASS
			NV	10	-19000	-3.290043	20	PASS
			NV	20	-19000	-3.290043	20	PASS
			NV	30	-19000	-3.290043	20	PASS
			NV	40	-19000	-3.290043	20	PASS
			NV	50	-19000	-3.290043	20	PASS



C.6 Duty Cycle

Test Result

ANT1

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5745	1.36	1.86	73.12	---	PASS
		5785	1.36	1.86	73.12	---	PASS
		5825	1.36	1.87	72.73	---	PASS
11N20SISO	Ant1	5745	1.27	1.78	71.35	---	PASS
		5785	1.27	1.77	71.75	---	PASS
		5825	1.27	1.77	71.75	---	PASS
11N40SISO	Ant1	5755	0.63	1.14	55.26	---	PASS
		5795	0.63	1.14	55.26	---	PASS
11AC20SISO	Ant1	5745	1.27	1.77	71.75	---	PASS
		5785	1.27	1.77	71.75	---	PASS
		5825	1.27	1.78	71.35	---	PASS
11AC40SISO	Ant1	5755	0.63	1.14	55.26	---	PASS
		5795	0.63	1.14	55.26	---	PASS
11AC80SISO	Ant1	5775	0.31	0.82	37.80	---	PASS