


CQASZ20260501091E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.65	2401.66	2402.32	0.5	PASS
	2440	0.65	2439.67	2440.32	0.5	PASS
	2480	0.65	2479.66	2480.32	0.5	PASS

Test Graphs






Date: 3 JUN 2026 18:11:43


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.035	2401.4845	2402.5195	---	---
		2440	1.031	2439.4845	2440.5155	---	---
		2480	1.039	2479.4805	2480.5195	---	---

Test Graphs






Date: 3 JUN 2026 18:11:49


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	-1.99	≤30	PASS
	2440	-0.92	≤30	PASS
	2480	-1.83	≤30	PASS

Test Graphs Peak






Date: 3 JUN 2026 18:11:54


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.14	≤8.00	PASS
	2440	-15.17	≤8.00	PASS
	2480	-16.00	≤8.00	PASS

Test Graphs






Date: 3 JUN 2026 18:11:59

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-2.70	-43.56	≤ -22.7	PASS
	High	2480	-2.58	-42.92	≤ -22.58	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-2.81	-2.81	---	PASS
		30~1000	-2.81	-50.41	≤-22.81	PASS
		1000~26500	-2.81	-37.2	≤-22.81	PASS
	2440	Reference	-1.82	-1.82	---	PASS
		30~1000	-1.82	-50.97	≤-21.82	PASS
		1000~26500	-1.82	-41.78	≤-21.82	PASS
	2480	Reference	-2.78	-2.78	---	PASS
		30~1000	-2.78	-52.4	≤-22.78	PASS
		1000~26500	-2.78	-42.77	≤-22.78	PASS


Test Graphs






Date: 3 JUN 2026 18:10:02

BLE_1M_Ant1_2440_0~Reference




Date: 3 JUN 2026 18:10:39

BLE_1M_Ant1_2440_30~1000




Date: 3 JUN 2026 18:10:43

BLE_1M_Ant1_2440_1000~26500




Date: 3 JUN 2026 18:10:54

BLE_1M_Ant1_2480_0~Reference




Date: 3 JUN 2026 18:13:33

BLE_1M_Ant1_2480_30~1000



Date: 3 JUN 2026 18:13:38

BLE_1M_Ant1_2480_1000~26500




Date: 3 JUN 2026 18:13:48


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	0.42	0.63	0.6667	66.67	1.76	---	---
	2440	0.42	0.63	0.6667	66.67	1.76	---	---
	2480	0.42	0.63	0.6667	66.67	1.76	---	---

Test Graphs





Date: 3 JUN 2026 18:20:37