


CQASZ20260601344E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.68	2402.36	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS

Test Graphs






Date: 3 JUL 2026 15:14:44


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.075	2401.4845	2402.5594	---	---
		2440	1.063	2439.4885	2440.5514	---	---
		2480	1.043	2479.5005	2480.5435	---	---

Test Graphs






Date: 3 JUL 2026 15:14:51


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	0.21	≤30	PASS
	2440	2.23	≤30	PASS
	2480	1.52	≤30	PASS

Test Graphs Peak






Date: 3 JUL 2026 15:14:55


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.50	≤8.00	PASS
	2440	-14.21	≤8.00	PASS
	2480	-14.88	≤8.00	PASS

Test Graphs






Date: 3 JUL 2026 15:15:01

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-0.55	-44.26	≤-20.55	PASS
	High	2480	0.63	-43.05	≤-19.37	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-0.44	-0.44	---	PASS
		30~1000	-0.44	-52.68	≤-20.44	PASS
		1000~26500	-0.44	-44.67	≤-20.44	PASS
	2440	Reference	1.71	1.71	---	PASS
		30~1000	1.71	-52.34	≤-18.29	PASS
		1000~26500	1.71	-44.99	≤-18.29	PASS
	2480	Reference	0.93	0.93	---	PASS
		30~1000	0.93	-51.38	≤-19.07	PASS
		1000~26500	0.93	-45.21	≤-19.07	PASS


Test Graphs






Date: 3.JUL.2026 15:10:07

BLE_1M_Ant1_2440_0~Reference




Date: 3.JUL.2026 15:12:23

BLE_1M_Ant1_2440_30~1000




Date: 3.JUL.2026 15:12:27

BLE_1M_Ant1_2440_1000~26500




Date: 3 JUL 2026 15:12:38

BLE_1M_Ant1_2480_0~Reference




Date: 3 JUL 2026 15:16:34

BLE_1M_Ant1_2480_30~1000



Date: 3 JUL 2026 15:16:39

BLE_1M_Ant1_2480_1000~26500




Date: 3 JUL 2026 15:16:49


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 3 JUL 2026 15:24:19