



BDR (GFSK): Pulse time, Middle Channel, DH1




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:12:28

BDR (GFSK): Pulse time, Middle Channel, DH3




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:13:16


BDR (GFSK): Pulse time, Middle Channel, DH5




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:14:41

EDR (π /4-DQPSK): Pulse time, Middle Channel, 2DH1

ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:15:24


EDR (π /4-DQPSK): Pulse time, Middle Channel, 2DH3

ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:16:06

EDR (π /4-DQPSK): Pulse time, Middle Channel, 2DH5


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:24:51

EDR (8DPSK): Pulse time, Middle Channel, 3DH1




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 17:17:35

EDR (8DPSK): Pulse time, Middle Channel, 3DH3




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 17:18:12

EDR (8DPSK): Pulse time, Middle Channel, 3DH5




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 17:23:18


Hopping Numbers-DH1




Hopping Numbers-DH3




Hopping Numbers-DH5




Hopping Numbers-2DH1




Hopping Numbers-2DH3



Hopping Numbers-2DH5




Hopping Numbers-3DH1




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:17:14

Hopping Numbers-3DH3



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:17:53

Hopping Numbers-3DH5




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 17:22:56

PEAK OUTPUT POWER MEASUREMENT**Environmental Conditions & Test Information**


Test Date:	2026-02-12
Temperature:	21.5℃
Relative Humidity:	50 %
ATM Pressure:	102.8 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou

EUT operation mode: Transmitting


Mode	Channel	Frequency (MHz)	Result (dBm)	Limit (dBm)
GFSK	Low	2402	5.06	21
	Middle	2441	5.27	
	High	2480	5.38	
$\pi/4$ DQPSK	Low	2402	4.19	
	Middle	2441	4.38	
	High	2480	4.49	
8DPSK	Low	2402	4.35	
	Middle	2441	4.55	
	High	2480	4.64	

BDR (GFSK): 2402MHz


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:15:38

BDR (GFSK): 2441MHz


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:21:25

BDR (GFSK): 2480MHz


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:26:50

EDR($\pi/4$ -DQPSK): 2402MHz

ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:32:33


EDR($\pi/4$ -DQPSK): 2441MHz

ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:37:19

EDR($\pi/4$ -DQPSK): 2480MHz


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:41:10

EDR(8DPSK): 2402MHz




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:46:30

EDR(8DPSK):2441MHz



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:51:29

EDR(8DPSK): 2480MHz



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:54:22

BAND EDGES**Environmental Conditions & Test Information**

Test Date:	2026-02-12
Temperature:	21.5℃
Relative Humidity:	50 %
ATM Pressure:	102.8 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou


EUT operation mode: Transmitting & Hopping

Test Result: Compliant.

Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
GFSK	Low	2402	52.11	20
	High	2480	52.89	
$\pi/4$ DQPSK	Low	2402	52.27	
	High	2480	52.73	
8DPSK	Low	2402	52.54	
	High	2480	52.38	
GFSK (Hopping)	Low	2402	52.79	
	High	2480	51.11	
$\pi/4$ DQPSK (Hopping)	Low	2402	51.64	
	High	2480	50.78	
8DPSK (Hopping)	Low	2402	51.81	
	High	2480	51.43	


Band Edge

BDR (GFSK): Left Side




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:16:50


BDR (GFSK): Right Side



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:27:38


EDR ($\pi/4$ -DQPSK): Left Side

ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:33:45

EDR ($\pi/4$ -DQPSK): Right Side


ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:41:59

EDR (8DPSK): Left Side




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:47:42

EDR (8DPSK): Right Side




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:55:09

BDR (GFSK): Left Side - Hopping




ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 16:58:49


BDR (GFSK): Right Side - Hopping



ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 17:00:07


EDR ($\pi/4$ -DQPSK): Left Side - Hopping

ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 17:01:06

EDR ($\pi/4$ -DQPSK): Right Side - Hopping


ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 17:01:45

EDR (8DPSK): Left Side - Hopping



ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 17:02:41

EDR (8DPSK): Right Side - Hopping



ProjectNo. RKSA260107001 Tester: Neil Zhou
Date: 12 FEB 2026 17:03:22


CONDUCTED SPURIOUS EMISSION**Environmental Conditions & Test Information**

Test Date:	2026-02-12
Temperature:	21.5 °C
Relative Humidity:	50 %
ATM Pressure:	102.8 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou

Mode	Channel	Result (dB)	Limit (dB)
GFSK	Low	42.11	20.00
	Middle	41.79	20.00
	High	41.50	20.00
$\pi/4$ DQPSK	Low	41.37	20.00
	Middle	41.57	20.00
	High	41.13	20.00
8DPSK	Low	41.06	20.00
	Middle	40.83	20.00
	High	41.15	20.00


Note: the maximum path attenuation of 30MHz~25GHz was added into the offset

GFSK_Low




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:20:04

GFSK_Middle




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:24:59

GFSK_High




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:30:18

$\pi/4$ DQPSK_Low




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:35:54

$\pi/4$ DQPSK_Middle




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:40:30

$\pi/4$ DQPSK_High




ProjectNo. RKSA260107001 Tester Neil Zhou
Date: 12.FEB.2026 16:44:38

8DPSK_Low




ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:49:49

8DPSK_Middle



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:53:39

8DPSK_High



ProjectNo. RKSA260107001 Tester:Neil Zhou
Date: 12.FEB.2026 16:57:18

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******