


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.55.58

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05

Bandedge FCC-WIFI_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.16	3.82	74.0	11.84	Peak	283.00	150	Vertical	Pass
1**	5150.000	47.34	3.82	54.0	6.66	AV	283.00	150	Vertical	Pass
2	5144.150	60.49	3.99	74.0	13.51	Peak	49.00	150	Vertical	Pass
2**	5144.150	45.91	3.99	54.0	8.09	AV	49.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.39.05

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	68.34	3.82	74.0	5.66	Peak	129.00	150	Horizontal	Pass
1**	5150.000	50.48	3.82	54.0	3.52	AV	129.00	150	Horizontal	Pass
2	5149.350	67.46	3.84	74.0	6.54	Peak	115.00	150	Horizontal	Pass
2**	5149.350	50.11	3.84	54.0	3.89	AV	115.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_15.01.06

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.47	4.04	74.0	18.53	Peak	6.00	150	Vertical	Pass
1**	5350.000	45.01	4.04	54.0	8.99	AV	6.00	150	Vertical	Pass
2	5371.230	57.07	3.99	74.0	16.93	Peak	360.00	150	Vertical	Pass
2**	5371.230	44.73	3.99	54.0	9.27	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_15.03.01

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.42	4.04	74.0	18.58	Peak	310.00	150	Horizontal	Pass
1**	5350.000	46.09	4.04	54.0	7.91	AV	310.00	150	Horizontal	Pass
2	5367.600	57.31	4.04	74.0	16.69	Peak	0.00	150	Horizontal	Pass
2**	5367.600	45.54	4.04	54.0	8.46	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.29.59

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.40	3.82	74.0	18.60	Peak	151.98	150	Vertical	Pass
1**	5150.000	44.78	3.82	54.0	9.22	AV	151.98	150	Vertical	Pass
2	5000.500	56.66	3.83	74.0	17.34	Peak	178.00	150	Vertical	Pass
2**	5000.500	44.51	3.83	54.0	9.49	AV	178.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.28.14

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.14	3.82	74.0	18.86	Peak	96.02	150	Horizontal	Pass
1**	5150.000	45.39	3.82	54.0	8.61	AV	96.02	150	Horizontal	Pass
2	5016.100	56.21	3.57	74.0	17.79	Peak	53.00	150	Horizontal	Pass
2**	5016.100	44.53	3.57	54.0	9.47	AV	53.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_15.12.07

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	4.04	74.0	19.43	Peak	114.00	150	Vertical	Pass
1**	5350.000	44.88	4.04	54.0	9.12	AV	114.00	150	Vertical	Pass
2	5383.990	56.90	4.06	74.0	17.10	Peak	31.00	150	Vertical	Pass
2**	5383.990	45.01	4.06	54.0	8.99	AV	31.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_15.06.38

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.95	4.04	74.0	17.05	Peak	136.00	150	Horizontal	Pass
1**	5350.000	46.07	4.04	54.0	7.93	AV	136.00	150	Horizontal	Pass
2	5401.810	57.42	4.06	74.0	16.58	Peak	136.00	150	Horizontal	Pass
2**	5401.810	45.36	4.06	54.0	8.64	AV	136.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.16.00

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.59	3.82	74.0	7.41	Peak	53.00	150	Vertical	Pass
1**	5150.000	46.57	3.82	54.0	7.43	AV	53.00	150	Vertical	Pass
2	5149.350	64.04	3.84	74.0	9.96	Peak	48.00	150	Vertical	Pass
2**	5149.350	46.49	3.84	54.0	7.51	AV	48.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_14.13.32

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	71.66	3.82	74.0	2.34	Peak	108.00	150	Horizontal	Pass
1**	5150.000	50.57	3.82	54.0	3.43	AV	108.00	150	Horizontal	Pass
2	5149.350	70.09	3.84	74.0	3.91	Peak	101.00	150	Horizontal	Pass
2**	5149.350	48.99	3.84	54.0	5.01	AV	101.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_11.03.13

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.79	4.04	74.0	18.21	Peak	54.00	150	Vertical	Pass
1**	5350.000	44.93	4.04	54.0	9.07	AV	54.00	150	Vertical	Pass
2	5396.420	56.89	4.06	74.0	17.11	Peak	19.00	150	Vertical	Pass
2**	5396.420	44.67	4.06	54.0	9.33	AV	19.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_11.11.18

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05

Bandedge FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.45	4.04	74.0	16.55	Peak	262.00	150	Horizontal	Pass
1**	5350.000	46.16	4.04	54.0	7.84	AV	262.00	150	Horizontal	Pass
2	5380.690	58.84	4.05	74.0	15.16	Peak	262.00	150	Horizontal	Pass
2**	5380.690	45.43	4.05	54.0	8.57	AV	262.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_11.23.58

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.72	3.82	74.0	11.28	Peak	44.00	150	Vertical	Pass
1**	5150.000	48.34	3.82	54.0	5.66	AV	44.00	150	Vertical	Pass
2	5149.350	65.46	3.84	74.0	8.54	Peak	54.00	150	Vertical	Pass
2**	5149.350	47.71	3.84	54.0	6.29	AV	54.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_11.20.52

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	68.83	3.82	74.0	5.17	Peak	109.00	150	Horizontal	Pass
1**	5150.000	51.83	3.82	54.0	2.17	AV	109.00	150	Horizontal	Pass
2	5146.100	69.19	3.93	74.0	4.81	Peak	108.00	150	Horizontal	Pass
2**	5146.100	52.24	3.93	54.0	1.76	AV	108.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.21.40

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.16	3.82	74.0	18.84	Peak	233.02	150	Vertical	Pass
1**	5150.000	44.75	3.82	54.0	9.25	AV	233.02	150	Vertical	Pass
2	5035.600	56.16	3.70	74.0	17.84	Peak	346.00	150	Vertical	Pass
2**	5035.600	44.38	3.70	54.0	9.62	AV	346.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.24.15

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.20	3.82	74.0	18.80	Peak	116.00	150	Horizontal	Pass
1**	5150.000	45.59	3.82	54.0	8.41	AV	116.00	150	Horizontal	Pass
2	5129.850	57.50	3.83	74.0	16.50	Peak	123.00	150	Horizontal	Pass
2**	5129.850	46.08	3.83	54.0	7.92	AV	123.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.18.40

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.25	4.04	74.0	11.75	Peak	53.00	150	Vertical	Pass
1**	5350.000	46.99	4.04	54.0	7.01	AV	53.00	150	Vertical	Pass
2	5350.990	65.41	4.06	74.0	8.59	Peak	72.00	150	Vertical	Pass
2**	5350.990	46.87	4.06	54.0	7.13	AV	72.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.16.13

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.39	4.04	74.0	4.61	Peak	118.00	150	Horizontal	Pass
1**	5350.000	51.17	4.04	54.0	2.83	AV	118.00	150	Horizontal	Pass
2	5351.650	70.26	4.07	74.0	3.74	Peak	265.00	150	Horizontal	Pass
2**	5351.650	49.48	4.07	54.0	4.52	AV	265.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.28.45

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.97	3.82	74.0	19.03	Peak	56.03	150	Vertical	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	56.03	150	Vertical	Pass
2	4989.450	56.07	3.57	74.0	17.93	Peak	0.00	150	Vertical	Pass
2**	4989.450	44.28	3.57	54.0	9.72	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.26.07

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.09	3.82	74.0	17.91	Peak	117.99	150	Horizontal	Pass
1**	5150.000	45.37	3.82	54.0	8.63	AV	117.99	150	Horizontal	Pass
2	5025.850	56.06	3.57	74.0	17.94	Peak	63.00	150	Horizontal	Pass
2**	5025.850	44.63	3.57	54.0	9.37	AV	63.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.11.11

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.30	4.04	74.0	8.70	Peak	37.00	150	Vertical	Pass
1**	5350.000	47.00	4.04	54.0	7.00	AV	37.00	150	Vertical	Pass
2	5350.330	66.98	4.05	74.0	7.02	Peak	40.00	150	Vertical	Pass
2**	5350.330	47.37	4.05	54.0	6.63	AV	40.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.09.29

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	70.03	4.04	74.0	3.97	Peak	104.00	150	Horizontal	Pass
1**	5350.000	50.88	4.04	54.0	3.12	AV	104.00	150	Horizontal	Pass
2	5350.660	71.19	4.05	74.0	2.81	Peak	266.00	150	Horizontal	Pass
2**	5350.660	50.68	4.05	54.0	3.32	AV	266.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_16.23.28

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.21	3.82	74.0	18.79	Peak	272.00	150	Vertical	Pass
1**	5150.000	44.67	3.82	54.0	9.33	AV	272.00	150	Vertical	Pass
2	5118.800	57.17	3.70	74.0	16.83	Peak	307.00	150	Vertical	Pass
2**	5118.800	44.59	3.70	54.0	9.41	AV	307.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_16.21.42

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.38	3.82	74.0	17.62	Peak	123.00	150	Horizontal	Pass
1**	5150.000	45.73	3.82	54.0	8.27	AV	123.00	150	Horizontal	Pass
2	5088.250	57.65	3.44	74.0	16.35	Peak	105.00	150	Horizontal	Pass
2**	5088.250	47.23	3.44	54.0	6.77	AV	105.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_17.00.47

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.73	4.04	74.0	10.27	Peak	44.00	150	Vertical	Pass
1**	5350.000	48.13	4.04	54.0	5.87	AV	44.00	150	Vertical	Pass
2	5352.090	64.60	4.08	74.0	9.40	Peak	42.00	150	Vertical	Pass
2**	5352.090	47.70	4.08	54.0	6.30	AV	42.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_16.58.20

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.33	4.04	74.0	4.67	Peak	262.00	150	Horizontal	Pass
1**	5350.000	51.30	4.04	54.0	2.70	AV	262.00	150	Horizontal	Pass
2	5350.440	69.49	4.05	74.0	4.51	Peak	262.00	150	Horizontal	Pass
2**	5350.440	51.03	4.05	54.0	2.97	AV	262.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_16.33.21

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.85	4.04	74.0	16.15	Peak	48.00	150	Vertical	Pass
1**	5350.000	48.16	4.04	54.0	5.84	AV	48.00	150	Vertical	Pass
2	5359.790	61.76	4.24	74.0	12.24	Peak	37.00	150	Vertical	Pass
2**	5359.790	47.10	4.24	54.0	6.90	AV	37.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_16.31.49

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.26	4.04	74.0	13.74	Peak	259.00	150	Horizontal	Pass
1**	5350.000	50.83	4.04	54.0	3.17	AV	259.00	150	Horizontal	Pass
2	5360.450	67.16	4.23	74.0	6.84	Peak	280.00	150	Horizontal	Pass
2**	5360.450	49.68	4.23	54.0	4.32	AV	280.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.00.39

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.71	3.78	68.2	11.49	Peak	54.02	150	Vertical	Pass
1**	5460.000	45.52	3.78	54.0	8.48	AV	54.02	150	Vertical	Pass
2	5469.880	64.65	4.09	68.2	3.55	Peak	74.00	150	Vertical	Pass
2**	5469.880	48.33	4.09	--	-48.33	AV	74.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.59.16

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.45	3.78	68.2	9.75	Peak	132.33	150	Horizontal	Pass
1**	5460.000	47.34	3.78	54.0	6.66	AV	132.33	150	Horizontal	Pass
2	5468.320	66.20	4.05	68.2	2.00	Peak	106.00	150	Horizontal	Pass
2**	5468.320	50.25	4.05	--	-50.25	AV	106.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_21.06.55

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.61	4.31	68.2	5.59	Peak	27.00	150	Vertical	Pass
2	5727.000	64.55	4.25	68.2	3.65	Peak	187.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.05.36

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.26	4.31	68.2	4.94	Peak	120.00	150	Horizontal	Pass
2	5725.375	67.05	4.30	68.2	1.15	Peak	214.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_21.24.05

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100
		P=	17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.28	3.78	68.2	11.92	Peak	67.63	150	Vertical	Pass
1**	5460.000	45.47	3.78	54.0	8.53	AV	67.63	150	Vertical	Pass
2	5469.160	65.31	4.07	68.2	2.89	Peak	37.00	150	Vertical	Pass
2**	5469.160	47.51	4.07	--	-47.51	AV	37.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.22.42

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100
		P=17.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.94	3.78	68.2	9.26	Peak	259.67	150	Horizontal	Pass
1**	5460.000	46.90	3.78	54.0	7.10	AV	259.67	150	Horizontal	Pass
2	5469.400	66.99	4.08	68.2	1.21	Peak	303.00	150	Horizontal	Pass
2**	5469.400	50.01	4.08	--	-50.01	AV	303.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_21.18.22

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140
		P=15.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.88	4.31	68.2	4.32	Peak	187.00	150	Vertical	Pass
2	5726.375	62.87	4.26	68.2	5.33	Peak	200.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.16.56

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140
		P=15.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.39	4.31	68.2	7.81	Peak	223.00	150	Horizontal	Pass
2	5725.375	65.26	4.30	68.2	2.94	Peak	207.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.30.22

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.70	3.78	68.2	11.50	Peak	78.00	150	Vertical	Pass
1**	5460.000	44.76	3.78	54.0	9.24	AV	78.00	150	Vertical	Pass
2	5465.920	63.53	3.97	68.2	4.67	Peak	46.00	150	Vertical	Pass
2**	5465.920	45.47	3.97	--	-45.47	AV	46.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.28.58

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.01	3.78	68.2	9.19	Peak	115.68	150	Horizontal	Pass
1**	5460.000	46.07	3.78	54.0	7.93	AV	115.68	150	Horizontal	Pass
2	5468.200	64.58	4.05	68.2	3.62	Peak	268.00	150	Horizontal	Pass
2**	5468.200	47.40	4.05	--	-47.40	AV	268.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_21.34.27

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134
		P=18.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.28	4.31	68.2	6.92	Peak	68.00	150	Vertical	Pass
2	5728.375	63.42	4.21	68.2	4.78	Peak	186.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_21.32.50

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.125	63.77	4.31	68.2	4.43	Peak	188.00	150	Horizontal	Pass
2	5735.500	64.61	4.22	68.2	3.59	Peak	201.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.09.09

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.82	3.78	68.2	9.38	Peak	37.00	150	Vertical	Pass
1**	5460.000	46.61	3.78	54.0	7.39	AV	37.00	150	Vertical	Pass
2	5467.720	63.90	4.03	68.2	4.30	Peak	45.00	150	Vertical	Pass
2**	5467.720	47.84	4.03	--	-47.84	AV	45.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.07.27

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.15	3.78	68.2	6.05	Peak	217.57	150	Horizontal	Pass
1**	5460.000	48.72	3.78	54.0	5.28	AV	217.57	150	Horizontal	Pass
2	5461.720	66.97	3.83	68.2	1.23	Peak	134.00	150	Horizontal	Pass
2**	5461.720	50.11	3.83	--	-50.11	AV	134.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.00.29

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.125	59.70	4.31	68.2	8.50	Peak	202.00	150	Vertical	Pass
2	5730.125	60.00	4.16	68.2	8.20	Peak	192.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.02.02

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.26	4.31	68.2	7.94	Peak	199.00	150	Horizontal	Pass
2	5728.500	63.18	4.21	68.2	5.02	Peak	199.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.08.25

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.77	3.81	68.2	10.43	Peak	250.83	150	Vertical	Pass
2	5646.375	57.12	3.78	68.2	11.08	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.10.34

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.16	3.81	68.2	12.04	Peak	268.83	150	Horizontal	Pass
2	5640.750	57.29	3.74	68.2	10.91	Peak	213.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.06.12

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.02	6.44	68.2	11.18	Peak	149.27	150	Vertical	Pass
2	5953.050	58.30	6.17	68.2	9.90	Peak	264.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.04.00

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.55	6.44	68.2	10.65	Peak	70.15	150	Horizontal	Pass
2	5953.200	58.78	6.17	68.2	9.42	Peak	315.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119
Test Time: 2026-08-22_20.16.15

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.03	3.81	68.2	12.17	Peak	202.81	150	Vertical	Pass
2	5618.250	56.92	3.58	68.2	11.28	Peak	41.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.14.18

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.62	3.81	68.2	12.58	Peak	200.92	150	Horizontal	Pass
2	5637.125	56.83	3.72	68.2	11.37	Peak	199.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.00.20

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.88	6.44	68.2	11.32	Peak	207.81	150	Vertical	Pass
2	5941.800	58.22	6.07	68.2	9.98	Peak	108.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_20.01.55

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05

Bandedge FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.18	6.44	68.2	11.02	Peak	315.98	150	Horizontal	Pass
2	5940.150	59.00	6.05	68.2	9.20	Peak	211.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_19.47.43

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.82	3.81	68.2	12.38	Peak	99.03	150	Vertical	Pass
2	5621.500	57.16	3.61	68.2	11.04	Peak	75.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_19.45.39

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.54	3.81	68.2	11.66	Peak	263.81	150	Horizontal	Pass
2	5625.000	56.91	3.63	68.2	11.29	Peak	107.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_19.49.35

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.60	6.44	68.2	10.60	Peak	184.92	150	Vertical	Pass
2	5960.100	58.60	6.10	68.2	9.60	Peak	350.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_19.51.27

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.72	6.44	68.2	10.48	Peak	0.24	150	Horizontal	Pass
2	5958.450	58.77	6.11	68.2	9.43	Peak	352.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.11.35

EUT Name: A6Go Smart Payment Terminal

Temp.(°C): 23.2

Model Number: K1152

Humidity (%RH): 51

Sample Number: CC26080004-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=18


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: S05+数据线: S05

Bandedge FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.49	3.81	68.2	10.71	Peak	47.97	150	Vertical	Pass
2	5604.500	57.67	3.68	68.2	10.53	Peak	30.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080119

Test Time: 2026-08-22_18.13.05

EUT Name:	A6Go Smart Payment Terminal	Temp.(°C):	23.2
Model Number:	K1152	Humidity (%RH):	51
Sample Number:	CC26080004-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: S05+数据线: S05



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.76	3.81	68.2	11.44	Peak	192.99	150	Horizontal	Pass
2	5645.000	59.89	3.77	68.2	8.31	Peak	195.00	150	Horizontal	Pass