



1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	856.705	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-48.94	-13	35.94	Pass	841
1840	1920	1	RMS	1850.4	21.13	60	38.87	Pass	101
1920	3000	1	RMS	2998	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11990	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.69	-13	26.69	Pass	8001




**1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74	-13	61	Pass	141
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	981.988	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1835	-50.3	-13	37.3	Pass	841
1840	1920	1	RMS	1870.4	21.87	60	38.13	Pass	101
1920	3000	1	RMS	2999	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	11995	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13603	-39.71	-13	26.71	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	141
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	843	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1836	-51.69	-13	38.69	Pass	841
1840	1920	1	RMS	1870.4	20.94	60	39.06	Pass	101
1920	3000	1	RMS	2999	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11993	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.7	-13	26.7	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	59.63	Pass	141
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	978.686	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1839	-53.87	-13	40.87	Pass	841
1840	1920	1	RMS	1890.4	21.96	60	38.04	Pass	101
1920	3000	1	RMS	2985	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	972.081	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1837	-53.94	-13	40.94	Pass	841
1840	1920	1	RMS	1890.4	21	60	39	Pass	101
1920	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.16	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	996.798	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.35	-13	40.35	Pass	701
1700	1765	1	RMS	1709.75	22.22	60	37.78	Pass	101
1765	3000	1	RMS	2983	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11999	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13598	-39.71	-13	26.71	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	141
0.15	30	0.01	RMS	0.16	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	853.903	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1765	1	RMS	1709.75	21.28	60	38.72	Pass	101
1765	3000	1	RMS	2982	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11981	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-13	60.88	Pass	141
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	852.402	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1679	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1731.2	21.59	60	38.41	Pass	101
1765	3000	1	RMS	2989	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	60.55	Pass	141
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	847.8	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1679	-54	-13	41	Pass	701
1700	1765	1	RMS	1731.2	20.64	60	39.36	Pass	101
1765	3000	1	RMS	2927	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11988	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.73	-13	26.73	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	999.6	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1680	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1753.3	22.3	60	37.7	Pass	101
1765	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13605	-39.78	-13	26.78	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	141
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	840.5	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1676	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1753.3	21.39	60	38.61	Pass	101
1765	3000	1	RMS	2848	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13605	-39.65	-13	26.65	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.7	-13	60.7	Pass	141
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	837.3	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.05	-13	40.05	Pass	701
1700	1765	1	RMS	1709.75	22.31	60	37.69	Pass	101
1765	3000	1	RMS	2992	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11994	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.69	-13	26.69	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	854.303	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-52.78	-13	39.78	Pass	701
1700	1765	1	RMS	1709.75	21.5	60	38.5	Pass	101
1765	3000	1	RMS	2995	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11994	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	863.109	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1680	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1730.55	22.28	60	37.72	Pass	101
1765	3000	1	RMS	2961	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-13	60.03	Pass	141
0.15	30	0.01	RMS	0.19	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	854.203	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1676	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1730.55	21.3	60	38.7	Pass	101
1765	3000	1	RMS	2954	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	922.649	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1751.35	21.47	60	38.53	Pass	101
1765	3000	1	RMS	2995	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	141
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	982.588	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1674	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1751.35	20.56	60	39.44	Pass	101
1765	3000	1	RMS	2999	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	141
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	845.5	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-52.65	-13	39.65	Pass	701
1700	1765	1	RMS	1709.75	22.26	60	37.74	Pass	101
1765	3000	1	RMS	2980	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11991	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	972.482	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-52.94	-13	39.94	Pass	701
1700	1765	1	RMS	1709.75	21.36	60	38.64	Pass	101
1765	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	943.062	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1676	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1729.9	22.08	60	37.92	Pass	101
1765	3000	1	RMS	2988	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.69	-13	26.69	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	852.102	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1679	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1729.9	21.24	60	38.76	Pass	101
1765	3000	1	RMS	2999	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	979.987	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1674	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1750.05	21.43	60	38.57	Pass	101
1765	3000	1	RMS	2979	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




**2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.17	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	953.469	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1750.05	20.66	60	39.34	Pass	101
1765	3000	1	RMS	3000	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	60.04	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	981.488	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1693	-43.56	-13	30.56	Pass	701
1700	1765	1	RMS	1709.75	21.73	60	38.27	Pass	101
1765	3000	1	RMS	2996	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	141
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	851.902	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-44.66	-13	31.66	Pass	701
1700	1765	1	RMS	1709.75	20.9	60	39.1	Pass	101
1765	3000	1	RMS	2936	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	839.8	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1670	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1727.3	21.97	60	38.03	Pass	101
1765	3000	1	RMS	2997	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	942.762	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1678	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1727.3	20.99	60	39.01	Pass	101
1765	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13598	-39.67	-13	26.67	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	948.566	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1675	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1744.85	22.21	60	37.79	Pass	101
1765	3000	1	RMS	1765	-50.15	-13	37.15	Pass	1236
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	983.689	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1680	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1744.85	21.27	60	38.73	Pass	101
1765	3000	1	RMS	1765	-50.85	-13	37.85	Pass	1236
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.16	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	966.778	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1698	-46.66	-13	33.66	Pass	701
1700	1765	1	RMS	1710.4	22.12	60	37.88	Pass	101
1765	3000	1	RMS	2990	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.21	-13	60.21	Pass	141
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	975.684	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1698	-46.55	-13	33.55	Pass	701
1700	1765	1	RMS	1710.4	21.29	60	38.71	Pass	101
1765	3000	1	RMS	2984	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	841.1	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1699	-44.86	-13	31.86	Pass	701
1700	1765	1	RMS	1725.35	22.25	60	37.75	Pass	101
1765	3000	1	RMS	2995	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11989	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.23	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	971.281	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1699	-46.12	-13	33.12	Pass	701
1700	1765	1	RMS	1725.35	21.28	60	38.72	Pass	101
1765	3000	1	RMS	2981	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11993	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	141
0.15	30	0.01	RMS	0.15	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	968.379	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1679	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1740.3	22.34	60	37.66	Pass	101
1765	3000	1	RMS	1767	-27.3	-13	14.3	Pass	1236
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	850.701	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1677	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1740.3	21.48	60	38.52	Pass	101
1765	3000	1	RMS	1767	-28.83	-13	15.83	Pass	1236
3000	12000	1	RMS	11990	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13597	-39.82	-13	26.82	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	841.2	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1693	-44.02	-13	31.02	Pass	701
1700	1765	1	RMS	1710.4	22.02	60	37.98	Pass	101
1765	3000	1	RMS	3000	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	957.772	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1693	-45.86	-13	32.86	Pass	701
1700	1765	1	RMS	1710.4	21.22	60	38.78	Pass	101
1765	3000	1	RMS	2929	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11994	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	850.401	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1688	-50.86	-13	37.86	Pass	701
1700	1765	1	RMS	1722.75	21.48	60	38.52	Pass	101
1765	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.79	-13	26.79	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	855.304	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1688	-51.82	-13	38.82	Pass	701
1700	1765	1	RMS	1722.75	20.53	60	39.47	Pass	101
1765	3000	1	RMS	2985	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.15	-73.01	-13	60.01	Pass	2986
30	1000	0.1	RMS	866.211	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-43.44	-13	30.44	Pass	701
1700	1765	1	RMS	1735.75	21.55	60	38.45	Pass	101
1765	3000	1	RMS	1772	-27.18	-13	14.18	Pass	1236
3000	12000	1	RMS	11999	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.94	-13	60.94	Pass	141
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	842.2	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-44.19	-13	31.19	Pass	701
1700	1765	1	RMS	1735.75	20.56	60	39.44	Pass	101
1765	3000	1	RMS	1772	-28.83	-13	15.83	Pass	1236
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	813.6	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	824.3	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	968.2	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1648	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	141
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.6	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	824.3	18.68	60	41.32	Pass	461
860	1000	0.1	RMS	916	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	806.5	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	836.1	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	995.3	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1672	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	812.5	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	836.1	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	981.6	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1672	-49.37	-13	36.37	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	730.6	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	847.9	19.67	60	40.33	Pass	461
860	1000	0.1	RMS	944.5	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1695	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	814	0.1	RMS	810	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	847.9	18.86	60	41.14	Pass	461
860	1000	0.1	RMS	952	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1695	-49.33	-13	36.33	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	813.5	-64.62	-13	51.62	Pass	7841
814	860	0.1	RMS	824.2	19.76	60	40.24	Pass	461
860	1000	0.1	RMS	903.7	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	813.5	-64.78	-13	51.78	Pass	7841
814	860	0.1	RMS	824.2	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	994.2	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1648	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.15	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	803.6	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	835.2	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	883.9	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1670	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	811.9	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	835.2	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	981.6	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1670	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




**3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.2	-72.8	-13	59.8	Pass	2986
30	814	0.1	RMS	813.9	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	846.2	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	968.3	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1692	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.16	-71.21	-13	58.21	Pass	2986
30	814	0.1	RMS	809.7	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	846.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	971.6	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1692	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.8	-13	60.8	Pass	141
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	813.6	-64.38	-13	51.38	Pass	7841
814	860	0.1	RMS	824.3	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	974.7	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1648	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	814	0.1	RMS	813.7	-64.94	-13	51.94	Pass	7841
814	860	0.1	RMS	824.3	18.73	60	41.27	Pass	461
860	1000	0.1	RMS	885.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	60.77	Pass	141
0.15	30	0.01	RMS	0.17	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	779.8	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	834.3	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	976.4	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1668	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6798	-45.67	-13	32.67	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	813.7	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	834.3	19.08	60	40.92	Pass	461
860	1000	0.1	RMS	900.3	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1668	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001




**3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.04	-13	60.04	Pass	141
0.15	30	0.01	RMS	0.18	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	811.1	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	844.3	19.9	60	40.1	Pass	461
860	1000	0.1	RMS	984	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1688	-48.45	-13	35.45	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.6	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	844.3	19	60	41	Pass	461
860	1000	0.1	RMS	995.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1688	-49.37	-13	36.37	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.9	-61.63	-13	48.63	Pass	7841
814	860	0.1	RMS	824.6	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	971.7	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1649	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001



3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.9	-61.67	-13	48.67	Pass	7841
814	860	0.1	RMS	824.6	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	984.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001

