



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	694	0.1	RMS	693.9	-63.95	-13	50.95	Pass	6641
694	726	0.1	RMS	704.6	19.14	60	40.86	Pass	321
726	1000	0.1	RMS	851	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1409	-51.27	-13	38.27	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	694	0.1	RMS	694	-65.2	-13	52.2	Pass	6641
694	726	0.1	RMS	705.6	20.05	60	39.95	Pass	321
726	1000	0.1	RMS	873.2	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1411	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	694	0.1	RMS	694	-65.36	-13	52.36	Pass	6641
694	726	0.1	RMS	705.6	19.01	60	40.99	Pass	321
726	1000	0.1	RMS	991.7	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1411	-51.31	-13	38.31	Pass	2001
3000	10000	1	RMS	6800	-45.47	-13	32.47	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	694	0.1	RMS	693.5	-65.09	-13	52.09	Pass	6641
694	726	0.1	RMS	706.6	20.03	60	39.97	Pass	321
726	1000	0.1	RMS	834.5	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1413	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001



6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	694	0.1	RMS	693.3	-65.33	-13	52.33	Pass	6641
694	726	0.1	RMS	706.6	19.11	60	40.89	Pass	321
726	1000	0.1	RMS	972.9	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1413	-51.1	-13	38.1	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001



7. LTE_Band25


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	811.9	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.21	-13	40.21	Pass	841
1840	1925	1	RMS	1849.35	21.83	60	38.17	Pass	101
1925	3000	1	RMS	2998	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11993	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	827.9	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.29	-13	40.29	Pass	841
1840	1925	1	RMS	1849.35	20.86	60	39.14	Pass	101
1925	3000	1	RMS	2982	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	861.508	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1838	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1881.65	20.84	60	39.16	Pass	101
1925	3000	1	RMS	2991	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	837.5	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1881.65	19.9	60	40.1	Pass	101
1925	3000	1	RMS	2991	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	912.142	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1838	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1913.1	22.03	60	37.97	Pass	101
1925	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11991	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	60.58	Pass	141
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	918.746	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1913.1	21.07	60	38.93	Pass	101
1925	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	855.404	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-52.94	-13	39.94	Pass	841
1840	1925	1	RMS	1849.35	21.9	60	38.1	Pass	101
1925	3000	1	RMS	2988	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13610	-39.75	-13	26.75	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	141
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	997.098	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.02	-13	40.02	Pass	841
1840	1925	1	RMS	1849.35	21.07	60	38.93	Pass	101
1925	3000	1	RMS	2941	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.33	-13	60.33	Pass	141
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	830.6	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1837	-53.29	-13	40.29	Pass	841
1840	1925	1	RMS	1880.8	21.11	60	38.89	Pass	101
1925	3000	1	RMS	2984	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11996	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	828.6	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1836	-53.54	-13	40.54	Pass	841
1840	1925	1	RMS	1880.8	20.18	60	39.82	Pass	101
1925	3000	1	RMS	2988	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11992	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	963.276	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1911.4	21.99	60	38.01	Pass	101
1925	3000	1	RMS	2979	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11990	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	985.29	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1839	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1911.4	21.11	60	38.89	Pass	101
1925	3000	1	RMS	2991	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	141
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	864.51	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-52.73	-13	39.73	Pass	841
1840	1925	1	RMS	1849.35	21.48	60	38.52	Pass	101
1925	3000	1	RMS	2981	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11998	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13599	-39.67	-13	26.67	Pass	8001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	814.2	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-52.83	-13	39.83	Pass	841
1840	1925	1	RMS	1849.35	20.58	60	39.42	Pass	101
1925	3000	1	RMS	2982	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	973.282	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1836	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1879.95	20.71	60	39.29	Pass	101
1925	3000	1	RMS	2967	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11897	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	814.1	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1879.95	19.92	60	40.08	Pass	101
1925	3000	1	RMS	2979	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	964.376	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1836	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1909.7	21.76	60	38.24	Pass	101
1925	3000	1	RMS	2974	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	842.7	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1909.7	21.04	60	38.96	Pass	101
1925	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.73	-13	26.73	Pass	8001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	850.001	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1833	-48.54	-13	35.54	Pass	841
1840	1925	1	RMS	1850.2	20.81	60	39.19	Pass	101
1925	3000	1	RMS	2975	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.21	-13	61.21	Pass	141
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	838.8	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1833	-49.05	-13	36.05	Pass	841
1840	1925	1	RMS	1850.2	19.96	60	40.04	Pass	101
1925	3000	1	RMS	2988	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	850.201	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1835	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1877.4	21.97	60	38.03	Pass	101
1925	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11997	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	141
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	851.001	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1877.4	21.04	60	38.96	Pass	101
1925	3000	1	RMS	2994	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11993	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.74	-13	26.74	Pass	8001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	962.475	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1904.6	21.56	60	38.44	Pass	101
1925	3000	1	RMS	2993	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11993	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.87	-13	59.87	Pass	141
0.15	30	0.01	RMS	0.15	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	841.5	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1904.6	20.68	60	39.32	Pass	101
1925	3000	1	RMS	2995	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.58	-13	60.58	Pass	141
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	841.7	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-48.06	-13	35.06	Pass	841
1840	1925	1	RMS	1850.2	21.84	60	38.16	Pass	101
1925	3000	1	RMS	2992	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13597	-39.7	-13	26.7	Pass	8001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-13	60.88	Pass	141
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	983.789	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-48.21	-13	35.21	Pass	841
1840	1925	1	RMS	1850.2	21	60	39	Pass	101
1925	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	60.78	Pass	141
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	848.6	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1874.85	21.51	60	38.49	Pass	101
1925	3000	1	RMS	2976	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.76	-13	26.76	Pass	8001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.15	-72.97	-13	59.97	Pass	2986
30	1000	0.1	RMS	847.6	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1874.85	20.58	60	39.42	Pass	101
1925	3000	1	RMS	2995	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	856.005	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1835	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1900.35	21.29	60	38.71	Pass	101
1925	3000	1	RMS	2986	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11891	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	859.507	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1836	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1900.35	20.45	60	39.55	Pass	101
1925	3000	1	RMS	2981	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11997	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13605	-39.65	-13	26.65	Pass	8001




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	141
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	851.802	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1839	-48.44	-13	35.44	Pass	841
1840	1925	1	RMS	1850.2	21.68	60	38.32	Pass	101
1925	3000	1	RMS	2991	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11991	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	871.215	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-48.83	-13	35.83	Pass	841
1840	1925	1	RMS	1850.2	20.82	60	39.18	Pass	101
1925	3000	1	RMS	2996	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13605	-39.74	-13	26.74	Pass	8001




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	981.488	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1838	-45.16	-13	32.16	Pass	841
1840	1925	1	RMS	1873.15	20.81	60	39.19	Pass	101
1925	3000	1	RMS	2992	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	855.004	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1838	-46.91	-13	33.91	Pass	841
1840	1925	1	RMS	1873.15	19.91	60	40.09	Pass	101
1925	3000	1	RMS	2999	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11998	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.91	-13	59.91	Pass	141
0.15	30	0.01	RMS	0.17	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	979.586	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1895.25	21.75	60	38.25	Pass	101
1925	3000	1	RMS	2997	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13606	-39.75	-13	26.75	Pass	8001



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	141
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	931.254	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1828	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1895.25	20.74	60	39.26	Pass	101
1925	3000	1	RMS	2998	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13605	-39.71	-13	26.71	Pass	8001



8. LTE_Band26(part22)


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	60.93	Pass	141
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	813.6	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	824.3	19.56	60	40.44	Pass	461
860	1000	0.1	RMS	981	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1648	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	813.6	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	824.3	18.62	60	41.38	Pass	461
860	1000	0.1	RMS	962.6	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	6797	-45.56	-13	32.56	Pass	7001




**8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	812.5	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	836.1	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	869.5	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1672	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6799	-45.51	-13	32.51	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	751.9	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	836.1	18.76	60	41.24	Pass	461
860	1000	0.1	RMS	903.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1672	-49.41	-13	36.41	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.22	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	811.1	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	847.9	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	988.2	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1695	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	59.83	Pass	141
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	814	-62.47	-13	49.47	Pass	7841
814	860	0.1	RMS	847.9	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	972.2	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1695	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.6	-64.63	-13	51.63	Pass	7841
814	860	0.1	RMS	824.2	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	984.7	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	813.6	-64.66	-13	51.66	Pass	7841
814	860	0.1	RMS	824.2	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	991.1	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	141
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	814	0.1	RMS	812.9	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	835.2	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	961.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1670	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.15	-70.67	-13	57.67	Pass	2986
30	814	0.1	RMS	809.7	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	835.2	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	904.1	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	813.6	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	846.2	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	999	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1692	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	813.5	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	846.2	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	943.5	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-49.48	-13	36.48	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	141
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	813.6	-64.64	-13	51.64	Pass	7841
814	860	0.1	RMS	824.3	19.68	60	40.32	Pass	461
860	1000	0.1	RMS	911.3	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1648	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	6797	-45.57	-13	32.57	Pass	7001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	813.7	-64.89	-13	51.89	Pass	7841
814	860	0.1	RMS	824.3	18.65	60	41.35	Pass	461
860	1000	0.1	RMS	869.7	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	813.4	-65.27	-13	52.27	Pass	7841
814	860	0.1	RMS	834.3	19.7	60	40.3	Pass	461
860	1000	0.1	RMS	990.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1668	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	813.9	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	834.3	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	989.6	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.65	-13	60.65	Pass	141
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	811.9	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	844.3	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	876.4	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1688	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	729.4	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	844.3	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	891.2	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1688	-49.38	-13	36.38	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001



8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	141
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.9	-61.71	-13	48.71	Pass	7841
814	860	0.1	RMS	824.6	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	963	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1649	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001



8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74	-13	61	Pass	141
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	813.9	-61.77	-13	48.77	Pass	7841
814	860	0.1	RMS	824.6	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	982	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001

