



8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74	-13	61	Pass	141
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	813.9	-61.77	-13	48.77	Pass	7841
814	860	0.1	RMS	824.6	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	982	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	811.3	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	832.1	20.42	60	39.58	Pass	461
860	1000	0.1	RMS	985.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1664	-48.34	-13	35.34	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.8	-65.15	-13	52.15	Pass	7841
814	860	0.1	RMS	832.1	19.32	60	40.68	Pass	461
860	1000	0.1	RMS	941.9	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1664	-49.34	-13	36.34	Pass	2001
3000	10000	1	RMS	6804	-45.56	-13	32.56	Pass	7001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	141
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.6	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	839.6	20.38	60	39.62	Pass	461
860	1000	0.1	RMS	879.7	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1679	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.2	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	811.2	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	839.6	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	943.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1679	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.03	-13	60.03	Pass	141
0.15	30	0.01	RMS	0.15	-72.75	-13	59.75	Pass	2986
30	814	0.1	RMS	811.5	-51.19	-13	38.19	Pass	7841
814	860	0.1	RMS	824.8	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	992.6	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1649	-47.86	-13	34.86	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	811.6	-52.4	-13	39.4	Pass	7841
814	860	0.1	RMS	824.8	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	990.7	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1649	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	61	Pass	141
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	814	-62.25	-13	49.25	Pass	7841
814	860	0.1	RMS	829.8	19.8	60	40.2	Pass	461
860	1000	0.1	RMS	969.3	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1659	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	814	-62.19	-13	49.19	Pass	7841
814	860	0.1	RMS	829.8	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	957	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1659	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6803	-45.53	-13	32.53	Pass	7001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.88	-13	60.88	Pass	141
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811.8	-62.85	-13	49.85	Pass	7841
814	860	0.1	RMS	834.8	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	879.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1669	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	60.83	Pass	141
0.15	30	0.01	RMS	0.21	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	811.8	-63.11	-13	50.11	Pass	7841
814	860	0.1	RMS	834.8	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	987.2	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1669	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.64	-13	52.64	Pass	141
0.15	30	0.01	Peak	0.15	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	721.4	-55.16	-13	42.16	Pass	7791
809	829	0.1	Peak	814.2	25.1	60	34.9	Pass	201
829	1000	0.1	Peak	913.3	-53.64	-13	40.64	Pass	1711
1000	3000	1	Peak	1629	-38.45	-13	25.45	Pass	2001
3000	10000	1	Peak	7655	-32.77	-13	19.77	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.58	-13	52.58	Pass	141
0.15	30	0.01	Peak	0.16	-63.96	-13	50.96	Pass	2986
30	809	0.1	Peak	763.6	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	814.3	25.5	60	34.5	Pass	201
829	1000	0.1	Peak	883.5	-53.84	-13	40.84	Pass	1711
1000	3000	1	Peak	1628	-38.9	-13	25.9	Pass	2001
3000	10000	1	Peak	6953	-33.76	-13	20.76	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.56	-13	53.56	Pass	141
0.15	30	0.01	Peak	0.16	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	576.1	-54.56	-13	41.56	Pass	7791
809	829	0.1	Peak	818.5	25.33	60	34.67	Pass	201
829	1000	0.1	Peak	843.1	-53.41	-13	40.41	Pass	1711
1000	3000	1	Peak	1637	-37.95	-13	24.95	Pass	2001
3000	10000	1	Peak	9904	-33.77	-13	20.77	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.79	-13	51.79	Pass	141
0.15	30	0.01	Peak	0.15	-63.42	-13	50.42	Pass	2986
30	809	0.1	Peak	770.8	-54.4	-13	41.4	Pass	7791
809	829	0.1	Peak	818.6	25.41	60	34.59	Pass	201
829	1000	0.1	Peak	830.3	-50.69	-13	37.69	Pass	1711
1000	3000	1	Peak	1637	-36.87	-13	23.87	Pass	2001
3000	10000	1	Peak	7641	-33.75	-13	20.75	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.83	-13	50.83	Pass	141
0.15	30	0.01	Peak	0.35	-64.44	-13	51.44	Pass	2986
30	809	0.1	Peak	730.9	-54.36	-13	41.36	Pass	7791
809	829	0.1	Peak	822.9	25.07	60	34.93	Pass	201
829	1000	0.1	Peak	855.4	-53.12	-13	40.12	Pass	1711
1000	3000	1	Peak	1646	-38.13	-13	25.13	Pass	2001
3000	10000	1	Peak	7045	-33.81	-13	20.81	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.63	-13	51.63	Pass	141
0.15	30	0.01	Peak	0.15	-61.9	-13	48.9	Pass	2986
30	809	0.1	Peak	747	-54.19	-13	41.19	Pass	7791
809	829	0.1	Peak	822.9	25.39	60	34.61	Pass	201
829	1000	0.1	Peak	829.2	-53.41	-13	40.41	Pass	1711
1000	3000	1	Peak	1646	-38.67	-13	25.67	Pass	2001
3000	10000	1	Peak	6773	-33.67	-13	20.67	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.16	-13	53.16	Pass	141
0.15	30	0.01	Peak	0.21	-64.4	-13	51.4	Pass	2986
30	809	0.1	Peak	808.9	-49.17	-13	36.17	Pass	7791
809	829	0.1	Peak	814.3	25.19	60	34.81	Pass	201
829	1000	0.1	Peak	842.1	-54.1	-13	41.1	Pass	1711
1000	3000	1	Peak	1628	-38.39	-13	25.39	Pass	2001
3000	10000	1	Peak	3485	-32.39	-13	19.39	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.3	-13	51.3	Pass	141
0.15	30	0.01	Peak	0.2	-63.75	-13	50.75	Pass	2986
30	809	0.1	Peak	808.8	-46.66	-13	33.66	Pass	7791
809	829	0.1	Peak	814.2	25.54	60	34.46	Pass	201
829	1000	0.1	Peak	990.4	-54.54	-13	41.54	Pass	1711
1000	3000	1	Peak	1628	-37.73	-13	24.73	Pass	2001
3000	10000	1	Peak	6975	-33.72	-13	20.72	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.19	-13	52.19	Pass	141
0.15	30	0.01	Peak	0.15	-64.93	-13	51.93	Pass	2986
30	809	0.1	Peak	411	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	817.8	25.85	60	34.15	Pass	201
829	1000	0.1	Peak	935.6	-54.59	-13	41.59	Pass	1711
1000	3000	1	Peak	1635	-37.03	-13	24.03	Pass	2001
3000	10000	1	Peak	7481	-33.28	-13	20.28	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.49	-13	52.49	Pass	141
0.15	30	0.01	Peak	0.16	-64.33	-13	51.33	Pass	2986
30	809	0.1	Peak	470.6	-53.8	-13	40.8	Pass	7791
809	829	0.1	Peak	817.7	25.36	60	34.64	Pass	201
829	1000	0.1	Peak	863.2	-53.75	-13	40.75	Pass	1711
1000	3000	1	Peak	1636	-36.85	-13	23.85	Pass	2001
3000	10000	1	Peak	3425	-30.97	-13	17.97	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.97	-13	52.97	Pass	141
0.15	30	0.01	Peak	0.15	-64.66	-13	51.66	Pass	2986
30	809	0.1	Peak	556.8	-54.7	-13	41.7	Pass	7791
809	829	0.1	Peak	821.2	25.56	60	34.44	Pass	201
829	1000	0.1	Peak	829	-42.81	-13	29.81	Pass	1711
1000	3000	1	Peak	1643	-37.44	-13	24.44	Pass	2001
3000	10000	1	Peak	7916	-32.96	-13	19.96	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-65.15	-13	52.15	Pass	141
0.15	30	0.01	Peak	0.18	-64.65	-13	51.65	Pass	2986
30	809	0.1	Peak	772	-54.26	-13	41.26	Pass	7791
809	829	0.1	Peak	821.3	26.09	60	33.91	Pass	201
829	1000	0.1	Peak	829	-41.29	-13	28.29	Pass	1711
1000	3000	1	Peak	1642	-38.27	-13	25.27	Pass	2001
3000	10000	1	Peak	9556	-33.25	-13	20.25	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.69	-13	53.69	Pass	141
0.15	30	0.01	Peak	0.31	-63.86	-13	50.86	Pass	2986
30	809	0.1	Peak	809	-51.36	-13	38.36	Pass	7791
809	829	0.1	Peak	814.4	25.48	60	34.52	Pass	201
829	1000	0.1	Peak	831.5	-51.58	-13	38.58	Pass	1711
1000	3000	1	Peak	1629	-38.37	-13	25.37	Pass	2001
3000	10000	1	Peak	7311	-33.42	-13	20.42	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.37	-13	50.37	Pass	141
0.15	30	0.01	Peak	0.18	-64.57	-13	51.57	Pass	2986
30	809	0.1	Peak	809	-51.73	-13	38.73	Pass	7791
809	829	0.1	Peak	814.3	25.62	60	34.38	Pass	201
829	1000	0.1	Peak	831.9	-53.66	-13	40.66	Pass	1711
1000	3000	1	Peak	1629	-38.52	-13	25.52	Pass	2001
3000	10000	1	Peak	7975	-33.41	-13	20.41	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.34	-13	53.34	Pass	141
0.15	30	0.01	Peak	0.32	-64.16	-13	51.16	Pass	2986
30	809	0.1	Peak	808.3	-53.94	-13	40.94	Pass	7791
809	829	0.1	Peak	816.8	25.23	60	34.77	Pass	201
829	1000	0.1	Peak	834.1	-53.65	-13	40.65	Pass	1711
1000	3000	1	Peak	1634	-38.59	-13	25.59	Pass	2001
3000	10000	1	Peak	7641	-33.54	-13	20.54	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-66.28	-13	53.28	Pass	141
0.15	30	0.01	Peak	0.69	-64.52	-13	51.52	Pass	2986
30	809	0.1	Peak	758.1	-53.92	-13	40.92	Pass	7791
809	829	0.1	Peak	816.8	25.42	60	34.58	Pass	201
829	1000	0.1	Peak	834.3	-53.51	-13	40.51	Pass	1711
1000	3000	1	Peak	1634	-38.72	-13	25.72	Pass	2001
3000	10000	1	Peak	7677	-33.65	-13	20.65	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-65.92	-13	52.92	Pass	141
0.15	30	0.01	Peak	0.22	-65.37	-13	52.37	Pass	2986
30	809	0.1	Peak	808.6	-54.36	-13	41.36	Pass	7791
809	829	0.1	Peak	819.4	25.34	60	34.66	Pass	201
829	1000	0.1	Peak	829.1	-48.22	-13	35.22	Pass	1711
1000	3000	1	Peak	1639	-37.61	-13	24.61	Pass	2001
3000	10000	1	Peak	7283	-33.18	-13	20.18	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.25	-13	51.25	Pass	141
0.15	30	0.01	Peak	0.15	-64.02	-13	51.02	Pass	2986
30	809	0.1	Peak	752.3	-54.26	-13	41.26	Pass	7791
809	829	0.1	Peak	819.3	25.48	60	34.52	Pass	201
829	1000	0.1	Peak	829	-47.1	-13	34.1	Pass	1711
1000	3000	1	Peak	1639	-36.51	-13	23.51	Pass	2001
3000	10000	1	Peak	7493	-32.89	-13	19.89	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.76	-13	52.76	Pass	141
0.15	30	0.01	Peak	0.26	-65.32	-13	52.32	Pass	2986
30	809	0.1	Peak	808.9	-50.45	-13	37.45	Pass	7791
809	829	0.1	Peak	814.6	25.48	60	34.52	Pass	201
829	1000	0.1	Peak	829.9	-38.16	-13	25.16	Pass	1711
1000	3000	1	Peak	1629	-38.03	-13	25.03	Pass	2001
3000	10000	1	Peak	7935	-33.21	-13	20.21	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.55	-13	52.55	Pass	141
0.15	30	0.01	Peak	0.87	-65.06	-13	52.06	Pass	2986
30	809	0.1	Peak	809	-51.36	-13	38.36	Pass	7791
809	829	0.1	Peak	814.5	25.4	60	34.6	Pass	201
829	1000	0.1	Peak	829.9	-37.76	-13	24.76	Pass	1711
1000	3000	1	Peak	1629	-38.29	-13	25.29	Pass	2001
3000	10000	1	Peak	6855	-33.83	-13	20.83	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.92	-13	51.92	Pass	141
0.15	30	0.01	Peak	0.19	-64.29	-13	51.29	Pass	2986
30	809	0.1	Peak	809	-49.7	-13	36.7	Pass	7791
809	829	0.1	Peak	814.6	25.36	60	34.64	Pass	201
829	1000	0.1	Peak	829.9	-38.36	-13	25.36	Pass	1711
1000	3000	1	Peak	1629	-38.43	-13	25.43	Pass	2001
3000	10000	1	Peak	8742	-32.76	-13	19.76	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.56	-13	52.56	Pass	141
0.15	30	0.01	Peak	0.26	-64.36	-13	51.36	Pass	2986
30	809	0.1	Peak	809	-51.16	-13	38.16	Pass	7791
809	829	0.1	Peak	814.5	25.58	60	34.42	Pass	201
829	1000	0.1	Peak	829.9	-37.58	-13	24.58	Pass	1711
1000	3000	1	Peak	1630	-38.61	-13	25.61	Pass	2001
3000	10000	1	Peak	7315	-32.86	-13	19.86	Pass	7001




1.23 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.38	-13	52.38	Pass	141
0.15	30	0.01	Peak	0.2	-65.32	-13	52.32	Pass	2986
30	809	0.1	Peak	808.8	-50.73	-13	37.73	Pass	7791
809	829	0.1	Peak	814.6	25.48	60	34.52	Pass	201
829	1000	0.1	Peak	829.9	-37.33	-13	24.33	Pass	1711
1000	3000	1	Peak	1629	-37.99	-13	24.99	Pass	2001
3000	10000	1	Peak	7982	-33.29	-13	20.29	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66	-13	53	Pass	141
0.15	30	0.01	Peak	0.15	-65.21	-13	52.21	Pass	2986
30	809	0.1	Peak	809	-50.31	-13	37.31	Pass	7791
809	829	0.1	Peak	814.5	25.53	60	34.47	Pass	201
829	1000	0.1	Peak	829.9	-38.27	-13	25.27	Pass	1711
1000	3000	1	Peak	1629	-38.77	-13	25.77	Pass	2001
3000	10000	1	Peak	7041	-33.82	-13	20.82	Pass	7001



9. LTE_Band66


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	969.28	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.34	-13	40.34	Pass	701
1700	1790	1	RMS	1709	20.15	60	39.85	Pass	101
1790	3000	1	RMS	2985	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11993	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	865.711	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.43	-13	40.43	Pass	701
1700	1790	1	RMS	1709	19.16	60	40.84	Pass	101
1790	3000	1	RMS	2986	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	951.168	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1676	-54	-13	41	Pass	701
1700	1790	1	RMS	1744.1	20.78	60	39.22	Pass	101
1790	3000	1	RMS	2942	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13603	-39.68	-13	26.68	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.16	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	999.3	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1680	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1744.1	19.78	60	40.22	Pass	101
1790	3000	1	RMS	2996	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13605	-39.72	-13	26.72	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	961.875	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1678	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1778.3	21.33	60	38.67	Pass	101
1790	3000	1	RMS	2996	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13606	-39.76	-13	26.76	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	904.036	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1683	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1778.3	20.39	60	39.61	Pass	101
1790	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	12000	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	874.217	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-46.37	-13	33.37	Pass	701
1700	1790	1	RMS	1709	20.36	60	39.64	Pass	101
1790	3000	1	RMS	2989	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11993	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-13	60.33	Pass	141
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	898.733	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-52.66	-13	39.66	Pass	701
1700	1790	1	RMS	1709	19.49	60	40.51	Pass	101
1790	3000	1	RMS	2982	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11989	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	857.706	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1678	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1743.2	21.39	60	38.61	Pass	101
1790	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11997	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13598	-39.75	-13	26.75	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	834.4	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1677	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1743.2	20.34	60	39.66	Pass	101
1790	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	897.332	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1681	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1776.5	21.95	60	38.05	Pass	101
1790	3000	1	RMS	2992	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.66	-13	26.66	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	841.7	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1676	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1776.5	21	60	39	Pass	101
1790	3000	1	RMS	2986	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.16	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	853.803	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-52.64	-13	39.64	Pass	701
1700	1790	1	RMS	1709.9	20.67	60	39.33	Pass	101
1790	3000	1	RMS	2987	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.71	-13	26.71	Pass	8001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	981.788	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1676	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1709.9	19.84	60	40.16	Pass	101
1790	3000	1	RMS	2993	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	141
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	955.771	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1676	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1742.3	21.24	60	38.76	Pass	101
1790	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13606	-39.81	-13	26.81	Pass	8001



9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.99	-13	60.99	Pass	141
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	834	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1674	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1742.3	20.31	60	39.69	Pass	101
1790	3000	1	RMS	2994	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001

